





Plot 7-139. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz) 802.11ax (UNII Band 8) – Ch. 199, MCS2)



Plot 7-140. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz) 802.11ax (UNII Band 8) – Ch. 207, MCS2)

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)		Approved by: Technical Manager	
Test Report S/N: 1C2311270063-13-R1.BCG		Test Dates: 11/29/2023 - 04/04/2024		EUT Type: Tablet Device	
				Page 84 of 336	


Mid Data Rate




Plot 7-141. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 5) – Ch. 45, 24Mbps)




Plot 7-144. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS4)




Plot 7-142. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS4)



Plot 7-145. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS4)




Plot 7-143. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS4)



Plot 7-146. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 6) – Ch. 105, 24Mbps)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 85 of 336




Plot 7-147. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS4)




Plot 7-150. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS4)




Plot 7-148. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS4)



Plot 7-151. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 7) – Ch. 149, 24Mbps)




Plot 7-149. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS4)




Plot 7-152. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS4)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 86 of 336




Plot 7-153. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS4)



Plot 7-155. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS4)




Plot 7-154. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS4)




Plot 7-156. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 8) – Ch. 209, 24Mbps)

FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (Certification)		Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 87 of 336


High Data Rate




Plot 7-157. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-160. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-158. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-161. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)



Plot 7-159. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)




Plot 7-162. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 6) – Ch. 105, 54Mbps)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 88 of 336

V 10.5 12/15/2021


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-163. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 6) – Ch. 105, MCS11)




Plot 7-166. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 6) – Ch. 111, MCS11)




Plot 7-164. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 6) – Ch. 107, MCS11)



Plot 7-167. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)




Plot 7-165. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 6) – Ch. 103, MCS11)




Plot 7-168. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS11)


FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 89 of 336




Plot 7-169. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS11)




Plot 7-172. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11a (UNII Band 8) – Ch. 209, 54Mbps)




Plot 7-170. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS11)



Plot 7-173. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)




Plot 7-171. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS11)




Plot 7-174. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 90 of 336




Plot 7-175. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)




Plot 7-178. Power Spectral Density Plot Antenna WF8 Low Power Indoor (40MHz 802.11ax (UNII Band 8) – Ch. 211, MCS11)




Plot 7-176. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)



Plot 7-179. Power Spectral Density Plot Antenna WF8 Low Power Indoor (80MHz 802.11ax (UNII Band 8) – Ch. 199, MCS11)




Plot 7-177. Power Spectral Density Plot Antenna WF8 Low Power Indoor (20MHz 802.11ax (UNII Band 8) – Ch. 209, MCS11)




Plot 7-180. Power Spectral Density Plot Antenna WF8 Low Power Indoor (160MHz 802.11ax (UNII Band 8) – Ch. 207, MCS11)

FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 91 of 336


Low Data Rate




Plot 7-181. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 12Mbps)




Plot 7-184. Power Spectral Density Plot Antenna WF8 Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS2)




Plot 7-182. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS2)



Plot 7-185. Power Spectral Density Plot Antenna WF8 Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS2)




Plot 7-183. Power Spectral Density Plot Antenna WF8 Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS2)




Plot 7-186. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 12Mbps)


FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 92 of 336




Plot 7-187. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11ax (UNII Band 7) – Ch. 149, MCS2)



Plot 7-189. Power Spectral Density Plot Antenna WF8 Standard Power (80MHz 802.11ax (UNII Band 7) – Ch. 151, MCS2)









Plot 7-188. Power Spectral Density Plot Antenna WF8 Standard Power (40MHz 802.11ax (UNII Band 7) – Ch. 155, MCS2)







Plot 7-190. Power Spectral Density Plot Antenna WF8 Standard Power (160MHz 802.11ax (UNII Band 7) – Ch. 143, MCS2)

FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 93 of 336

Mid Data Rate



FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 94 of 336




FCC ID: BCGA2902 IC: 579C-A2902	element	MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 95 of 336


High Data Rate




Plot 7-201. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11a (UNII Band 5) – Ch. 45, 54Mbps)




Plot 7-204. Power Spectral Density Plot Antenna WF8 Standard Power (80MHz 802.11ax (UNII Band 5) – Ch. 39, MCS11)




Plot 7-202. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11ax (UNII Band 5) – Ch. 45, MCS11)



Plot 7-205. Power Spectral Density Plot Antenna WF8 Standard Power (160MHz 802.11ax (UNII Band 5) – Ch. 47, MCS11)






Plot 7-203. Power Spectral Density Plot Antenna WF8 Standard Power (40MHz 802.11ax (UNII Band 5) – Ch. 43, MCS11)



Plot 7-206. Power Spectral Density Plot Antenna WF8 Standard Power (20MHz 802.11a (UNII Band 7) – Ch. 149, 54Mbps)

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 96 of 336



FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 97 of 336

7.4.2 Antenna WF7a Power Spectral Density Measurements

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	-8.19	3.70	-4.49	-1	-3.49
	6175	45	a	12	-7.07	3.70	-3.37	-1	-2.37
	6415	93	a	12	-6.35	3.70	-2.65	-1	-1.65
	5955	1	ax (20MHz)	24/25.8 (MCS2)	-8.72	3.70	-5.02	-1	-4.02
	6175	45	ax (20MHz)	24/25.8 (MCS2)	-7.63	3.70	-3.93	-1	-2.93
	6415	93	ax (20MHz)	24/25.8 (MCS2)	-6.89	3.70	-3.19	-1	-2.19
	5695	3	ax (40MHz)	49/51.6 (MCS2)	-8.01	3.70	-4.31	-1	-3.31
	6165	43	ax (40MHz)	49/51.6 (MCS2)	-7.23	3.70	-3.53	-1	-2.53
	6405	91	ax (40MHz)	49/51.6 (MCS2)	-7.21	3.70	-3.51	-1	-2.51
	5985	7	ax (80MHz)	102/108.1 (MCS2)	-7.90	3.70	-4.20	-1	-3.20
	6145	39	ax (80MHz)	102/108.1 (MCS2)	-7.22	3.70	-3.52	-1	-2.52
	6385	87	ax (80MHz)	102/108.1 (MCS2)	-6.48	3.70	-2.78	-1	-1.78
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-8.36	3.70	-4.66	-1	-3.66
	6185	47	ax (160MHz)	183.8/216.2 (MCS2)	-7.38	3.70	-3.68	-1	-2.68
Band 6	6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-7.18	3.70	-3.48	-1	-2.48
	6435	97	a	12	-6.75	3.70	-3.05	-1	-2.05
	6475	105	a	12	-6.50	3.70	-2.80	-1	-1.80
	6515	113	a	12	-6.74	3.70	-3.04	-1	-2.04
	6345	97	ax (20MHz)	24/25.8 (MCS2)	-7.30	3.70	-3.60	-1	-2.60
	6475	105	ax (20MHz)	24/25.8 (MCS2)	-7.41	3.70	-3.71	-1	-2.71
	6515	113	ax (20MHz)	24/25.8 (MCS2)	-7.41	3.70	-3.71	-1	-2.71
	6445	99	ax (40MHz)	49/51.6 (MCS2)	-7.13	3.70	-3.43	-1	-2.43
	6485	107	ax (40MHz)	49/51.6 (MCS2)	-7.12	3.70	-3.42	-1	-2.42
	6525	115	ax (40MHz)	49/51.6 (MCS2)	-7.05	3.70	-3.35	-1	-2.35
Band 7	6465	103	ax (80MHz)	102/108.1 (MCS2)	-7.13	3.70	-3.43	-1	-2.43
	6505	111	ax (160MHz)	183.8/216.2 (MCS2)	-6.79	3.70	-3.09	-1	-2.09
	6535	117	a	12	-6.18	3.10	-3.08	-1	-2.08
	6695	149	a	12	-6.02	3.10	-2.92	-1	-1.92
	6875	185	a	12	-6.35	3.10	-3.25	-1	-2.25
	6535	117	ax (20MHz)	24/25.8 (MCS2)	-6.72	3.10	-3.62	-1	-2.62
	6695	149	ax (20MHz)	24/25.8 (MCS2)	-6.39	3.10	-3.29	-1	-2.29
	6875	185	ax (20MHz)	24/25.8 (MCS2)	-6.71	3.10	-3.61	-1	-2.61
	6565	123	ax (40MHz)	49/51.6 (MCS2)	-6.48	3.10	-3.38	-1	-2.38
	6725	155	ax (40MHz)	49/51.6 (MCS2)	-6.43	3.10	-3.33	-1	-2.33
	6885	179	ax (40MHz)	49/51.6 (MCS2)	-6.57	3.10	-3.47	-1	-2.47
	6545	119	ax (80MHz)	102/108.1 (MCS2)	-6.72	3.10	-3.62	-1	-2.62
	6705	151	ax (80MHz)	102/108.1 (MCS2)	-6.30	3.10	-3.20	-1	-2.20
	6865	183	ax (80MHz)	102/108.1 (MCS2)	-6.16	3.10	-3.06	-1	-2.06
Band 8	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-6.56	3.10	-3.46	-1	-2.46
	6825	175	ax (160MHz)	183.8/216.2 (MCS2)	-6.61	3.10	-3.51	-1	-2.51
	6895	189	a	12	-4.23	2.60	-1.63	-1	-0.63
	6995	209	a	12	-4.12	2.60	-1.52	-1	-0.52
	7115	233	a	12	-4.15	2.60	-1.55	-1	-0.55
	6895	189	ax (20MHz)	24/25.8 (MCS2)	-4.85	2.60	-2.25	-1	-1.25
	6995	209	ax (20MHz)	24/25.8 (MCS2)	-4.68	2.60	-2.08	-1	-1.08
	7115	233	ax (20MHz)	24/25.8 (MCS2)	-4.47	2.60	-1.87	-1	-0.87
	6925	187	ax (40MHz)	49/51.6 (MCS2)	-6.85	2.60	-4.25	-1	-3.25
	7005	211	ax (40MHz)	49/51.6 (MCS2)	-4.91	2.60	-2.31	-1	-1.31
	7085	227	ax (40MHz)	49/51.6 (MCS2)	-4.70	2.60	-2.10	-1	-1.10
	6945	199	ax (80MHz)	102/108.1 (MCS2)	-4.54	2.60	-1.94	-1	-0.94
	7025	215	ax (80MHz)	102/108.1 (MCS2)	-4.80	2.60	-2.20	-1	-1.20
	6985	207	ax (160MHz)	183.8/216.2 (MCS2)	-5.28	2.60	-2.68	-1	-1.68

Table 7-86. Power Spectral Density Measurements Antenna WF7a Low Power Indoor (Low Data Rate)

FCC ID: BCGA2902 IC: 579C-A2902		MEASUREMENT REPORT (Certification)	Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 98 of 336

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	-8.05	3.70	-4.35	-1	-3.35
	6175	45	a	24	-6.95	3.70	-3.25	-1	-2.25
	6415	93	a	24	-6.46	3.70	-2.76	-1	-1.76
	5955	1	ax (20MHz)	49/51.6 (MCS4)	-8.76	3.70	-5.06	-1	-4.06
	6175	45	ax (20MHz)	49/51.6 (MCS4)	-7.42	3.70	-3.72	-1	-2.72
	6415	93	ax (20MHz)	49/51.6 (MCS4)	-7.13	3.70	-3.43	-1	-2.43
	5695	3	ax (40MHz)	98/103.2 (MCS4)	-7.82	3.70	-4.12	-1	-3.12
	6165	43	ax (40MHz)	98/103.2 (MCS4)	-7.46	3.70	-3.76	-1	-2.76
	6405	91	ax (40MHz)	98/103.2 (MCS4)	-6.79	3.70	-3.09	-1	-2.09
	5985	7	ax (80MHz)	204/216.2 (MCS4)	-7.65	3.70	-3.95	-1	-2.95
	6145	39	ax (80MHz)	204/216.2 (MCS4)	-7.20	3.70	-3.50	-1	-2.50
	6385	87	ax (80MHz)	204/216.2 (MCS4)	-6.26	3.70	-2.56	-1	-1.56
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-8.18	3.70	-4.48	-1	-3.48
Band 6	6185	47	ax (160MHz)	367.5/432.4 (MCS4)	-7.44	3.70	-3.74	-1	-2.74
	6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-6.98	3.70	-3.28	-1	-2.28
	6435	97	a	24	-6.87	3.70	-3.17	-1	-2.17
	6475	105	a	24	-6.89	3.70	-3.19	-1	-2.19
	6515	113	a	24	-6.97	3.70	-3.27	-1	-2.27
	6345	97	ax (20MHz)	49/51.6 (MCS4)	-7.38	3.70	-3.68	-1	-2.68
	6475	105	ax (20MHz)	49/51.6 (MCS4)	-7.11	3.70	-3.41	-1	-2.41
	6515	113	ax (20MHz)	49/51.6 (MCS4)	-7.57	3.70	-3.87	-1	-2.87
	6445	99	ax (40MHz)	98/103.2 (MCS4)	-6.88	3.70	-3.18	-1	-2.18
	6485	107	ax (40MHz)	98/103.2 (MCS4)	-6.99	3.70	-3.29	-1	-2.29
Band 7	6525	115	ax (40MHz)	98/103.2 (MCS4)	-7.05	3.70	-3.35	-1	-2.35
	6465	103	ax (80MHz)	204/216.2 (MCS4)	-6.65	3.70	-2.95	-1	-1.95
	6505	111	ax (160MHz)	367.5/432.4 (MCS4)	-6.83	3.70	-3.13	-1	-2.13
	6535	117	a	24	-6.33	3.10	-3.23	-1	-2.23
	6695	149	a	24	-5.93	3.10	-2.83	-1	-1.83
	6875	185	a	24	-6.03	3.10	-2.93	-1	-1.93
	6535	117	ax (20MHz)	49/51.6 (MCS4)	-6.90	3.10	-3.80	-1	-2.80
	6695	149	ax (20MHz)	49/51.6 (MCS4)	-6.27	3.10	-3.17	-1	-2.17
	6875	185	ax (20MHz)	49/51.6 (MCS4)	-6.88	3.10	-3.78	-1	-2.78
	6565	123	ax (40MHz)	98/103.2 (MCS4)	-6.46	3.10	-3.36	-1	-2.36
	6725	155	ax (40MHz)	98/103.2 (MCS4)	-6.34	3.10	-3.24	-1	-2.24
	6885	179	ax (40MHz)	98/103.2 (MCS4)	-6.26	3.10	-3.16	-1	-2.16
	6545	119	ax (80MHz)	204/216.2 (MCS4)	-6.83	3.10	-3.73	-1	-2.73
Band 8	6705	151	ax (80MHz)	204/216.2 (MCS4)	-6.15	3.10	-3.05	-1	-2.05
	6865	183	ax (80MHz)	204/216.2 (MCS4)	-6.11	3.10	-3.01	-1	-2.01
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-6.64	3.10	-3.54	-1	-2.54
	6825	175	ax (160MHz)	367.5/432.4 (MCS4)	-6.15	3.10	-3.05	-1	-2.05
	6895	189	a	24	-4.26	2.60	-1.66	-1	-0.66
	6995	209	a	24	-4.33	2.60	-1.73	-1	-0.73
	7115	233	a	24	-4.22	2.60	-1.62	-1	-0.62
	6895	189	ax (20MHz)	49/51.6 (MCS4)	-4.78	2.60	-2.18	-1	-1.18
	6995	209	ax (20MHz)	49/51.6 (MCS4)	-4.71	2.60	-2.11	-1	-1.11
	7115	233	ax (20MHz)	49/51.6 (MCS4)	-4.28	2.60	-1.68	-1	-0.68
	6925	187	ax (40MHz)	98/103.2 (MCS4)	-6.59	2.60	-3.99	-1	-2.99
	7005	211	ax (40MHz)	98/103.2 (MCS4)	-5.25	2.60	-2.65	-1	-1.65
	7085	227	ax (40MHz)	98/103.2 (MCS4)	-4.61	2.60	-2.01	-1	-1.01
	6945	199	ax (80MHz)	204/216.2 (MCS4)	-5.02	2.60	-2.42	-1	-1.42
	7025	215	ax (80MHz)	204/216.2 (MCS4)	-4.74	2.60	-2.14	-1	-1.14
	6985	207	ax (160MHz)	367.5/432.4 (MCS4)	-5.04	2.60	-2.44	-1	-1.44

Table 7-87. Power Spectral Density Measurements Antenna WF7a Low Power Indoor (Mid Data Rate)

FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (Certification)		Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 99 of 336

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	-7.90	3.70	-4.20	-1	-3.20
	6175	45	a	54	-7.04	3.70	-3.34	-1	-2.34
	6415	93	a	54	-6.06	3.70	-2.36	-1	-1.36
	5955	1	ax (20MHz)	135/143.4 (MCS11)	-8.21	3.70	-4.51	-1	-3.51
	6175	45	ax (20MHz)	135/143.4 (MCS11)	-7.68	3.70	-3.98	-1	-2.98
	6415	93	ax (20MHz)	135/143.4 (MCS11)	-6.82	3.70	-3.12	-1	-2.12
	5695	3	ax (40MHz)	271/286.8 (MCS11)	-7.56	3.70	-3.86	-1	-2.86
	6165	43	ax (40MHz)	271/286.8 (MCS11)	-7.24	3.70	-3.54	-1	-2.54
	6405	91	ax (40MHz)	271/286.8 (MCS11)	-6.83	3.70	-3.13	-1	-2.13
	5985	7	ax (80MHz)	567/600.5 (MCS11)	-7.97	3.70	-4.27	-1	-3.27
	6145	39	ax (80MHz)	567/600.5 (MCS11)	-7.04	3.70	-3.34	-1	-2.34
	6385	87	ax (80MHz)	567/600.5 (MCS11)	-6.33	3.70	-2.63	-1	-1.63
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-8.16	3.70	-4.46	-1	-3.46
	6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-7.39	3.70	-3.69	-1	-2.69
Band 6	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-6.82	3.70	-3.12	-1	-2.12
	6435	97	a	54	-6.81	3.70	-3.11	-1	-2.11
	6475	105	a	54	-6.39	3.70	-2.69	-1	-1.69
	6515	113	a	54	-6.12	3.70	-2.42	-1	-1.42
	6345	97	ax (20MHz)	135/143.4 (MCS11)	-7.31	3.70	-3.61	-1	-2.61
	6475	105	ax (20MHz)	135/143.4 (MCS11)	-7.19	3.70	-3.49	-1	-2.49
	6515	113	ax (20MHz)	135/143.4 (MCS11)	-7.35	3.70	-3.65	-1	-2.65
	6445	99	ax (40MHz)	271/286.8 (MCS11)	-7.04	3.70	-3.34	-1	-2.34
	6485	107	ax (40MHz)	271/286.8 (MCS11)	-6.74	3.70	-3.04	-1	-2.04
	6525	115	ax (40MHz)	271/286.8 (MCS11)	-6.84	3.70	-3.14	-1	-2.14
Band 7	6465	103	ax (80MHz)	567/600.5 (MCS11)	-6.83	3.70	-3.13	-1	-2.13
	6505	111	ax (160MHz)	1020.8/1201 (MCS11)	-6.81	3.70	-3.11	-1	-2.11
	6535	117	a	54	-5.85	3.10	-2.75	-1	-1.75
	6695	149	a	54	-5.61	3.10	-2.51	-1	-1.51
	6875	185	a	54	-6.02	3.10	-2.92	-1	-1.92
	6535	117	ax (20MHz)	135/143.4 (MCS11)	-6.57	3.10	-3.47	-1	-2.47
	6695	149	ax (20MHz)	135/143.4 (MCS11)	-6.32	3.10	-3.22	-1	-2.22
	6875	185	ax (20MHz)	135/143.4 (MCS11)	-6.18	3.10	-3.08	-1	-2.08
	6565	123	ax (40MHz)	271/286.8 (MCS11)	-6.37	3.10	-3.27	-1	-2.27
	6725	155	ax (40MHz)	271/286.8 (MCS11)	-6.16	3.10	-3.06	-1	-2.06
	6885	179	ax (40MHz)	271/286.8 (MCS11)	-6.41	3.10	-3.31	-1	-2.31
	6545	119	ax (80MHz)	567/600.5 (MCS11)	-6.76	3.10	-3.66	-1	-2.66
	6705	151	ax (80MHz)	567/600.5 (MCS11)	-6.21	3.10	-3.11	-1	-2.11
	6865	183	ax (80MHz)	567/600.5 (MCS11)	-6.20	3.10	-3.10	-1	-2.10
Band 8	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-6.49	3.10	-3.39	-1	-2.39
	6825	175	ax (160MHz)	1020.8/1201 (MCS11)	-6.42	3.10	-3.32	-1	-2.32
	6895	189	a	54	-4.39	2.60	-1.79	-1	-0.79
	6995	209	a	54	-4.13	2.60	-1.53	-1	-0.53
	7115	233	a	54	-4.21	2.60	-1.61	-1	-0.61
	6895	189	ax (20MHz)	135/143.4 (MCS11)	-4.51	2.60	-1.91	-1	-0.91
	6995	209	ax (20MHz)	135/143.4 (MCS11)	-4.73	2.60	-2.13	-1	-1.13
	7115	233	ax (20MHz)	135/143.4 (MCS11)	-4.15	2.60	-1.55	-1	-0.55
	6925	187	ax (40MHz)	271/286.8 (MCS11)	-6.74	2.60	-4.14	-1	-3.14
	7005	211	ax (40MHz)	271/286.8 (MCS11)	-4.73	2.60	-2.13	-1	-1.13
	7085	227	ax (40MHz)	271/286.8 (MCS11)	-4.69	2.60	-2.09	-1	-1.09
	6945	199	ax (80MHz)	567/600.5 (MCS11)	-4.76	2.60	-2.16	-1	-1.16
	7025	215	ax (80MHz)	567/600.5 (MCS11)	-4.73	2.60	-2.13	-1	-1.13
	6985	207	ax (160MHz)	1020.8/1201 (MCS11)	-6.10	2.60	-3.50	-1	-2.50

Table 7-88. Power Spectral Density Measurements Antenna WF7a Low Power Indoor (High Data Rate)

FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (Certification)		Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 100 of 336

V 10.5 12/15/2021

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	12	7.56	3.70	11.26	17	-5.74
	6175	45	a	12	7.81	3.70	11.51	17	-5.49
	6415	93	a	12	7.47	3.70	11.17	17	-5.83
	5955	1	ax (20MHz)	24/25.8 (MCS2)	7.07	3.70	10.77	17	-6.23
	6175	45	ax (20MHz)	24/25.8 (MCS2)	7.55	3.70	11.25	17	-5.75
	6415	93	ax (20MHz)	24/25.8 (MCS2)	7.07	3.70	10.77	17	-6.23
	5965	3	ax (40MHz)	49/51.6 (MCS2)	4.52	3.70	8.22	17	-8.78
	6165	43	ax (40MHz)	49/51.6 (MCS2)	5.04	3.70	8.74	17	-8.26
	6405	91	ax (40MHz)	49/51.6 (MCS2)	4.55	3.70	8.25	17	-8.75
	5985	7	ax (80MHz)	102/108.1 (MCS2)	2.15	3.70	5.85	17	-11.15
	6145	39	ax (80MHz)	102/108.1 (MCS2)	1.81	3.70	5.51	17	-11.49
	6385	87	ax (80MHz)	102/108.1 (MCS2)	1.98	3.70	5.68	17	-11.32
	6025	15	ax (160MHz)	183.8/216.2 (MCS2)	-0.18	3.70	3.52	17	-13.48
	6185	47	ax (160MHz)	183.8/216.2 (MCS2)	-0.75	3.70	2.95	17	-14.05
	6345	79	ax (160MHz)	183.8/216.2 (MCS2)	-1.14	3.70	2.56	17	-14.44
Band 7	6535	117	a	12	7.10	3.10	10.20	17	-6.80
	6695	149	a	12	7.44	3.10	10.54	17	-6.46
	6535	117	ax (20MHz)	24/25.8 (MCS2)	6.85	3.10	9.95	17	-7.05
	6695	149	ax (20MHz)	24/25.8 (MCS2)	7.61	3.10	10.71	17	-6.29
	6565	123	ax (40MHz)	49/51.6 (MCS2)	4.01	3.10	7.11	17	-9.89
	6725	155	ax (40MHz)	49/51.6 (MCS2)	4.90	3.10	8.00	17	-9.00
	6845	179	ax (40MHz)	49/51.6 (MCS2)	5.32	3.10	8.42	17	-8.58
	6705	151	ax (80MHz)	102/108.1 (MCS2)	2.01	3.10	5.11	17	-11.90
	6665	143	ax (160MHz)	183.8/216.2 (MCS2)	-1.04	3.10	2.06	17	-14.94

Table 7-89. Power Spectral Density Measurements Antenna WF7a Standard Power (Low Data Rate)

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	24	7.90	3.70	11.60	17	-5.41
	6175	45	a	24	8.06	3.70	11.76	17	-5.24
	6415	93	a	24	7.67	3.70	11.37	17	-5.63
	5955	1	ax (20MHz)	49/51.6 (MCS4)	7.47	3.70	11.17	17	-5.83
	6175	45	ax (20MHz)	49/51.6 (MCS4)	7.74	3.70	11.44	17	-5.56
	6415	93	ax (20MHz)	49/51.6 (MCS4)	7.26	3.70	10.96	17	-6.04
	5965	3	ax (40MHz)	98/103.2 (MCS4)	4.80	3.70	8.50	17	-8.50
	6165	43	ax (40MHz)	98/103.2 (MCS4)	5.36	3.70	9.06	17	-7.95
	6405	91	ax (40MHz)	98/103.2 (MCS4)	4.51	3.70	8.21	17	-8.79
	5985	7	ax (80MHz)	204/216.2 (MCS4)	2.38	3.70	6.08	17	-10.92
	6145	39	ax (80MHz)	204/216.2 (MCS4)	2.14	3.70	5.84	17	-11.17
	6385	87	ax (80MHz)	204/216.2 (MCS4)	2.33	3.70	6.03	17	-10.97
	6025	15	ax (160MHz)	367.5/432.4 (MCS4)	-0.18	3.70	3.52	17	-13.48
	6185	47	ax (160MHz)	367.5/432.4 (MCS4)	-0.53	3.70	3.17	17	-13.83
	6345	79	ax (160MHz)	367.5/432.4 (MCS4)	-0.92	3.70	2.78	17	-14.22
Band 7	6535	117	a	367.5/432.4 (MCS4)	7.33	3.10	10.43	17	-6.57
	6695	149	a	367.5/432.4 (MCS4)	7.64	3.10	10.74	17	-6.26
	6535	117	ax (20MHz)	49/51.6 (MCS4)	7.06	3.10	10.16	17	-6.84
	6695	149	ax (20MHz)	49/51.6 (MCS4)	7.45	3.10	10.55	17	-6.45
	6565	123	ax (40MHz)	98/103.2 (MCS4)	4.12	3.10	7.22	17	-9.79
	6725	155	ax (40MHz)	98/103.2 (MCS4)	5.28	3.10	8.38	17	-8.62
	6845	179	ax (40MHz)	98/103.2 (MCS4)	5.48	3.10	8.58	17	-8.42
	6705	151	ax (80MHz)	204/216.2 (MCS4)	2.40	3.10	5.50	17	-11.50
	6665	143	ax (160MHz)	367.5/432.4 (MCS4)	-0.59	3.10	2.51	17	-14.49

Table 7-90. Power Spectral Density Measurements Antenna WF7a Standard Power (Mid Data Rate)

FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (Certification)		Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 101 of 336

	Frequency [MHz]	Channel No.	802.11 Mode	Data Rate [Mbps]	Measured Power Density [dBm/MHz]	Antenna Gain [dBi]	e.i.r.p Density [dBm/MHz]	Max EIRP Density [dBm/MHz]	Margin [dB]
Band 5	5955	1	a	54	7.84	3.70	11.54	17	-5.46
	6175	45	a	54	8.19	3.70	11.89	17	-5.11
	6415	93	a	54	7.59	3.70	11.29	17	-5.71
	5955	1	ax (20MHz)	135/143.4 (MCS11)	7.30	3.70	11.00	17	-6.00
	6175	45	ax (20MHz)	135/143.4 (MCS11)	7.71	3.70	11.41	17	-5.59
	6415	93	ax (20MHz)	135/143.4 (MCS11)	7.30	3.70	11.00	17	-6.00
	5965	3	ax (40MHz)	271/286.8 (MCS11)	4.57	3.70	8.27	17	-8.73
	6165	43	ax (40MHz)	271/286.8 (MCS11)	5.26	3.70	8.96	17	-8.04
	6405	91	ax (40MHz)	271/286.8 (MCS11)	4.66	3.70	8.36	17	-8.64
	5985	7	ax (80MHz)	567/600.5 (MCS11)	2.36	3.70	6.06	17	-10.94
	6145	39	ax (80MHz)	567/600.5 (MCS11)	2.09	3.70	5.79	17	-11.21
	6385	87	ax (80MHz)	567/600.5 (MCS11)	2.31	3.70	6.01	17	-10.99
	6025	15	ax (160MHz)	1020.8/1201 (MCS11)	-0.19	3.70	3.51	17	-13.49
	6185	47	ax (160MHz)	1020.8/1201 (MCS11)	-0.56	3.70	3.14	17	-13.86
Band 7	6345	79	ax (160MHz)	1020.8/1201 (MCS11)	-1.03	3.70	2.67	17	-14.33
	6535	117	a	54	7.24	3.10	10.34	17	-6.66
	6695	149	a	54	7.80	3.10	10.90	17	-6.10
	6535	117	ax (20MHz)	135/143.4 (MCS11)	6.74	3.10	9.84	17	-7.16
	6695	149	ax (20MHz)	135/143.4 (MCS11)	7.53	3.10	10.63	17	-6.37
	6565	123	ax (40MHz)	271/286.8 (MCS11)	4.28	3.10	7.38	17	-9.62
	6725	155	ax (40MHz)	271/286.8 (MCS11)	5.16	3.10	8.26	17	-8.74
	6845	179	ax (40MHz)	271/286.8 (MCS11)	5.72	3.10	8.82	17	-8.18
	6705	151	ax (80MHz)	567/600.5 (MCS11)	2.08	3.10	5.18	17	-11.82
	6665	143	ax (160MHz)	1020.8/1201 (MCS11)	-1.13	3.10	1.97	17	-15.03

Table 7-91. Power Spectral Density Measurements Antenna WF7a Standard Power (High Data Rate)

FCC ID: BCGA2902 IC: 579C-A2902	 MEASUREMENT REPORT (Certification)		Approved by: Technical Manager
Test Report S/N: 1C2311270063-13-R1.BCG	Test Dates: 11/29/2023 - 04/04/2024	EUT Type: Tablet Device	Page 102 of 336

V 10.5 12/15/2021