SC-MRU2500T-AC

0	This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Product is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.
	SINGLE CARRIER DAS(SC-DAS) Model:SC-MRU2500T-AC Rated:AC120V~, 50/60Hz, 0.8A
	Serial No.: SERIAL NO.와 Manufactured 적용 인쇄는 당사 생산기획팀 확인 후, 진행할 것.
0	SOLID, Inc 10,9th Floor, SOLID Space, Pangyoyeok-ro 220, Bundang-gu, Seongnam-sl, Gyeonggl-do, Korea 463-400

SC-MRU2500T-AC(N)

This device compiles with part 15 of the FCC Rules, Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, Including Interference that may cause undesired operation. Product Is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture. SINGLE CARRIER DAS(SC-DAS) I.T.E FCC ID:W6U2500T E324601 " CLASS 1 LASER PRODUCT Model:SC-MRU2500T-AC(N) NEMA 4 41EV Rated: AC120V~, 50/60Hz, 0.8A Serial No.: SERIAL NO.와 Manufactured 적용 인쇄는 당사 생산기획팀 확인 후, 진행할 것. Manufactured: SOLID, Inc 10,9th Floor, SOLID Space, Pangyoyeok-ro 220, Bundang-gu, Seongnam-sl, Gyeonggl-do, Korea 463-400

SC-MRU2500T-DC

0	This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Product Is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.
	SINGLE CARRIER DAS(SC-DAS) Model:SC-MRU2500T-DC Rated:DC -48V, 1.2A LISTED I.T.E FCC ID:W6U2500T E324601 "CLASS 1 LASER PRODUCT "
	Serial No.: SERIAL NO.와 Manufactured 적용 인쇄는 당사 생산기획팀 확인 후, 진행할 것.
	SOLID, Inc 10,9th Floor, SOLID Space, Pangyoyeok-ro 220, Bundang-gu, Seongnam-sl, Gyeonggl-do, Korea 463-400

SC-MRU2500T-DC(N)

0	This device compiles with part 15 of the FCC Rules, Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Product is certified by the manufacturer to comply with DHHS rules 21 CFR, Chapter 1, subchapter J applicable at the date of manufacture.
	SINGLE CARRIER DAS(SC-DAS) Model:SC-MRU2500T-DC(N) Rated:DC -48V, 1.2A LISTED I.T.E FCC ID:W6U2500T E324601 "CLASS 1 LASER PRODUCT " NEMA 4
	Serial No.: SERIAL NO.와 Manufactured 적용 인쇄는 당사 생산기획팀 확인 후, 진행할 것.
	SOLID, Inc 10,9th Floor, SOLID Space, Pangyoyeok-ro 220, Bundang-gu, Seongnam-sl, Gyeonggl-do, Korea 463-400

Label Location

