## IC-3231GLP

# Wireless 802.11a/b/g/n/ac Dual Band IP Camera

#### **Quick Installation Guide**

- Video Services must be enabled in TSC VIEWER.
- Camera setup requires a TSC SERVICE account and the TSC VIEWER mobile app.
- Camera operation requires minimum available bandwidth of 1.5 Mbps.

1 Sownload on the App Store



Download the TSC VIEWER app from the App Store or on Google Play.


Check these settings when you turn on your mobile device's Wi-Fi and Bluetooth. For best result, configure only one camera at a time.

- Make sure the Bluetooth isn't connected to another device, such as headphones
- Also, make sure the mobile device is (ringer <u>and</u> speaker should be audible)
- a. Turn on your smart device's Bluetooth and Wi-Fi.
  - b. Launch the app and sign in with your TSC VIERWER account.


Plug in the power connector. The LED at the down flashes various colors. Then, wait for the camera's LED to display BLUE only. This may take a couple of minutes.

3

2



- Login in your account and press Add CAMERAS at the bottom (iOS) or top (Android) of the screen.
- Select the type of camera you're installing. The names of the camera models may vary from the illustration at right.
- c. Name the camera and press NEXT.
- d. The camera's LED to flash BLUE only.



4




a. Start to scan all cameras viaBluetooth.




Select your camera and press **NEXT**.



c. Select your Wi-Fi network and pressNEXT.



d. Enter the network password and press
 NEXT. Final setup begins



When setup is complete, the LED on the camera changes from steady blue, to purple and finally to steady green.

The app also displays **Successful\***. Press **OK**After setup, at the **CAMERAS** page and check your

After setup, at the **CAMERAS** page and check your newly-registered camera. Touch the **preview image** to launch a live stream from the camera.

\*The app will tell you if your need to repeat the setup process. This involves resetting the camera, which is described in the app itself.

See the other side of this sheet for more information about the required steps.



# **Resetting the Camera**

If Wi-Fi fails, or to connect the camera to a different network, use a paper clip to activate the Reset switch.

- To reset the connection, press and hold for 15 seconds
- To join a new/different network:
  - On the app's Video screen, press of and delete the camera in Camera Settings
  - Press and hold the Reset switch for 15 seconds to reset all settings to their factory defaults
  - Unplug the camera and then reconnect it.
  - Repeat the registration procedure

## **LED STATUS INDICATOR**

During installation	
Blue, blinking	Power on. Ready to start setup.
Blue, steady	Connect to the app. Ready to complete setup.
Green, blinking	Connecting to Wi-Fi network.
Red, steady	Setup timed out. Unplug the camera, plug it back in and restart setup process.
During operation	
Green, blinking	Connecting to Wi-Fi network.
Green, steady	Connected to Wi-Fi and operating. <b>Note:</b> The camera is always ready to record but only
	originates live streaming video when the app calls for a live stream.
Red, blinking	Not connected to Wi-Fi

## FEDERAL COMMUNICATIONS COMMISSION (FCC) & INDUSTRY CANADA (IC) STATEMENTS

The user shall not make any changes or modifications to the equipment unless authorized by the Installation Instructions or User's Manual.

Unauthorized changes or modifications could void the user's authority to operate the equipment.

## **CLASS B DIGITAL DEVICE STATEMENT**

This equipment has been tested to FCC requirements and has been found acceptable for use. The FCC requires the following statement for your information:

This equipment generates and uses radio frequency energy and if not installed and used properly, that is, in strict accordance with the manufacturer's instructions, may cause interference to radio and television reception. It has type tested and found to comply with the limits for a Class B computing device in accordance with the specifications in Part 15 or FCC Rules, which are designed to provide reasonable protection against such interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

If using an indoor antenna, have a quality outdoor antenna installed.

Reorient the receiving antenna until interference is reduced or eliminated.

Move the radio or television receiver away from the receiver/control.

- Move the antenna leads away from any wire runs to the receiver/control. Plug the receiver/control into a different outlet so that it and the radio or television reveiver are on different branch circuits.
- Consult the dealer or an experienced radio/TV technician for help.

#### FCC / IC Statement:

This device complies with Part 15 of the FCC Rules, and Industry Canada's license-exempt RSSs. Operation is subject to the following two conditions:

(1) This device may not cause interference;(2) This device must accept any interference, including interference that may cause undesired operation of the device.

Cet appareil est conforme à la partie 15 des regles de la FCC et exempt de licence FSS d' Industrie Canada. Son fonctionnement est soumis auz conditions suivantes:

(1) L'appareil ne doit pas produire de brouillage; (2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

## Caution:

(1) the device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

(2) where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

#### Avertissement:

(1) les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;

(2) lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués.

#### **Radiation Exposure Statement:**

This equipment complies with FCC/ISED radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with greater than 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements FCC/ISED établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé à plus de 20 cm entre le radiateur et votre corps.

For online support visit, https://xxxxxx.xxxxxxx.com/