



ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-1 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- RS232 interface not mounted.
- CAN bus interface not mounted.
- 2 inputs and 1 output instead of: 4 inputs and 1 output
- Small flash memory instead of: large flash memory.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below


Sincerely,

Svend M. Hansen

Ivend Molame

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark Tel. +45 9673 7400 Fax. +45 9673 7407





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-2 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- RS232 interface not mounted.
- CAN bus interface not mounted.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.


If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-3 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- 1-wire interface not mounted
- RS232 interface not mounted.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.


If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-4 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

• RS232 interface not mounted.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below


Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark Tel. +45 9673 7400

Fax. +45 9673 7407





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-6 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

• CAN bus interface not mounted.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.


If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-7 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- RS232 interface not mounted.
- 2 inputs and 1 output instead of: 4 inputs and 1 output

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below


Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark

Tel. +45 9673 7400 Fax. +45 9673 7407





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-8 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- *CAN bus interface not mounted.*
- 2 inputs and 1 output instead of: 4 inputs and 1 output

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.


If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark Tel. +45 9673 7400 Fax. +45 9673 7407





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-9 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- CAN bus interface not mounted.
- RS-232 interface not mounted.
- 1-wire interface not mounted.
- Small flash memory instead of: large flash memory.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.


If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-10 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- *CAN bus interface not mounted.*
- RS-232 interface not mounted.
- 1-wire interface not mounted.
- 2 inputs and 1 output instead of: 4 inputs and 1 output

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,


Svend M. Hansen

Evend W. Koma

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark Tel. +45 9673 7400

Fax. +45 9673 7400





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-11 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- RS-232 interface not mounted.
- 1-wire interface not mounted.
- 2 inputs and 1 output instead of: 4 inputs and 1 output

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.


If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-12 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- RS-232 interface not mounted.
- CAN bus interface not mounted
- 1-wire interface not mounted.
- 2 inputs and 1 output instead of: 4 inputs and 1 output.
- Small flash memory instead of: large flash memory.

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below


Sincerely,

Svend M. Hansen

Ivend of Lama

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark Tel. +45 9673 7400 Fax. +45 9673 7407





ATTESTATION STATEMENT

Declaration on Electrically Identical Models

TO WHOM IT MAY CONCERN

We, M-Tec Trackunit A/S declare on our sole responsibility that the model

ME501-13 with IC Certification Number: 9746A-ME501

is identical in hardware and software to the model ME501-5

The only differences between the models are the baseband input/output I/O configuration:

- RS-232 interface not mounted.
- CAN bus interface not mounted
- 1-wire interface not mounted.
- GPS receiver not mounted

We attest that above changing are not relevant for any RF behaviour subject to regulatory items according to RSS-102, RSS-132 and RSS-133.

Therefore Cetecom Test Reports 1-7898_14-01-10.pdf, 1-7898_14-01-01 Test report cover sheet.pdf and 1-7898_14-01-06.pdf remains applicable.

If you have any questions, please feel free to contact us at the address shown below

Sincerely,

Svend M. Hansen

Director

M-Tec Trackunit A/S Industrivej 10, 9490 Pandrup Denmark