

Shenzhen Huaxia Testing Technology Co., Ltd.

Report No.: CQASZ20240601141E-02

Worse case mode:		GFSK(2Mbps)		Test channel:		Lowest	
Frequency	Meter Reading	Factor	Emission Level	Limits	Over	Detector Type	Ant. Pol.
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)		H/V
2390	53.49	-9.2	44.29	74	-29.71	Peak	Н
2400	54.77	-9.39	45.38	74	-28.62	Peak	Н
4804	52.55	-4.33	48.22	74	-25.78	Peak	Н
7206	50.20	1.01	51.21	74	-22.79	Peak	Н
2390	53.03	-9.2	43.83	74	-30.17	Peak	V
2400	52.46	-9.39	43.07	74	-30.93	Peak	V
4804	55.10	-4.33	50.77	74	-23.23	Peak	V
7206	49.75	1.01	50.76	74	-23.24	Peak	V

Worse case mode:		GFSK(2Mbps)		Test channel:		Middle	
Frequency	Meter Reading	Factor	Emission Level	Limits	Over	Detector Type	Ant. Pol.
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)		H/V
4880	51.66	-4.11	47.55	74	-26.45	peak	Н
7320	49.71	1.51	51.22	74	-22.78	peak	Н
4880	53.75	-4.11	49.64	74	-24.36	peak	V
7320	50.53	1.51	52.04	74	-21.96	peak	V

Worse case mode:		GFSK(2Mbps)		Test channel:		Highest	
Frequency	Meter Reading	Factor	Emission Level	Limits	Over	Detector Type	Ant. Pol.
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)		H/V
2483.5	54.42	-9.29	45.13	74	-28.87	Peak	Н
4960	53.15	-4.04	49.11	74	-24.89	Peak	Н
7440	50.89	1.57	52.46	74	-21.54	Peak	Н
2483.5	57.97	-9.29	48.68	74	-25.32	Peak	V
4960	51.52	-4.04	47.48	74	-26.52	Peak	V
7440	51.08	1.57	52.65	74	-21.35	Peak	V

Remark:


- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:
 - Final Test Level =Receiver Reading + Antenna Factor + Cable Factor Preamplifier Factor
- 2) Scan from 9kHz to 25GHz, the disturbance above 10GHz and below 30MHz was very low. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

Report No.: CQASZ20240601141E-02


Photographs - EUT Test Setup

6.1 Radiated Spurious Emission





30MHz~1GHz:





Report No.: CQASZ20240601141E-02



6.2 Conducted Emissions Test Setup





Report No.: CQASZ20240601141E-02

7 Photographs - EUT Constructional Details

Refer to Photographs - EUT Constructional Details OF EUT for CQASZ20240601141E-01.

*** END OF REPORT ***