




11.3.2. Test Graphs
















































11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER 11.4.1. Test Result For FCC

Test Mode	Antenna	Channel	Power [dBm]	FCC Limit [dBm]	Verdict
	Ant2	5180	23.39	≤30.00	PASS
	Ant4	5180	22.89	≤30.00	PASS
	total	5180	26.16	≤30.00	PASS
	Ant2	5200	24.68	≤30.00	PASS
	Ant4	5200	24.94	≤30.00	PASS
	total	5200	27.82	≤30.00	PASS
	Ant2	5240	24.33	≤30.00	PASS
	Ant4	5240	24.47	≤30.00	PASS
11A-CDD	total	5240	27.41	≤30.00	PASS
TIA-CDD	Ant2	5745	26.23	≤30.00	PASS
	Ant4	5745	25.72	≤30.00	PASS
	total	5745	28.99	≤30.00	PASS
	Ant2	5785	24.95	≤30.00	PASS
	Ant4	5785	25.25	≤30.00	PASS
	total	5785	28.11	≤30.00	PASS
	Ant2	5825	25.02	≤30.00	PASS
	Ant4	5825	24.19	≤30.00	PASS
	total	5825	27.64	≤30.00	PASS
	Ant2	5180	25.56	≤23.98	PASS
	Ant4	5180	25.31	≤23.98	PASS
	total	5180	28.45	≤23.98	PASS
	Ant2	5200	26.18	≤23.98	PASS
	Ant4	5200	26.13	≤23.98	PASS
	total	5200	29.17	≤23.98	PASS
	Ant2	5240	25.71	≤23.98	PASS
	Ant4	5240	26.18	≤23.98	PASS
	total	5240	28.96	≤23.98	PASS
11AC20MIMO	Ant2	5745	25.24	≤30.00	PASS
	Ant4	5745	25.76	≤30.00	PASS
	total	5745	28.52	≤30.00	PASS
	Ant2	5785	24.41	≤30.00	PASS
	Ant4	5785	25.12	≤30.00	PASS
	total	5785	27.79	≤30.00	PASS
	Ant2	5825	24.66	≤30.00	PASS
	Ant4	5825	25.33	≤30.00	PASS
	total	5825	28.02	≤30.00	PASS
	Ant2	5190	21.52	≤23.98	PASS
	Ant4	5190	21.78	≤23.98	PASS
	total	5190	24.66	≤23.98	PASS
	Ant2	5230	25.78	≤23.98	PASS
	Ant4	5230	26.52	≤23.98	PASS
	total	5230	29.18	≤23.98	PASS
11AC40MIMO	Ant2	5755	25.84	≤30.00	PASS
	Ant4	5755	25.64	≤30.00	PASS
	total	5755	28.75	≤30.00	PASS
	Ant2	5795	25.14	≤30.00	PASS
	Ant4	5795 5795	25.82	≤30.00	PASS
		5795 5795		≤30.00	PASS
	total		28.50	<u> </u>	PASS
	Ant2	5210	19.91	≤23.98	
11 0 0 0 0 1 1 1 0	Ant4	5210	20.16	≤23.98	PASS
11AC80MIMO	total	5210	23.05	≤23.98	PASS
	Ant2	5775	23.89	≤30.00	PASS
	Ant4	5775	24.08	≤30.00	PASS



	total	5775	27.00	≤30.00	PASS
	Ant2	5250_UNII-1	14.96	≤23.98	PASS
11AC160MIMO	Ant4	5250_UNII-1	15.07	≤23.98	PASS
	total	5250_UNII-1	18.03	≤23.98	PASS
TACTOUVIIVIO	Ant2	5250_UNII-2A	14.14	≤23.98	PASS
	Ant4	5250_UNII-2A	14.40	≤23.98	PASS
	total	5250_UNII-2A	17.28	≤23.98	PASS
	Ant2	5180	24.19	≤30.00	PASS
	Ant4	5180	23.92	≤30.00	PASS
	total	5180	27.07	≤30.00	PASS
	Ant2	5200	24.64	≤30.00	PASS
	Ant4	5200	25.01	≤30.00	PASS
	total	5200	27.84	≤30.00	PASS
	Ant2	5240	24.37	≤30.00	PASS
	Ant4	5240	24.48	≤30.00	PASS
11AX20MIMO	total	5240	27.44	≤30.00	PASS
ITAAZUIVIIIVIU	Ant2	5745	26.31	≤30.00	PASS
	Ant4	5745	25.84	≤30.00	PASS
	total	5745	29.09	≤30.00	PASS
	Ant2	5785	25.11	≤30.00	PASS
	Ant4	5785	25.42	≤30.00	PASS
	total	5785	28.28	≤30.00	PASS
	Ant2	5825	25.16	≤30.00	PASS
	Ant4	5825	24.40	≤30.00	PASS
	total	5825	27.81	≤30.00	PASS
	Ant2	5190	19.38	≤30.00	PASS
	Ant4	5190	19.21	≤30.00	PASS
	total	5190	22.31	≤30.00	PASS
	Ant2	5230	24.75	≤30.00	PASS
	Ant4	5230	24.55	≤30.00	PASS
11AX40MIMO	total	5230	27.66	≤30.00	PASS
TTAX40WIIWO	Ant2	5755	24.12	≤30.00	PASS
	Ant4	5755	24.23	≤30.00	PASS
	total	5755	27.19	≤30.00	PASS
	Ant2	5795	25.15	≤30.00	PASS
	Ant4	5795	25.17	≤30.00	PASS
	total	5795	28.17	≤30.00	PASS
	Ant2	5210	18.49	≤30.00	PASS
	Ant4	5210	18.34	≤30.00	PASS
11AX80MIMO	total	5210	21.43	≤30.00	PASS
TAXOUNINO	Ant2	5775	22.08	≤30.00	PASS
	Ant4	5775	22.01	≤30.00	PASS
	total	5775	25.06	≤30.00	PASS
	Ant2	5250_UNII-1	16.00	≤23.98	PASS
	Ant4	5250_UNII-1	15.56	≤23.98	PASS
11AX160MIMO	total	5250_UNII-1	18.80	≤23.98	PASS
I IAA IOUIVIIIVIO	Ant2	5250_UNII-2A	14.73	≤23.98	PASS
	Ant4	5250_UNII-2A	14.82	≤23.98	PASS
	total	5250_UNII-2A	17.79	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.



11.4.2. Test Result For ISED

Test Mode	Antenna	Channel	Power [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
	Ant2	5180	13.63		14.63	≤22.27	PASS
	Ant4	5180	13.92		14.92	≤22.37	PASS
	total	5180	16.79		17.79	≤22.27	PASS
	Ant2	5200	13.35		14.35	≤22.37	PASS
	Ant4	5200	14.11		15.11	≤22.29	PASS
	total	5200	16.76		17.76	≤22.29	PASS
	Ant2	5240	13.72		14.72	≤22.36	PASS
	Ant4	5240	13.81		14.81	≤22.28	PASS
44A CDD	total	5240	16.78		17.78	≤22.28	PASS
11A-CDD	Ant2	5745	26.23	≤30.00	27.23		PASS
	Ant4	5745	25.72	≤30.00	26.72		PASS
	total	5745	28.99	≤30.00	29.99		PASS
	Ant2	5785	24.95	≤30.00	25.95		PASS
	Ant4	5785	25.25	≤30.00	26.25		PASS
	total	5785	28.11	≤30.00	29.11		PASS
	Ant2	5825	25.02	≤30.00	26.02		PASS
	Ant4	5825	24.19	≤30.00	25.19		PASS
	total	5825	27.64	≤30.00	28.64		PASS
	Ant2	5180	15.25		16.25	≤22.65	PASS
	Ant4	5180	15.22		16.22	≤22.59	PASS
	total	5180	18.25		19.25	≤22.59	PASS
	Ant2	5200	15.26		16.26	≤22.63	PASS
	Ant4	5200	16.19		17.19	≤22.59	PASS
	total	5200	18.76		19.76	≤22.59	PASS
	Ant2	5240	18.56		19.76	≤22.65	PASS
	Ant4	5240	14.94		15.94	≤22.62	PASS
	total	5240	18.45		19.45	≤22.62 ≤22.62	PASS
11AC20MIMO	Ant2	5745	25.24	 ≤30.00	25.24		PASS
	-						
	Ant4	5745	25.76	≤30.00	25.76		PASS
	total	5745	28.52	≤30.00	28.52		PASS
	Ant2	5785	24.41	≤30.00	24.41		PASS
	Ant4	5785	25.12	≤30.00	25.12		PASS
	total	5785	27.79	≤30.00	27.79		PASS
	Ant2	5825	24.66	≤30.00	24.66		PASS
	Ant4	5825	25.33	≤30.00	25.33		PASS
	total	5825	28.02	≤30.00	28.02		PASS
	Ant2	5190	18.52		19.52	≤23.00	PASS
	Ant4	5190	18.67		19.67	≤23.00	PASS
	total	5190	21.61		22.61	≤23.00	PASS
	Ant2	5230	18.36		19.36	≤23.00	PASS
	Ant4	5230	19.12		20.12	≤23.00	PASS
11AC40MIMO	total	5230	21.77		22.77	≤23.00	PASS
11AC40MIIMO	Ant2	5755	25.84	≤30.00	25.84		PASS
	Ant4	5755	25.64	≤30.00	25.64		PASS
	total	5755	28.75	≤30.00	28.75		PASS
	Ant2	5795	25.14	≤30.00	25.14		PASS
	Ant4	5795	25.82	≤30.00	25.82		PASS
	total	5795	28.50	≤30.00	28.50		PASS
	Ant2	5210	17.67		18.67	≤23.00	PASS
	Ant4	5210	17.61		18.61	≤23.00	PASS
4440000141140	total	5210	20.65		21.65	≤23.00	PASS
11AC80MIMO	Ant2	5775	23.89	≤30.00	23.89		PASS
	Ant4	5775	24.08	≤30.00	24.08		PASS
	total	5775	27.00	≤30.00	27.00	 	PASS




11AC160MIMO	Ant2	5250_UNII-1	14.96		15.96	≤23.00	PASS
	Ant4	5250_UNII-1	15.07		16.07	≤23.00	PASS
	total	5250_UNII-1	18.03		19.03	≤23.00	PASS
	Ant2	5250_UNII-2A	14.14	≤23.98	15.14	≤30.00	PASS
	Ant4	5250_UNII-2A	14.40	≤23.98	15.40	≤30.00	PASS
	total	5250_UNII-2A	17.28	≤23.98	18.28	≤30.00	PASS
	Ant2	5180	14.26		15.26	≤22.86	PASS
	Ant4	5180	13.82		14.82	≤22.86	PASS
	total	5180	17.06		18.06	≤22.86	PASS
	Ant2	5200	14.01		15.01	≤22.86	PASS
	Ant4	5200	14.88		15.88	≤22.85	PASS
	total	5200	17.48		18.48	≤22.85	PASS
	Ant2	5240	14.29		15.29	≤22.87	PASS
	Ant4	5240	13.63		14.63	≤22.86	PASS
44.4.700.4114.0	total	5240	16.98		17.98	≤22.86	PASS
11AX20MIMO	Ant2	5745	26.31	≤30.00	27.31		PASS
	Ant4	5745	25.84	≤30.00	26.84		PASS
	total	5745	29.09	≤30.00	30.09		PASS
	Ant2	5785	25.11	≤30.00	26.11		PASS
	Ant4	5785	25.42	≤30.00	26.42		PASS
	total	5785	28.28	≤30.00	29.28		PASS
	Ant2	5825	25.16	≤30.00	26.16		PASS
	Ant4	5825	24.40	≤30.00	25.40		PASS
	total	5825	27.81	≤30.00	28.81		PASS
	Ant2	5190	17.42		18.42	≤23.00	PASS
	Ant4	5190	17.24		18.24	≤23.00	PASS
	total	5190	20.34		21.34	≤23.00	PASS
	Ant2	5230	17.02		18.02	≤23.00	PASS
	Ant4	5230	16.90		17.90	≤23.00	PASS
11AX40MIMO	total	5230	19.97		20.97	≤23.00	PASS
I I AA4UIVIIIVIO	Ant2	5755	24.12	≤30.00	25.12		PASS
	Ant4	5755	24.23	≤30.00	25.23		PASS
	total	5755	27.19	≤30.00	28.19		PASS
	Ant2	5795	25.15	≤30.00	26.15		PASS
	Ant4	5795	25.17	≤30.00	26.17		PASS
	total	5795	28.17	≤30.00	29.17		PASS
	Ant2	5210	18.49	≤22.01	19.49	≤23.00	PASS
	Ant4	5210	18.34	≤22.01	19.34	≤23.00	PASS
444700МІМО	total	5210	21.43	≤22.01	22.43	≤23.00	PASS
11AX80MIMO	Ant2	5775	22.08	≤30.00	23.08		PASS
	Ant4	5775	22.01	≤30.00	23.01		PASS
	total	5775	25.06	≤30.00	26.06		PASS
	Ant2	5250_UNII-1	16.00		17.00	≤23.00	PASS
	Ant4	5250_UNII-1	15.56		16.56	≤23.00	PASS
1147160141140	total	5250_UNII-1	18.80		19.80	≤23.00	PASS
11AX160MIMO	Ant2	5250_UNII-2A	14.73	≤23.98	15.73	≤30.00	PASS
	Ant4	5250_UNII-2A	14.82	≤23.98	15.82	≤30.00	PASS
	total	5250_UNII-2A	17.79	≤23.98	18.79	≤30.00	PASS


Note: The Duty Cycle Factor is compensated in the graph.




11.4.3. Test Graphs











REPORT NO.: 4790853841-1-RF-2

Page 238 of 292

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY 11.5.1. Test Result For FCC

Test Mode	Antenna	Channel	Power [dBm/MHz]	Limit [dBm/MHz]	Verdict
	Ant2	5180	12.22	≤17.00	PASS
	Ant4	5180	11.75	≤17.00	PASS
	total	5180	15.00	≤17.00	PASS
	Ant2	5200	13.52	≤17.00	PASS
	Ant4	5200	14.16	≤17.00	PASS
	total	5200	16.86	≤17.00	PASS
	Ant2	5240	13.4	≤17.00	PASS
	Ant4	5240	13.26	≤17.00	PASS
11A CDD	total	5240	16.34	≤17.00	PASS
11A-CDD	Ant2	5745	12.14	≤30.00	PASS
	Ant4	5745	11.89	≤30.00	PASS
	total	5745	15.03	≤30.00	PASS
	Ant2	5785	11.1	≤30.00	PASS
	Ant4	5785	11.29	≤30.00	PASS
	total	5785	14.21	≤30.00	PASS
	Ant2	5825	11.25	≤30.00	PASS
	Ant4	5825	10.56	≤30.00	PASS
	total	5825	13.93	≤30.00	PASS
	Ant2	5180	11.83	≤11.00	PASS
	Ant4	5180	11.93	≤11.00	PASS
	total	5180	14.89	≤11.00	PASS
	Ant2	5200	12.62	≤11.00	PASS
	Ant4	5200	12.76	≤11.00	PASS
	total	5200	15.70	≤11.00	PASS
	Ant2	5240	12.44	≤11.00	PASS
	Ant4	5240	13.08	≤11.00	PASS
444000041140	total	5240	15.78	≤11.00	PASS
11AC20MIMO	Ant2	5745	8.51	≤30.00	PASS
	Ant4	5745	8.94	≤30.00	PASS
	total	5745	11.74	≤30.00	PASS
	Ant2	5785	7.84	≤30.00	PASS
	Ant4	5785	8.34	≤30.00	PASS
	total	5785	11.11	≤30.00	PASS
	Ant2	5825	8.25	≤30.00	PASS
	Ant4	5825	9.05	≤30.00	PASS
	total	5825	11.68	≤30.00	PASS
	Ant2	5190	5.27	≤11.00	PASS
	Ant4	5190	4.99	≤11.00	PASS
	total	5190	8.14	≤11.00	PASS
	Ant2	5230	9.42	≤11.00	PASS
44.4.0.404.014.0	Ant4	5230	9.48	≤11.00	PASS
	total	5230	12.46	≤11.00	PASS
11AC40MIMO	Ant2	5755	5.65	≤30.00	PASS
	Ant4	5755	6.18	≤30.00	PASS
	total	5755	8.93	≤30.00	PASS
	Ant2	5795	5.85	≤30.00	PASS
	Ant4	5795	6.05	≤30.00	PASS
	total	5795	8.96	≤30.00	PASS
	Ant2	5210	0.44	≤11.00	PASS
	Ant4	5210	0.3	≤11.00	PASS
44 0 0 0 0 0 0 0 0 0 0 0	total	5210	3.38	≤11.00	PASS
11AC80MIMO	Ant2	5775	1.04	≤30.00	PASS
	Ant4	5775	1.51	≤30.00	PASS
	total	5775	4.29	≤30.00	PASS
11AC160MIMO	Ant2	5250_UNII-1	-2.07	≤11.00	PASS


REPORT NO.: 4790853841-1-RF-2 Page 239 of 292

	Λ 4.4	EGEO LINIU 4	2.04	<14 OO	DACC
	Ant4 total	5250_UNII-1 5250_UNII-1	-2.91 0.54	≤11.00 ≤11.00	PASS PASS
			-3		PASS
	Ant2 Ant4	5250_UNII-2A 5250_UNII-2A	-3 -3.41	≤11.00 ≤11.00	PASS
		5250_UNII-2A 5250_UNII-2A	-3.41	≤11.00 ≤11.00	PASS
	total Ant2	5250_UNII-2A 5180	-0.19 12.45	≤11.00 ≤17.00	PASS
			,_,,,		
	Ant4	5180	12.44	≤17.00	PASS
	total	5180	15.46	≤17.00	PASS
	Ant2	5200	12.91	≤17.00	PASS
	Ant4	5200	13.43	≤17.00	PASS
	total	5200	16.19	≤17.00	PASS
	Ant2	5240	12.83	≤17.00	PASS
	Ant4	5240	12.74	≤17.00	PASS
11AX20MIMO	total	5240	15.80	≤17.00	PASS
	Ant2	5745	11.63	≤30.00	PASS
	Ant4	5745	11.07	≤30.00	PASS
	total	5745	14.37	≤30.00	PASS
	Ant2	5785	10.45	≤30.00	PASS
	Ant4	5785	10.66	≤30.00	PASS
	total	5785	13.57	≤30.00	PASS
	Ant2	5825	10.63	≤30.00	PASS
	Ant4	5825	9.93	≤30.00	PASS
	total	5825	13.30	≤30.00	PASS
	Ant2	5190	4.8	≤17.00	PASS
	Ant4	5190	4.53	≤17.00	PASS
	total	5190	7.68	≤17.00	PASS
	Ant2	5230	10	≤17.00	PASS
	Ant4	5230	9.7	≤17.00	PASS
11AX40MIMO	total	5230	12.86	≤17.00	PASS
I IAATOMINIO	Ant2	5755	6.36	≤30.00	PASS
	Ant4	5755	6.51	≤30.00	PASS
	total	5755	9.45	≤30.00	PASS
	Ant2	5795	7.41	≤30.00	PASS
	Ant4	5795	7.55	≤30.00	PASS
	total	5795	10.49	≤30.00	PASS
11AX80MIMO	Ant2	5210	0.63	≤17.00	PASS
	Ant4	5210	0.69	≤17.00	PASS
	total	5210	3.67	≤17.00	PASS
	Ant2	5775	1.56	≤30.00	PASS
	Ant4	5775	1.47	≤30.00	PASS
	total	5775	4.53	≤30.00	PASS
	Ant2	5250_UNII-1	-1.19	≤11.00	PASS
	Ant4	5250_UNII-1	-1.99	≤11.00	PASS
4.4.4.7/4.000.410.4.0	total	5250_UNII-1	1.44	≤11.00	PASS
11AX160MIMO	Ant2	5250 UNII-2A	-2.51	≤11.00	PASS
	Ant4	5250_UNII-2A	-2.38	≤11.00	PASS
	total	5250_UNII-2A	0.57	≤11.00	PASS
	.5.0.		5.57		. , ,,,,


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




11.5.2. Test Graphs For FCC

















































































































11.5.3. Test Result For ISED

			Power	EIRP	Limit	
Test Mode	Antenna	Channel	[dBm/MHz]	[dBm/MHz]	[dBm/MHz]	Verdict
11A-CDD	Ant2	5180	2.39	3.39	≤10.00	PASS
	Ant4	5180	2.81	3.81	≤10.00	PASS
	total	5180	5.62	9.63	≤10.00	PASS
	Ant2	5200	2.28	3.28	≤10.00	PASS
	Ant4	5200	3.09	4.09	≤10.00	PASS
	total	5200	5.71	9.72	≤10.00	PASS
	Ant2	5240	2.65	3.65	≤10.00	PASS
	Ant4	5240	2.74	3.74	≤10.00	PASS
	total	5240	5.71	9.72	≤10.00	PASS
	Ant2	5745	12.14	13.14	≤30.00	PASS
	Ant4	5745	11.89	12.89	≤30.00	PASS
	total	5745	15.03	19.04	≤30.00	PASS
	Ant2	5785	11.1	12.10	≤30.00	PASS
	Ant4	5785	11.29	12.29	≤30.00	PASS
	total	5785	14.21	18.22	≤30.00	PASS
	Ant2	5825	11.25	12.25	≤30.00	PASS
	Ant4	5825	10.56	11.56	≤30.00	PASS
	total	5825	13.93	17.94	≤30.00	PASS
	Ant2	5180	2.22	3.22	≤10.00	PASS
	Ant4	5180	2.14	3.14	≤10.00	PASS
	total	5180	5.19	9.20	≤10.00	PASS
	Ant2	5200	1.91	2.91	≤10.00	PASS
	Ant4	5200	2.93	3.93	≤10.00	PASS
	total	5200	5.46	9.47	≤10.00	PASS
	Ant2	5240	2.23	3.23	≤10.00	PASS
	Ant4	5240	1.88	2.88	≤10.00	PASS
11AC20MIMO	total	5240	5.07	9.08	≤10.00	PASS
	Ant2	5745	8.51	9.51	≤30.00	PASS
	Ant4	5745	8.94	9.94	≤30.00	PASS
	total	5745	11.74	15.75	≤30.00	PASS
	Ant2	5785	7.84	8.84	≤30.00	PASS
	Ant4	5785	8.34	9.34	≤30.00	PASS
	total	5785	11.11	15.12	≤30.00	PASS
	Ant2	5825	8.25	9.25	≤30.00	PASS
	Ant4	5825	9.05	10.05	≤30.00	PASS
	total Ant2	5825 5190	11.68 2.35	15.69 3.35	≤30.00 ≤10.00	PASS PASS
	Ant4	5190	2.28	3.28	≤10.00 ≤10.00	PASS
	total	5190	5.33	9.34	≤10.00 ≤10.00	PASS
11AC40MIMO	Ant2	5230	2.14	3.14	≤10.00	PASS
	Ant4	5230	2.05	3.05	≤10.00	PASS
	total	5230	5.11	9.12	≤10.00	PASS
	Ant2	5755	5.65	6.65	≤30.00	PASS
	Ant4	5755	6.18	7.18	≤30.00	PASS
	total	5755	8.93	12.94	≤30.00	PASS
	Ant2	5795	5.85	6.85	≤30.00	PASS
	Ant4	5795	6.05	7.05	≤30.00	PASS
	total	5795	8.96	12.97	≤30.00	PASS
11AC80MIMO	Ant2	5210	-1.7	-0.70	≤10.00	PASS
	Ant4	5210	-2.24	-1.24	≤10.00 ≤10.00	PASS
	total	5210	1.05	5.06	≤10.00	PASS
	Ant2	5775	1.04	2.04	≤30.00	PASS
	Ant4	5775	1.51	2.51	≤30.00	PASS
	total	5775	4.29	8.30	≤30.00	PASS
	Ant2	5250_UNII-1	-2.07	-1.07	≤10.00	PASS
11AC160MIMO	Ant4	5250_UNII-1	-2.91	-1.91	≤10.00	PASS
1 17 CO TOOMINIO	total	5250_UNII-1	0.54	4.55	≤10.00	PASS
	ioiai	_ 0200_0.4II I	U.O.F	1.00	_ 10.00	

	A 10	F0F0 111111 0:		0.00	100.00	D
	Ant2	5250_UNII-2A	-3	-2.00	≤30.00	PASS
	Ant4	5250_UNII-2A	-3.41	-2.41	≤30.00	PASS
	total	5250_UNII-2A	-0.19	3.82	≤30.00	PASS
	Ant2	5180	2.67	3.67	≤10.00	PASS
	Ant4	5180	2.38	3.38	≤10.00	PASS
	total	5180	5.54	9.55	≤10.00	PASS
	Ant2	5200	2.27	3.27	≤10.00	PASS
	Ant4	5200	3.26	4.26	≤10.00	PASS
	total	5200	5.80	9.81	≤10.00	PASS
	Ant2	5240	2.65	3.65	≤10.00	PASS
	Ant4	5240	1.96	2.96	≤10.00	PASS
11AX20MIMO	total	5240	5.33	9.34	≤10.00	PASS
TTAXZUWIIWIO	Ant2	5745	11.63	12.63	≤30.00	PASS
	Ant4	5745	11.07	12.07	≤30.00	PASS
	total	5745	14.37	15.37	≤30.00	PASS
	Ant2	5785	10.45	11.45	≤30.00	PASS
	Ant4	5785	10.66	11.66	≤30.00	PASS
	total	5785	13.57	14.57	≤30.00	PASS
	Ant2	5825	10.63	11.63	≤30.00	PASS
	Ant4	5825	9.93	10.93	≤30.00	PASS
	total	5825	13.30	14.30	≤30.00	PASS
11AX40MIMO	Ant2	5190	2.72	3.72	≤10.00	PASS
	Ant4	5190	2.5	3.50	≤10.00	PASS
	total	5190	5.62	9.63	≤10.00	PASS
	Ant2	5230	2.28	3.28	≤10.00	PASS
	Ant4	5230	2.06	3.06	≤10.00	PASS
	total	5230	5.18	9.19	≤10.00	PASS
	Ant2	5755	6.36	7.36	≤30.00	PASS
	Ant4	5755	6.51	7.51	≤30.00	PASS
	total	5755	9.45	10.45	≤30.00	PASS
	Ant2	5795	7.41	8.41	≤30.00	PASS
	Ant4	5795	7.55	8.55	≤30.00	PASS
	total	5795	10.49	11.49	≤30.00	PASS
11AX80MIMO	Ant2	5210	0.63	1.63	≤10.00	PASS
	Ant4	5210	0.69	1.69	≤10.00	PASS
	total	5210	3.67	4.67	≤10.00	PASS
	Ant2	5775	1.56	2.56	≤30.00	PASS
	Ant4	5775	1.47	2.47	≤30.00	PASS
	total	5775	4.53	5.53	≤30.00	PASS
11AX160MIMO	Ant2	5250_UNII-1	-1.19	-0.19	≤10.00	PASS
	Ant4	5250_UNII-1	-1.99	-0.99	≤10.00	PASS
	total	5250_UNII-1	1.44	2.44	≤10.00	PASS
	Ant2	5250_UNII-2A	-2.51	-1.51	≤30.00	PASS
	Ant4	5250 UNII-2A	-2.38	-1.38	≤30.00	PASS
	total	5250_UNII-2A	0.57	1.57	≤30.00	PASS
				•		

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.5.4. Test Graphs For ISED

