



802.11ax HE20 CH40



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1245.00	45.11	---	68.20	23.09	500.00	100.0	H	1.00	-11
1400.75	---	33.90	54.00	20.10	500.00	100.0	H	23.00	-10
1476.00	---	34.09	54.00	19.91	500.00	200.0	H	106.00	-10
1819.00	47.23	---	68.20	20.97	500.00	100.0	V	0.00	-10
2634.50	48.89	---	68.20	19.31	500.00	200.0	H	291.00	-7
2813.00	---	36.94	54.00	17.06	500.00	100.0	H	0.00	-7
3280.25	50.32	---	68.20	17.88	500.00	100.0	V	228.00	-6
3989.00	---	38.74	54.00	15.26	500.00	200.0	H	334.00	-3
5459.00	---	41.55	54.00	12.45	500.00	200.0	V	0.00	1
5473.00	54.42	---	68.20	13.78	500.00	200.0	H	340.00	1
6780.25	58.23	---	68.20	9.97	500.00	100.0	H	91.00	5
7728.75	---	46.30	54.00	7.70	500.00	200.0	V	4.00	7



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8730.00	49.60	---	68.20	18.60	500.00	200.0	H	143.00	6
9062.50	---	37.57	54.00	16.43	500.00	200.0	H	60.00	7
9317.50	---	38.09	54.00	15.91	500.00	100.0	V	148.00	7
10445.00	52.16	---	68.20	16.04	500.00	200.0	H	130.00	9
10572.50	52.40	---	68.20	15.80	500.00	100.0	H	291.00	9
11345.00	---	40.71	54.00	13.29	500.00	100.0	V	113.00	9
13270.00	---	39.79	54.00	14.21	500.00	100.0	V	168.00	8
13705.00	52.21	---	68.20	15.99	500.00	100.0	H	258.00	9
14482.50	---	40.57	54.00	13.43	500.00	100.0	H	218.00	10
14610.00	53.72	---	68.20	14.48	500.00	200.0	V	358.00	9
15755.00	---	39.73	54.00	14.27	500.00	200.0	H	149.00	8
16612.50	49.27	---	68.20	18.93	500.00	200.0	V	131.00	10

802.11ax HE20 CH48



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1014.00	---	34.03	54.00	19.97	500.00	100.0	V	3.00	-12
1295.75	45.33	---	68.20	22.87	500.00	200.0	V	359.00	-11
1414.75	---	33.68	54.00	20.32	500.00	200.0	H	2.00	-10
1428.75	44.84	---	68.20	23.36	500.00	100.0	H	338.00	-10
2265.25	---	31.54	54.00	22.46	500.00	100.0	H	288.00	-8
2393.00	44.00	---	68.20	24.20	500.00	200.0	V	203.00	-8
3569.00	45.91	---	68.20	22.29	500.00	100.0	V	87.00	-5
3999.50	---	37.82	54.00	16.18	500.00	100.0	V	8.00	-3
5450.25	---	42.92	54.00	11.08	500.00	200.0	H	2.00	1
5641.00	54.54	---	68.20	13.66	500.00	100.0	H	257.00	1
6300.75	55.82	---	68.20	12.38	500.00	200.0	H	0.00	4
7496.00	---	45.60	54.00	8.40	500.00	200.0	V	354.00	6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8970.00	50.02	---	68.20	18.18	500.00	100.0	V	88.00	6
9055.00	---	37.54	54.00	16.46	500.00	200.0	V	0.00	6
9300.00	---	38.16	54.00	15.84	500.00	200.0	V	324.00	7
10412.50	51.79	---	68.20	16.41	500.00	200.0	V	351.00	9
10590.00	51.75	---	68.20	16.45	500.00	100.0	V	114.00	9
11317.50	---	40.74	54.00	13.26	500.00	200.0	H	57.00	9
13270.00	---	39.81	54.00	14.19	500.00	200.0	H	204.00	8
13722.50	51.80	---	68.20	16.40	500.00	100.0	H	158.00	9
14372.50	53.61	---	68.20	14.59	500.00	100.0	H	92.00	10
14482.50	---	40.71	54.00	13.29	500.00	200.0	H	104.00	10
17602.50	58.11	---	68.20	10.09	500.00	200.0	V	285.00	16
17902.50	---	48.36	54.00	5.64	500.00	100.0	H	158.00	19

802.11ax HE20 CH149



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1022.75	---	34.15	54.00	19.85	500.00	100.0	V	0.00	-12
1276.50	45.50	---	68.20	22.70	500.00	100.0	H	351.00	-11
1416.50	---	33.54	54.00	20.46	500.00	100.0	H	303.00	-10
1430.50	44.76	---	68.20	23.44	500.00	200.0	H	161.00	-10
2022.00	43.92	---	68.20	24.28	500.00	100.0	H	58.00	-9
2268.75	---	31.60	54.00	22.40	500.00	100.0	H	229.00	-8
3588.25	46.32	---	68.20	21.88	500.00	100.0	V	3.00	-5
3994.25	---	37.86	54.00	16.14	500.00	200.0	V	326.00	-3
5453.75	---	42.81	54.00	11.19	500.00	100.0	H	339.00	1
5604.25	55.08	---	68.20	13.12	500.00	200.0	V	106.00	1
7086.50	54.61	---	68.20	13.59	500.00	200.0	H	105.00	6
7506.50	---	45.41	54.00	8.59	500.00	100.0	V	76.00	6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8810.00	49.49	---	68.20	18.71	500.00	200.0	H	0.00	6
9055.00	---	37.50	54.00	16.50	500.00	100.0	H	0.00	6
9310.00	---	37.81	54.00	16.19	500.00	100.0	H	44.00	7
10405.00	52.45	---	68.20	15.75	500.00	100.0	H	2.00	9
10600.00	51.96	---	68.20	16.24	500.00	100.0	H	6.00	9
11337.50	---	40.78	54.00	13.22	500.00	200.0	H	350.00	9
12200.00	---	37.13	54.00	16.87	500.00	200.0	H	165.00	9
13350.00	---	39.29	54.00	14.71	500.00	200.0	V	20.00	8
13730.00	51.46	---	68.20	16.74	500.00	200.0	H	320.00	9
14407.50	53.19	---	68.20	15.01	500.00	200.0	V	0.00	10
15767.50	---	39.11	54.00	14.89	500.00	200.0	H	346.00	8
16642.50	49.65	---	68.20	18.55	500.00	100.0	H	125.00	10

802.11ax HE20 CH157



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1012.25	---	33.91	54.00	20.09	500.00	100.0	V	9.00	-12
1262.50	46.41	---	68.20	21.79	500.00	100.0	V	188.00	-11
1414.75	---	33.87	54.00	20.13	500.00	100.0	V	227.00	-10
1428.75	44.90	---	68.20	23.30	500.00	200.0	H	3.00	-10
2022.00	43.62	---	68.20	24.58	500.00	100.0	H	357.00	-9
2281.00	---	31.65	54.00	22.35	500.00	200.0	H	84.00	-8
3598.75	45.60	---	68.20	22.60	500.00	200.0	V	291.00	-5
3996.00	---	37.90	54.00	16.10	500.00	200.0	H	0.00	-3
5457.25	---	42.90	54.00	11.10	500.00	200.0	H	124.00	1
5504.50	54.98	---	68.20	13.22	500.00	200.0	V	122.00	0
7111.00	54.62	---	68.20	13.58	500.00	100.0	H	280.00	6
7419.00	---	44.83	54.00	9.17	500.00	100.0	H	10.00	6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8855.00	49.77	---	68.20	18.43	500.00	200.0	V	255.00	6
9055.00	---	37.80	54.00	16.20	500.00	200.0	H	356.00	6
9300.00	---	38.13	54.00	15.87	500.00	200.0	V	222.00	7
10440.00	52.20	---	68.20	16.00	500.00	100.0	H	112.00	9
10527.50	51.80	---	68.20	16.40	500.00	200.0	H	90.00	9
11335.00	---	40.62	54.00	13.38	500.00	200.0	V	188.00	9
13352.50	---	39.58	54.00	14.42	500.00	100.0	V	357.00	8
13725.00	51.44	---	68.20	16.76	500.00	100.0	V	271.00	9
14435.00	53.30	---	68.20	14.90	500.00	200.0	H	276.00	10
14487.50	---	40.24	54.00	13.76	500.00	100.0	H	221.00	10
15807.50	---	38.47	54.00	15.53	500.00	200.0	H	124.00	8
16582.50	49.34	---	68.20	18.86	500.00	100.0	H	70.00	9

802.11ax HE20 CH165



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1052.50	---	33.97	54.00	20.03	500.00	200.0	H	174.00	-12
1295.75	45.69	---	68.20	22.51	500.00	100.0	V	30.00	-11
1414.75	---	33.46	54.00	20.54	500.00	200.0	V	0.00	-10
1764.75	44.86	---	68.20	23.34	500.00	100.0	H	0.00	-10
2298.50	---	31.68	54.00	22.32	500.00	200.0	H	158.00	-8
2456.00	44.51	---	68.20	23.69	500.00	100.0	H	0.00	-7
3562.00	46.33	---	68.20	21.87	500.00	100.0	V	23.00	-5
3997.75	---	37.84	54.00	16.16	500.00	100.0	H	308.00	-3
5261.25	55.80	---	68.20	12.40	500.00	100.0	H	214.00	0
5446.75	---	42.91	54.00	11.09	500.00	100.0	V	93.00	1
7055.00	55.59	---	68.20	12.61	500.00	200.0	V	291.00	5
7473.25	---	45.42	54.00	8.58	500.00	200.0	V	358.00	6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8802.50	49.34	---	68.20	18.86	500.00	100.0	V	199.00	6
9080.00	---	37.55	54.00	16.45	500.00	200.0	H	356.00	7
9300.00	---	38.20	54.00	15.80	500.00	200.0	H	351.00	7
10325.00	52.23	---	68.20	15.97	500.00	200.0	V	68.00	8
10537.50	51.81	---	68.20	16.39	500.00	200.0	H	338.00	9
11352.50	---	40.69	54.00	13.31	500.00	200.0	V	263.00	9
12685.00	---	39.55	54.00	14.45	500.00	100.0	H	61.00	8
13497.50	51.76	---	68.20	16.44	500.00	200.0	V	120.00	9
14405.00	53.86	---	68.20	14.34	500.00	100.0	H	0.00	10
14487.50	---	40.33	54.00	13.67	500.00	200.0	H	178.00	10
15947.50	---	37.00	54.00	17.00	500.00	200.0	H	238.00	7
16657.50	49.55	---	68.20	18.65	500.00	200.0	H	290.00	10

802.11ax HE40 CH38



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1024.50	---	34.18	54.00	19.82	500.00	100.0	V	217.00	-12
1294.00	45.37	---	68.20	22.83	500.00	200.0	H	251.00	-11
1416.50	---	33.61	54.00	20.39	500.00	100.0	V	311.00	-10
1428.75	44.98	---	68.20	23.22	500.00	100.0	V	268.00	-10
2242.50	---	31.56	54.00	22.44	500.00	200.0	V	36.00	-8
2583.75	43.95	---	68.20	24.25	500.00	100.0	V	0.00	-7
3502.50	46.02	---	68.20	22.18	500.00	200.0	H	80.00	-6
3999.50	---	37.86	54.00	16.14	500.00	100.0	V	330.00	-3
5446.75	---	43.02	54.00	10.98	500.00	100.0	H	222.00	1
5604.25	54.92	---	68.20	13.28	500.00	100.0	V	229.00	1
5961.25	53.49	---	68.20	14.71	500.00	200.0	V	93.00	2
7480.25	---	45.16	54.00	8.84	500.00	100.0	H	70.00	6



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8865.00	49.51	---	68.20	18.69	500.00	100.0	H	351.00	6
9082.50	---	37.55	54.00	16.45	500.00	100.0	V	79.00	7
9305.00	---	38.03	54.00	15.97	500.00	200.0	H	3.00	7
10420.00	52.56	---	68.20	15.64	500.00	100.0	H	180.00	9
10595.00	52.11	---	68.20	16.09	500.00	100.0	V	158.00	9
11312.50	---	40.91	54.00	13.09	500.00	100.0	H	358.00	9
13350.00	---	39.42	54.00	14.58	500.00	100.0	H	351.00	8
13700.00	52.13	---	68.20	16.07	500.00	100.0	V	98.00	9
14412.50	53.03	---	68.20	15.17	500.00	200.0	H	74.00	10
14492.50	---	40.52	54.00	13.48	500.00	100.0	H	18.00	10
15795.00	---	39.00	54.00	15.00	500.00	200.0	V	267.00	8
16595.00	49.73	---	68.20	18.47	500.00	100.0	H	356.00	9

802.11ax HE40 CH46



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.00	44.33	---	68.20	23.87	500.00	200.0	V	273.00	-4
1411.25	---	31.92	54.00	22.08	500.00	200.0	H	81.00	-3
1696.50	---	32.11	54.00	21.89	500.00	200.0	V	11.00	-3
1987.00	45.17	---	68.20	23.03	500.00	200.0	V	218.00	-1
2536.50	47.76	---	68.20	20.44	500.00	200.0	V	253.00	1
2802.50	---	35.38	54.00	18.62	500.00	200.0	H	151.00	2
3597.00	49.04	---	68.20	19.16	500.00	200.0	H	316.00	3
3996.00	---	38.39	54.00	15.61	500.00	100.0	H	45.00	5
4438.75	49.77	---	68.20	18.43	500.00	200.0	H	158.00	6
4825.50	---	40.08	54.00	13.92	500.00	200.0	V	26.00	8
7732.25	---	45.91	54.00	8.09	500.00	200.0	V	8.00	15
7788.25	58.10	---	68.20	10.10	500.00	200.0	H	0.00	15



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8997.50	50.06	---	68.20	18.14	500.00	100.0	V	46.00	6
9057.50	---	37.75	54.00	16.25	500.00	200.0	H	124.00	7
9342.50	---	38.08	54.00	15.92	500.00	100.0	H	118.00	7
10007.50	52.09	---	68.20	16.11	500.00	200.0	H	1.00	8
10585.00	51.79	---	68.20	16.41	500.00	100.0	H	349.00	9
11345.00	---	40.65	54.00	13.35	500.00	100.0	H	165.00	9
12697.50	---	39.41	54.00	14.59	500.00	200.0	H	163.00	8
12730.00	52.81	---	68.20	15.39	500.00	100.0	H	172.00	8
14485.00	---	40.81	54.00	13.19	500.00	200.0	V	211.00	10
14615.00	53.56	---	68.20	14.64	500.00	100.0	V	302.00	9
15572.50	---	38.39	54.00	15.61	500.00	100.0	V	4.00	8
16580.00	49.30	---	68.20	18.90	500.00	200.0	H	124.00	9

802.11ax HE40 CH151



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1294.00	44.39	---	68.20	23.81	500.00	200.0	H	18.00	-4
1386.75	---	32.07	54.00	21.93	500.00	200.0	H	178.00	-3
1449.75	---	32.03	54.00	21.97	500.00	100.0	H	214.00	-3
1955.50	44.33	---	68.20	23.87	500.00	200.0	V	277.00	-1
2601.25	47.40	---	68.20	20.80	500.00	200.0	H	0.00	1
2800.75	---	35.33	54.00	18.67	500.00	200.0	H	0.00	2
3464.00	49.25	---	68.20	18.95	500.00	200.0	V	58.00	3
3999.50	---	38.49	54.00	15.51	500.00	200.0	V	50.00	5
4442.25	49.82	---	68.20	18.38	500.00	100.0	H	345.00	6
4578.75	---	38.37	54.00	15.63	500.00	100.0	H	0.00	7
7732.25	---	46.30	54.00	7.70	500.00	100.0	V	85.00	15
7923.00	58.69	---	68.20	9.51	500.00	200.0	V	196.00	15



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8775.00	49.23	---	68.20	18.97	500.00	200.0	V	248.00	6
9082.50	---	37.39	54.00	16.61	500.00	200.0	V	308.00	7
9302.50	---	38.02	54.00	15.98	500.00	200.0	H	63.00	7
10287.50	52.38	---	68.20	15.82	500.00	200.0	V	129.00	8
10570.00	51.79	---	68.20	16.41	500.00	100.0	H	3.00	9
11345.00	---	40.64	54.00	13.36	500.00	100.0	V	257.00	9
12697.50	---	39.31	54.00	14.69	500.00	100.0	V	20.00	8
13725.00	51.96	---	68.20	16.24	500.00	100.0	V	310.00	9
14405.00	53.25	---	68.20	14.95	500.00	200.0	H	359.00	10
14482.50	---	40.34	54.00	13.66	500.00	100.0	H	12.00	10
15047.50	51.84	---	68.20	16.36	500.00	100.0	H	61.00	9
15782.50	---	39.11	54.00	14.89	500.00	200.0	H	281.00	8

802.11ax HE40 CH159



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1255.50	43.33	---	68.20	24.87	500.00	200.0	V	209.00	-4
1397.25	---	32.11	54.00	21.89	500.00	100.0	H	175.00	-3
1467.25	---	32.29	54.00	21.71	500.00	100.0	H	183.00	-3
1957.25	44.48	---	68.20	23.72	500.00	200.0	V	359.00	-1
2433.25	47.06	---	68.20	21.14	500.00	200.0	V	143.00	1
2767.50	---	35.53	54.00	18.47	500.00	100.0	H	351.00	2
3422.00	49.42	---	68.20	18.78	500.00	100.0	V	147.00	3
3996.00	---	38.38	54.00	15.62	500.00	100.0	H	232.00	5
4456.25	49.56	---	68.20	18.64	500.00	100.0	H	296.00	6
4855.25	---	39.76	54.00	14.24	500.00	200.0	H	138.00	8
6796.00	56.54	---	68.20	11.66	500.00	200.0	H	98.00	14
7730.50	---	46.05	54.00	7.95	500.00	200.0	V	0.00	15



Final Result


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8895.00	49.88	---	68.20	18.32	500.00	200.0	H	359.00	6
9075.00	---	37.62	54.00	16.38	500.00	100.0	H	32.00	7
9382.50	---	38.04	54.00	15.96	500.00	100.0	V	0.00	7
10367.50	51.78	---	68.20	16.42	500.00	100.0	V	235.00	8
10550.00	51.77	---	68.20	16.43	500.00	100.0	V	0.00	9
11112.50	---	40.78	54.00	13.22	500.00	200.0	H	246.00	9
13230.00	52.30	---	68.20	15.90	500.00	200.0	V	143.00	8
13362.50	---	39.88	54.00	14.12	500.00	200.0	V	203.00	8
14487.50	---	40.94	54.00	13.06	500.00	100.0	H	0.00	10
14607.50	53.09	---	68.20	15.11	500.00	100.0	V	158.00	9
17690.00	58.29	---	68.20	9.91	500.00	100.0	H	19.00	17
17847.50	---	47.81	54.00	6.19	500.00	100.0	V	358.00	18

802.11ax HE80 CH42



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1264.25	43.38	---	68.20	24.82	500.00	100.0	H	216.00	-4
1402.50	---	31.99	54.00	22.02	500.00	100.0	V	7.00	-3
1416.50	---	32.17	54.00	21.83	500.00	200.0	V	252.00	-3
1962.50	44.61	---	68.20	23.59	500.00	100.0	H	349.00	-1
2575.00	47.40	---	68.20	20.80	500.00	100.0	V	107.00	2
2825.25	---	35.57	54.00	18.43	500.00	200.0	H	157.00	2
3192.75	49.52	---	68.20	18.68	500.00	100.0	V	18.00	3
3982.00	---	38.19	54.00	15.81	500.00	200.0	H	49.00	5
4468.50	49.48	---	68.20	18.72	500.00	200.0	V	234.00	6
4690.75	---	38.93	54.00	15.07	500.00	100.0	V	18.00	7
7725.25	---	46.50	54.00	7.50	500.00	100.0	H	0.00	15
7777.75	58.19	---	68.20	10.01	500.00	200.0	H	150.00	15



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8837.50	49.75	---	68.20	18.45	500.00	100.0	V	0.00	6
9082.50	---	37.87	54.00	16.13	500.00	200.0	H	6.00	7
9380.00	---	38.18	54.00	15.82	500.00	100.0	H	330.00	7
10395.00	51.78	---	68.20	16.42	500.00	100.0	V	60.00	9
10587.50	52.64	---	68.20	15.56	500.00	100.0	H	31.00	9
11315.00	---	40.90	54.00	13.10	500.00	100.0	H	203.00	9
13322.50	---	39.83	54.00	14.17	500.00	200.0	V	233.00	8
13445.00	52.58	---	68.20	15.62	500.00	200.0	V	233.00	9
14405.00	53.83	---	68.20	14.37	500.00	100.0	H	98.00	10
14482.50	---	40.85	54.00	13.15	500.00	100.0	H	157.00	10
15607.50	---	39.00	54.00	15.00	500.00	200.0	H	257.00	8
16550.00	48.54	---	68.20	19.66	500.00	100.0	V	0.00	9