

ViewSonic (Model VSMW24667-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.891 mW/g, SAR (1g): 0.417 mW/g, SAR (10g): 0.177 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.2, 7.4) [mm]; Powerdrift: -0.17 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.987 mW/g, SAR (1g): 0.456 mW/g, SAR (10g): 0.191 mW/g, (Worst-case extrapolation)
Penetration depth: 6.4 (6.2, 7.3) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 1.02 mW/g, SAR (1g): 0.471 mW/g, SAR (10g): 0.199 mW/g, (Worst-case extrapolation)
Penetration depth: 6.3 (6.1, 7.2) [mm]; Powerdrift: -0.19 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.5 (6.2, 7.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0633 mW/g, SAR (1g): 0.0335 mW/g, SAR (10g): 0.0184 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.2, 8.7) [mm]; Powerdrift: -0.14 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0641 mW/g, SAR (1g): 0.0338 mW/g, SAR (10g): 0.0183 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.1, 8.3) [mm]; Powerdrift: -0.10 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0675 mW/g, SAR (1g): 0.0354 mW/g, SAR (10g): 0.0193 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (6.9, 8.7) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.7 (7.3, 8.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.617 mW/g, SAR (1g): 0.293 mW/g, SAR (10g): 0.126 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.5, 7.6) [mm]; Powerdrift: -0.14 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.643 mW/g, SAR (1g): 0.305 mW/g, SAR (10g): 0.132 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.5, 7.5) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.719 mW/g, SAR (1g): 0.342 mW/g, SAR (10g): 0.149 mW/g, (Worst-case extrapolation)
Penetration depth: 6.7 (6.5, 7.5) [mm]; Powerdrift: -0.19 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.8 (6.5, 7.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.281 mW/g, SAR (1g): 0.133 mW/g, SAR (10g): 0.0627 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.5, 7.6) [mm]; Powerdrift: 0.00 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.4 (6.1, 7.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.283 mW/g, SAR (1g): 0.131 mW/g, SAR (10g): 0.0611 mW/g, (Worst-case extrapolation)
Penetration depth: 6.6 (6.4, 7.3) [mm]; Powerdrift: -0.16 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



ViewSonic (Model VSMW24667-1W), Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.13 \text{ mho/m}$ $\epsilon_r = 50.9$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.280 mW/g, SAR (1g): 0.129 mW/g, SAR (10g): 0.0590 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.2, 7.1) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 14.0, Dy = 14.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0

