

TEST RESULTS DATA
6dB and 99% Occupied Bandwidth

2.4GHz Band Single Antenna										
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	99% Occupied BW (MHz)		6dB BW (MHz)		6dB BW Limit (MHz)	Pass/Fail
					Ant1	Ant2	Ant1	Ant2		
11b	1Mbps	1	1	2412	13.04	-	9.06	-	0.50	Pass
11b	1Mbps	1	6	2437	12.99	-	8.74	-	0.50	Pass
11b	1Mbps	1	10	2457	13.04	-	9.16	-	0.50	Pass
11b	1Mbps	1	11	2462	13.09	-	9.36	-	0.50	Pass
11g	6Mbps	1	1	2412	17.63	-	16.38	-	0.50	Pass
11g	6Mbps	1	6	2437	17.63	-	16.34	-	0.50	Pass
11g	6Mbps	1	11	2462	17.58	-	16.38	-	0.50	Pass
HT20	MCS0	1	1	2412	18.38	-	17.62	-	0.50	Pass
HT20	MCS0	1	2	2417	18.38	-	17.62	-	0.50	Pass
HT20	MCS0	1	6	2437	18.38	-	17.62	-	0.50	Pass
HT20	MCS0	1	11	2462	18.38	-	17.62	-	0.50	Pass
HT40	MCS0	1	3	2422	36.66	-	36.36	-	0.50	Pass
HT40	MCS0	1	6	2437	36.46	-	36.32	-	0.50	Pass
HT40	MCS0	1	9	2452	36.56	-	36.40	-	0.50	Pass

TEST RESULTS DATA
Peak Output Power

2.4GHz Band Single Antenna																
Mod.	Data Rate	NTx	CH.	Freq. (MHz)	Peak Conducted Power (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant1	Ant2	SUM	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	
11b	1Mbps	1	1	2412	21.32	-		30.00	-	2.33	-	23.65	-	36.00	-	Pass
11b	1Mbps	1	6	2437	20.13	-		30.00	-	2.33	-	22.46	-	36.00	-	Pass
11b	1Mbps	1	10	2457	19.36	-		30.00	-	2.33	-	21.69	-	36.00	-	Pass
11b	1Mbps	1	11	2462	16.44	-		30.00	-	2.33	-	18.77	-	36.00	-	Pass
11g	6Mbps	1	1	2412	24.35	-		30.00	-	2.33	-	26.68	-	36.00	-	Pass
11g	6Mbps	1	6	2437	25.40	-		30.00	-	2.33	-	27.73	-	36.00	-	Pass
11g	6Mbps	1	11	2462	24.28	-		30.00	-	2.33	-	26.61	-	36.00	-	Pass
HT20	MCS0	1	1	2412	24.14	-		30.00	-	2.33	-	26.47	-	36.00	-	Pass
HT20	MCS0	1	2	2417	25.15	-		30.00	-	2.33	-	27.48	-	36.00	-	Pass
HT20	MCS0	1	6	2437	25.35	-		30.00	-	2.33	-	27.68	-	36.00	-	Pass
HT20	MCS0	1	11	2462	24.41	-		30.00	-	2.33	-	26.74	-	36.00	-	Pass
HT40	MCS0	1	3	2422	22.19	-		30.00	-	2.33	-	24.52	-	36.00	-	Pass
HT40	MCS0	1	6	2437	24.08	-		30.00	-	2.33	-	26.41	-	36.00	-	Pass
HT40	MCS0	1	9	2452	23.65	-		30.00	-	2.33	-	25.98	-	36.00	-	Pass

TEST RESULTS DATA
Average Output Power
(Report only)

2.4GHz Band Single Antenna																		
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Duty Factor (dB)		Average Conducted Power with duty factor (dBm)			Conducted Power Limit (dBm)		DG (dBi)		EIRP Power (dBm)		EIRP Power Limit (dBm)		Pass /Fail
					Ant 1	Ant 2	Ant1	Ant2	SUM	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	
11b	1Mbps	1	1	2412	0.00	-	18.65	-		30.00	-	2.33	-	20.98	-	36.00	-	Pass
11b	1Mbps	1	6	2437	0.00	-	17.42	-		30.00	-	2.33	-	19.75	-	36.00	-	Pass
11b	1Mbps	1	10	2457	0.00	-	16.46	-		30.00	-	2.33	-	18.79	-	36.00	-	Pass
11b	1Mbps	1	11	2462	0.00	-	13.69	-		30.00	-	2.33	-	16.02	-	36.00	-	Pass
11g	6Mbps	1	1	2412	0.09	-	14.55	-		30.00	-	2.33	-	16.88	-	36.00	-	Pass
11g	6Mbps	1	6	2437	0.09	-	17.07	-		30.00	-	2.33	-	19.40	-	36.00	-	Pass
11g	6Mbps	1	11	2462	0.09	-	14.42	-		30.00	-	2.33	-	16.75	-	36.00	-	Pass
HT20	MCS0	1	1	2412	0.10	-	13.71	-		30.00	-	2.33	-	16.04	-	36.00	-	Pass
HT20	MCS0	1	2	2417	0.10	-	15.59	-		30.00	-	2.33	-	17.92	-	36.00	-	Pass
HT20	MCS0	1	6	2437	0.10	-	17.23	-		30.00	-	2.33	-	19.56	-	36.00	-	Pass
HT20	MCS0	1	11	2462	0.10	-	14.46	-		30.00	-	2.33	-	16.79	-	36.00	-	Pass
HT40	MCS0	1	3	2422	0.20	-	10.86	-		30.00	-	2.33	-	13.19	-	36.00	-	Pass
HT40	MCS0	1	6	2437	0.20	-	13.58	-		30.00	-	2.33	-	15.91	-	36.00	-	Pass
HT40	MCS0	1	9	2452	0.20	-	12.96	-		30.00	-	2.33	-	15.29	-	36.00	-	Pass


TEST RESULTS DATA
Peak Power Spectral Density

2.4GHz Band Single Antenna										
Mod.	Data Rate	NTX	CH.	Freq. (MHz)	Peak PSD (dBm/3kHz)			DG (dBi)	Peak PSD Limit (dBm/3kHz)	Pass/Fail
					Ant1	Ant2	Worse + 3.01	Ant1	Ant1	
11b	1Mbps	1	1	2412	-4.58	-		2.33	8.00	Pass
11b	1Mbps	1	6	2437	-5.98	-		2.33	8.00	Pass
11b	1Mbps	1	10	2457	-6.00	-		2.33	8.00	Pass
11b	1Mbps	1	11	2462	-9.04	-		2.33	8.00	Pass
11g	6Mbps	1	1	2412	-10.27	-		2.33	8.00	Pass
11g	6Mbps	1	6	2437	-8.14	-		2.33	8.00	Pass
11g	6Mbps	1	11	2462	-10.57	-		2.33	8.00	Pass
HT20	MCS0	1	1	2412	-11.39	-		2.33	8.00	Pass
HT20	MCS0	1	2	2417	-10.01	-		2.33	8.00	Pass
HT20	MCS0	1	6	2437	-8.02	-		2.33	8.00	Pass
HT20	MCS0	1	11	2462	-10.60	-		2.33	8.00	Pass
HT40	MCS0	1	3	2422	-17.37	-		2.33	8.00	Pass
HT40	MCS0	1	6	2437	-14.12	-		2.33	8.00	Pass
HT40	MCS0	1	9	2452	-14.91	-		2.33	8.00	Pass



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-LINE LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.156	55.09	-10.56	65.65	44.60	0.06	10.43	QP
2	0.156	36.79	-18.86	55.65	26.30	0.06	10.43	Average
3	0.166	53.58	-11.58	65.16	43.10	0.05	10.43	QP
4	0.166	43.68	-11.48	55.16	33.20	0.05	10.43	Average
5	0.228	43.93	-18.59	62.52	33.50	0.03	10.40	QP
6	0.228	34.33	-18.19	52.52	23.90	0.03	10.40	Average
7	0.518	40.97	-15.03	56.00	30.81	-0.04	10.20	QP
8	0.518	28.07	-17.93	46.00	17.91	-0.04	10.20	Average
9	0.582	44.23	-11.77	56.00	34.10	-0.06	10.19	QP
10	0.582	33.93	-12.07	46.00	23.80	-0.06	10.19	Average
11	2.721	36.15	-19.85	56.00	26.19	-0.10	10.06	QP
12	2.721	21.15	-24.85	46.00	11.19	-0.10	10.06	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-NEUTRAL NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.175	47.97	-16.75	64.72	37.51	0.04	10.42	QP
2	0.175	33.77	-20.95	54.72	23.31	0.04	10.42	Average
3	0.200	48.57	-15.05	63.62	38.10	0.05	10.42	QP
4	0.200	40.67	-12.95	53.62	30.20	0.05	10.42	Average
5	0.233	45.51	-16.84	62.35	35.11	0.01	10.39	QP
6 *	0.233	41.31	-11.04	52.35	30.91	0.01	10.39	Average
7	0.491	36.94	-19.20	56.14	26.80	-0.08	10.22	QP
8	0.491	27.44	-18.70	46.14	17.30	-0.08	10.22	Average
9	0.576	41.90	-14.10	56.00	31.79	-0.08	10.19	QP
10	0.576	28.90	-17.10	46.00	18.79	-0.08	10.19	Average
11	2.779	38.53	-17.47	56.00	28.60	-0.13	10.06	QP
12	2.779	21.43	-24.57	46.00	11.50	-0.13	10.06	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Carry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃

Channel	Power setting
11b CH01	0
11b CH06	6
11b CH10	10
11b CH11	22
11g CH01	12
11g CH06	0
11g CH11	13
11n20 CH01	16
11n20 CH02	9
11n20 CH06	0
11n20 CH11	14
11n40 CH03	26
11n40 CH06	15
11n40 CH09	18



Radiated Spurious Emission Test Modes





Mode	Band (MHz)	Modulation	Channel	Frequency	Data Rate	Remark
Mode 1	2400-2483.5	802.11b	01	2412	1Mbps	-
Mode 2	2400-2483.5	802.11b	06	2437	1Mbps	-
Mode 3	2400-2483.5	802.11b	10	2457	1Mbps	-
Mode 4	2400-2483.5	802.11b	11	2462	1Mbps	-
Mode 5	2400-2483.5	802.11g	01	2412	6Mbps	-
Mode 6	2400-2483.5	802.11g	06	2437	6Mbps	-
Mode 7	2400-2483.5	802.11g	11	2462	6Mbps	-
Mode 8	2400-2483.5	802.11n HT20	01	2412	MCS0	-
Mode 9	2400-2483.5	802.11n HT20	02	2417	MCS0	-
Mode 10	2400-2483.5	802.11n HT20	06	2437	MCS0	-
Mode 11	2400-2483.5	802.11n HT20	11	2462	MCS0	-
Mode 12	2400-2483.5	802.11n HT40	03	2422	MCS0	-
Mode 13	2400-2483.5	802.11n HT40	06	2437	MCS0	-
Mode 14	2400-2483.5	802.11n HT40	09	2452	MCS0	-
Mode 15	2400-2483.5	802.11n HT40	06	2437	MCS0	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2389.95	50.64	54.00	-3.36	H	AVERAGE	Pass	Band Edge
	802.11b	01	4824.00	49.76	54.00	-4.24	H	AVERAGE	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
	802.11b	06	4874.00	50.65	54.00	-3.35	H	AVERAGE	Pass	Harmonic
3	802.11b	10	2483.56	45.72	54.00	-8.28	H	AVERAGE	Pass	Band Edge
	802.11b	10	4914.00	50.83	54.00	-3.17	H	AVERAGE	Pass	Harmonic
4	802.11b	11	2487.70	45.85	54.00	-8.15	H	AVERAGE	Pass	Band Edge
	802.11b	11	4924.00	50.47	54.00	-3.53	H	AVERAGE	Pass	Harmonic
5	802.11g	01	2389.95	52.00	54.00	-2.00	H	AVERAGE	Pass	Band Edge
	802.11g	01	4824.00	46.66	74.00	-27.34	H	PEAK	Pass	Harmonic
6	802.11g	06	2389.30	71.05	74.00	-2.95	H	PEAK	Pass	Band Edge
	802.11g	06	4874.00	41.42	54.00	-12.58	H	AVERAGE	Pass	Harmonic
7	802.11g	11	2483.62	72.09	74.00	-1.91	H	PEAK	Pass	Band Edge
	802.11g	11	4924.00	37.46	54.00	-16.54	H	AVERAGE	Pass	Harmonic
8	802.11n HT20	01	2389.95	52.71	54.00	-1.29	H	AVERAGE	Pass	Band Edge
	802.11n HT20	01	4824.00	44.62	74.00	-29.38	H	Peak	Pass	Harmonic
9	802.11n HT20	02	2389.95	52.36	54.00	-1.64	H	AVERAGE	Pass	Band Edge
	802.11n HT20	02	7251.00	41.76	74.00	-32.24	H	PEAK	Pass	Harmonic
10	802.11n HT20	06	2388.65	71.11	74.00	-2.89	H	PEAK	Pass	Band Edge
	802.11n HT20	06	4874.00	38.79	54.00	-15.21	H	AVERAGE	Pass	Harmonic
11	802.11n HT20	11	2483.50	52.95	54.00	-1.05	H	AVERAGE	Pass	Band Edge
	802.11n HT20	11	4924.00	36.98	54.00	-17.02	H	AVERAGE	Pass	Harmonic
12	802.11n HT40	03	2389.95	52.81	54.00	-1.19	H	AVERAGE	Pass	Band Edge
	802.11n HT40	03	4844.00	42.16	74.00	-31.84	H	PEAK	Pass	Harmonic
13	802.11n HT40	06	2389.95	53.00	54.00	-1.00	H	AVERAGE	Pass	Band Edge
	802.11n HT40	06	4874.00	44.30	74.00	-29.70	H	PEAK	Pass	Harmonic
14	802.11n HT40	09	2483.56	52.82	54.00	-1.18	H	AVERAGE	Pass	Band Edge
	802.11n HT40	09	4904.00	45.45	74.00	-28.55	H	PEAK	Pass	Harmonic
15	802.11n HT40	06	73.65	27.44	40	-12.56	H	PEAK	Pass	LF



Mode	1																																																						
	Band Edge																																																						
	2400-2483.5_802.11b_CH01_2412MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.09</td><td>62.36</td><td>74.00</td><td>-11.64</td><td>53.42</td><td>32.36</td><td>7.10</td><td>36.52</td><td>6.00</td><td>154</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.09	62.36	74.00	-11.64	53.42	32.36	7.10	36.52	6.00	154	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.09	62.36	74.00	-11.64	53.42	32.36	7.10	36.52	6.00	154	0 PEAK																																												
																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>119.95</td><td>-----</td><td>-----</td><td>111.04</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>154</td><td>0 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	119.95	-----	-----	111.04	32.39	7.14	36.62	6.00	154	0 Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	119.95	-----	-----	111.04	32.39	7.14	36.62	6.00	154	0 Peak																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>41.67</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>154</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	50.64	54.00	-3.36	41.67	32.38	7.11	36.52	6.00	154	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	50.64	54.00	-3.36	41.67	32.38	7.11	36.52	6.00	154	0 AVERAGE																																												
																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>111.22</td><td>-----</td><td>-----</td><td>102.31</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>154</td><td>0 Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	111.22	-----	-----	102.31	32.39	7.14	36.62	6.00	154	0 Peak	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	111.22	-----	-----	102.31	32.39	7.14	36.62	6.00	154	0 Peak																																												





		1																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11b_CH01_2412MHz																																																					
ANT		1																																																					
Pol.		Vertical																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>56.73</td><td>74.00</td><td>-17.27</td><td>47.76</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>302</td><td>278</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	56.73	74.00	-17.27	47.76	32.38	7.11	36.52	6.00	302	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.69	56.73	74.00	-17.27	47.76	32.38	7.11	36.52	6.00	302	278	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.32</td><td>-----</td><td>-----</td><td>100.41</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>302</td><td>278</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.32	-----	-----	100.41	32.39	7.14	36.62	6.00	302	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	109.32	-----	-----	100.41	32.39	7.14	36.62	6.00	302	278	Peak																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>41.16</td><td>54.00</td><td>-12.84</td><td>32.19</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>302</td><td>278</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	41.16	54.00	-12.84	32.19	32.38	7.11	36.52	6.00	302	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	41.16	54.00	-12.84	32.19	32.38	7.11	36.52	6.00	302	278	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.82</td><td>-----</td><td>-----</td><td>91.91</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>302</td><td>278</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.82	-----	-----	91.91	32.39	7.14	36.62	6.00	302	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	100.82	-----	-----	91.91	32.39	7.14	36.62	6.00	302	278	Peak																																											



Mode	1																																																																																																																															
	Harmonic																																																																																																																															
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>53.37</td><td>74.00</td><td>-20.63</td><td>71.45</td><td>34.26</td><td>9.47</td><td>61.81</td><td>0.00</td><td>118</td><td>206</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>49.76</td><td>54.00</td><td>-4.24</td><td>67.84</td><td>34.26</td><td>9.47</td><td>61.81</td><td>0.00</td><td>118</td><td>206</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	53.37	74.00	-20.63	71.45	34.26	9.47	61.81	0.00	118	206	PEAK	2	4824.00	49.76	54.00	-4.24	67.84	34.26	9.47	61.81	0.00	118	206	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>69.60</td><td>34.26</td><td>9.47</td><td>61.81</td><td>0.00</td><td>282</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>47.54</td><td>54.00</td><td>-6.46</td><td>65.62</td><td>34.26</td><td>9.47</td><td>61.81</td><td>0.00</td><td>282</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4824.00	51.52	74.00	-22.48	69.60	34.26	9.47	61.81	0.00	282	0	PEAK	2	4824.00	47.54	54.00	-6.46	65.62	34.26	9.47	61.81	0.00	282	0	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4824.00	53.37	74.00	-20.63	71.45	34.26	9.47	61.81	0.00	118	206	PEAK																																																																																																																				
2	4824.00	49.76	54.00	-4.24	67.84	34.26	9.47	61.81	0.00	118	206	AVERAGE																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																					
1	4824.00	51.52	74.00	-22.48	69.60	34.26	9.47	61.81	0.00	282	0	PEAK																																																																																																																				
2	4824.00	47.54	54.00	-6.46	65.62	34.26	9.47	61.81	0.00	282	0	AVERAGE																																																																																																																				







Mode	2																																																																																	
	Harmonic																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>72.78</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>150</td><td>202</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>50.65</td><td>54.00</td><td>-3.35</td><td>68.76</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>150</td><td>202</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>43.17</td><td>74.00</td><td>-30.83</td><td>57.84</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>150</td><td>202</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	54.67	74.00	-19.33	72.78	34.14	9.52	61.77	0.00	150	202	PEAK	2	4874.00	50.65	54.00	-3.35	68.76	34.14	9.52	61.77	0.00	150	202	AVERAGE	3	7311.00	43.17	74.00	-30.83	57.84	35.70	11.69	62.06	0.00	150	202	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4874.00	54.67	74.00	-19.33	72.78	34.14	9.52	61.77	0.00	150	202	PEAK																																																																						
2	4874.00	50.65	54.00	-3.35	68.76	34.14	9.52	61.77	0.00	150	202	AVERAGE																																																																						
3	7311.00	43.17	74.00	-30.83	57.84	35.70	11.69	62.06	0.00	150	202	PEAK																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>53.89</td><td>74.00</td><td>-20.11</td><td>72.00</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>49.92</td><td>54.00</td><td>-4.08</td><td>68.03</td><td>34.14</td><td>9.52</td><td>61.77</td><td>0.00</td><td>100</td><td>106</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>43.33</td><td>74.00</td><td>-30.67</td><td>58.00</td><td>35.70</td><td>11.69</td><td>62.06</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	53.89	74.00	-20.11	72.00	34.14	9.52	61.77	0.00	100	106	PEAK	2	4874.00	49.92	54.00	-4.08	68.03	34.14	9.52	61.77	0.00	100	106	AVERAGE	3	7311.00	43.33	74.00	-30.67	58.00	35.70	11.69	62.06	0.00	100	106	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4874.00	53.89	74.00	-20.11	72.00	34.14	9.52	61.77	0.00	100	106	PEAK																																																																						
2	4874.00	49.92	54.00	-4.08	68.03	34.14	9.52	61.77	0.00	100	106	AVERAGE																																																																						
3	7311.00	43.33	74.00	-30.67	58.00	35.70	11.69	62.06	0.00	100	106	PEAK																																																																						



Mode	3																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH10_2457MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>56.35</td><td>74.00</td><td>-17.65</td><td>47.80</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>288</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	56.35	74.00	-17.65	47.80	32.34	7.26	37.05	6.00	288	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>115.66</td><td>-----</td><td>-----</td><td>106.99</td><td>32.36</td><td>7.21</td><td>36.90</td><td>6.00</td><td>288</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	115.66	-----	-----	106.99	32.36	7.21	36.90	6.00	288	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.62	56.35	74.00	-17.65	47.80	32.34	7.26	37.05	6.00	288	0 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2457.00	115.66	-----	-----	106.99	32.36	7.21	36.90	6.00	288	0 PEAK																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>45.72</td><td>54.00</td><td>-8.28</td><td>37.17</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>288</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	45.72	54.00	-8.28	37.17	32.34	7.26	37.05	6.00	288	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2457.00</td><td>107.22</td><td>-----</td><td>-----</td><td>98.54</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>288</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	107.22	-----	-----	98.54	32.36	7.21	36.89	6.00	288	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.56	45.72	54.00	-8.28	37.17	32.34	7.26	37.05	6.00	288	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2457.00	107.22	-----	-----	98.54	32.36	7.21	36.89	6.00	288	0 AVERAGE																																																																													



Mode	3																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH10_2457MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.00</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>42.33</td><td>32.33</td><td>7.27</td><td>37.12</td><td>6.00</td><td>363</td><td>262</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.00	50.81	74.00	-23.19	42.33	32.33	7.27	37.12	6.00	363	262	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>100.82</td><td>-----</td><td>-----</td><td>100.14</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>363</td><td>262</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	100.82	-----	-----	100.14	32.36	7.21	36.89	6.00	363	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2494.00	50.81	74.00	-23.19	42.33	32.33	7.27	37.12	6.00	363	262	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	100.82	-----	-----	100.14	32.36	7.21	36.89	6.00	363	262	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>39.32</td><td>54.00</td><td>-14.68</td><td>30.77</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>363</td><td>262</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	39.32	54.00	-14.68	30.77	32.34	7.26	37.05	6.00	363	262	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2457.00</td><td>100.43</td><td>-----</td><td>-----</td><td>91.75</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>363</td><td>262</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2457.00	100.43	-----	-----	91.75	32.36	7.21	36.89	6.00	363	262
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	39.32	54.00	-14.68	30.77	32.34	7.26	37.05	6.00	363	262	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2457.00	100.43	-----	-----	91.75	32.36	7.21	36.89	6.00	363	262	AVERAGE																																																																																							







Mode	3																																																																																
	Harmonic																																																																																
	2400-2483.5_802.11b_CH10_2457MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>75.35</td><td>34.00</td><td>10.34</td><td>65.30</td><td>0.00</td><td>107</td><td>335</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>50.83</td><td>54.00</td><td>-3.17</td><td>71.79</td><td>34.00</td><td>10.34</td><td>65.30</td><td>0.00</td><td>107</td><td>335</td><td>AVERAGE</td></tr><tr><td>3</td><td>7371.00</td><td>41.27</td><td>74.00</td><td>-32.73</td><td>59.65</td><td>35.78</td><td>12.73</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	54.39	74.00	-19.61	75.35	34.00	10.34	65.30	0.00	107	335	PEAK	2	4914.00	50.83	54.00	-3.17	71.79	34.00	10.34	65.30	0.00	107	335	AVERAGE	3	7371.00	41.27	74.00	-32.73	59.65	35.78	12.73	66.89	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	4914.00	54.39	74.00	-19.61	75.35	34.00	10.34	65.30	0.00	107	335	PEAK																																																																					
2	4914.00	50.83	54.00	-3.17	71.79	34.00	10.34	65.30	0.00	107	335	AVERAGE																																																																					
3	7371.00	41.27	74.00	-32.73	59.65	35.78	12.73	66.89	0.00	---	---	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>74.35</td><td>34.00</td><td>10.34</td><td>65.30</td><td>0.00</td><td>379</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>49.42</td><td>54.00</td><td>-4.58</td><td>70.38</td><td>34.00</td><td>10.34</td><td>65.30</td><td>0.00</td><td>379</td><td>293</td><td>AVERAGE</td></tr><tr><td>3</td><td>7371.00</td><td>42.85</td><td>74.00</td><td>-31.15</td><td>61.23</td><td>35.78</td><td>12.73</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	53.39	74.00	-20.61	74.35	34.00	10.34	65.30	0.00	379	293	PEAK	2	4914.00	49.42	54.00	-4.58	70.38	34.00	10.34	65.30	0.00	379	293	AVERAGE	3	7371.00	42.85	74.00	-31.15	61.23	35.78	12.73	66.89	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	4914.00	53.39	74.00	-20.61	74.35	34.00	10.34	65.30	0.00	379	293	PEAK																																																																					
2	4914.00	49.42	54.00	-4.58	70.38	34.00	10.34	65.30	0.00	379	293	AVERAGE																																																																					
3	7371.00	42.85	74.00	-31.15	61.23	35.78	12.73	66.89	0.00	---	---	PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4914.00</td><td>53.39</td><td>74.00</td><td>-20.61</td><td>74.35</td><td>34.00</td><td>10.34</td><td>65.30</td><td>0.00</td><td>379</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>4914.00</td><td>49.42</td><td>54.00</td><td>-4.58</td><td>70.38</td><td>34.00</td><td>10.34</td><td>65.30</td><td>0.00</td><td>379</td><td>293</td><td>AVERAGE</td></tr><tr><td>3</td><td>7371.00</td><td>42.85</td><td>74.00</td><td>-31.15</td><td>61.23</td><td>35.78</td><td>12.73</td><td>66.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4914.00	53.39	74.00	-20.61	74.35	34.00	10.34	65.30	0.00	379	293	PEAK	2	4914.00	49.42	54.00	-4.58	70.38	34.00	10.34	65.30	0.00	379	293	AVERAGE	3	7371.00	42.85	74.00	-31.15	61.23	35.78	12.73	66.89	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	4914.00	53.39	74.00	-20.61	74.35	34.00	10.34	65.30	0.00	379	293	PEAK																																																																					
2	4914.00	49.42	54.00	-4.58	70.38	34.00	10.34	65.30	0.00	379	293	AVERAGE																																																																					
3	7371.00	42.85	74.00	-31.15	61.23	35.78	12.73	66.89	0.00	---	---	PEAK																																																																					





Mode	4																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.34</td><td>60.73</td><td>74.00</td><td>-13.27</td><td>52.19</td><td>32.34</td><td>7.26</td><td>37.06</td><td>6.00</td><td>286</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	60.73	74.00	-13.27	52.19	32.34	7.26	37.06	6.00	286	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>112.75</td><td>-----</td><td>-----</td><td>104.09</td><td>32.36</td><td>7.22</td><td>36.92</td><td>6.00</td><td>286</td><td>0 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	112.75	-----	-----	104.09	32.36	7.22	36.92	6.00	286	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2484.34	60.73	74.00	-13.27	52.19	32.34	7.26	37.06	6.00	286	0 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2462.00	112.75	-----	-----	104.09	32.36	7.22	36.92	6.00	286	0 Peak																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2487.70</td><td>45.85</td><td>54.00</td><td>-8.15</td><td>37.33</td><td>32.34</td><td>7.26</td><td>37.08</td><td>6.00</td><td>286</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.70	45.85	54.00	-8.15	37.33	32.34	7.26	37.08	6.00	286	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2460.00</td><td>104.37</td><td>-----</td><td>-----</td><td>95.70</td><td>32.36</td><td>7.22</td><td>36.91</td><td>6.00</td><td>286</td><td>0 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2460.00	104.37	-----	-----	95.70	32.36	7.22	36.91	6.00	286	0 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2487.70	45.85	54.00	-8.15	37.33	32.34	7.26	37.08	6.00	286	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2460.00	104.37	-----	-----	95.70	32.36	7.22	36.91	6.00	286	0 Peak																																																																													







		4																																									
Mode		Band Edge - L																																									
		2400-2483.5_802.11b_CH11_2462MHz																																									
ANT		1																																									
Pol.		Vertical																																									
Peak																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.52	51.51	74.00	-22.49	42.97	32.34	7.26	37.06	6.00	309	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2484.52	51.51	74.00	-22.49	42.97	32.34	7.26	37.06	6.00	309	125	PEAK																															
Fundamental																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	103.90	-----	-----	95.24	32.36	7.22	36.92	6.00	309	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2462.00	103.90	-----	-----	95.24	32.36	7.22	36.92	6.00	309	125	PEAK																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	39.15	54.00	-14.85	30.60	32.34	7.26	37.05	6.00	309	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2483.50	39.15	54.00	-14.85	30.60	32.34	7.26	37.05	6.00	309	125	AVERAGE																															
Avg																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.69	-----	-----	87.03	32.36	7.22	36.92	6.00	309	125
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	2462.00	95.69	-----	-----	87.03	32.36	7.22	36.92	6.00	309	125	AVERAGE																															







Mode	4																																																																																		
	Harmonic																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																		
ANT	1																																																																																		
Pol.	Horizontal																																																																																		
Peak Avg																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>54.67</td><td>74.00</td><td>-19.33</td><td>72.74</td><td>34.10</td><td>9.57</td><td>61.74</td><td>0.00</td><td>302</td><td>128 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>50.47</td><td>54.00</td><td>-3.53</td><td>68.54</td><td>34.10</td><td>9.57</td><td>61.74</td><td>0.00</td><td>302</td><td>128 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.07</td><td>74.00</td><td>-30.93</td><td>57.71</td><td>35.70</td><td>11.72</td><td>62.06</td><td>0.00</td><td>302</td><td>128 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	54.67	74.00	-19.33	72.74	34.10	9.57	61.74	0.00	302	128 PEAK	2	4924.00	50.47	54.00	-3.53	68.54	34.10	9.57	61.74	0.00	302	128 AVERAGE	3	7386.00	43.07	74.00	-30.93	57.71	35.70	11.72	62.06	0.00	302	128 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4924.00	54.67	74.00	-19.33	72.74	34.10	9.57	61.74	0.00	302	128 PEAK																																																																								
2	4924.00	50.47	54.00	-3.53	68.54	34.10	9.57	61.74	0.00	302	128 AVERAGE																																																																								
3	7386.00	43.07	74.00	-30.93	57.71	35.70	11.72	62.06	0.00	302	128 PEAK																																																																								
Vertical																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>69.14</td><td>34.10</td><td>9.57</td><td>61.74</td><td>0.00</td><td>319</td><td>353 PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>46.77</td><td>54.00</td><td>-7.23</td><td>64.84</td><td>34.10</td><td>9.57</td><td>61.74</td><td>0.00</td><td>319</td><td>353 AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>43.10</td><td>74.00</td><td>-30.90</td><td>57.74</td><td>35.70</td><td>11.72</td><td>62.06</td><td>0.00</td><td>319</td><td>353 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	51.07	74.00	-22.93	69.14	34.10	9.57	61.74	0.00	319	353 PEAK	2	4924.00	46.77	54.00	-7.23	64.84	34.10	9.57	61.74	0.00	319	353 AVERAGE	3	7386.00	43.10	74.00	-30.90	57.74	35.70	11.72	62.06	0.00	319	353 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	4924.00	51.07	74.00	-22.93	69.14	34.10	9.57	61.74	0.00	319	353 PEAK																																																																								
2	4924.00	46.77	54.00	-7.23	64.84	34.10	9.57	61.74	0.00	319	353 AVERAGE																																																																								
3	7386.00	43.10	74.00	-30.90	57.74	35.70	11.72	62.06	0.00	319	353 PEAK																																																																								





Mode	5																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>70.41</td><td>74.00</td><td>-3.59</td><td>61.45</td><td>32.38</td><td>7.10</td><td>36.52</td><td>6.00</td><td>153</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.56	70.41	74.00	-3.59	61.45	32.38	7.10	36.52	6.00	153	360	PEAK	 Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>111.97</td><td>-----</td><td>-----</td><td>103.07</td><td>32.39</td><td>7.14</td><td>36.63</td><td>6.00</td><td>153</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	111.97	-----	-----	103.07	32.39	7.14	36.63	6.00	153	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2389.56	70.41	74.00	-3.59	61.45	32.38	7.10	36.52	6.00	153	360	PEAK																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	111.97	-----	-----	103.07	32.39	7.14	36.63	6.00	153	360	PEAK																																																																																						
Avg	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>52.00</td><td>54.00</td><td>-2.00</td><td>43.03</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>153</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	52.00	54.00	-2.00	43.03	32.38	7.11	36.52	6.00	153	360	AVERAGE	 Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>102.62</td><td>-----</td><td>-----</td><td>93.72</td><td>32.39</td><td>7.14</td><td>36.63</td><td>6.00</td><td>153</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	102.62	-----	-----	93.72	32.39	7.14	36.63	6.00	153	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2389.95	52.00	54.00	-2.00	43.03	32.38	7.11	36.52	6.00	153	360	AVERAGE																																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	2412.00	102.62	-----	-----	93.72	32.39	7.14	36.63	6.00	153	360	AVERAGE																																																																																						







Mode	5																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>64.82</td><td>74.00</td><td>-9.18</td><td>55.86</td><td>32.38</td><td>7.10</td><td>36.52</td><td>6.00</td><td>325</td><td>86</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	64.82	74.00	-9.18	55.86	32.38	7.10	36.52	6.00	325	86	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.84</td><td>-----</td><td>-----</td><td>95.90</td><td>32.39</td><td>7.13</td><td>36.58</td><td>6.00</td><td>325</td><td>86</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.84	-----	-----	95.90	32.39	7.13	36.58	6.00	325	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	64.82	74.00	-9.18	55.86	32.38	7.10	36.52	6.00	325	86	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	104.84	-----	-----	95.90	32.39	7.13	36.58	6.00	325	86	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>37.23</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>325</td><td>86</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.20	54.00	-7.80	37.23	32.38	7.11	36.52	6.00	325	86	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.73</td><td>-----</td><td>-----</td><td>86.79</td><td>32.39</td><td>7.13</td><td>36.58</td><td>6.00</td><td>325</td><td>86</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.73	-----	-----	86.79	32.39	7.13	36.58	6.00	325	86
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	46.20	54.00	-7.80	37.23	32.38	7.11	36.52	6.00	325	86	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	95.73	-----	-----	86.79	32.39	7.13	36.58	6.00	325	86	AVERAGE																																																																																							





Mode	5																																																																																							
	Harmonic																																																																																							
	2400-2483.5_802.11g_CH01_2412MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	 Horizontal Peak Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). The signal level is approximately 40 dBuV/m across the frequency range. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>67.69</td><td>34.00</td><td>10.23</td><td>65.26</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	46.66	74.00	-27.34	67.69	34.00	10.23	65.26	 Vertical Peak Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). The signal level is approximately 40 dBuV/m across the frequency range. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>62.00</td><td>34.00</td><td>10.23</td><td>65.26</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	40.97	74.00	-33.03	62.00	34.00	10.23	65.26
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	4824.00	46.66	74.00	-27.34	67.69	34.00	10.23	65.26																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																
1	4824.00	40.97	74.00	-33.03	62.00	34.00	10.23	65.26																																																																																







Mode	6																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11g_CH06_2437MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 2310 to 2440 MHz. The plot shows a rising signal level with a peak at 2389.30 MHz. A red line indicates the FCC PART 15C limit. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>71.05</td><td>74.00</td><td>-2.95</td><td>62.10</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>123</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.30	71.05	74.00	-2.95	62.10	32.37	7.10	36.52	6.00	123	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2389.30	71.05	74.00	-2.95	62.10	32.37	7.10	36.52	6.00	123	0 PEAK																																												
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 2310 to 2440 MHz. The plot shows a rising signal level with a peak at 2389.95 MHz. A red line indicates the FCC PART 15C (AVG) limit. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.54</td><td>54.00</td><td>-7.46</td><td>37.57</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>123</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	46.54	54.00	-7.46	37.57	32.38	7.11	36.52	6.00	123	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2389.95	46.54	54.00	-7.46	37.57	32.38	7.11	36.52	6.00	123	0 AVERAGE																																												
Peak	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 3000 MHz. The plot shows a sharp peak at 2437.00 MHz. A red line indicates the FCC PART 15C limit. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>114.76</td><td>-----</td><td>-----</td><td>105.95</td><td>32.38</td><td>7.17</td><td>36.74</td><td>6.00</td><td>123</td><td>0 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	114.76	-----	-----	105.95	32.38	7.17	36.74	6.00	123	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2437.00	114.76	-----	-----	105.95	32.38	7.17	36.74	6.00	123	0 PEAK																																												
Avg	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 3000 MHz. The plot shows a sharp peak at 2437.00 MHz. A red line indicates the FCC PART 15C (AVG) limit. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>105.47</td><td>-----</td><td>-----</td><td>96.68</td><td>32.37</td><td>7.18</td><td>36.76</td><td>6.00</td><td>123</td><td>0 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	105.47	-----	-----	96.68	32.37	7.18	36.76	6.00	123	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	2437.00	105.47	-----	-----	96.68	32.37	7.18	36.76	6.00	123	0 AVERAGE																																												



Mode	6																																																					
	Band Edge - R																																																					
	2400-2483.5_802.11g_CH06_2437MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>70.68</td><td>74.00</td><td>-3.32</td><td>62.13</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>123</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	70.68	74.00	-3.32	62.13	32.34	7.26	37.05	6.00	123	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.80	70.68	74.00	-3.32	62.13	32.34	7.26	37.05	6.00	123	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.18</td><td>54.00</td><td>-7.82</td><td>37.63</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>123</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.18	54.00	-7.82	37.63	32.34	7.26	37.05	6.00	123	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.50	46.18	54.00	-7.82	37.63	32.34	7.26	37.05	6.00	123	0 AVERAGE																																											





Mode	6																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.39</td><td>57.70</td><td>74.00</td><td>-16.30</td><td>48.75</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>369</td><td>278</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.39	57.70	74.00	-16.30	48.75	32.37	7.10	36.52	6.00	369	278	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>106.34</td><td>-----</td><td>-----</td><td>97.53</td><td>32.38</td><td>7.17</td><td>36.74</td><td>6.00</td><td>369</td><td>278</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.34	-----	-----	97.53	32.38	7.17	36.74	6.00	369	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.39	57.70	74.00	-16.30	48.75	32.37	7.10	36.52	6.00	369	278	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	106.34	-----	-----	97.53	32.38	7.17	36.74	6.00	369	278	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>38.44</td><td>54.00</td><td>-15.56</td><td>29.47</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>369</td><td>278</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	38.44	54.00	-15.56	29.47	32.38	7.11	36.52	6.00	369	278	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>96.88</td><td>-----</td><td>-----</td><td>88.07</td><td>32.38</td><td>7.17</td><td>36.74</td><td>6.00</td><td>369</td><td>278</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	96.88	-----	-----	88.07	32.38	7.17	36.74	6.00	369	278
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	38.44	54.00	-15.56	29.47	32.38	7.11	36.52	6.00	369	278	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	96.88	-----	-----	88.07	32.38	7.17	36.74	6.00	369	278	AVERAGE																																																																																							



Mode	6																																																						
	Band Edge - R																																																						
	2400-2483.5_802.11g_CH06_2437MHz																																																						
ANT	1																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>59.37</td><td>74.00</td><td>-14.63</td><td>50.82</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>369</td><td>278</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	59.37	74.00	-14.63	50.82	32.34	7.26	37.05	6.00	369	278	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.62	59.37	74.00	-14.63	50.82	32.34	7.26	37.05	6.00	369	278	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>38.12</td><td>54.00</td><td>-15.88</td><td>29.57</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>369</td><td>278</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	38.12	54.00	-15.88	29.57	32.34	7.26	37.05	6.00	369	278	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	38.12	54.00	-15.88	29.57	32.34	7.26	37.05	6.00	369	278	AVERAGE																																											



Mode	6																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>52.44</td><td>74.00</td><td>-21.56</td><td>73.43</td><td>34.00</td><td>10.29</td><td>65.28</td><td>0.00</td><td>280</td><td>45</td><td>PEAK</td></tr><tr><td>2</td><td>4874.00</td><td>41.42</td><td>54.00</td><td>-12.58</td><td>62.41</td><td>34.00</td><td>10.29</td><td>65.28</td><td>0.00</td><td>280</td><td>45</td><td>AVERAGE</td></tr><tr><td>3</td><td>7311.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>67.17</td><td>35.76</td><td>12.72</td><td>66.69</td><td>0.00</td><td>280</td><td>45</td><td>PEAK</td></tr><tr><td>4</td><td>7311.00</td><td>35.24</td><td>54.00</td><td>-18.76</td><td>53.44</td><td>35.76</td><td>12.72</td><td>66.68</td><td>0.00</td><td>280</td><td>45</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4874.00	52.44	74.00	-21.56	73.43	34.00	10.29	65.28	0.00	280	45	PEAK	2	4874.00	41.42	54.00	-12.58	62.41	34.00	10.29	65.28	0.00	280	45	AVERAGE	3	7311.00	48.96	74.00	-25.04	67.17	35.76	12.72	66.69	0.00	280	45	PEAK	4	7311.00	35.24	54.00	-18.76	53.44	35.76	12.72	66.68	0.00	280	45	AVERAGE	 Blank <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4878.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>67.87</td><td>34.00</td><td>10.30</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>63.31</td><td>35.76</td><td>12.72</td><td>66.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4878.00	46.89	74.00	-27.11	67.87	34.00	10.30	65.28	0.00	---	---	Peak	2	7311.00	45.10	74.00	-28.90	63.31	35.76	12.72	66.69	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4874.00	52.44	74.00	-21.56	73.43	34.00	10.29	65.28	0.00	280	45	PEAK																																																																																																																																		
2	4874.00	41.42	54.00	-12.58	62.41	34.00	10.29	65.28	0.00	280	45	AVERAGE																																																																																																																																		
3	7311.00	48.96	74.00	-25.04	67.17	35.76	12.72	66.69	0.00	280	45	PEAK																																																																																																																																		
4	7311.00	35.24	54.00	-18.76	53.44	35.76	12.72	66.68	0.00	280	45	AVERAGE																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4878.00	46.89	74.00	-27.11	67.87	34.00	10.30	65.28	0.00	---	---	Peak																																																																																																																																		
2	7311.00	45.10	74.00	-28.90	63.31	35.76	12.72	66.69	0.00	---	---	PEAK																																																																																																																																		





Mode	7																																																					
	Band Edge																																																					
	2400-2483.5_802.11g_CH11_2462MHz																																																					
ANT	1																																																					
Pol.	Horizontal																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>72.09</td><td>-1.91</td><td>63.54</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>285</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	72.09	-1.91	63.54	32.34	7.26	37.05	6.00	285	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.62	72.09	-1.91	63.54	32.34	7.26	37.05	6.00	285	360	PEAK																																											
Fundamental	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>111.32</td><td>-----</td><td>102.64</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>285</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	111.32	-----	102.64	32.36	7.21	36.89	6.00	285	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	111.32	-----	102.64	32.36	7.21	36.89	6.00	285	360	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>51.58</td><td>-2.42</td><td>43.03</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>285</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.58	-2.42	43.03	32.34	7.26	37.05	6.00	285	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.50	51.58	-2.42	43.03	32.34	7.26	37.05	6.00	285	360	AVERAGE																																											
Fundamental	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.89</td><td>-----</td><td>93.21</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>285</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.89	-----	93.21	32.36	7.21	36.89	6.00	285	360	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2462.00	101.89	-----	93.21	32.36	7.21	36.89	6.00	285	360	AVERAGE																																											



		7																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.56</td><td>61.35</td><td>74.00</td><td>-12.65</td><td>52.83</td><td>32.34</td><td>7.27</td><td>37.09</td><td>6.00</td><td>350</td><td>123 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.56	61.35	74.00	-12.65	52.83	32.34	7.27	37.09	6.00	350	123 PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.20</td><td>-----</td><td>95.52</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>350</td><td>123 PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.20	-----	95.52	32.36	7.21	36.89	6.00	350	123 PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2489.56	61.35	74.00	-12.65	52.83	32.34	7.27	37.09	6.00	350	123 PEAK																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	104.20	-----	95.52	32.36	7.21	36.89	6.00	350	123 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>34.12</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>350</td><td>123 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	42.67	54.00	-11.33	34.12	32.34	7.26	37.05	6.00	350	123 AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>94.80</td><td>-----</td><td>86.12</td><td>32.36</td><td>7.21</td><td>36.89</td><td>6.00</td><td>350</td><td>123 AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	94.80	-----	86.12	32.36	7.21	36.89	6.00	350	123 AVERAGE
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.50	42.67	54.00	-11.33	34.12	32.34	7.26	37.05	6.00	350	123 AVERAGE																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	94.80	-----	86.12	32.36	7.21	36.89	6.00	350	123 AVERAGE																																																																																								







Mode	7																																																																																																																																											
	Harmonic																																																																																																																																											
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>48.54</td><td>74.00</td><td>-25.46</td><td>69.49</td><td>34.00</td><td>10.35</td><td>65.30</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>4924.00</td><td>37.46</td><td>54.00</td><td>-16.54</td><td>58.41</td><td>34.00</td><td>10.35</td><td>65.30</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>7386.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>63.10</td><td>35.78</td><td>12.73</td><td>66.94</td><td>0.00</td><td>300</td><td>7</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	48.54	74.00	-25.46	69.49	34.00	10.35	65.30	0.00	300	0	PEAK	2	4924.00	37.46	54.00	-16.54	58.41	34.00	10.35	65.30	0.00	300	0	AVERAGE	3	7386.00	44.67	74.00	-29.33	63.10	35.78	12.73	66.94	0.00	300	7	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.50</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>65.38</td><td>34.00</td><td>10.35</td><td>65.30</td><td>0.00</td><td>300</td><td>307</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>40.81</td><td>74.00</td><td>-33.19</td><td>59.24</td><td>35.78</td><td>12.73</td><td>66.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4924.50	44.43	74.00	-29.57	65.38	34.00	10.35	65.30	0.00	300	307	Peak	2	7386.00	40.81	74.00	-33.19	59.24	35.78	12.73	66.94	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	4924.00	48.54	74.00	-25.46	69.49	34.00	10.35	65.30	0.00	300	0	PEAK																																																																																																																																
2	4924.00	37.46	54.00	-16.54	58.41	34.00	10.35	65.30	0.00	300	0	AVERAGE																																																																																																																																
3	7386.00	44.67	74.00	-29.33	63.10	35.78	12.73	66.94	0.00	300	7	Peak																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4924.50	44.43	74.00	-29.57	65.38	34.00	10.35	65.30	0.00	300	307	Peak																																																																																																																																
2	7386.00	40.81	74.00	-33.19	59.24	35.78	12.73	66.94	0.00	---	---	PEAK																																																																																																																																





Mode	8																																																																																					
	Band Edge																																																																																					
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2386.05</td><td>69.58</td><td>74.00</td><td>-4.42</td><td>60.65</td><td>32.36</td><td>7.10</td><td>36.53</td><td>6.00</td><td>155</td><td>360 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2386.05	69.58	74.00	-4.42	60.65	32.36	7.10	36.53	6.00	155	360 PEAK	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2412.00</td><td>111.71</td><td>-----</td><td>-----</td><td>102.81</td><td>32.39</td><td>7.15</td><td>36.64</td><td>6.00</td><td>155</td><td>360 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	111.71	-----	-----	102.81	32.39	7.15	36.64	6.00	155	360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2386.05	69.58	74.00	-4.42	60.65	32.36	7.10	36.53	6.00	155	360 PEAK																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2412.00	111.71	-----	-----	102.81	32.39	7.15	36.64	6.00	155	360 PEAK																																																																												
Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.95</td><td>52.71</td><td>54.00</td><td>-1.29</td><td>43.74</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>155</td><td>360 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2389.95	52.71	54.00	-1.29	43.74	32.38	7.11	36.52	6.00	155	360 AVERAGE	Level (dBuV/m) Frequency (MHz) FCC PART 15C (AVG) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2412.00</td><td>102.34</td><td>-----</td><td>-----</td><td>93.44</td><td>32.39</td><td>7.14</td><td>36.63</td><td>6.00</td><td>155</td><td>360 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 2412.00	102.34	-----	-----	93.44	32.39	7.14	36.63	6.00	155	360 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2389.95	52.71	54.00	-1.29	43.74	32.38	7.11	36.52	6.00	155	360 AVERAGE																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1 2412.00	102.34	-----	-----	93.44	32.39	7.14	36.63	6.00	155	360 AVERAGE																																																																												



	8																																																						
Mode	Band Edge																																																						
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.74</td><td>60.46</td><td>74.00</td><td>-13.54</td><td>51.51</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>303</td><td>252</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.74	60.46	74.00	-13.54	51.51	32.37	7.10	36.52	6.00	303	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2387.74	60.46	74.00	-13.54	51.51	32.37	7.10	36.52	6.00	303	252	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.71</td><td>-----</td><td>-----</td><td>92.77</td><td>32.39</td><td>7.13</td><td>36.58</td><td>6.00</td><td>303</td><td>252</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.71	-----	-----	92.77	32.39	7.13	36.58	6.00	303	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	101.71	-----	-----	92.77	32.39	7.13	36.58	6.00	303	252	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>35.53</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>303</td><td>252</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.50	54.00	-9.50	35.53	32.38	7.11	36.52	6.00	303	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.95	44.50	54.00	-9.50	35.53	32.38	7.11	36.52	6.00	303	252	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>92.42</td><td>-----</td><td>-----</td><td>83.48</td><td>32.39</td><td>7.13</td><td>36.58</td><td>6.00</td><td>303</td><td>252</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	92.42	-----	-----	83.48	32.39	7.13	36.58	6.00	303	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2412.00	92.42	-----	-----	83.48	32.39	7.13	36.58	6.00	303	252	AVERAGE																																											







Mode	8																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	 Horizontal Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). A vertical blue line marks the peak at 4824.00 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>65.65</td><td>34.00</td><td>10.23</td><td>65.26</td><td>0.00</td><td>300</td><td>37 Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	44.62	74.00	-29.38	65.65	34.00	10.23	65.26	0.00	300	37 Peak	 Vertical Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average line at 48.8 dBuV/m (FCC PART 15C (AVG)). A vertical blue line marks the peak at 4825.50 MHz. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4825.50</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>64.92</td><td>34.00</td><td>10.23</td><td>65.26</td><td>0.00</td><td>300</td><td>305 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4825.50	43.89	74.00	-30.11	64.92	34.00	10.23	65.26	0.00	300	305 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4824.00	44.62	74.00	-29.38	65.65	34.00	10.23	65.26	0.00	300	37 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4825.50	43.89	74.00	-30.11	64.92	34.00	10.23	65.26	0.00	300	305 Peak																																																																																						





Mode	9																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>71.83</td><td>74.00</td><td>-2.17</td><td>62.86</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>129</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	71.83	74.00	-2.17	62.86	32.38	7.11	36.52	6.00	129	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>112.09</td><td>-----</td><td>-----</td><td>103.18</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>129</td><td>0 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	112.09	-----	-----	103.18	32.39	7.14	36.62	6.00	129	0 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2389.82	71.83	74.00	-2.17	62.86	32.38	7.11	36.52	6.00	129	0 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2417.00	112.09	-----	-----	103.18	32.39	7.14	36.62	6.00	129	0 PEAK																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>52.36</td><td>54.00</td><td>-1.64</td><td>43.39</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>129</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	52.36	54.00	-1.64	43.39	32.38	7.11	36.52	6.00	129	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>102.84</td><td>-----</td><td>-----</td><td>93.93</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>129</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	102.84	-----	-----	93.93	32.39	7.14	36.62	6.00	129	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2389.95	52.36	54.00	-1.64	43.39	32.38	7.11	36.52	6.00	129	0 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2417.00	102.84	-----	-----	93.93	32.39	7.14	36.62	6.00	129	0 AVERAGE																																																																													







	9																																																																																																		
Mode	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>63.39</td><td>74.00</td><td>-10.61</td><td>54.43</td><td>32.38</td><td>7.10</td><td>36.52</td><td>6.00</td><td>300</td><td>250</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	63.39	74.00	-10.61	54.43	32.38	7.10	36.52	6.00	300	250	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>103.63</td><td>-----</td><td>-----</td><td>94.72</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>300</td><td>250</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	103.63	-----	-----	94.72	32.39	7.14	36.62	6.00	300	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.56	63.39	74.00	-10.61	54.43	32.38	7.10	36.52	6.00	300	250	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	103.63	-----	-----	94.72	32.39	7.14	36.62	6.00	300	250	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>35.52</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>300</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	44.49	54.00	-9.51	35.52	32.38	7.11	36.52	6.00	300	250	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2417.00</td><td>94.12</td><td>-----</td><td>-----</td><td>85.21</td><td>32.39</td><td>7.14</td><td>36.62</td><td>6.00</td><td>300</td><td>250</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	94.12	-----	-----	85.21	32.39	7.14	36.62	6.00	300	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	44.49	54.00	-9.51	35.52	32.38	7.11	36.52	6.00	300	250	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2417.00	94.12	-----	-----	85.21	32.39	7.14	36.62	6.00	300	250	AVERAGE																																																																																							



Mode	9																																																																																											
	Harmonic																																																																																											
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4834.00</td><td>40.04</td><td>74.00</td><td>-33.96</td><td>61.06</td><td>34.00</td><td>10.24</td><td>65.26</td></tr><tr><td>2</td><td>7251.00</td><td>41.76</td><td>74.00</td><td>-32.24</td><td>59.78</td><td>35.75</td><td>12.72</td><td>66.49</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4834.00	40.04	74.00	-33.96	61.06	34.00	10.24	65.26	2	7251.00	41.76	74.00	-32.24	59.78	35.75	12.72	66.49	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4834.00</td><td>40.10</td><td>74.00</td><td>-33.90</td><td>61.12</td><td>34.00</td><td>10.24</td><td>65.26</td></tr><tr><td>2</td><td>7251.00</td><td>40.87</td><td>74.00</td><td>-33.13</td><td>58.89</td><td>35.75</td><td>12.72</td><td>66.49</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4834.00	40.10	74.00	-33.90	61.12	34.00	10.24	65.26	2	7251.00	40.87	74.00	-33.13	58.89	35.75	12.72	66.49
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	4834.00	40.04	74.00	-33.96	61.06	34.00	10.24	65.26																																																																																				
2	7251.00	41.76	74.00	-32.24	59.78	35.75	12.72	66.49																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																				
1	4834.00	40.10	74.00	-33.90	61.12	34.00	10.24	65.26																																																																																				
2	7251.00	40.87	74.00	-33.13	58.89	35.75	12.72	66.49																																																																																				







		10																																																				
Mode		Band Edge - L																																																				
		2400-2483.5_802.11n HT20_CH06_2437MHz																																																				
ANT		1																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>71.11</td><td>74.00</td><td>-2.89</td><td>62.16</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>126</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	71.11	74.00	-2.89	62.16	32.37	7.10	36.52	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2388.65	71.11	74.00	-2.89	62.16	32.37	7.10	36.52	6.00	126	360	PEAK																																										
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>114.88</td><td>-----</td><td>-----</td><td>106.11</td><td>32.37</td><td>7.18</td><td>36.78</td><td>6.00</td><td>126</td><td>360</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	114.88	-----	-----	106.11	32.37	7.18	36.78	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2437.00	114.88	-----	-----	106.11	32.37	7.18	36.78	6.00	126	360	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.49</td><td>54.00</td><td>-4.51</td><td>40.52</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>126</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.49	54.00	-4.51	40.52	32.38	7.11	36.52	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2389.95	49.49	54.00	-4.51	40.52	32.38	7.11	36.52	6.00	126	360	AVERAGE																																										
																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>105.72</td><td>-----</td><td>-----</td><td>96.93</td><td>32.37</td><td>7.18</td><td>36.76</td><td>6.00</td><td>126</td><td>360</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	105.72	-----	-----	96.93	32.37	7.18	36.76	6.00	126	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2437.00	105.72	-----	-----	96.93	32.37	7.18	36.76	6.00	126	360	AVERAGE																																										





Mode	10																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>66.91</td><td>74.00</td><td>-7.09</td><td>58.37</td><td>32.34</td><td>7.26</td><td>37.06</td><td>6.00</td><td>126</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	66.91	74.00	-7.09	58.37	32.34	7.26	37.06	6.00	126	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.56	66.91	74.00	-7.09	58.37	32.34	7.26	37.06	6.00	126	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>38.17</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>126</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.72	54.00	-7.28	38.17	32.34	7.26	37.05	6.00	126	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.50	46.72	54.00	-7.28	38.17	32.34	7.26	37.05	6.00	126	360	AVERAGE																																												



Mode	10																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>59.30</td><td>74.00</td><td>-14.70</td><td>50.35</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>267</td><td>281</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	59.30	74.00	-14.70	50.35	32.37	7.10	36.52	6.00	267	281	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>106.25</td><td>-----</td><td>-----</td><td>97.43</td><td>32.38</td><td>7.17</td><td>36.73</td><td>6.00</td><td>267</td><td>281</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.25	-----	-----	97.43	32.38	7.17	36.73	6.00	267	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.30	59.30	74.00	-14.70	50.35	32.37	7.10	36.52	6.00	267	281	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	106.25	-----	-----	97.43	32.38	7.17	36.73	6.00	267	281	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>39.89</td><td>54.00</td><td>-14.11</td><td>30.92</td><td>32.38</td><td>7.11</td><td>36.52</td><td>6.00</td><td>267</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	39.89	54.00	-14.11	30.92	32.38	7.11	36.52	6.00	267	281	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>97.04</td><td>-----</td><td>-----</td><td>88.22</td><td>32.38</td><td>7.17</td><td>36.73</td><td>6.00</td><td>267</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	97.04	-----	-----	88.22	32.38	7.17	36.73	6.00	267	281
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	39.89	54.00	-14.11	30.92	32.38	7.11	36.52	6.00	267	281	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2437.00	97.04	-----	-----	88.22	32.38	7.17	36.73	6.00	267	281	AVERAGE																																																																																							



Mode	10																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.86</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>43.11</td><td>32.33</td><td>7.28</td><td>37.14</td><td>6.00</td><td>267</td><td>281</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.86	51.58	74.00	-22.42	43.11	32.33	7.28	37.14	6.00	267	281	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2498.86	51.58	74.00	-22.42	43.11	32.33	7.28	37.14	6.00	267	281	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.94</td><td>37.13</td><td>54.00</td><td>-16.87</td><td>28.67</td><td>32.33</td><td>7.28</td><td>37.15</td><td>6.00</td><td>267</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.94	37.13	54.00	-16.87	28.67	32.33	7.28	37.15	6.00	267	281	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.94	37.13	54.00	-16.87	28.67	32.33	7.28	37.15	6.00	267	281	AVERAGE																																												