



Maximize your view
with the 12.1"
display--the largest
of any Tablet PC

At less than 3 lbs.,
it can go anywhere,
anytime

Stay connected
while roaming with
the integrated
802.11b wireless
technology

Full-function, robust
performance PC
design; features
the Mobile Intel
Pentium III
Processor-M

Work with your
Motion M1200
at your desk with the
unique FlexDock as
well as the rest
of the Motion
accessories

Motion M1200 Pure Tablet PC

Designed to work the way you do!



The Motion M1200 is an ultra-mobile Tablet PC designed to work the way you do! Input, search, edit, highlight or find/replace in your current applications using a keyboard or the pen. Take notes in meetings, enter client information, or send an email. Your emails can even be sent in your own handwriting. With the built-in wireless feature, you can search the web, check for updates or sales information in your company database anywhere, anytime. Invite others into a private adhoc network to discuss and edit a customized presentation online minutes before a client meeting.

Your options are now endless. With all this functionality at less than 3 lbs. and sporting a rugged magnesium structure, you will want to take the Motion M1200 with you everywhere!

Product Specifications

Chassis	<ul style="list-style-type: none">• Magnesium Alloy	Battery Charging Time	<ul style="list-style-type: none">• Approximate charging time:<ul style="list-style-type: none">▫ 2 hours (Tablet PC ON)▫ 1.2 hours (Tablet PC OFF)
Processor	<ul style="list-style-type: none">• Mobile Intel® Pentium® III Processor-M, ULV 933MHz	System Status LEDs	<ul style="list-style-type: none">• Power On/Off• Battery Status• Hard Disk Drive (HDD) activity• Wireless On/Off
Chipset	<ul style="list-style-type: none">• Intel 830MG	Control Buttons	<ul style="list-style-type: none">• Power• Portrait/Landscape orientation• Four function buttons• One 5-way directional button
Display	<ul style="list-style-type: none">• 12.1" XGA TFT LCD	AC Adapter	<ul style="list-style-type: none">• 50W universal, 2-pin jack• 90~264V AC, 47~63Hz
Graphics	<ul style="list-style-type: none">• Intel 830MG integrated UMA graphics card• Rotation 0°, 90°, 180°, 270°	BIOS	<ul style="list-style-type: none">• 512KB Flash BIOS ROM• Suspend to RAM• Suspend to Disk• Password protection for system• ACPI 1.1 compliant• Pen/Button-driven setup
PC Card Controller	<ul style="list-style-type: none">• OZ6912 PCI Cardbus controller	Environmental	<ul style="list-style-type: none">• Temperature<ul style="list-style-type: none">▫ Operation: +5°C to +35°C▫ Storage: -20°C to +65°C• Humidity<ul style="list-style-type: none">▫ 10% to 90% without condensation• Altitude<ul style="list-style-type: none">▫ Operation: sea level 0 to 10K ft.▫ Storage: sea level 0 to 40K ft.
Audio	<ul style="list-style-type: none">• AC 97 audio codec	Standards	<ul style="list-style-type: none">• PC2001 logo compliant• ACPI Revision 1.0b
System Memory	<ul style="list-style-type: none">• Base RAM of 256MB or 512MB• One expansion SODiMM-memory slot for a PC133 module• Maximum 1GB (512MB x 2)	Regulatory	<ul style="list-style-type: none">• EMI: FCC Part 15 Class B• Safety: Compliant to UL/CSA• FCC Part 68: CCEE PTT
System Storage	<ul style="list-style-type: none">• 2.5" Hard Disk Drive (HDD) with up to 60GB capacity• PCI bus master enhanced IDE• Supports Ultra DMA 66/100	Warranty	<ul style="list-style-type: none">• 1-year limited warranty• Extended warranty available
Communications	<ul style="list-style-type: none">• Integrated 10/100 LAN controller• Soft modem with V.92 interface; 56.6Kbps/14.4Kbps transceiver fax• IEEE 802.11b Wireless LAN via Mini PCI interface with integrated antennas		
Input Devices	<ul style="list-style-type: none">• Active digitizer pen (no battery required)• Integrated microphone		
Speakers	<ul style="list-style-type: none">• Integrated speakers		
I/O Ports	<ul style="list-style-type: none">• Microphone In• Headphone Out• DC Power In• Two USB 1.1 Ports• External VGA• IEEE 1394• RJ-11 and RJ-45• Docking connector		
PCMCIA	<ul style="list-style-type: none">• Type II slot		
Dimensions	<ul style="list-style-type: none">• 11.65" x 9.45" x .87" (296mm x 240mm x 22mm)		
Weight	<ul style="list-style-type: none">• Less than 3 lbs*		
Operating System	<ul style="list-style-type: none">• Microsoft® Windows® XP Tablet PC Edition		
Battery	<ul style="list-style-type: none">• 6-cell, prismatic Li-ion battery• 40Whr capacity• Optional, lightweight, 3-cell prismatic Li-ion battery		

Motion Computing, Inc.

9433 Bee Caves Road
Building 1, Suite 250
Austin, TX 78733

512.637.1100 (Main)
1.866.MTABLET (1.866.682.2538) (Sales)
512.637.1199 (Fax)
Web site: www.motioncomputing.com

General Inquiries: info@motioncomputing.com
Sales Information: sales@motioncomputing.com
Partner Inquiries: partners@motioncomputing.com

P/N 003-87-0003 Rev. A04

*Weight represents system weight measured with 3-cell 20 Whr battery, empty PCMCIA slot, and no pen. Actual system weight may vary depending on component and manufacturing variability.

All Product information is subject to change without notice.

Motion Computing and the Motion logo are trademarks of Motion Computing, Inc.
Microsoft Windows, Windows XP, and Windows XP Tablet PC Edition are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Intel and Pentium are registered trademarks of Intel Corporation. Motion Computing has made every effort to identify trademarked properties and owners on this page. All other trademarks are properties of their respective owners.