


19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea


Apr 04th, 2017

Applicant: **SENA TECHNOLOGIES,Inc.** FCC ID: **S7A-SP42**

We hereby declare that

1. Add the antennas which is less than the default as SENA-DP01-19.7.











Seunghyun Kim Research Engineer



19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Apr 04th, 2017

Applicant: **SENA TECHNOLOGIES,Inc.** FCC ID: **S7A-SP42**

We, Sena Technologies, Inc. confirm that when this product is charging, RF function is not working.

Bu

Seunghyun Kim Research Engineer




19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Apr 25th, 2017

Applicant: **SENA TECHNOLOGIES,Inc.** FCC ID: **S7A-SP42**

We, Sena Technologies,Inc. confirm that when equipped, the distance between antenna and one's head is 32mm. So, We, Sena Technologies,Inc. confirm that when equipped, the distance between antenna and one's head is at least 30mm.





Seunghyun Kim Research Engineer



19, Heolleung-ro 569-gil, Gangnam-gu, Seoul, South Korea

Apr 25th, 2017

Applicant: **SENA TECHNOLOGIES,Inc.** FCC ID: **S7A-SP42**

We, Sena Technologies,Inc. confirm that the power deviation between channels is estimated by the characteristics of the wireless chip. We recognize and manage this part.

Bo

Seunghyun Kim Research Engineer