



802.11b CHANNEL 2, REFERENCE LEVEL




802.11b CHANNEL 2, BAND EDGE




802.11b CHANNEL 3, CARRIER LEVEL



802.11b CHANNEL 3, BAND EDGE




802.11b CHANNEL 3, REFERENCE LEVEL




802.11b CHANNEL 4, CARRIER LEVEL



802.11b CHANNEL 4, REFERENCE LEVEL




802.11b CHANNEL 4, BAND EDGE




802.11b CHANNEL 5, CARRIER LEVEL



802.11b CHANNEL 5, REFERENCE LEVEL




802.11b CHANNEL 5, BAND EDGE




802.11b CHANNEL 11, CARRIER LEVEL




802.11b CHANNEL 11, BAND EDGE



802.11b CHANNEL 11, REFERENCE LEVEL




802.11g CHANNEL 1, CARRIER LEVEL



802.11g CHANNEL 1, REFERENCE LEVEL




802.11g CHANNEL 1, BAND EDGE




802.11g CHANNEL 11, CARRIER LEVEL



802.11g CHANNEL 11, REFERENCE LEVEL




802.11g CHANNEL 11, BAND EDGE




802.11n-20 MHz CHANNEL 1, CARRIER LEVEL




802.11n-20 MHz CHANNEL 1, BAND EDGE




802.11n-20 MHz CHANNEL 1, REFERENCE LEVEL




802.11n-20 MHz CHANNEL 11, CARRIER LEVEL




802.11n-20 MHz CHANNEL 11, REFERENCE LEVEL



802.11n-20 MHz CHANNEL 11, BAND EDGE




802.11n-40 MHz CHANNEL 3, CARRIER LEVEL



802.11n-40 MHz CHANNEL 3, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 3, BAND EDGE




802.11n-40 MHz CHANNEL 4, CARRIER LEVEL




802.11n-40 MHz CHANNEL 4, BAND EDGE




802.11n-40 MHz CHANNEL 4, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 5, CARRIER LEVEL




802.11n-40 MHz CHANNEL 5, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 5, BAND EDGE




802.11n-40 MHz CHANNEL 8, CARRIER LEVEL



802.11n-40 MHz CHANNEL 8, REFERENCE LEVEL




802.11n-40 MHz CHANNEL 8, BAND EDGE




802.11n-40 MHz CHANNEL 9, CARRIER LEVEL




802.11n-40 MHz CHANNEL 9, BAND EDGE




802.11n-40 MHz CHANNEL 9, REFERENCE LEVEL




VHT-20 MHz CHANNEL 1, CARRIER LEVEL




VHT-20 MHz CHANNEL 1, REFERENCE LEVEL




VHT-20 MHz CHANNEL 1, BAND EDGE




VHT-20 MHz CHANNEL 11, CARRIER LEVEL




VHT-20 MHz CHANNEL 11, REFERENCE LEVEL



VHT-20 MHz CHANNEL 11, BAND EDGE




VHT-40 MHz CHANNEL 3, CARRIER LEVEL




VHT-40 MHz CHANNEL 3, BAND EDGE




VHT-40 MHz CHANNEL 4, CARRIER LEVEL




VHT-40 MHz CHANNEL 4, REFERENCE LEVEL




VHT-40 MHz CHANNEL 4, BAND EDGE




VHT-40 MHz CHANNEL 8, CARRIER LEVEL



VHT-40 MHz CHANNEL 8, REFERENCE LEVEL




VHT-40 MHz CHANNEL 8, BAND EDGE




VHT-40 MHz CHANNEL 9, CARRIER LEVEL




VHT-40 MHz CHANNEL 9, BAND EDGE




VHT-40 MHz CHANNEL 9, REFERENCE LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, REFERENCE LEVEL




802.11ax-20 MHz(SU) CHANNEL 1, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 2, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 2, REFERENCE LEVEL




802.11ax-20 MHz(SU) CHANNEL 2, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 10, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 10, REFERENCE LEVEL




802.11ax-20 MHz(SU) CHANNEL 10, BAND EDGE




802.11ax-20 MHz(SU) CHANNEL 11, CARRIER LEVEL




802.11ax-20 MHz(SU) CHANNEL 11, BAND EDGE



802.11ax-20 MHz(SU) CHANNEL 11, REFERENCE LEVEL



802.11ax-40 MHz CHANNEL 3, CARRIER LEVEL




802.11ax-40 MHz CHANNEL 3, REFERENCE LEVEL




802.11ax-40 MHz CHANNEL 3, BAND EDGE




802.11ax-40 MHz CHANNEL 4, CARRIER LEVEL




802.11ax-40 MHz CHANNEL 4, REFERENCE LEVEL




802.11ax-40 MHz CHANNEL 4, BAND EDGE




802.11ax-40 MHz CHANNEL 5, CARRIER LEVEL




802.11ax-40 MHz CHANNEL 5, REFERENCE LEVEL




802.11ax-40 MHz CHANNEL 5, BAND EDGE




802.11ax-40 MHz CHANNEL 7, CARRIER LEVEL




802.11ax-40 MHz CHANNEL 7, REFERENCE LEVEL




802.11ax-40 MHz CHANNEL 7, BAND EDGE




802.11ax-40 MHz CHANNEL 8, CARRIER LEVEL




802.11ax-40 MHz CHANNEL 8, REFERENCE LEVEL




802.11ax-40 MHz CHANNEL 8, BAND EDGE




802.11ax-40 MHz CHANNEL 9, CARRIER LEVEL



802.11ax-40 MHz CHANNEL 9, REFERENCE LEVEL



802.11ax-40 MHz CHANNEL 9, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.156	39.79	10.18	65.67	-25.88	Peak	L	Pass
1**	0.156	25.98	10.18	55.67	-29.69	AV	L	Pass
2	0.260	38.67	10.08	61.43	-22.76	Peak	L	Pass
2**	0.260	27.25	10.08	51.43	-24.18	AV	L	Pass
3	0.568	33.89	10.10	56.00	-22.11	Peak	L	Pass
3**	0.568	21.16	10.10	46.00	-24.84	AV	L	Pass
4	0.766	39.60	10.07	56.00	-16.40	Peak	L	Pass
4**	0.766	28.94	10.07	46.00	-17.06	AV	L	Pass
5	4.596	32.46	9.99	56.00	-23.54	Peak	L	Pass
5**	4.596	20.15	9.99	46.00	-25.85	AV	L	Pass
6	8.052	38.37	10.10	60.00	-21.63	Peak	L	Pass
6**	8.052	30.80	10.10	50.00	-19.20	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15B_Class B



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.180	41.05	10.13	64.49	-23.44	Peak	N	Pass
1**	0.180	25.12	10.13	54.49	-29.37	AV	N	Pass
2	0.272	38.84	10.08	61.06	-22.22	Peak	N	Pass
2**	0.272	25.13	10.08	51.06	-25.93	AV	N	Pass
3	0.458	35.72	10.10	56.73	-21.01	Peak	N	Pass
3**	0.458	23.70	10.10	46.73	-23.03	AV	N	Pass
4	0.762	39.56	10.07	56.00	-16.44	Peak	N	Pass
4**	0.762	27.24	10.07	46.00	-18.76	AV	N	Pass
5	5.876	35.45	10.06	60.00	-24.55	Peak	N	Pass
5**	5.876	25.70	10.06	50.00	-24.30	AV	N	Pass
6	7.842	39.41	10.06	60.00	-20.59	Peak	N	Pass
6**	7.842	30.43	10.06	50.00	-19.57	AV	N	Pass

A.6 Radiated Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note ⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	88.927	18.40	-28.86	43.5	-25.10	Peak	147.00	100	Horizontal	Pass
2	189.080	18.13	-27.58	43.5	-25.37	Peak	222.00	100	Horizontal	Pass
3	312.561	30.46	-23.34	46.0	-15.54	Peak	84.00	100	Horizontal	Pass
4	470.283	21.58	-19.40	46.0	-24.42	Peak	185.00	100	Horizontal	Pass
5	749.789	26.99	-12.81	46.0	-19.01	Peak	166.00	100	Horizontal	Pass
6	997.381	29.23	-8.40	54.0	-24.77	Peak	229.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15B_FCC Part 15B Class B 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.924	25.66	-27.00	40.0	-14.34	Peak	360.00	200	Vertical	Pass
2	48.964	25.25	-25.38	40.0	-14.75	Peak	261.00	100	Vertical	Pass
3	89.267	25.77	-28.77	43.5	-17.73	Peak	133.00	100	Vertical	Pass
4	178.846	20.68	-28.54	43.5	-22.82	Peak	254.00	100	Vertical	Pass
5	286.953	25.16	-23.92	46.0	-20.84	Peak	221.00	200	Vertical	Pass
6	973.082	29.43	-8.88	54.0	-24.57	Peak	235.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Main Antenna

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.700	38.68	-17.48	74.0	-35.32	Peak	309.00	150	Horizontal	Pass
1**	1490.700	30.21	-17.48	54.0	-23.79	AV	309.00	150	Horizontal	Pass
2	2410.500	103.74	-12.24	74.0	29.74	Peak	340.00	150	Horizontal	N/A
2**	2410.500	100.62	-12.24	54.0	46.62	AV	340.00	150	Horizontal	N/A
3	4831.200	50.82	-3.54	74.0	-23.18	Peak	351.00	150	Horizontal	Pass
3**	4831.200	42.11	-3.54	54.0	-11.89	AV	351.00	150	Horizontal	Pass
4	6605.800	54.12	0.10	74.0	-19.88	Peak	0.00	150	Horizontal	Pass
4**	6605.800	44.96	0.10	54.0	-9.04	AV	0.00	150	Horizontal	Pass
5	10435.338	52.64	-0.18	74.0	-21.36	Peak	129.00	150	Horizontal	Pass
5**	10435.338	42.39	-0.18	54.0	-11.61	AV	129.00	150	Horizontal	Pass
6	17409.374	57.09	3.43	74.0	-16.91	Peak	329.00	150	Horizontal	Pass
6**	17409.374	46.79	3.43	54.0	-7.21	AV	329.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1432.500	39.12	-17.39	74.0	-34.88	Peak	117.00	150	Vertical	Pass
1**	1432.500	29.49	-17.39	54.0	-24.51	AV	117.00	150	Vertical	Pass
2	2410.500	89.35	-12.24	74.0	15.35	Peak	181.00	150	Vertical	N/A
2**	2410.500	86.49	-12.24	54.0	32.49	AV	181.00	150	Vertical	N/A
3	4875.600	50.92	-3.41	74.0	-23.08	Peak	33.00	150	Vertical	Pass
3**	4875.600	41.54	-3.41	54.0	-12.46	AV	33.00	150	Vertical	Pass
4	6685.200	54.56	-0.19	74.0	-19.44	Peak	195.00	150	Vertical	Pass
4**	6685.200	45.57	-0.19	54.0	-8.43	AV	195.00	150	Vertical	Pass
5	11543.075	53.38	-0.56	74.0	-20.62	Peak	0.00	150	Vertical	Pass
5**	11543.075	42.29	-0.56	54.0	-11.71	AV	0.00	150	Vertical	Pass
6	17216.176	56.75	1.38	74.0	-17.25	Peak	306.00	150	Vertical	Pass
6**	17216.176	47.74	1.38	54.0	-6.26	AV	306.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.400	39.23	-17.67	74.0	-34.77	Peak	139.00	150	Horizontal	Pass
1**	1519.400	29.39	-17.67	54.0	-24.61	AV	139.00	150	Horizontal	Pass
2	2438.100	103.67	-12.60	74.0	29.67	Peak	349.00	150	Horizontal	N/A
2**	2438.100	100.62	-12.60	54.0	46.62	AV	349.00	150	Horizontal	N/A
3	4793.200	50.81	-2.63	74.0	-23.19	Peak	223.00	150	Horizontal	Pass
3**	4793.200	41.29	-2.63	54.0	-12.71	AV	223.00	150	Horizontal	Pass
4	6690.800	54.22	-0.29	74.0	-19.78	Peak	85.00	150	Horizontal	Pass
4**	6690.800	44.58	-0.29	54.0	-9.42	AV	85.00	150	Horizontal	Pass
5	11027.299	52.98	-0.66	74.0	-21.02	Peak	0.00	150	Horizontal	Pass
5**	11027.299	43.04	-0.66	54.0	-10.96	AV	0.00	150	Horizontal	Pass
6	17182.312	56.65	2.61	74.0	-17.35	Peak	89.00	150	Horizontal	Pass
6**	17182.312	47.88	2.61	54.0	-6.12	AV	89.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.000	39.11	-17.55	74.0	-34.89	Peak	356.00	150	Vertical	Pass
1**	1542.000	29.67	-17.55	54.0	-24.33	AV	356.00	150	Vertical	Pass
2	2435.900	91.74	-12.77	74.0	17.74	Peak	184.00	150	Vertical	N/A
2**	2435.900	88.89	-12.77	54.0	34.89	AV	184.00	150	Vertical	N/A
3	4810.000	51.17	-2.98	74.0	-22.83	Peak	126.00	150	Vertical	Pass
3**	4810.000	42.16	-2.98	54.0	-11.84	AV	126.00	150	Vertical	Pass
4	6677.400	54.07	-0.58	74.0	-19.93	Peak	74.00	150	Vertical	Pass
4**	6677.400	45.69	-0.58	54.0	-8.31	AV	74.00	150	Vertical	Pass
5	10195.276	53.28	0.43	74.0	-20.72	Peak	141.00	150	Vertical	Pass
5**	10195.276	43.91	0.43	54.0	-10.09	AV	141.00	150	Vertical	Pass
6	17186.251	56.69	2.48	74.0	-17.31	Peak	56.00	150	Vertical	Pass
6**	17186.251	47.68	2.48	54.0	-6.32	AV	56.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.400	38.70	-17.52	74.0	-35.30	Peak	52.00	150	Horizontal	Pass
1**	1471.400	29.19	-17.52	54.0	-24.81	AV	52.00	150	Horizontal	Pass
2	2460.700	103.30	-12.75	74.0	29.30	Peak	339.00	150	Horizontal	N/A
2**	2460.700	100.20	-12.75	54.0	46.20	AV	339.00	150	Horizontal	N/A
3	4998.600	51.40	-2.91	74.0	-22.60	Peak	223.00	150	Horizontal	Pass
3**	4998.600	41.07	-2.91	54.0	-12.93	AV	223.00	150	Horizontal	Pass
4	6681.400	53.65	-0.50	74.0	-20.35	Peak	61.00	150	Horizontal	Pass
4**	6681.400	44.78	-0.50	54.0	-9.22	AV	61.00	150	Horizontal	Pass
5	10179.463	52.99	0.02	74.0	-21.01	Peak	144.00	150	Horizontal	Pass
5**	10179.463	43.22	0.02	54.0	-10.78	AV	144.00	150	Horizontal	Pass
6	17198.324	56.76	1.99	74.0	-17.24	Peak	278.00	150	Horizontal	Pass
6**	17198.324	47.60	1.99	54.0	-6.40	AV	278.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.300	39.13	-17.60	74.0	-34.87	Peak	209.00	150	Vertical	Pass
1**	1595.300	28.64	-17.60	54.0	-25.36	AV	209.00	150	Vertical	Pass
2	2460.600	89.89	-12.75	74.0	15.89	Peak	121.00	150	Vertical	N/A
2**	2460.600	86.96	-12.75	54.0	32.96	AV	121.00	150	Vertical	N/A
3	4823.600	51.30	-3.38	74.0	-22.70	Peak	263.00	150	Vertical	Pass
3**	4823.600	41.70	-3.38	54.0	-12.30	AV	263.00	150	Vertical	Pass
4	6684.400	54.53	-0.28	74.0	-19.47	Peak	162.00	150	Vertical	Pass
4**	6684.400	45.21	-0.28	54.0	-8.79	AV	162.00	150	Vertical	Pass
5	10144.963	52.56	0.04	74.0	-21.44	Peak	214.00	150	Vertical	Pass
5**	10144.963	43.87	0.04	54.0	-10.13	AV	214.00	150	Vertical	Pass
6	17221.425	56.75	1.36	74.0	-17.25	Peak	360.00	150	Vertical	Pass
6**	17221.425	46.88	1.36	54.0	-7.12	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1720.600	39.29	-17.22	74.0	-34.71	Peak	86.00	150	Horizontal	Pass
1**	1720.600	29.05	-17.22	54.0	-24.95	AV	86.00	150	Horizontal	Pass
2	2411.200	106.87	-12.25	74.0	32.87	Peak	202.00	150	Horizontal	N/A
2**	2411.200	100.00	-12.25	54.0	46.00	AV	202.00	150	Horizontal	N/A
3	4919.600	51.28	-2.44	74.0	-22.72	Peak	100.00	150	Horizontal	Pass
3**	4919.600	41.43	-2.44	54.0	-12.57	AV	100.00	150	Horizontal	Pass
4	6675.000	54.35	-0.64	74.0	-19.65	Peak	190.00	150	Horizontal	Pass
4**	6675.000	44.77	-0.64	54.0	-9.23	AV	190.00	150	Horizontal	Pass
5	10184.637	52.10	0.15	74.0	-21.90	Peak	15.00	150	Horizontal	Pass
5**	10184.637	43.32	0.15	54.0	-10.68	AV	15.00	150	Horizontal	Pass
6	17213.551	57.20	1.42	74.0	-16.80	Peak	1.00	150	Horizontal	Pass
6**	17213.551	47.22	1.42	54.0	-6.78	AV	1.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.700	38.83	-17.45	74.0	-35.17	Peak	117.00	150	Vertical	Pass
1**	1552.700	29.06	-17.45	54.0	-24.94	AV	117.00	150	Vertical	Pass
2	2410.100	91.08	-12.24	74.0	17.08	Peak	176.00	150	Vertical	N/A
2**	2410.100	84.73	-12.24	54.0	30.73	AV	176.00	150	Vertical	N/A
3	4540.800	51.27	-4.29	74.0	-22.73	Peak	360.00	150	Vertical	Pass
3**	4540.800	40.62	-4.29	54.0	-13.38	AV	360.00	150	Vertical	Pass
4	6682.600	54.95	-0.43	74.0	-19.05	Peak	291.00	150	Vertical	Pass
4**	6682.600	45.03	-0.43	54.0	-8.97	AV	291.00	150	Vertical	Pass
5	10207.638	52.13	0.28	74.0	-21.87	Peak	68.00	150	Vertical	Pass
5**	10207.638	42.63	0.28	54.0	-11.37	AV	68.00	150	Vertical	Pass
6	17228.775	56.74	1.46	74.0	-17.26	Peak	360.00	150	Vertical	Pass
6**	17228.775	47.86	1.46	54.0	-6.14	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.900	39.44	-17.57	74.0	-34.56	Peak	228.00	150	Horizontal	Pass
1**	1493.900	30.68	-17.57	54.0	-23.32	AV	228.00	150	Horizontal	Pass
2	2434.700	106.89	-12.85	74.0	32.89	Peak	337.00	150	Horizontal	N/A
2**	2434.700	98.76	-12.85	54.0	44.76	AV	337.00	150	Horizontal	N/A
3	4912.400	51.32	-2.30	74.0	-22.68	Peak	101.00	150	Horizontal	Pass
3**	4912.400	42.03	-2.30	54.0	-11.97	AV	101.00	150	Horizontal	Pass
4	6690.400	54.20	-0.28	74.0	-19.80	Peak	283.00	150	Horizontal	Pass
4**	6690.400	44.33	-0.28	54.0	-9.67	AV	283.00	150	Horizontal	Pass
5	10159.625	52.47	-0.30	74.0	-21.53	Peak	126.00	150	Horizontal	Pass
5**	10159.625	42.52	-0.30	54.0	-11.48	AV	126.00	150	Horizontal	Pass
6	16097.662	57.03	1.26	74.0	-16.97	Peak	360.00	150	Horizontal	Pass
6**	16097.662	47.86	1.26	54.0	-6.14	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1781.500	39.51	-17.01	74.0	-34.49	Peak	81.00	150	Vertical	Pass
1**	1781.500	29.31	-17.01	54.0	-24.69	AV	81.00	150	Vertical	Pass
2	2435.700	93.51	-12.80	74.0	19.51	Peak	181.00	150	Vertical	N/A
2**	2435.700	86.04	-12.80	54.0	32.04	AV	181.00	150	Vertical	N/A
3	4977.400	50.95	-3.03	74.0	-23.05	Peak	10.00	150	Vertical	Pass
3**	4977.400	42.67	-3.03	54.0	-11.33	AV	10.00	150	Vertical	Pass
4	6607.800	54.12	0.15	74.0	-19.88	Peak	154.00	150	Vertical	Pass
4**	6607.800	44.77	0.15	54.0	-9.23	AV	154.00	150	Vertical	Pass
5	10157.901	52.06	-0.24	74.0	-21.94	Peak	308.00	150	Vertical	Pass
5**	10157.901	42.73	-0.24	54.0	-11.27	AV	308.00	150	Vertical	Pass
6	15865.612	56.73	0.79	74.0	-17.27	Peak	250.00	150	Vertical	Pass
6**	15865.612	46.46	0.79	54.0	-7.54	AV	250.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.700	38.99	-17.48	74.0	-35.01	Peak	73.00	150	Horizontal	Pass
1**	1490.700	28.81	-17.48	54.0	-25.19	AV	73.00	150	Horizontal	Pass
2	2463.200	106.42	-12.80	74.0	32.42	Peak	339.00	150	Horizontal	N/A
2**	2463.200	99.15	-12.80	54.0	45.15	AV	339.00	150	Horizontal	N/A
3	4911.000	51.39	-2.47	74.0	-22.61	Peak	65.00	150	Horizontal	Pass
3**	4911.000	42.11	-2.47	54.0	-11.89	AV	65.00	150	Horizontal	Pass
4	6689.400	54.80	-0.26	74.0	-19.20	Peak	301.00	150	Horizontal	Pass
4**	6689.400	45.26	-0.26	54.0	-8.74	AV	301.00	150	Horizontal	Pass
5	10202.463	52.21	0.41	74.0	-21.79	Peak	212.00	150	Horizontal	Pass
5**	10202.463	43.45	0.41	54.0	-10.55	AV	212.00	150	Horizontal	Pass
6	17200.163	57.20	1.88	74.0	-16.80	Peak	360.00	150	Horizontal	Pass
6**	17200.163	47.59	1.88	54.0	-6.41	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1746.800	39.60	-17.10	74.0	-34.40	Peak	100.00	150	Vertical	Pass
1**	1746.800	30.23	-17.10	54.0	-23.77	AV	100.00	150	Vertical	Pass
2	2460.600	92.00	-12.75	74.0	18.00	Peak	123.00	150	Vertical	N/A
2**	2460.600	84.33	-12.75	54.0	30.33	AV	123.00	150	Vertical	N/A
3	4779.800	51.10	-2.88	74.0	-22.90	Peak	289.00	150	Vertical	Pass
3**	4779.800	40.93	-2.88	54.0	-13.07	AV	289.00	150	Vertical	Pass
4	6603.400	53.81	-0.07	74.0	-20.19	Peak	48.00	150	Vertical	Pass
4**	6603.400	45.55	-0.07	54.0	-8.45	AV	48.00	150	Vertical	Pass
5	10200.450	51.97	0.48	74.0	-22.03	Peak	308.00	150	Vertical	Pass
5**	10200.450	43.69	0.48	54.0	-10.31	AV	308.00	150	Vertical	Pass
6	17197.801	57.27	2.02	74.0	-16.73	Peak	360.00	150	Vertical	Pass
6**	17197.801	47.39	2.02	54.0	-6.61	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1642.500	39.48	-17.43	74.0	-34.52	Peak	113.00	150	Horizontal	Pass
1**	1642.500	29.54	-17.43	54.0	-24.46	AV	113.00	150	Horizontal	Pass
2	2410.900	106.79	-12.25	74.0	32.79	Peak	205.00	150	Horizontal	N/A
2**	2410.900	99.24	-12.25	54.0	45.24	AV	205.00	150	Horizontal	N/A
3	4897.400	51.15	-2.94	74.0	-22.85	Peak	77.00	150	Horizontal	Pass
3**	4897.400	41.69	-2.94	54.0	-12.31	AV	77.00	150	Horizontal	Pass
4	6265.200	53.65	-0.71	74.0	-20.35	Peak	115.00	150	Horizontal	Pass
4**	6265.200	44.58	-0.71	54.0	-9.42	AV	115.00	150	Horizontal	Pass
5	10689.487	52.02	-0.71	74.0	-21.98	Peak	130.00	150	Horizontal	Pass
5**	10689.487	41.62	-0.71	54.0	-12.38	AV	130.00	150	Horizontal	Pass
6	17194.912	56.71	2.19	74.0	-17.29	Peak	325.00	150	Horizontal	Pass
6**	17194.912	47.83	2.19	54.0	-6.17	AV	325.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.600	39.07	-17.65	74.0	-34.93	Peak	273.00	150	Vertical	Pass
1**	1616.600	29.62	-17.65	54.0	-24.38	AV	273.00	150	Vertical	Pass
2	2413.800	82.05	-12.26	74.0	8.05	Peak	16.00	150	Vertical	N/A
2**	2413.800	74.25	-12.26	54.0	20.25	AV	16.00	150	Vertical	N/A
3	4829.000	51.08	-3.43	74.0	-22.92	Peak	73.00	150	Vertical	Pass
3**	4829.000	41.59	-3.43	54.0	-12.41	AV	73.00	150	Vertical	Pass
4	6604.200	54.38	-0.01	74.0	-19.62	Peak	203.00	150	Vertical	Pass
4**	6604.200	45.45	-0.01	54.0	-8.55	AV	203.00	150	Vertical	Pass
5	10203.325	52.24	0.38	74.0	-21.76	Peak	142.00	150	Vertical	Pass
5**	10203.325	43.21	0.38	54.0	-10.79	AV	142.00	150	Vertical	Pass
6	17420.401	57.46	3.75	74.0	-16.54	Peak	185.00	150	Vertical	Pass
6**	17420.401	47.89	3.75	54.0	-6.11	AV	185.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1434.000	39.19	-17.37	74.0	-34.81	Peak	158.00	150	Horizontal	Pass
1**	1434.000	29.66	-17.37	54.0	-24.34	AV	158.00	150	Horizontal	Pass
2	2436.100	106.25	-12.75	74.0	32.25	Peak	192.00	150	Horizontal	N/A
2**	2436.100	99.54	-12.75	54.0	45.54	AV	192.00	150	Horizontal	N/A
3	4816.200	51.19	-3.15	74.0	-22.81	Peak	360.00	150	Horizontal	Pass
3**	4816.200	41.51	-3.15	54.0	-12.49	AV	360.00	150	Horizontal	Pass
4	6600.400	54.21	-0.42	74.0	-19.79	Peak	180.00	150	Horizontal	Pass
4**	6600.400	44.48	-0.42	54.0	-9.52	AV	180.00	150	Horizontal	Pass
5	10336.151	51.80	0.07	74.0	-22.20	Peak	0.00	150	Horizontal	Pass
5**	10336.151	42.45	0.07	54.0	-11.55	AV	0.00	150	Horizontal	Pass
6	17129.551	57.33	2.26	74.0	-16.67	Peak	161.00	150	Horizontal	Pass
6**	17129.551	46.68	2.26	54.0	-7.32	AV	161.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.700	39.13	-17.46	74.0	-34.87	Peak	271.00	150	Vertical	Pass
1**	1593.700	29.97	-17.46	54.0	-24.03	AV	271.00	150	Vertical	Pass
2	2438.300	93.24	-12.60	74.0	19.24	Peak	180.00	150	Vertical	N/A
2**	2438.300	86.04	-12.60	54.0	32.04	AV	180.00	150	Vertical	N/A
3	4818.400	50.99	-3.29	74.0	-23.01	Peak	184.00	150	Vertical	Pass
3**	4818.400	41.32	-3.29	54.0	-12.68	AV	184.00	150	Vertical	Pass
4	6600.600	53.70	-0.39	74.0	-20.30	Peak	24.00	150	Vertical	Pass
4**	6600.600	45.41	-0.39	54.0	-8.59	AV	24.00	150	Vertical	Pass
5	10153.012	52.20	-0.09	74.0	-21.80	Peak	268.00	150	Vertical	Pass
5**	10153.012	43.31	-0.09	54.0	-10.69	AV	268.00	150	Vertical	Pass
6	17188.614	56.74	2.39	74.0	-17.26	Peak	193.00	150	Vertical	Pass
6**	17188.614	47.99	2.39	54.0	-6.01	AV	193.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1588.000	39.16	-17.53	74.0	-34.84	Peak	73.00	150	Horizontal	Pass
1**	1588.000	28.88	-17.53	54.0	-25.12	AV	73.00	150	Horizontal	Pass
2	2462.800	106.30	-12.79	74.0	32.30	Peak	199.00	150	Horizontal	N/A
2**	2462.800	98.87	-12.79	54.0	44.87	AV	199.00	150	Horizontal	N/A
3	4805.600	50.70	-2.89	74.0	-23.30	Peak	158.00	150	Horizontal	Pass
3**	4805.600	41.91	-2.89	54.0	-12.09	AV	158.00	150	Horizontal	Pass
4	6273.000	54.43	-0.18	74.0	-19.57	Peak	281.00	150	Horizontal	Pass
4**	6273.000	45.12	-0.18	54.0	-8.88	AV	281.00	150	Horizontal	Pass
5	10112.187	52.06	-0.03	74.0	-21.94	Peak	289.00	150	Horizontal	Pass
5**	10112.187	43.00	-0.03	54.0	-11.00	AV	289.00	150	Horizontal	Pass
6	16085.325	56.12	1.52	74.0	-17.88	Peak	257.00	150	Horizontal	Pass
6**	16085.325	46.59	1.52	54.0	-7.41	AV	257.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1766.300	39.85	-17.07	74.0	-34.15	Peak	191.00	150	Vertical	Pass
1**	1766.300	30.60	-17.07	54.0	-23.40	AV	191.00	150	Vertical	Pass
2	2460.000	91.51	-12.75	74.0	17.51	Peak	125.00	150	Vertical	N/A
2**	2460.000	83.88	-12.75	54.0	29.88	AV	125.00	150	Vertical	N/A
3	5102.800	51.82	-2.46	74.0	-22.18	Peak	187.00	150	Vertical	Pass
3**	5102.800	41.63	-2.46	54.0	-12.37	AV	187.00	150	Vertical	Pass
4	6684.800	53.79	-0.23	74.0	-20.21	Peak	160.00	150	Vertical	Pass
4**	6684.800	45.38	-0.23	54.0	-8.62	AV	160.00	150	Vertical	Pass
5	10198.150	52.92	0.47	74.0	-21.08	Peak	249.00	150	Vertical	Pass
5**	10198.150	43.13	0.47	54.0	-10.87	AV	249.00	150	Vertical	Pass
6	15820.724	56.51	1.84	74.0	-17.49	Peak	358.00	150	Vertical	Pass
6**	15820.724	47.48	1.84	54.0	-6.52	AV	358.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.200	38.82	-17.49	74.0	-35.18	Peak	116.00	150	Horizontal	Pass
1**	1561.200	28.67	-17.49	54.0	-25.33	AV	116.00	150	Horizontal	Pass
2	2420.000	103.92	-12.35	74.0	29.92	Peak	203.00	150	Horizontal	N/A
2**	2420.000	96.43	-12.35	54.0	42.43	AV	203.00	150	Horizontal	N/A
3	4771.200	51.30	-3.01	74.0	-22.70	Peak	199.00	150	Horizontal	Pass
3**	4771.200	41.62	-3.01	54.0	-12.38	AV	199.00	150	Horizontal	Pass
4	6607.400	54.80	0.15	74.0	-19.20	Peak	0.00	150	Horizontal	Pass
4**	6607.400	44.41	0.15	54.0	-9.59	AV	0.00	150	Horizontal	Pass
5	9872.125	53.06	-0.82	74.0	-20.94	Peak	305.00	150	Horizontal	Pass
5**	9872.125	42.50	-0.82	54.0	-11.50	AV	305.00	150	Horizontal	Pass
6	15838.312	55.85	1.45	74.0	-18.15	Peak	127.00	150	Horizontal	Pass
6**	15838.312	47.59	1.45	54.0	-6.41	AV	127.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1684.500	40.30	-17.40	74.0	-33.70	Peak	69.00	150	Vertical	Pass
1**	1684.500	28.92	-17.40	54.0	-25.08	AV	69.00	150	Vertical	Pass
2	2432.200	88.63	-12.83	74.0	14.63	Peak	178.00	150	Vertical	N/A
2**	2432.200	80.51	-12.83	54.0	26.51	AV	178.00	150	Vertical	N/A
3	4586.400	50.94	-3.57	74.0	-23.06	Peak	104.00	150	Vertical	Pass
3**	4586.400	41.51	-3.57	54.0	-12.49	AV	104.00	150	Vertical	Pass
4	6678.600	54.61	-0.55	74.0	-19.39	Peak	0.00	150	Vertical	Pass
4**	6678.600	45.56	-0.55	54.0	-8.44	AV	0.00	150	Vertical	Pass
5	10142.950	52.43	0.04	74.0	-21.57	Peak	32.00	150	Vertical	Pass
5**	10142.950	43.21	0.04	54.0	-10.79	AV	32.00	150	Vertical	Pass
6	17420.925	57.38	3.73	74.0	-16.62	Peak	360.00	150	Vertical	Pass
6**	17420.925	47.11	3.73	54.0	-6.89	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.900	38.62	-17.70	74.0	-35.38	Peak	334.00	150	Horizontal	Pass
1**	1622.900	29.33	-17.70	54.0	-24.67	AV	334.00	150	Horizontal	Pass
2	2424.600	103.47	-12.88	74.0	29.47	Peak	348.00	150	Horizontal	N/A
2**	2424.600	95.73	-12.88	54.0	41.73	AV	348.00	150	Horizontal	N/A
3	4913.600	51.42	-2.25	74.0	-22.58	Peak	336.00	150	Horizontal	Pass
3**	4913.600	42.69	-2.25	54.0	-11.31	AV	336.00	150	Horizontal	Pass
4	6480.400	54.15	-1.95	74.0	-19.85	Peak	64.00	150	Horizontal	Pass
4**	6480.400	43.74	-1.95	54.0	-10.26	AV	64.00	150	Horizontal	Pass
5	10435.912	52.65	-0.19	74.0	-21.35	Peak	359.00	150	Horizontal	Pass
5**	10435.912	43.57	-0.19	54.0	-10.43	AV	359.00	150	Horizontal	Pass
6	17199.636	57.40	1.91	74.0	-16.60	Peak	333.00	150	Horizontal	Pass
6**	17199.636	47.39	1.91	54.0	-6.61	AV	333.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1810.700	39.78	-16.64	74.0	-34.22	Peak	360.00	150	Vertical	Pass
1**	1810.700	31.25	-16.64	54.0	-22.75	AV	360.00	150	Vertical	Pass
2	2428.700	90.05	-12.80	74.0	16.05	Peak	178.00	150	Vertical	N/A
2**	2428.700	81.99	-12.80	54.0	27.99	AV	178.00	150	Vertical	N/A
3	4794.800	51.13	-2.61	74.0	-22.87	Peak	57.00	150	Vertical	Pass
3**	4794.800	41.76	-2.61	54.0	-12.24	AV	57.00	150	Vertical	Pass
4	6598.200	54.22	-0.66	74.0	-19.78	Peak	230.00	150	Vertical	Pass
4**	6598.200	44.65	-0.66	54.0	-9.35	AV	230.00	150	Vertical	Pass
5	10162.500	52.08	-0.30	74.0	-21.92	Peak	219.00	150	Vertical	Pass
5**	10162.500	42.80	-0.30	54.0	-11.20	AV	219.00	150	Vertical	Pass
6	14758.388	56.42	0.12	74.0	-17.58	Peak	360.00	150	Vertical	Pass
6**	14758.388	45.60	0.12	54.0	-8.40	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1718.100	39.76	-17.25	74.0	-34.24	Peak	109.00	150	Horizontal	Pass
1**	1718.100	29.48	-17.25	54.0	-24.52	AV	109.00	150	Horizontal	Pass
2	2435.300	104.01	-12.83	74.0	30.01	Peak	219.00	150	Horizontal	N/A
2**	2435.300	96.69	-12.83	54.0	42.69	AV	219.00	150	Horizontal	N/A
3	4799.600	52.01	-2.55	74.0	-21.99	Peak	308.00	150	Horizontal	Pass
3**	4799.600	43.06	-2.55	54.0	-10.94	AV	308.00	150	Horizontal	Pass
4	6679.800	54.61	-0.53	74.0	-19.39	Peak	22.00	150	Horizontal	Pass
4**	6679.800	45.30	-0.53	54.0	-8.70	AV	22.00	150	Horizontal	Pass
5	9881.326	52.46	-0.94	74.0	-21.54	Peak	360.00	150	Horizontal	Pass
5**	9881.326	42.09	-0.94	54.0	-11.91	AV	360.00	150	Horizontal	Pass
6	17193.339	57.35	2.24	74.0	-16.65	Peak	225.00	150	Horizontal	Pass
6**	17193.339	47.97	2.24	54.0	-6.03	AV	225.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1706.100	39.44	-17.23	74.0	-34.56	Peak	231.00	150	Vertical	Pass
1**	1706.100	29.88	-17.23	54.0	-24.12	AV	231.00	150	Vertical	Pass
2	2429.900	90.39	-12.79	74.0	16.39	Peak	190.00	150	Vertical	N/A
2**	2429.900	83.19	-12.79	54.0	29.19	AV	190.00	150	Vertical	N/A
3	4714.600	50.67	-3.72	74.0	-23.33	Peak	201.00	150	Vertical	Pass
3**	4714.600	40.61	-3.72	54.0	-13.39	AV	201.00	150	Vertical	Pass
4	6598.400	54.30	-0.64	74.0	-19.70	Peak	160.00	150	Vertical	Pass
4**	6598.400	44.38	-0.64	54.0	-9.62	AV	160.00	150	Vertical	Pass
5	10190.099	52.86	0.28	74.0	-21.14	Peak	116.00	150	Vertical	Pass
5**	10190.099	42.98	0.28	54.0	-11.02	AV	116.00	150	Vertical	Pass
6	16083.488	57.19	1.56	74.0	-16.81	Peak	76.00	150	Vertical	Pass
6**	16083.488	48.00	1.56	54.0	-6.00	AV	76.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.800	39.09	-17.40	74.0	-34.91	Peak	1.00	150	Horizontal	Pass
1**	1682.800	29.81	-17.40	54.0	-24.19	AV	1.00	150	Horizontal	Pass
2	2429.100	103.92	-12.80	74.0	29.92	Peak	338.00	150	Horizontal	N/A
2**	2429.100	95.51	-12.80	54.0	41.51	AV	338.00	150	Horizontal	N/A
3	5169.600	51.89	-2.78	74.0	-22.11	Peak	75.00	150	Horizontal	Pass
3**	5169.600	43.18	-2.78	54.0	-10.82	AV	75.00	150	Horizontal	Pass
4	6600.400	54.24	-0.42	74.0	-19.76	Peak	88.00	150	Horizontal	Pass
4**	6600.400	45.77	-0.42	54.0	-8.23	AV	88.00	150	Horizontal	Pass
5	10263.700	52.67	0.50	74.0	-21.33	Peak	191.00	150	Horizontal	Pass
5**	10263.700	42.62	0.50	54.0	-11.38	AV	191.00	150	Horizontal	Pass
6	15847.500	55.98	1.35	74.0	-18.02	Peak	253.00	150	Horizontal	Pass
6**	15847.500	46.63	1.35	54.0	-7.37	AV	253.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1660.800	39.86	-17.57	74.0	-34.14	Peak	360.00	150	Vertical	Pass
1**	1660.800	29.04	-17.57	54.0	-24.96	AV	360.00	150	Vertical	Pass
2	2434.600	89.75	-12.85	74.0	15.75	Peak	177.00	150	Vertical	N/A
2**	2434.600	82.99	-12.85	54.0	28.99	AV	177.00	150	Vertical	N/A
3	4901.600	50.82	-2.75	74.0	-23.18	Peak	93.00	150	Vertical	Pass
3**	4901.600	41.68	-2.75	54.0	-12.32	AV	93.00	150	Vertical	Pass
4	6690.600	54.27	-0.28	74.0	-19.73	Peak	122.00	150	Vertical	Pass
4**	6690.600	44.86	-0.28	54.0	-9.14	AV	122.00	150	Vertical	Pass
5	10324.362	52.08	-0.08	74.0	-21.92	Peak	18.00	150	Vertical	Pass
5**	10324.362	42.79	-0.08	54.0	-11.21	AV	18.00	150	Vertical	Pass
6	16085.850	55.93	1.51	74.0	-18.07	Peak	126.00	150	Vertical	Pass
6**	16085.850	46.68	1.51	54.0	-7.32	AV	126.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.900	38.84	-17.51	74.0	-35.16	Peak	125.00	150	Horizontal	Pass
1**	1412.900	30.20	-17.51	54.0	-23.80	AV	125.00	150	Horizontal	Pass
2	2440.100	104.52	-12.70	74.0	30.52	Peak	207.00	150	Horizontal	N/A
2**	2440.100	97.33	-12.70	54.0	43.33	AV	207.00	150	Horizontal	N/A
3	5010.200	51.17	-3.17	74.0	-22.83	Peak	73.00	150	Horizontal	Pass
3**	5010.200	41.62	-3.17	54.0	-12.38	AV	73.00	150	Horizontal	Pass
4	6686.000	54.12	-0.20	74.0	-19.88	Peak	223.00	150	Horizontal	Pass
4**	6686.000	45.19	-0.20	54.0	-8.81	AV	223.00	150	Horizontal	Pass
5	10099.537	52.22	0.18	74.0	-21.78	Peak	242.00	150	Horizontal	Pass
5**	10099.537	43.62	0.18	54.0	-10.38	AV	242.00	150	Horizontal	Pass
6	17418.037	57.20	3.71	74.0	-16.80	Peak	155.00	150	Horizontal	Pass
6**	17418.037	47.60	3.71	54.0	-6.40	AV	155.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1738.500	39.58	-17.00	74.0	-34.42	Peak	311.00	150	Vertical	Pass
1**	1738.500	30.50	-17.00	54.0	-23.50	AV	311.00	150	Vertical	Pass
2	2439.700	90.37	-12.64	74.0	16.37	Peak	189.00	150	Vertical	N/A
2**	2439.700	82.70	-12.64	54.0	28.70	AV	189.00	150	Vertical	N/A
3	4800.000	51.78	-2.55	74.0	-22.22	Peak	334.00	150	Vertical	Pass
3**	4800.000	43.60	-2.55	54.0	-10.40	AV	334.00	150	Vertical	Pass
4	6680.000	54.38	-0.53	74.0	-19.62	Peak	180.00	150	Vertical	Pass
4**	6680.000	45.29	-0.53	54.0	-8.71	AV	180.00	150	Vertical	Pass
5	10138.350	52.64	-0.00	74.0	-21.36	Peak	95.00	150	Vertical	Pass
5**	10138.350	42.64	-0.00	54.0	-11.36	AV	95.00	150	Vertical	Pass
6	16086.112	56.75	1.51	74.0	-17.25	Peak	0.00	150	Vertical	Pass
6**	16086.112	47.49	1.51	54.0	-6.51	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.500	39.04	-17.33	74.0	-34.96	Peak	73.00	150	Horizontal	Pass
1**	1551.500	29.58	-17.33	54.0	-24.42	AV	73.00	150	Horizontal	Pass
2	2443.500	103.88	-12.81	74.0	29.88	Peak	0.00	150	Horizontal	N/A
2**	2443.500	96.67	-12.81	54.0	42.67	AV	0.00	150	Horizontal	N/A
3	4759.400	51.22	-3.39	74.0	-22.78	Peak	258.00	150	Horizontal	Pass
3**	4759.400	41.61	-3.39	54.0	-12.39	AV	258.00	150	Horizontal	Pass
4	6707.000	54.63	-1.06	74.0	-19.37	Peak	303.00	150	Horizontal	Pass
4**	6707.000	43.97	-1.06	54.0	-10.03	AV	303.00	150	Horizontal	Pass
5	11218.201	52.77	-0.20	74.0	-21.23	Peak	179.00	150	Horizontal	Pass
5**	11218.201	42.50	-0.20	54.0	-11.50	AV	179.00	150	Horizontal	Pass
6	17200.425	56.96	1.87	74.0	-17.04	Peak	89.00	150	Horizontal	Pass
6**	17200.425	47.24	1.87	54.0	-6.76	AV	89.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.200	38.79	-17.68	74.0	-35.21	Peak	288.00	150	Vertical	Pass
1**	1612.200	29.21	-17.68	54.0	-24.79	AV	288.00	150	Vertical	Pass
2	2450.200	89.42	-12.53	74.0	15.42	Peak	205.00	150	Vertical	N/A
2**	2450.200	81.86	-12.53	54.0	27.86	AV	205.00	150	Vertical	N/A
3	4832.400	51.17	-3.57	74.0	-22.83	Peak	92.00	150	Vertical	Pass
3**	4832.400	40.92	-3.57	54.0	-13.08	AV	92.00	150	Vertical	Pass
4	6613.800	54.71	0.18	74.0	-19.29	Peak	76.00	150	Vertical	Pass
4**	6613.800	46.08	0.18	54.0	-7.92	AV	76.00	150	Vertical	Pass
5	10330.974	51.97	0.02	74.0	-22.03	Peak	116.00	150	Vertical	Pass
5**	10330.974	43.70	0.02	54.0	-10.30	AV	116.00	150	Vertical	Pass
6	17211.714	57.13	1.46	74.0	-16.87	Peak	0.00	150	Vertical	Pass
6**	17211.714	47.65	1.46	54.0	-6.35	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1739.600	39.29	-17.08	74.0	-34.71	Peak	69.00	150	Horizontal	Pass
1**	1739.600	30.78	-17.08	54.0	-23.22	AV	69.00	150	Horizontal	Pass
2	2445.800	103.63	-12.70	74.0	29.63	Peak	345.00	150	Horizontal	N/A
2**	2445.800	96.68	-12.70	54.0	42.68	AV	345.00	150	Horizontal	N/A
3	5149.400	52.34	-2.71	74.0	-21.66	Peak	116.00	150	Horizontal	Pass
3**	5149.400	41.99	-2.71	54.0	-12.01	AV	116.00	150	Horizontal	Pass
4	6685.400	54.06	-0.18	74.0	-19.94	Peak	313.00	150	Horizontal	Pass
4**	6685.400	45.47	-0.18	54.0	-8.53	AV	313.00	150	Horizontal	Pass
5	10204.763	51.90	0.34	74.0	-22.10	Peak	11.00	150	Horizontal	Pass
5**	10204.763	42.74	0.34	54.0	-11.26	AV	11.00	150	Horizontal	Pass
6	17179.949	56.47	2.68	74.0	-17.53	Peak	351.00	150	Horizontal	Pass
6**	17179.949	47.84	2.68	54.0	-6.16	AV	351.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1742.500	39.61	-17.10	74.0	-34.39	Peak	310.00	150	Vertical	Pass
1**	1742.500	29.49	-17.10	54.0	-24.51	AV	310.00	150	Vertical	Pass
2	2440.700	89.50	-12.78	74.0	15.50	Peak	191.00	150	Vertical	N/A
2**	2440.700	82.51	-12.78	54.0	28.51	AV	191.00	150	Vertical	N/A
3	4881.800	51.57	-3.43	74.0	-22.43	Peak	261.00	150	Vertical	Pass
3**	4881.800	42.20	-3.43	54.0	-11.80	AV	261.00	150	Vertical	Pass
4	6276.800	54.02	-0.23	74.0	-19.98	Peak	300.00	150	Vertical	Pass
4**	6276.800	44.06	-0.23	54.0	-9.94	AV	300.00	150	Vertical	Pass
5	10192.113	52.27	0.34	74.0	-21.73	Peak	252.00	150	Vertical	Pass
5**	10192.113	43.24	0.34	54.0	-10.76	AV	252.00	150	Vertical	Pass
6	16245.188	56.50	1.35	74.0	-17.50	Peak	219.00	150	Vertical	Pass
6**	16245.188	46.58	1.35	54.0	-7.42	AV	219.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.600	38.73	-17.40	74.0	-35.27	Peak	153.00	150	Horizontal	Pass
1**	1550.600	29.68	-17.40	54.0	-24.32	AV	153.00	150	Horizontal	Pass
2	2413.400	106.30	-12.26	74.0	32.30	Peak	339.00	150	Horizontal	N/A
2**	2413.400	98.89	-12.26	54.0	44.89	AV	339.00	150	Horizontal	N/A
3	4878.800	50.78	-3.43	74.0	-23.22	Peak	90.00	150	Horizontal	Pass
3**	4878.800	41.68	-3.43	54.0	-12.32	AV	90.00	150	Horizontal	Pass
4	6685.600	55.42	-0.19	74.0	-18.58	Peak	360.00	150	Horizontal	Pass
4**	6685.600	45.09	-0.19	54.0	-8.91	AV	360.00	150	Horizontal	Pass
5	10543.725	52.39	-0.63	74.0	-21.61	Peak	58.00	150	Horizontal	Pass
5**	10543.725	42.23	-0.63	54.0	-11.77	AV	58.00	150	Horizontal	Pass
6	13280.775	55.65	0.71	74.0	-18.35	Peak	168.00	150	Horizontal	Pass
6**	13280.775	46.10	0.71	54.0	-7.90	AV	168.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1410.300	39.49	-17.55	74.0	-34.51	Peak	236.00	150	Vertical	Pass
1**	1410.300	29.39	-17.55	54.0	-24.61	AV	236.00	150	Vertical	Pass
2	2413.300	91.91	-12.26	74.0	17.91	Peak	150.00	150	Vertical	N/A
2**	2413.300	85.37	-12.26	54.0	31.37	AV	150.00	150	Vertical	N/A
3	4911.200	50.85	-2.44	74.0	-23.15	Peak	324.00	150	Vertical	Pass
3**	4911.200	41.45	-2.44	54.0	-12.55	AV	324.00	150	Vertical	Pass
4	6669.200	54.38	-0.80	74.0	-19.62	Peak	49.00	150	Vertical	Pass
4**	6669.200	44.05	-0.80	54.0	-9.95	AV	49.00	150	Vertical	Pass
5	10186.651	51.86	0.20	74.0	-22.14	Peak	162.00	150	Vertical	Pass
5**	10186.651	42.71	0.20	54.0	-11.29	AV	162.00	150	Vertical	Pass
6	13301.512	56.17	0.87	74.0	-17.83	Peak	82.00	150	Vertical	Pass
6**	13301.512	47.07	0.87	54.0	-6.93	AV	82.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1540.700	40.02	-17.52	74.0	-33.98	Peak	84.00	150	Horizontal	Pass
1**	1540.700	29.91	-17.52	54.0	-24.09	AV	84.00	150	Horizontal	Pass
2	2438.100	106.27	-12.60	74.0	32.27	Peak	195.00	150	Horizontal	N/A
2**	2438.100	98.84	-12.60	54.0	44.84	AV	195.00	150	Horizontal	N/A
3	4368.800	49.77	-4.31	74.0	-24.23	Peak	127.00	150	Horizontal	Pass
3**	4368.800	40.55	-4.31	54.0	-13.45	AV	127.00	150	Horizontal	Pass
4	6611.000	54.59	0.19	74.0	-19.41	Peak	193.00	150	Horizontal	Pass
4**	6611.000	45.93	0.19	54.0	-8.07	AV	193.00	150	Horizontal	Pass
5	10192.113	52.46	0.34	74.0	-21.54	Peak	60.00	150	Horizontal	Pass
5**	10192.113	42.61	0.34	54.0	-11.39	AV	60.00	150	Horizontal	Pass
6	13402.050	56.74	0.54	74.0	-17.26	Peak	60.00	150	Horizontal	Pass
6**	13402.050	47.02	0.54	54.0	-6.98	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1402.700	38.87	-17.42	74.0	-35.13	Peak	230.00	150	Vertical	Pass
1**	1402.700	29.28	-17.42	54.0	-24.72	AV	230.00	150	Vertical	Pass
2	2438.800	91.04	-12.62	74.0	17.04	Peak	189.00	150	Vertical	N/A
2**	2438.800	83.83	-12.62	54.0	29.83	AV	189.00	150	Vertical	N/A
3	4833.000	51.17	-3.54	74.0	-22.83	Peak	24.00	150	Vertical	Pass
3**	4833.000	42.48	-3.54	54.0	-11.52	AV	24.00	150	Vertical	Pass
4	6682.000	54.15	-0.47	74.0	-19.85	Peak	127.00	150	Vertical	Pass
4**	6682.000	45.53	-0.47	54.0	-8.47	AV	127.00	150	Vertical	Pass
5	10148.412	52.04	0.01	74.0	-21.96	Peak	173.00	150	Vertical	Pass
5**	10148.412	42.94	0.01	54.0	-11.06	AV	173.00	150	Vertical	Pass
6	13407.563	55.94	0.53	74.0	-18.06	Peak	167.00	150	Vertical	Pass
6**	13407.563	46.83	0.53	54.0	-7.17	AV	167.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.700	39.22	-17.35	74.0	-34.78	Peak	77.00	150	Horizontal	Pass
1**	1450.700	29.10	-17.35	54.0	-24.90	AV	77.00	150	Horizontal	Pass
2	2459.900	105.98	-12.75	74.0	31.98	Peak	197.00	150	Horizontal	N/A
2**	2459.900	97.94	-12.75	54.0	43.94	AV	197.00	150	Horizontal	N/A
3	4578.200	50.51	-3.81	74.0	-23.49	Peak	351.00	150	Horizontal	Pass
3**	4578.200	40.07	-3.81	54.0	-13.93	AV	351.00	150	Horizontal	Pass
4	6606.800	54.48	0.16	74.0	-19.52	Peak	0.00	150	Horizontal	Pass
4**	6606.800	45.71	0.16	54.0	-8.29	AV	0.00	150	Horizontal	Pass
5	7384.675	48.26	-3.87	74.0	-25.74	Peak	307.00	150	Horizontal	Pass
5**	7384.675	45.88	-3.87	54.0	-8.12	AV	307.00	150	Horizontal	Pass
6	13406.250	56.12	0.54	74.0	-17.88	Peak	357.00	150	Horizontal	Pass
6**	13406.250	47.41	0.54	54.0	-6.59	AV	357.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.400	39.21	-17.61	74.0	-34.79	Peak	354.00	150	Vertical	Pass
1**	1486.400	29.03	-17.61	54.0	-24.97	AV	354.00	150	Vertical	Pass
2	2460.800	91.66	-12.75	74.0	17.66	Peak	117.00	150	Vertical	N/A
2**	2460.800	84.07	-12.75	54.0	30.07	AV	117.00	150	Vertical	N/A
3	5158.400	51.80	-2.82	74.0	-22.20	Peak	360.00	150	Vertical	Pass
3**	5158.400	41.96	-2.82	54.0	-12.04	AV	360.00	150	Vertical	Pass
4	6682.600	53.73	-0.43	74.0	-20.27	Peak	0.00	150	Vertical	Pass
4**	6682.600	44.73	-0.43	54.0	-9.27	AV	0.00	150	Vertical	Pass
5	10543.438	52.38	-0.63	74.0	-21.62	Peak	103.00	150	Vertical	Pass
5**	10543.438	42.23	-0.63	54.0	-11.77	AV	103.00	150	Vertical	Pass
6	13410.713	55.74	0.49	74.0	-18.26	Peak	122.00	150	Vertical	Pass
6**	13410.713	46.47	0.49	54.0	-7.53	AV	122.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1346.500	39.28	-17.31	74.0	-34.72	Peak	57.00	150	Horizontal	Pass
1**	1346.500	28.74	-17.31	54.0	-25.26	AV	57.00	150	Horizontal	Pass
2	2420.300	103.30	-12.37	74.0	29.30	Peak	196.00	150	Horizontal	N/A
2**	2420.300	96.16	-12.37	54.0	42.16	AV	196.00	150	Horizontal	N/A
3	3955.400	48.79	-4.69	74.0	-25.21	Peak	66.00	150	Horizontal	Pass
3**	3955.400	39.26	-4.69	54.0	-14.74	AV	66.00	150	Horizontal	Pass
4	6674.600	54.19	-0.66	74.0	-19.81	Peak	360.00	150	Horizontal	Pass
4**	6674.600	44.56	-0.66	54.0	-9.44	AV	360.00	150	Horizontal	Pass
5	10342.475	52.06	0.06	74.0	-21.94	Peak	78.00	150	Horizontal	Pass
5**	10342.475	42.47	0.06	54.0	-11.53	AV	78.00	150	Horizontal	Pass
6	13421.737	55.98	0.40	74.0	-18.02	Peak	41.00	150	Horizontal	Pass
6**	13421.737	47.15	0.40	54.0	-6.85	AV	41.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1421.600	39.13	-17.39	74.0	-34.87	Peak	8.00	150	Vertical	Pass
1**	1421.600	29.63	-17.39	54.0	-24.37	AV	8.00	150	Vertical	Pass
2	2414.800	88.35	-12.26	74.0	14.35	Peak	158.00	150	Vertical	N/A
2**	2414.800	79.87	-12.26	54.0	25.87	AV	158.00	150	Vertical	N/A
3	4799.200	51.09	-2.55	74.0	-22.91	Peak	191.00	150	Vertical	Pass
3**	4799.200	42.27	-2.55	54.0	-11.73	AV	191.00	150	Vertical	Pass
4	6680.800	54.64	-0.52	74.0	-19.36	Peak	243.00	150	Vertical	Pass
4**	6680.800	45.41	-0.52	54.0	-8.59	AV	243.00	150	Vertical	Pass
5	10171.987	52.10	-0.20	74.0	-21.90	Peak	99.00	150	Vertical	Pass
5**	10171.987	42.95	-0.20	54.0	-11.05	AV	99.00	150	Vertical	Pass
6	13294.162	56.10	0.83	74.0	-17.90	Peak	40.00	150	Vertical	Pass
6**	13294.162	46.44	0.83	54.0	-7.56	AV	40.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1633.300	38.54	-17.56	74.0	-35.46	Peak	154.00	150	Horizontal	Pass
1**	1633.300	29.13	-17.56	54.0	-24.87	AV	154.00	150	Horizontal	Pass
2	2430.600	103.97	-12.78	74.0	29.97	Peak	212.00	150	Horizontal	N/A
2**	2430.600	95.61	-12.78	54.0	41.61	AV	212.00	150	Horizontal	N/A
3	4924.200	51.59	-2.60	74.0	-22.41	Peak	0.00	150	Horizontal	Pass
3**	4924.200	42.90	-2.60	54.0	-11.10	AV	0.00	150	Horizontal	Pass
4	6609.400	53.93	0.15	74.0	-20.07	Peak	131.00	150	Horizontal	Pass
4**	6609.400	45.01	0.15	54.0	-8.99	AV	131.00	150	Horizontal	Pass
5	10928.687	52.25	0.11	74.0	-21.75	Peak	159.00	150	Horizontal	Pass
5**	10928.687	43.42	0.11	54.0	-10.58	AV	159.00	150	Horizontal	Pass
6	16376.438	56.98	1.82	74.0	-17.02	Peak	264.00	150	Horizontal	Pass
6**	16376.438	46.27	1.82	54.0	-7.73	AV	264.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.700	39.33	-17.50	74.0	-34.67	Peak	216.00	150	Vertical	Pass
1**	1545.700	29.88	-17.50	54.0	-24.12	AV	216.00	150	Vertical	Pass
2	2424.100	90.32	-12.81	74.0	16.32	Peak	187.00	150	Vertical	N/A
2**	2424.100	82.55	-12.81	54.0	28.55	AV	187.00	150	Vertical	N/A
3	4612.800	50.59	-4.15	74.0	-23.41	Peak	123.00	150	Vertical	Pass
3**	4612.800	41.27	-4.15	54.0	-12.73	AV	123.00	150	Vertical	Pass
4	6687.800	54.08	-0.24	74.0	-19.92	Peak	0.00	150	Vertical	Pass
4**	6687.800	44.60	-0.24	54.0	-9.40	AV	0.00	150	Vertical	Pass
5	10193.838	52.38	0.39	74.0	-21.62	Peak	0.00	150	Vertical	Pass
5**	10193.838	43.38	0.39	54.0	-10.62	AV	0.00	150	Vertical	Pass
6	16081.125	57.04	1.62	74.0	-16.96	Peak	54.00	150	Vertical	Pass
6**	16081.125	47.59	1.62	54.0	-6.41	AV	54.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1528.700	38.96	-17.48	74.0	-35.04	Peak	207.00	150	Horizontal	Pass
1**	1528.700	29.38	-17.48	54.0	-24.62	AV	207.00	150	Horizontal	Pass
2	2427.900	103.65	-12.80	74.0	29.65	Peak	360.00	150	Horizontal	N/A
2**	2427.900	95.82	-12.80	54.0	41.82	AV	360.00	150	Horizontal	N/A
3	4815.200	50.95	-3.08	74.0	-23.05	Peak	118.00	150	Horizontal	Pass
3**	4815.200	42.81	-3.08	54.0	-11.19	AV	118.00	150	Horizontal	Pass
4	6683.200	55.03	-0.40	74.0	-18.97	Peak	27.00	150	Horizontal	Pass
4**	6683.200	46.00	-0.40	54.0	-8.00	AV	27.00	150	Horizontal	Pass
5	10319.762	52.12	-0.19	74.0	-21.88	Peak	324.00	150	Horizontal	Pass
5**	10319.762	42.53	-0.19	54.0	-11.47	AV	324.00	150	Horizontal	Pass
6	17210.401	57.38	1.48	74.0	-16.62	Peak	0.00	150	Horizontal	Pass
6**	17210.401	47.62	1.48	54.0	-6.38	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1768.200	39.81	-16.95	74.0	-34.19	Peak	360.00	150	Vertical	Pass
1**	1768.200	30.48	-16.95	54.0	-23.52	AV	360.00	150	Vertical	Pass
2	2427.200	90.13	-12.79	74.0	16.13	Peak	191.00	150	Vertical	N/A
2**	2427.200	82.84	-12.79	54.0	28.84	AV	191.00	150	Vertical	N/A
3	4808.800	51.56	-2.95	74.0	-22.44	Peak	285.00	150	Vertical	Pass
3**	4808.800	41.58	-2.95	54.0	-12.42	AV	285.00	150	Vertical	Pass
4	6680.200	53.87	-0.53	74.0	-20.13	Peak	349.00	150	Vertical	Pass
4**	6680.200	45.39	-0.53	54.0	-8.61	AV	349.00	150	Vertical	Pass
5	10482.201	52.11	-0.86	74.0	-21.89	Peak	324.00	150	Vertical	Pass
5**	10482.201	43.08	-0.86	54.0	-10.92	AV	324.00	150	Vertical	Pass
6	17129.813	57.10	2.26	74.0	-16.90	Peak	0.00	150	Vertical	Pass
6**	17129.813	47.99	2.26	54.0	-6.01	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1516.300	38.97	-17.58	74.0	-35.03	Peak	211.00	150	Horizontal	Pass
1**	1516.300	29.02	-17.58	54.0	-24.98	AV	211.00	150	Horizontal	Pass
2	2431.500	103.05	-12.79	74.0	29.05	Peak	200.00	150	Horizontal	N/A
2**	2431.500	95.35	-12.79	54.0	41.35	AV	200.00	150	Horizontal	N/A
3	5206.800	52.17	-2.45	74.0	-21.83	Peak	316.00	150	Horizontal	Pass
3**	5206.800	41.94	-2.45	54.0	-12.06	AV	316.00	150	Horizontal	Pass
4	6998.800	54.03	0.24	74.0	-19.97	Peak	91.00	150	Horizontal	Pass
4**	6998.800	44.82	0.24	54.0	-9.18	AV	91.00	150	Horizontal	Pass
5	9683.812	51.92	0.17	74.0	-22.08	Peak	147.00	150	Horizontal	Pass
5**	9683.812	41.59	0.17	54.0	-12.41	AV	147.00	150	Horizontal	Pass
6	13425.412	55.91	0.40	74.0	-18.09	Peak	42.00	150	Horizontal	Pass
6**	13425.412	46.24	0.40	54.0	-7.76	AV	42.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.500	38.97	-17.48	74.0	-35.03	Peak	153.00	150	Vertical	Pass
1**	1459.500	29.89	-17.48	54.0	-24.11	AV	153.00	150	Vertical	Pass
2	2430.900	87.76	-12.78	74.0	13.76	Peak	175.00	150	Vertical	N/A
2**	2430.900	79.71	-12.78	54.0	25.71	AV	175.00	150	Vertical	N/A
3	4425.000	49.86	-4.77	74.0	-24.14	Peak	89.00	150	Vertical	Pass
3**	4425.000	39.28	-4.77	54.0	-14.72	AV	89.00	150	Vertical	Pass
4	6739.200	54.35	-0.20	74.0	-19.65	Peak	10.00	150	Vertical	Pass
4**	6739.200	45.53	-0.20	54.0	-8.47	AV	10.00	150	Vertical	Pass
5	10211.088	52.23	0.22	74.0	-21.77	Peak	289.00	150	Vertical	Pass
5**	10211.088	42.35	0.22	54.0	-11.65	AV	289.00	150	Vertical	Pass
6	13393.912	56.34	0.64	74.0	-17.66	Peak	360.00	150	Vertical	Pass
6**	13393.912	46.65	0.64	54.0	-7.35	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.600	38.86	-17.46	74.0	-35.14	Peak	265.00	150	Horizontal	Pass
1**	1404.600	28.98	-17.46	54.0	-25.02	AV	265.00	150	Horizontal	Pass
2	2444.100	102.96	-12.77	74.0	28.96	Peak	0.00	150	Horizontal	N/A
2**	2444.100	95.61	-12.77	54.0	41.61	AV	0.00	150	Horizontal	N/A
3	4711.600	50.31	-3.90	74.0	-23.69	Peak	76.00	150	Horizontal	Pass
3**	4711.600	41.06	-3.90	54.0	-12.94	AV	76.00	150	Horizontal	Pass
4	6605.400	53.60	0.07	74.0	-20.40	Peak	315.00	150	Horizontal	Pass
4**	6605.400	45.30	0.07	54.0	-8.70	AV	315.00	150	Horizontal	Pass
5	10302.224	52.56	-0.34	74.0	-21.44	Peak	0.00	150	Horizontal	Pass
5**	10302.224	42.42	-0.34	54.0	-11.58	AV	0.00	150	Horizontal	Pass
6	13421.475	56.34	0.40	74.0	-17.66	Peak	233.00	150	Horizontal	Pass
6**	13421.475	46.96	0.40	54.0	-7.04	AV	233.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.900	38.88	-17.61	74.0	-35.12	Peak	355.00	150	Vertical	Pass
1**	1504.900	29.70	-17.61	54.0	-24.30	AV	355.00	150	Vertical	Pass
2	2453.900	87.58	-12.66	74.0	13.58	Peak	121.00	150	Vertical	N/A
2**	2453.900	80.24	-12.66	54.0	26.24	AV	121.00	150	Vertical	N/A
3	5089.400	52.52	-2.46	74.0	-21.48	Peak	184.00	150	Vertical	Pass
3**	5089.400	42.58	-2.46	54.0	-11.42	AV	184.00	150	Vertical	Pass
4	6262.800	53.82	-1.07	74.0	-20.18	Peak	360.00	150	Vertical	Pass
4**	6262.800	44.07	-1.07	54.0	-9.93	AV	360.00	150	Vertical	Pass
5	10148.987	52.05	0.01	74.0	-21.95	Peak	36.00	150	Vertical	Pass
5**	10148.987	42.51	0.01	54.0	-11.49	AV	36.00	150	Vertical	Pass
6	13301.775	56.99	0.87	74.0	-17.01	Peak	18.00	150	Vertical	Pass
6**	13301.775	47.11	0.87	54.0	-6.89	AV	18.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.000	39.16	-17.66	74.0	-34.84	Peak	0.00	150	Horizontal	Pass
1**	1519.000	29.37	-17.66	54.0	-24.63	AV	0.00	150	Horizontal	Pass
2	2413.700	106.99	-12.26	74.0	32.99	Peak	341.00	150	Horizontal	N/A
2**	2413.700	98.15	-12.26	54.0	44.15	AV	341.00	150	Horizontal	N/A
3	4797.000	51.42	-2.64	74.0	-22.58	Peak	238.00	150	Horizontal	Pass
3**	4797.000	41.70	-2.64	54.0	-12.30	AV	238.00	150	Horizontal	Pass
4	6682.400	54.10	-0.45	74.0	-19.90	Peak	132.00	150	Horizontal	Pass
4**	6682.400	44.73	-0.45	54.0	-9.27	AV	132.00	150	Horizontal	Pass
5	10320.912	52.08	-0.16	74.0	-21.92	Peak	54.00	150	Horizontal	Pass
5**	10320.912	42.90	-0.16	54.0	-11.10	AV	54.00	150	Horizontal	Pass
6	13299.412	55.46	0.86	74.0	-18.54	Peak	325.00	150	Horizontal	Pass
6**	13299.412	47.14	0.86	54.0	-6.86	AV	325.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1924.600	41.46	-15.81	74.0	-32.54	Peak	262.00	150	Vertical	Pass
1**	1924.600	30.91	-15.81	54.0	-23.09	AV	262.00	150	Vertical	Pass
2	2416.800	92.97	-12.25	74.0	18.97	Peak	151.00	150	Vertical	N/A
2**	2416.800	83.41	-12.25	54.0	29.41	AV	151.00	150	Vertical	N/A
3	5133.600	52.39	-2.25	74.0	-21.61	Peak	0.00	150	Vertical	Pass
3**	5133.600	43.56	-2.25	54.0	-10.44	AV	0.00	150	Vertical	Pass
4	6691.000	53.91	-0.29	74.0	-20.09	Peak	259.00	150	Vertical	Pass
4**	6691.000	45.30	-0.29	54.0	-8.70	AV	259.00	150	Vertical	Pass
5	10424.125	51.68	0.03	74.0	-22.32	Peak	325.00	150	Vertical	Pass
5**	10424.125	43.00	0.03	54.0	-11.00	AV	325.00	150	Vertical	Pass
6	13419.112	56.31	0.40	74.0	-17.69	Peak	360.00	150	Vertical	Pass
6**	13419.112	46.77	0.40	54.0	-7.23	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1461.800	38.82	-17.39	74.0	-35.18	Peak	49.00	150	Horizontal	Pass
1**	1461.800	29.56	-17.39	54.0	-24.44	AV	49.00	150	Horizontal	Pass
2	2436.600	107.34	-12.69	74.0	33.34	Peak	339.00	150	Horizontal	N/A
2**	2436.600	98.21	-12.69	54.0	44.21	AV	339.00	150	Horizontal	N/A
3	4160.600	49.00	-4.92	74.0	-25.00	Peak	230.00	150	Horizontal	Pass
3**	4160.600	39.61	-4.92	54.0	-14.39	AV	230.00	150	Horizontal	Pass
4	6681.400	54.77	-0.50	74.0	-19.23	Peak	242.00	150	Horizontal	Pass
4**	6681.400	44.69	-0.50	54.0	-9.31	AV	242.00	150	Horizontal	Pass
5	10423.550	52.15	0.04	74.0	-21.85	Peak	152.00	150	Horizontal	Pass
5**	10423.550	42.75	0.04	54.0	-11.25	AV	152.00	150	Horizontal	Pass
6	13411.500	55.98	0.48	74.0	-18.02	Peak	325.00	150	Horizontal	Pass
6**	13411.500	46.65	0.48	54.0	-7.35	AV	325.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.400	38.95	-17.64	74.0	-35.05	Peak	0.00	150	Vertical	Pass
1**	1525.400	29.93	-17.64	54.0	-24.07	AV	0.00	150	Vertical	Pass
2	2435.900	93.84	-12.77	74.0	19.84	Peak	249.00	150	Vertical	N/A
2**	2435.900	83.80	-12.77	54.0	29.80	AV	249.00	150	Vertical	N/A
3	4362.600	49.25	-3.81	74.0	-24.75	Peak	360.00	150	Vertical	Pass
3**	4362.600	40.15	-3.81	54.0	-13.85	AV	360.00	150	Vertical	Pass
4	6682.200	53.76	-0.46	74.0	-20.24	Peak	1.00	150	Vertical	Pass
4**	6682.200	45.21	-0.46	54.0	-8.79	AV	1.00	150	Vertical	Pass
5	11104.925	53.17	-0.88	74.0	-20.83	Peak	305.00	150	Vertical	Pass
5**	11104.925	43.07	-0.88	54.0	-10.93	AV	305.00	150	Vertical	Pass
6	13324.349	55.90	0.92	74.0	-18.10	Peak	63.00	150	Vertical	Pass
6**	13324.349	46.88	0.92	54.0	-7.12	AV	63.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) CHANNEL 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.900	39.21	-17.61	74.0	-34.79	Peak	241.00	150	Horizontal	Pass
1**	1504.900	29.17	-17.61	54.0	-24.83	AV	241.00	150	Horizontal	Pass
2	2455.000	106.69	-12.67	74.0	32.69	Peak	225.00	150	Horizontal	N/A
2**	2455.000	98.73	-12.67	54.0	44.73	AV	225.00	150	Horizontal	N/A
3	4796.800	50.83	-2.66	74.0	-23.17	Peak	280.00	150	Horizontal	Pass
3**	4796.800	42.15	-2.66	54.0	-11.85	AV	280.00	150	Horizontal	Pass
4	6677.000	54.34	-0.58	74.0	-19.66	Peak	349.00	150	Horizontal	Pass
4**	6677.000	45.69	-0.58	54.0	-8.31	AV	349.00	150	Horizontal	Pass
5	10150.713	52.79	-0.02	74.0	-21.21	Peak	222.00	150	Horizontal	Pass
5**	10150.713	42.94	-0.02	54.0	-11.06	AV	222.00	150	Horizontal	Pass
6	16083.750	56.84	1.56	74.0	-17.16	Peak	119.00	150	Horizontal	Pass
6**	16083.750	47.72	1.56	54.0	-6.28	AV	119.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CHANNEL 10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1660.300	39.11	-17.60	74.0	-34.89	Peak	225.00	150	Vertical	Pass
1**	1660.300	29.47	-17.60	54.0	-24.53	AV	225.00	150	Vertical	Pass
2	2458.200	93.81	-12.75	74.0	19.81	Peak	211.00	150	Vertical	N/A
2**	2458.200	85.43	-12.75	54.0	31.43	AV	211.00	150	Vertical	N/A
3	4810.800	51.36	-3.00	74.0	-22.64	Peak	22.00	150	Vertical	Pass
3**	4810.800	41.59	-3.00	54.0	-12.41	AV	22.00	150	Vertical	Pass
4	6683.400	54.15	-0.38	74.0	-19.85	Peak	68.00	150	Vertical	Pass
4**	6683.400	45.54	-0.38	54.0	-8.46	AV	68.00	150	Vertical	Pass
5	10153.875	52.26	-0.12	74.0	-21.74	Peak	120.00	150	Vertical	Pass
5**	10153.875	42.34	-0.12	54.0	-11.66	AV	120.00	150	Vertical	Pass
6	17900.511	58.21	3.70	74.0	-15.79	Peak	198.00	150	Vertical	Pass
6**	17900.511	47.93	3.70	54.0	-6.07	AV	198.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1430.300	38.72	-17.29	74.0	-35.28	Peak	0.00	150	Horizontal	Pass
1**	1430.300	29.33	-17.29	54.0	-24.67	AV	0.00	150	Horizontal	Pass
2	2462.600	106.54	-12.79	74.0	32.54	Peak	207.00	150	Horizontal	N/A
2**	2462.600	98.26	-12.79	54.0	44.26	AV	207.00	150	Horizontal	N/A
3	5123.000	51.65	-2.19	74.0	-22.35	Peak	120.00	150	Horizontal	Pass
3**	5123.000	41.94	-2.19	54.0	-12.06	AV	120.00	150	Horizontal	Pass
4	6684.200	54.75	-0.30	74.0	-19.25	Peak	192.00	150	Horizontal	Pass
4**	6684.200	45.77	-0.30	54.0	-8.23	AV	192.00	150	Horizontal	Pass
5	10197.000	52.10	0.45	74.0	-21.90	Peak	191.00	150	Horizontal	Pass
5**	10197.000	43.48	0.45	54.0	-10.52	AV	191.00	150	Horizontal	Pass
6	13316.737	55.98	0.89	74.0	-18.02	Peak	299.00	150	Horizontal	Pass
6**	13316.737	46.87	0.89	54.0	-7.13	AV	299.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.600	39.23	-17.64	74.0	-34.77	Peak	31.00	150	Vertical	Pass
1**	1595.600	29.07	-17.64	54.0	-24.93	AV	31.00	150	Vertical	Pass
2	2461.300	93.39	-12.75	74.0	19.39	Peak	113.00	150	Vertical	N/A
2**	2461.300	83.68	-12.75	54.0	29.68	AV	113.00	150	Vertical	N/A
3	4812.600	51.35	-3.05	74.0	-22.65	Peak	49.00	150	Vertical	Pass
3**	4812.600	41.63	-3.05	54.0	-12.37	AV	49.00	150	Vertical	Pass
4	6615.800	53.93	0.10	74.0	-20.07	Peak	129.00	150	Vertical	Pass
4**	6615.800	44.09	0.10	54.0	-9.91	AV	129.00	150	Vertical	Pass
5	10195.562	51.87	0.44	74.0	-22.13	Peak	16.00	150	Vertical	Pass
5**	10195.562	43.03	0.44	54.0	-10.97	AV	16.00	150	Vertical	Pass
6	13298.888	55.78	0.86	74.0	-18.22	Peak	169.00	150	Vertical	Pass
6**	13298.888	47.74	0.86	54.0	-6.26	AV	169.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.100	39.31	-17.49	74.0	-34.69	Peak	128.00	150	Horizontal	Pass
1**	1457.100	29.80	-17.49	54.0	-24.20	AV	128.00	150	Horizontal	Pass
2	2420.600	104.12	-12.39	74.0	30.12	Peak	202.00	150	Horizontal	N/A
2**	2420.600	96.15	-12.39	54.0	42.15	AV	202.00	150	Horizontal	N/A
3	4836.200	52.02	-3.42	74.0	-21.98	Peak	330.00	150	Horizontal	Pass
3**	4836.200	41.27	-3.42	54.0	-12.73	AV	330.00	150	Horizontal	Pass
4	6682.600	54.12	-0.43	74.0	-19.88	Peak	196.00	150	Horizontal	Pass
4**	6682.600	44.93	-0.43	54.0	-9.07	AV	196.00	150	Horizontal	Pass
5	10199.012	52.90	0.48	74.0	-21.10	Peak	346.00	150	Horizontal	Pass
5**	10199.012	43.17	0.48	54.0	-10.83	AV	346.00	150	Horizontal	Pass
6	13300.463	56.09	0.87	74.0	-17.91	Peak	360.00	150	Horizontal	Pass
6**	13300.463	46.43	0.87	54.0	-7.57	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.100	38.64	-17.47	74.0	-35.36	Peak	327.00	150	Vertical	Pass
1**	1590.100	29.41	-17.47	54.0	-24.59	AV	327.00	150	Vertical	Pass
2	2419.300	89.40	-12.31	74.0	15.40	Peak	181.00	150	Vertical	N/A
2**	2419.300	80.67	-12.31	54.0	26.67	AV	181.00	150	Vertical	N/A
3	4819.200	50.95	-3.32	74.0	-23.05	Peak	169.00	150	Vertical	Pass
3**	4819.200	41.91	-3.32	54.0	-12.09	AV	169.00	150	Vertical	Pass
4	6282.400	54.63	-0.23	74.0	-19.37	Peak	235.00	150	Vertical	Pass
4**	6282.400	44.38	-0.23	54.0	-9.62	AV	235.00	150	Vertical	Pass
5	10325.512	52.19	-0.06	74.0	-21.81	Peak	171.00	150	Vertical	Pass
5**	10325.512	42.81	-0.06	54.0	-11.19	AV	171.00	150	Vertical	Pass
6	13418.063	56.24	0.40	74.0	-17.76	Peak	331.00	150	Vertical	Pass
6**	13418.063	47.34	0.40	54.0	-6.66	AV	331.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1635.600	38.47	-17.56	74.0	-35.53	Peak	61.00	150	Horizontal	Pass
1**	1635.600	29.70	-17.56	54.0	-24.30	AV	61.00	150	Horizontal	Pass
2	2422.000	104.46	-12.55	74.0	30.46	Peak	347.00	150	Horizontal	N/A
2**	2422.000	95.77	-12.55	54.0	41.77	AV	347.00	150	Horizontal	N/A
3	4799.400	51.90	-2.55	74.0	-22.10	Peak	19.00	150	Horizontal	Pass
3**	4799.400	42.43	-2.55	54.0	-11.57	AV	19.00	150	Horizontal	Pass
4	6266.600	54.12	-0.58	74.0	-19.88	Peak	100.00	150	Horizontal	Pass
4**	6266.600	45.19	-0.58	54.0	-8.81	AV	100.00	150	Horizontal	Pass
5	10430.737	52.41	-0.12	74.0	-21.59	Peak	249.00	150	Horizontal	Pass
5**	10430.737	43.30	-0.12	54.0	-10.70	AV	249.00	150	Horizontal	Pass
6	15854.850	56.36	1.20	74.0	-17.64	Peak	0.00	150	Horizontal	Pass
6**	15854.850	47.38	1.20	54.0	-6.62	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1410.800	39.80	-17.54	74.0	-34.20	Peak	0.00	150	Vertical	Pass
1**	1410.800	29.19	-17.54	54.0	-24.81	AV	0.00	150	Vertical	Pass
2	2424.100	91.48	-12.81	74.0	17.48	Peak	187.00	150	Vertical	N/A
2**	2424.100	82.38	-12.81	54.0	28.38	AV	187.00	150	Vertical	N/A
3	4789.200	51.25	-2.76	74.0	-22.75	Peak	93.00	150	Vertical	Pass
3**	4789.200	42.66	-2.76	54.0	-11.34	AV	93.00	150	Vertical	Pass
4	6603.400	53.73	-0.07	74.0	-20.27	Peak	173.00	150	Vertical	Pass
4**	6603.400	45.15	-0.07	54.0	-8.85	AV	173.00	150	Vertical	Pass
5	9828.138	52.39	-0.27	74.0	-21.61	Peak	222.00	150	Vertical	Pass
5**	9828.138	41.75	-0.27	54.0	-12.25	AV	222.00	150	Vertical	Pass
6	17196.489	57.81	2.10	74.0	-16.19	Peak	217.00	150	Vertical	Pass
6**	17196.489	47.78	2.10	54.0	-6.22	AV	217.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	39.07	-17.57	74.0	-34.93	Peak	273.00	150	Horizontal	Pass
1**	1500.400	29.40	-17.57	54.0	-24.60	AV	273.00	150	Horizontal	Pass
2	2440.900	105.66	-12.80	74.0	31.66	Peak	360.00	150	Horizontal	N/A
2**	2440.900	95.55	-12.80	54.0	41.55	AV	360.00	150	Horizontal	N/A
3	4799.600	50.98	-2.55	74.0	-23.02	Peak	176.00	150	Horizontal	Pass
3**	4799.600	42.67	-2.55	54.0	-11.33	AV	176.00	150	Horizontal	Pass
4	6677.000	54.63	-0.58	74.0	-19.37	Peak	158.00	150	Horizontal	Pass
4**	6677.000	45.35	-0.58	54.0	-8.65	AV	158.00	150	Horizontal	Pass
5	10266.000	52.44	0.44	74.0	-21.56	Peak	122.00	150	Horizontal	Pass
5**	10266.000	42.09	0.44	54.0	-11.91	AV	122.00	150	Horizontal	Pass
6	17202.786	57.74	1.75	74.0	-16.26	Peak	331.00	150	Horizontal	Pass
6**	17202.786	47.76	1.75	54.0	-6.24	AV	331.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2009.300	41.79	-15.23	74.0	-32.21	Peak	0.00	150	Vertical	Pass
1**	2009.300	31.83	-15.23	54.0	-22.17	AV	0.00	150	Vertical	Pass
2	2422.000	91.35	-12.55	74.0	17.35	Peak	192.00	150	Vertical	N/A
2**	2422.000	82.19	-12.55	54.0	28.19	AV	192.00	150	Vertical	N/A
3	4724.000	50.59	-3.72	74.0	-23.41	Peak	360.00	150	Vertical	Pass
3**	4724.000	40.59	-3.72	54.0	-13.41	AV	360.00	150	Vertical	Pass
4	6683.200	54.72	-0.40	74.0	-19.28	Peak	239.00	150	Vertical	Pass
4**	6683.200	46.33	-0.40	54.0	-7.67	AV	239.00	150	Vertical	Pass
5	10089.475	52.78	-0.11	74.0	-21.22	Peak	120.00	150	Vertical	Pass
5**	10089.475	42.20	-0.11	54.0	-11.80	AV	120.00	150	Vertical	Pass
6	17182.575	57.44	2.60	74.0	-16.56	Peak	89.00	150	Vertical	Pass
6**	17182.575	47.09	2.60	54.0	-6.91	AV	89.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1419.700	38.73	-17.51	74.0	-35.27	Peak	137.00	150	Horizontal	Pass
1**	1419.700	29.04	-17.51	54.0	-24.96	AV	137.00	150	Horizontal	Pass
2	2435.900	104.57	-12.77	74.0	30.57	Peak	201.00	150	Horizontal	N/A
2**	2435.900	94.77	-12.77	54.0	40.77	AV	201.00	150	Horizontal	N/A
3	4801.200	51.61	-2.58	74.0	-22.39	Peak	238.00	150	Horizontal	Pass
3**	4801.200	42.27	-2.58	54.0	-11.73	AV	238.00	150	Horizontal	Pass
4	6609.200	54.31	0.14	74.0	-19.69	Peak	0.00	150	Horizontal	Pass
4**	6609.200	45.38	0.14	54.0	-8.62	AV	0.00	150	Horizontal	Pass
5	7307.337	46.30	-3.55	74.0	-27.70	Peak	0.00	150	Horizontal	Pass
5**	7307.337	43.85	-3.55	54.0	-10.15	AV	0.00	150	Horizontal	Pass
6	13411.500	56.54	0.48	74.0	-17.46	Peak	360.00	150	Horizontal	Pass
6**	13411.500	47.92	0.48	54.0	-6.08	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1631.400	39.66	-17.59	74.0	-34.34	Peak	36.00	150	Vertical	Pass
1**	1631.400	29.54	-17.59	54.0	-24.46	AV	36.00	150	Vertical	Pass
2	2444.900	90.51	-12.74	74.0	16.51	Peak	125.00	150	Vertical	N/A
2**	2444.900	78.91	-12.74	54.0	24.91	AV	125.00	150	Vertical	N/A
3	3770.200	48.44	-6.23	74.0	-25.56	Peak	172.00	150	Vertical	Pass
3**	3770.200	37.96	-6.23	54.0	-16.04	AV	172.00	150	Vertical	Pass
4	6273.800	53.84	-0.21	74.0	-20.16	Peak	78.00	150	Vertical	Pass
4**	6273.800	44.04	-0.21	54.0	-9.96	AV	78.00	150	Vertical	Pass
5	10338.737	51.56	0.08	74.0	-22.44	Peak	0.00	150	Vertical	Pass
5**	10338.737	43.42	0.08	54.0	-10.58	AV	0.00	150	Vertical	Pass
6	13360.050	55.99	0.83	74.0	-18.01	Peak	349.00	150	Vertical	Pass
6**	13360.050	46.00	0.83	54.0	-8.00	AV	349.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.400	38.98	-17.58	74.0	-35.02	Peak	13.00	150	Horizontal	Pass
1**	1506.400	29.11	-17.58	54.0	-24.89	AV	13.00	150	Horizontal	Pass
2	2445.000	106.59	-12.73	74.0	32.59	Peak	360.00	150	Horizontal	N/A
2**	2445.000	96.27	-12.73	54.0	42.27	AV	360.00	150	Horizontal	N/A
3	5153.200	53.01	-2.74	74.0	-20.99	Peak	346.00	150	Horizontal	Pass
3**	5153.200	42.41	-2.74	54.0	-11.59	AV	346.00	150	Horizontal	Pass
4	6676.200	54.17	-0.61	74.0	-19.83	Peak	103.00	150	Horizontal	Pass
4**	6676.200	44.88	-0.61	54.0	-9.12	AV	103.00	150	Horizontal	Pass
5	10487.375	51.59	-0.82	74.0	-22.41	Peak	222.00	150	Horizontal	Pass
5**	10487.375	42.81	-0.82	54.0	-11.19	AV	222.00	150	Horizontal	Pass
6	17244.787	57.06	1.59	74.0	-16.94	Peak	11.00	150	Horizontal	Pass
6**	17244.787	47.74	1.59	54.0	-6.26	AV	11.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1382.000	39.14	-17.34	74.0	-34.86	Peak	47.00	150	Vertical	Pass
1**	1382.000	29.32	-17.34	54.0	-24.68	AV	47.00	150	Vertical	Pass
2	2431.600	92.27	-12.80	74.0	18.27	Peak	175.00	150	Vertical	N/A
2**	2431.600	82.19	-12.80	54.0	28.19	AV	175.00	150	Vertical	N/A
3	4907.800	51.62	-2.50	74.0	-22.38	Peak	28.00	150	Vertical	Pass
3**	4907.800	42.58	-2.50	54.0	-11.42	AV	28.00	150	Vertical	Pass
4	6673.800	53.78	-0.72	74.0	-20.22	Peak	28.00	150	Vertical	Pass
4**	6673.800	45.31	-0.72	54.0	-8.69	AV	28.00	150	Vertical	Pass
5	10200.162	52.96	0.49	74.0	-21.04	Peak	342.00	150	Vertical	Pass
5**	10200.162	42.78	0.49	54.0	-11.22	AV	342.00	150	Vertical	Pass
6	17182.839	57.46	2.59	74.0	-16.54	Peak	0.00	150	Vertical	Pass
6**	17182.839	47.10	2.59	54.0	-6.90	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1533.400	38.67	-17.54	74.0	-35.33	Peak	132.00	150	Horizontal	Pass
1**	1533.400	29.21	-17.54	54.0	-24.79	AV	132.00	150	Horizontal	Pass
2	2439.300	104.53	-12.63	74.0	30.53	Peak	360.00	150	Horizontal	N/A
2**	2439.300	94.75	-12.63	54.0	40.75	AV	360.00	150	Horizontal	N/A
3	4767.400	51.32	-3.22	74.0	-22.68	Peak	55.00	150	Horizontal	Pass
3**	4767.400	41.96	-3.22	54.0	-12.04	AV	55.00	150	Horizontal	Pass
4	6672.200	54.20	-0.80	74.0	-19.80	Peak	92.00	150	Horizontal	Pass
4**	6672.200	45.31	-0.80	54.0	-8.69	AV	92.00	150	Horizontal	Pass
5	10255.938	52.12	0.57	74.0	-21.88	Peak	360.00	150	Horizontal	Pass
5**	10255.938	42.38	0.57	54.0	-11.62	AV	360.00	150	Horizontal	Pass
6	15234.300	56.47	1.01	74.0	-17.53	Peak	360.00	150	Horizontal	Pass
6**	15234.300	46.75	1.01	54.0	-7.25	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.600	39.49	-17.62	74.0	-34.51	Peak	332.00	150	Vertical	Pass
1**	1607.600	29.30	-17.62	54.0	-24.70	AV	332.00	150	Vertical	Pass
2	2444.800	90.07	-12.74	74.0	16.07	Peak	182.00	150	Vertical	N/A
2**	2444.800	80.76	-12.74	54.0	26.76	AV	182.00	150	Vertical	N/A
3	4813.400	51.43	-3.07	74.0	-22.57	Peak	209.00	150	Vertical	Pass
3**	4813.400	41.46	-3.07	54.0	-12.54	AV	209.00	150	Vertical	Pass
4	6675.600	54.12	-0.63	74.0	-19.88	Peak	209.00	150	Vertical	Pass
4**	6675.600	45.65	-0.63	54.0	-8.35	AV	209.00	150	Vertical	Pass
5	10194.125	52.13	0.40	74.0	-21.87	Peak	257.00	150	Vertical	Pass
5**	10194.125	44.11	0.40	54.0	-9.89	AV	257.00	150	Vertical	Pass
6	17239.276	57.40	1.56	74.0	-16.60	Peak	0.00	150	Vertical	Pass
6**	17239.276	47.61	1.56	54.0	-6.39	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.200	39.15	-17.61	74.0	-34.85	Peak	125.00	150	Horizontal	Pass
1**	1517.200	29.68	-17.61	54.0	-24.32	AV	125.00	150	Horizontal	Pass
2	2448.300	105.14	-12.69	74.0	31.14	Peak	351.00	150	Horizontal	N/A
2**	2448.300	95.98	-12.69	54.0	41.98	AV	351.00	150	Horizontal	N/A
3	4888.000	51.87	-3.34	74.0	-22.13	Peak	65.00	150	Horizontal	Pass
3**	4888.000	41.16	-3.34	54.0	-12.84	AV	65.00	150	Horizontal	Pass
4	6610.800	54.36	0.19	74.0	-19.64	Peak	107.00	150	Horizontal	Pass
4**	6610.800	44.50	0.19	54.0	-9.50	AV	107.00	150	Horizontal	Pass
5	10441.950	51.58	-0.34	74.0	-22.42	Peak	81.00	150	Horizontal	Pass
5**	10441.950	41.85	-0.34	54.0	-12.15	AV	81.00	150	Horizontal	Pass
6	13412.813	55.72	0.45	74.0	-18.28	Peak	0.00	150	Horizontal	Pass
6**	13412.813	47.38	0.45	54.0	-6.62	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1424.400	39.19	-17.44	74.0	-34.81	Peak	234.00	150	Vertical	Pass
1**	1424.400	29.30	-17.44	54.0	-24.70	AV	234.00	150	Vertical	Pass
2	2437.600	89.20	-12.58	74.0	15.20	Peak	195.00	150	Vertical	N/A
2**	2437.600	79.84	-12.58	54.0	25.84	AV	195.00	150	Vertical	N/A
3	5116.400	52.21	-2.31	74.0	-21.79	Peak	147.00	150	Vertical	Pass
3**	5116.400	42.21	-2.31	54.0	-11.79	AV	147.00	150	Vertical	Pass
4	6683.400	53.54	-0.38	74.0	-20.46	Peak	351.00	150	Vertical	Pass
4**	6683.400	45.32	-0.38	54.0	-8.68	AV	351.00	150	Vertical	Pass
5	10114.775	52.15	-0.07	74.0	-21.85	Peak	304.00	150	Vertical	Pass
5**	10114.775	42.38	-0.07	54.0	-11.62	AV	304.00	150	Vertical	Pass
6	13449.037	55.97	0.60	74.0	-18.03	Peak	150.00	150	Vertical	Pass
6**	13449.037	46.02	0.60	54.0	-7.98	AV	150.00	150	Vertical	Pass

Aux. Antenna

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.700	39.39	-17.65	74.0	-34.61	Peak	187.00	150	Horizontal	Pass
1**	1616.700	29.41	-17.65	54.0	-24.59	AV	187.00	150	Horizontal	Pass
2	2410.700	99.31	-12.25	74.0	25.31	Peak	12.00	150	Horizontal	N/A
2**	2410.700	96.34	-12.25	54.0	42.34	AV	12.00	150	Horizontal	N/A
3	4824.000	52.32	-3.38	74.0	-21.68	Peak	360.00	150	Horizontal	Pass
3**	4824.000	47.72	-3.38	54.0	-6.28	AV	360.00	150	Horizontal	Pass
4	6677.000	54.17	-0.58	74.0	-19.83	Peak	68.00	150	Horizontal	Pass
4**	6677.000	45.18	-0.58	54.0	-8.82	AV	68.00	150	Horizontal	Pass
5	10320.338	52.18	-0.18	74.0	-21.82	Peak	233.00	150	Horizontal	Pass
5**	10320.338	43.63	-0.18	54.0	-10.37	AV	233.00	150	Horizontal	Pass
6	17418.824	57.36	3.73	74.0	-16.64	Peak	0.00	150	Horizontal	Pass
6**	17418.824	47.86	3.73	54.0	-6.14	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1682.900	39.47	-17.39	74.0	-34.53	Peak	291.00	150	Vertical	Pass
1**	1682.900	29.62	-17.39	54.0	-24.38	AV	291.00	150	Vertical	Pass
2	2413.000	94.53	-12.26	74.0	20.53	Peak	104.00	150	Vertical	N/A
2**	2413.000	91.74	-12.26	54.0	37.74	AV	104.00	150	Vertical	N/A
3	4626.000	50.69	-3.90	74.0	-23.31	Peak	186.00	150	Vertical	Pass
3**	4626.000	41.69	-3.90	54.0	-12.31	AV	186.00	150	Vertical	Pass
4	6607.200	54.87	0.16	74.0	-19.13	Peak	199.00	150	Vertical	Pass
4**	6607.200	45.69	0.16	54.0	-8.31	AV	199.00	150	Vertical	Pass
5	10153.588	52.33	-0.11	74.0	-21.67	Peak	360.00	150	Vertical	Pass
5**	10153.588	43.67	-0.11	54.0	-10.33	AV	360.00	150	Vertical	Pass
6	15839.362	56.65	1.45	74.0	-17.35	Peak	196.00	150	Vertical	Pass
6**	15839.362	46.82	1.45	54.0	-7.18	AV	196.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.500	39.31	-17.57	74.0	-34.69	Peak	354.00	150	Horizontal	Pass
1**	1480.500	30.44	-17.57	54.0	-23.56	AV	354.00	150	Horizontal	Pass
2	2438.100	101.93	-12.60	74.0	27.93	Peak	13.00	150	Horizontal	N/A
2**	2438.100	99.17	-12.60	54.0	45.17	AV	13.00	150	Horizontal	N/A
3	4874.400	50.52	-3.36	74.0	-23.48	Peak	189.00	150	Horizontal	Pass
3**	4874.400	47.40	-3.36	54.0	-6.60	AV	189.00	150	Horizontal	Pass
4	6678.400	53.92	-0.55	74.0	-20.08	Peak	360.00	150	Horizontal	Pass
4**	6678.400	45.56	-0.55	54.0	-8.44	AV	360.00	150	Horizontal	Pass
5	10190.675	51.72	0.29	74.0	-22.28	Peak	233.00	150	Horizontal	Pass
5**	10190.675	43.02	0.29	54.0	-10.98	AV	233.00	150	Horizontal	Pass
6	17130.074	56.65	2.26	74.0	-17.35	Peak	84.00	150	Horizontal	Pass
6**	17130.074	47.16	2.26	54.0	-6.84	AV	84.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1638.000	38.75	-17.48	74.0	-35.25	Peak	109.00	150	Vertical	Pass
1**	1638.000	30.23	-17.48	54.0	-23.77	AV	109.00	150	Vertical	Pass
2	2435.800	96.32	-12.79	74.0	22.32	Peak	301.00	150	Vertical	N/A
2**	2435.800	93.38	-12.79	54.0	39.38	AV	301.00	150	Vertical	N/A
3	4815.000	51.32	-3.08	74.0	-22.68	Peak	48.00	150	Vertical	Pass
3**	4815.000	42.02	-3.08	54.0	-11.98	AV	48.00	150	Vertical	Pass
4	6677.600	54.01	-0.57	74.0	-19.99	Peak	174.00	150	Vertical	Pass
4**	6677.600	45.53	-0.57	54.0	-8.47	AV	174.00	150	Vertical	Pass
5	10149.562	51.94	0.00	74.0	-22.06	Peak	198.00	150	Vertical	Pass
5**	10149.562	42.76	0.00	54.0	-11.24	AV	198.00	150	Vertical	Pass
6	16097.662	56.68	1.26	74.0	-17.32	Peak	0.00	150	Vertical	Pass
6**	16097.662	47.05	1.26	54.0	-6.95	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1514.900	38.94	-17.58	74.0	-35.06	Peak	206.00	150	Horizontal	Pass
1**	1514.900	29.48	-17.58	54.0	-24.52	AV	206.00	150	Horizontal	Pass
2	2460.600	100.81	-12.75	74.0	26.81	Peak	174.00	150	Horizontal	N/A
2**	2460.600	97.86	-12.75	54.0	43.86	AV	174.00	150	Horizontal	N/A
3	4924.200	50.99	-2.60	74.0	-23.01	Peak	0.00	150	Horizontal	Pass
3**	4924.200	47.70	-2.60	54.0	-6.30	AV	0.00	150	Horizontal	Pass
4	6590.400	53.49	-1.38	74.0	-20.51	Peak	186.00	150	Horizontal	Pass
4**	6590.400	44.02	-1.38	54.0	-9.98	AV	186.00	150	Horizontal	Pass
5	10197.576	51.98	0.46	74.0	-22.02	Peak	15.00	150	Horizontal	Pass
5**	10197.576	43.02	0.46	54.0	-10.98	AV	15.00	150	Horizontal	Pass
6	17417.511	57.14	3.70	74.0	-16.86	Peak	145.00	150	Horizontal	Pass
6**	17417.511	47.80	3.70	54.0	-6.20	AV	145.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1913.500	40.18	-16.08	74.0	-33.82	Peak	0.00	150	Vertical	Pass
1**	1913.500	30.87	-16.08	54.0	-23.13	AV	0.00	150	Vertical	Pass
2	2460.700	95.78	-12.75	74.0	21.78	Peak	306.00	150	Vertical	N/A
2**	2460.700	92.85	-12.75	54.0	38.85	AV	306.00	150	Vertical	N/A
3	4923.800	52.45	-2.57	74.0	-21.55	Peak	125.00	150	Vertical	Pass
3**	4923.800	43.81	-2.57	54.0	-10.19	AV	125.00	150	Vertical	Pass
4	6998.000	54.85	0.23	74.0	-19.15	Peak	360.00	150	Vertical	Pass
4**	6998.000	45.40	0.23	54.0	-8.60	AV	360.00	150	Vertical	Pass
5	10202.750	52.36	0.40	74.0	-21.64	Peak	0.00	150	Vertical	Pass
5**	10202.750	42.92	0.40	54.0	-11.08	AV	0.00	150	Vertical	Pass
6	17193.339	57.03	2.24	74.0	-16.97	Peak	0.00	150	Vertical	Pass
6**	17193.339	47.68	2.24	54.0	-6.32	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1763.800	40.13	-17.18	74.0	-33.87	Peak	169.00	150	Horizontal	Pass
1**	1763.800	30.18	-17.18	54.0	-23.82	AV	169.00	150	Horizontal	Pass
2	2410.700	101.86	-12.25	74.0	27.86	Peak	5.00	150	Horizontal	N/A
2**	2410.700	94.64	-12.25	54.0	40.64	AV	5.00	150	Horizontal	N/A
3	4796.000	51.45	-2.68	74.0	-22.55	Peak	83.00	150	Horizontal	Pass
3**	4796.000	41.33	-2.68	54.0	-12.67	AV	83.00	150	Horizontal	Pass
4	6589.000	54.15	-1.53	74.0	-19.85	Peak	44.00	150	Horizontal	Pass
4**	6589.000	43.36	-1.53	54.0	-10.64	AV	44.00	150	Horizontal	Pass
5	10195.276	51.69	0.43	74.0	-22.31	Peak	346.00	150	Horizontal	Pass
5**	10195.276	43.45	0.43	54.0	-10.55	AV	346.00	150	Horizontal	Pass
6	16098.450	56.92	1.24	74.0	-17.08	Peak	0.00	150	Horizontal	Pass
6**	16098.450	47.19	1.24	54.0	-6.81	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1810.800	39.96	-16.63	74.0	-34.04	Peak	332.00	150	Vertical	Pass
1**	1810.800	30.67	-16.63	54.0	-23.33	AV	332.00	150	Vertical	Pass
2	2410.700	96.50	-12.25	74.0	22.50	Peak	103.00	150	Vertical	N/A
2**	2410.700	89.31	-12.25	54.0	35.31	AV	103.00	150	Vertical	N/A
3	4809.200	51.42	-2.95	74.0	-22.58	Peak	60.00	150	Vertical	Pass
3**	4809.200	42.25	-2.95	54.0	-11.75	AV	60.00	150	Vertical	Pass
4	6607.400	54.12	0.15	74.0	-19.88	Peak	351.00	150	Vertical	Pass
4**	6607.400	44.71	0.15	54.0	-9.29	AV	351.00	150	Vertical	Pass
5	9831.875	53.17	-0.40	74.0	-20.83	Peak	360.00	150	Vertical	Pass
5**	9831.875	42.33	-0.40	54.0	-11.67	AV	360.00	150	Vertical	Pass
6	16097.138	56.93	1.27	74.0	-17.07	Peak	176.00	150	Vertical	Pass
6**	16097.138	47.11	1.27	54.0	-6.89	AV	176.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1713.900	39.28	-17.30	74.0	-34.72	Peak	104.00	150	Horizontal	Pass
1**	1713.900	30.20	-17.30	54.0	-23.80	AV	104.00	150	Horizontal	Pass
2	2435.200	104.10	-12.83	74.0	30.10	Peak	0.00	150	Horizontal	N/A
2**	2435.200	96.32	-12.83	54.0	42.32	AV	0.00	150	Horizontal	N/A
3	4903.600	52.05	-2.62	74.0	-21.95	Peak	10.00	150	Horizontal	Pass
3**	4903.600	42.36	-2.62	54.0	-11.64	AV	10.00	150	Horizontal	Pass
4	6597.200	53.90	-0.76	74.0	-20.10	Peak	72.00	150	Horizontal	Pass
4**	6597.200	45.82	-0.76	54.0	-8.18	AV	72.00	150	Horizontal	Pass
5	9874.713	52.41	-0.84	74.0	-21.59	Peak	124.00	150	Horizontal	Pass
5**	9874.713	42.22	-0.84	54.0	-11.78	AV	124.00	150	Horizontal	Pass
6	17417.251	57.68	3.69	74.0	-16.32	Peak	269.00	150	Horizontal	Pass
6**	17417.251	47.95	3.69	54.0	-6.05	AV	269.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1563.400	39.00	-17.50	74.0	-35.00	Peak	283.00	150	Vertical	Pass
1**	1563.400	29.90	-17.50	54.0	-24.10	AV	283.00	150	Vertical	Pass
2	2434.500	98.38	-12.85	74.0	24.38	Peak	300.00	150	Vertical	N/A
2**	2434.500	91.67	-12.85	54.0	37.67	AV	300.00	150	Vertical	N/A
3	5027.600	51.84	-3.13	74.0	-22.16	Peak	338.00	150	Vertical	Pass
3**	5027.600	42.35	-3.13	54.0	-11.65	AV	338.00	150	Vertical	Pass
4	6999.400	54.29	0.24	74.0	-19.71	Peak	261.00	150	Vertical	Pass
4**	6999.400	45.88	0.24	54.0	-8.12	AV	261.00	150	Vertical	Pass
5	9915.537	52.05	-1.00	74.0	-21.95	Peak	180.00	150	Vertical	Pass
5**	9915.537	41.03	-1.00	54.0	-12.97	AV	180.00	150	Vertical	Pass
6	16209.225	56.26	1.45	74.0	-17.74	Peak	144.00	150	Vertical	Pass
6**	16209.225	47.22	1.45	54.0	-6.78	AV	144.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1377.700	39.40	-17.42	74.0	-34.60	Peak	232.00	150	Horizontal	Pass
1**	1377.700	29.80	-17.42	54.0	-24.20	AV	232.00	150	Horizontal	Pass
2	2460.800	102.61	-12.75	74.0	28.61	Peak	0.00	150	Horizontal	N/A
2**	2460.800	96.10	-12.75	54.0	42.10	AV	0.00	150	Horizontal	N/A
3	4810.200	51.92	-2.98	74.0	-22.08	Peak	300.00	150	Horizontal	Pass
3**	4810.200	41.81	-2.98	54.0	-12.19	AV	300.00	150	Horizontal	Pass
4	6670.200	53.75	-0.74	74.0	-20.25	Peak	66.00	150	Horizontal	Pass
4**	6670.200	44.37	-0.74	54.0	-9.63	AV	66.00	150	Horizontal	Pass
5	10199.875	52.88	0.49	74.0	-21.12	Peak	218.00	150	Horizontal	Pass
5**	10199.875	43.51	0.49	54.0	-10.49	AV	218.00	150	Horizontal	Pass
6	17202.000	57.20	1.79	74.0	-16.80	Peak	240.00	150	Horizontal	Pass
6**	17202.000	47.67	1.79	54.0	-6.33	AV	240.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.300	39.34	-17.35	74.0	-34.66	Peak	213.00	150	Vertical	Pass
1**	1551.300	29.34	-17.35	54.0	-24.66	AV	213.00	150	Vertical	Pass
2	2460.500	97.80	-12.75	74.0	23.80	Peak	297.00	150	Vertical	N/A
2**	2460.500	90.05	-12.75	54.0	36.05	AV	297.00	150	Vertical	N/A
3	5118.200	51.73	-2.26	74.0	-22.27	Peak	94.00	150	Vertical	Pass
3**	5118.200	42.15	-2.26	54.0	-11.85	AV	94.00	150	Vertical	Pass
4	6588.600	53.76	-1.58	74.0	-20.24	Peak	68.00	150	Vertical	Pass
4**	6588.600	44.08	-1.58	54.0	-9.92	AV	68.00	150	Vertical	Pass
5	10147.262	52.09	0.02	74.0	-21.91	Peak	34.00	150	Vertical	Pass
5**	10147.262	43.56	0.02	54.0	-10.44	AV	34.00	150	Vertical	Pass
6	16379.062	56.01	1.83	74.0	-17.99	Peak	44.00	150	Vertical	Pass
6**	16379.062	47.02	1.83	54.0	-6.98	AV	44.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1553.100	38.68	-17.49	74.0	-35.32	Peak	120.00	150	Horizontal	Pass
1**	1553.100	29.17	-17.49	54.0	-24.83	AV	120.00	150	Horizontal	Pass
2	2410.600	101.91	-12.25	74.0	27.91	Peak	13.00	150	Horizontal	N/A
2**	2410.600	94.59	-12.25	54.0	40.59	AV	13.00	150	Horizontal	N/A
3	4824.000	51.26	-3.38	74.0	-22.74	Peak	11.00	150	Horizontal	Pass
3**	4824.000	42.51	-3.38	54.0	-11.49	AV	11.00	150	Horizontal	Pass
4	6683.000	54.16	-0.41	74.0	-19.84	Peak	189.00	150	Horizontal	Pass
4**	6683.000	45.14	-0.41	54.0	-8.86	AV	189.00	150	Horizontal	Pass
5	10185.787	52.45	0.18	74.0	-21.55	Peak	299.00	150	Horizontal	Pass
5**	10185.787	43.26	0.18	54.0	-10.74	AV	299.00	150	Horizontal	Pass
6	17189.925	57.87	2.34	74.0	-16.13	Peak	0.00	150	Horizontal	Pass
6**	17189.925	47.58	2.34	54.0	-6.42	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1742.200	39.61	-17.11	74.0	-34.39	Peak	201.00	150	Vertical	Pass
1**	1742.200	30.35	-17.11	54.0	-23.65	AV	201.00	150	Vertical	Pass
2	2413.400	96.47	-12.26	74.0	22.47	Peak	292.00	150	Vertical	N/A
2**	2413.400	89.04	-12.26	54.0	35.04	AV	292.00	150	Vertical	N/A
3	4802.800	51.16	-2.64	74.0	-22.84	Peak	247.00	150	Vertical	Pass
3**	4802.800	41.78	-2.64	54.0	-12.22	AV	247.00	150	Vertical	Pass
4	6997.400	54.64	0.22	74.0	-19.36	Peak	247.00	150	Vertical	Pass
4**	6997.400	44.62	0.22	54.0	-9.38	AV	247.00	150	Vertical	Pass
5	10201.312	51.88	0.45	74.0	-22.12	Peak	360.00	150	Vertical	Pass
5**	10201.312	43.36	0.45	54.0	-10.64	AV	360.00	150	Vertical	Pass
6	17239.800	57.09	1.55	74.0	-16.91	Peak	14.00	150	Vertical	Pass
6**	17239.800	47.47	1.55	54.0	-6.53	AV	14.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1645.900	39.47	-17.48	74.0	-34.53	Peak	279.00	150	Horizontal	Pass
1**	1645.900	29.86	-17.48	54.0	-24.14	AV	279.00	150	Horizontal	Pass
2	2438.500	103.87	-12.61	74.0	29.87	Peak	360.00	150	Horizontal	N/A
2**	2438.500	96.38	-12.61	54.0	42.38	AV	360.00	150	Horizontal	N/A
3	4768.200	51.05	-3.19	74.0	-22.95	Peak	360.00	150	Horizontal	Pass
3**	4768.200	41.78	-3.19	54.0	-12.22	AV	360.00	150	Horizontal	Pass
4	6615.600	54.35	0.12	74.0	-19.65	Peak	299.00	150	Horizontal	Pass
4**	6615.600	44.58	0.12	54.0	-9.42	AV	299.00	150	Horizontal	Pass
5	10201.312	52.30	0.45	74.0	-21.70	Peak	259.00	150	Horizontal	Pass
5**	10201.312	43.05	0.45	54.0	-10.95	AV	259.00	150	Horizontal	Pass
6	16081.388	55.87	1.61	74.0	-18.13	Peak	67.00	150	Horizontal	Pass
6**	16081.388	46.40	1.61	54.0	-7.60	AV	67.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1600.200	38.85	-17.66	74.0	-35.15	Peak	129.00	150	Vertical	Pass
1**	1600.200	29.52	-17.66	54.0	-24.48	AV	129.00	150	Vertical	Pass
2	2435.700	98.78	-12.80	74.0	24.78	Peak	303.00	150	Vertical	N/A
2**	2435.700	91.77	-12.80	54.0	37.77	AV	303.00	150	Vertical	N/A
3	4911.800	51.18	-2.37	74.0	-22.82	Peak	256.00	150	Vertical	Pass
3**	4911.800	41.84	-2.37	54.0	-12.16	AV	256.00	150	Vertical	Pass
4	6688.000	54.24	-0.24	74.0	-19.76	Peak	218.00	150	Vertical	Pass
4**	6688.000	45.45	-0.24	54.0	-8.55	AV	218.00	150	Vertical	Pass
5	9992.875	51.86	-0.93	74.0	-22.14	Peak	360.00	150	Vertical	Pass
5**	9992.875	42.63	-0.93	54.0	-11.37	AV	360.00	150	Vertical	Pass
6	15221.175	56.03	0.69	74.0	-17.97	Peak	176.00	150	Vertical	Pass
6**	15221.175	46.71	0.69	54.0	-7.29	AV	176.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1550.800	39.22	-17.38	74.0	-34.78	Peak	60.00	150	Horizontal	Pass
1**	1550.800	29.38	-17.38	54.0	-24.62	AV	60.00	150	Horizontal	Pass
2	2463.700	102.66	-12.78	74.0	28.66	Peak	174.00	150	Horizontal	N/A
2**	2463.700	95.71	-12.78	54.0	41.71	AV	174.00	150	Horizontal	N/A
3	4926.600	52.45	-2.79	74.0	-21.55	Peak	14.00	150	Horizontal	Pass
3**	4926.600	42.11	-2.79	54.0	-11.89	AV	14.00	150	Horizontal	Pass
4	6684.200	53.99	-0.30	74.0	-20.01	Peak	142.00	150	Horizontal	Pass
4**	6684.200	45.98	-0.30	54.0	-8.02	AV	142.00	150	Horizontal	Pass
5	10337.588	52.29	0.08	74.0	-21.71	Peak	108.00	150	Horizontal	Pass
5**	10337.588	42.48	0.08	54.0	-11.52	AV	108.00	150	Horizontal	Pass
6	17206.198	56.85	1.60	74.0	-17.15	Peak	302.00	150	Horizontal	Pass
6**	17206.198	47.76	1.60	54.0	-6.24	AV	302.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1840.500	39.67	-16.62	74.0	-34.33	Peak	360.00	150	Vertical	Pass
1**	1840.500	30.02	-16.62	54.0	-23.98	AV	360.00	150	Vertical	Pass
2	2460.400	97.53	-12.75	74.0	23.53	Peak	304.00	150	Vertical	N/A
2**	2460.400	90.86	-12.75	54.0	36.86	AV	304.00	150	Vertical	N/A
3	4893.200	51.49	-3.22	74.0	-22.51	Peak	182.00	150	Vertical	Pass
3**	4893.200	42.13	-3.22	54.0	-11.87	AV	182.00	150	Vertical	Pass
4	6612.800	53.93	0.19	74.0	-20.07	Peak	350.00	150	Vertical	Pass
4**	6612.800	44.66	0.19	54.0	-9.34	AV	350.00	150	Vertical	Pass
5	10155.888	52.46	-0.18	74.0	-21.54	Peak	293.00	150	Vertical	Pass
5**	10155.888	42.32	-0.18	54.0	-11.68	AV	293.00	150	Vertical	Pass
6	15835.950	56.51	1.45	74.0	-17.49	Peak	0.00	150	Vertical	Pass
6**	15835.950	46.94	1.45	54.0	-7.06	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.300	39.59	-17.52	74.0	-34.41	Peak	309.00	150	Horizontal	Pass
1**	1544.300	29.60	-17.52	54.0	-24.40	AV	309.00	150	Horizontal	Pass
2	2424.800	100.02	-12.91	74.0	26.02	Peak	5.00	150	Horizontal	N/A
2**	2424.800	91.76	-12.91	54.0	37.76	AV	5.00	150	Horizontal	N/A
3	5122.800	52.36	-2.20	74.0	-21.64	Peak	360.00	150	Horizontal	Pass
3**	5122.800	43.06	-2.20	54.0	-10.94	AV	360.00	150	Horizontal	Pass
4	6675.600	53.65	-0.63	74.0	-20.35	Peak	0.00	150	Horizontal	Pass
4**	6675.600	44.88	-0.63	54.0	-9.12	AV	0.00	150	Horizontal	Pass
5	10201.026	52.86	0.46	74.0	-21.14	Peak	182.00	150	Horizontal	Pass
5**	10201.026	43.07	0.46	54.0	-10.93	AV	182.00	150	Horizontal	Pass
6	17185.989	57.01	2.49	74.0	-16.99	Peak	174.00	150	Horizontal	Pass
6**	17185.989	47.97	2.49	54.0	-6.03	AV	174.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1774.000	40.19	-16.99	74.0	-33.81	Peak	0.00	150	Vertical	Pass
1**	1774.000	30.57	-16.99	54.0	-23.43	AV	0.00	150	Vertical	Pass
2	2420.000	95.00	-12.35	74.0	21.00	Peak	303.00	150	Vertical	N/A
2**	2420.000	87.19	-12.35	54.0	33.19	AV	303.00	150	Vertical	N/A
3	4856.000	51.36	-3.28	74.0	-22.64	Peak	155.00	150	Vertical	Pass
3**	4856.000	41.60	-3.28	54.0	-12.40	AV	155.00	150	Vertical	Pass
4	6679.800	53.64	-0.53	74.0	-20.36	Peak	0.00	150	Vertical	Pass
4**	6679.800	45.12	-0.53	54.0	-8.88	AV	0.00	150	Vertical	Pass
5	10190.675	52.45	0.29	74.0	-21.55	Peak	184.00	150	Vertical	Pass
5**	10190.675	43.45	0.29	54.0	-10.55	AV	184.00	150	Vertical	Pass
6	17417.775	57.17	3.70	74.0	-16.83	Peak	0.00	150	Vertical	Pass
6**	17417.775	47.29	3.70	54.0	-6.71	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.100	38.66	-17.48	74.0	-35.34	Peak	157.00	150	Horizontal	Pass
1**	1490.100	29.64	-17.48	54.0	-24.36	AV	157.00	150	Horizontal	Pass
2	2440.700	101.47	-12.78	74.0	27.47	Peak	360.00	150	Horizontal	N/A
2**	2440.700	93.83	-12.78	54.0	39.83	AV	360.00	150	Horizontal	N/A
3	4914.800	51.31	-2.34	74.0	-22.69	Peak	0.00	150	Horizontal	Pass
3**	4914.800	41.92	-2.34	54.0	-12.08	AV	0.00	150	Horizontal	Pass
4	6614.800	53.66	0.18	74.0	-20.34	Peak	360.00	150	Horizontal	Pass
4**	6614.800	44.83	0.18	54.0	-9.17	AV	360.00	150	Horizontal	Pass
5	10100.975	52.12	0.17	74.0	-21.88	Peak	186.00	150	Horizontal	Pass
5**	10100.975	42.87	0.17	54.0	-11.13	AV	186.00	150	Horizontal	Pass
6	15828.338	56.32	1.54	74.0	-17.68	Peak	77.00	150	Horizontal	Pass
6**	15828.338	46.31	1.54	54.0	-7.69	AV	77.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1735.600	40.16	-17.11	74.0	-33.84	Peak	71.00	150	Vertical	Pass
1**	1735.600	29.94	-17.11	54.0	-24.06	AV	71.00	150	Vertical	Pass
2	2435.400	94.99	-12.82	74.0	20.99	Peak	305.00	150	Vertical	N/A
2**	2435.400	87.27	-12.82	54.0	33.27	AV	305.00	150	Vertical	N/A
3	4798.800	51.05	-2.55	74.0	-22.95	Peak	61.00	150	Vertical	Pass
3**	4798.800	42.92	-2.55	54.0	-11.08	AV	61.00	150	Vertical	Pass
4	6593.000	54.41	-1.12	74.0	-19.59	Peak	192.00	150	Vertical	Pass
4**	6593.000	44.52	-1.12	54.0	-9.48	AV	192.00	150	Vertical	Pass
5	10202.174	52.44	0.42	74.0	-21.56	Peak	72.00	150	Vertical	Pass
5**	10202.174	42.93	0.42	54.0	-11.07	AV	72.00	150	Vertical	Pass
6	16080.075	56.64	1.64	74.0	-17.36	Peak	141.00	150	Vertical	Pass
6**	16080.075	46.40	1.64	54.0	-7.60	AV	141.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1525.200	39.08	-17.63	74.0	-34.92	Peak	300.00	150	Horizontal	Pass
1**	1525.200	29.20	-17.63	54.0	-24.80	AV	300.00	150	Horizontal	Pass
2	2443.000	100.83	-12.85	74.0	26.83	Peak	13.00	150	Horizontal	N/A
2**	2443.000	93.37	-12.85	54.0	39.37	AV	13.00	150	Horizontal	N/A
3	4922.000	51.04	-2.54	74.0	-22.96	Peak	113.00	150	Horizontal	Pass
3**	4922.000	41.37	-2.54	54.0	-12.63	AV	113.00	150	Horizontal	Pass
4	6996.600	54.63	0.19	74.0	-19.37	Peak	192.00	150	Horizontal	Pass
4**	6996.600	44.83	0.19	54.0	-9.17	AV	192.00	150	Horizontal	Pass
5	10200.450	52.18	0.48	74.0	-21.82	Peak	360.00	150	Horizontal	Pass
5**	10200.450	42.97	0.48	54.0	-11.03	AV	360.00	150	Horizontal	Pass
6	16037.026	56.62	0.77	74.0	-17.38	Peak	68.00	150	Horizontal	Pass
6**	16037.026	46.22	0.77	54.0	-7.78	AV	68.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1664.200	38.73	-17.52	74.0	-35.27	Peak	233.00	150	Vertical	Pass
1**	1664.200	29.65	-17.52	54.0	-24.35	AV	233.00	150	Vertical	Pass
2	2449.900	94.78	-12.55	74.0	20.78	Peak	298.00	150	Vertical	N/A
2**	2449.900	87.02	-12.55	54.0	33.02	AV	298.00	150	Vertical	N/A
3	4913.400	51.47	-2.23	74.0	-22.53	Peak	166.00	150	Vertical	Pass
3**	4913.400	42.02	-2.23	54.0	-11.98	AV	166.00	150	Vertical	Pass
4	6611.600	54.16	0.19	74.0	-19.84	Peak	309.00	150	Vertical	Pass
4**	6611.600	44.55	0.19	54.0	-9.45	AV	309.00	150	Vertical	Pass
5	11018.963	52.70	-0.76	74.0	-21.30	Peak	260.00	150	Vertical	Pass
5**	11018.963	42.76	-0.76	54.0	-11.24	AV	260.00	150	Vertical	Pass
6	17413.839	57.25	3.59	74.0	-16.75	Peak	202.00	150	Vertical	Pass
6**	17413.839	47.29	3.59	54.0	-6.71	AV	202.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1731.500	39.21	-17.13	74.0	-34.79	Peak	0.00	150	Horizontal	Pass
1**	1731.500	29.51	-17.13	54.0	-24.49	AV	0.00	150	Horizontal	Pass
2	2410.100	102.53	-12.24	74.0	28.53	Peak	360.00	150	Horizontal	N/A
2**	2410.100	94.84	-12.24	54.0	40.84	AV	360.00	150	Horizontal	N/A
3	4816.200	51.34	-3.15	74.0	-22.66	Peak	360.00	150	Horizontal	Pass
3**	4816.200	42.35	-3.15	54.0	-11.65	AV	360.00	150	Horizontal	Pass
4	6262.600	53.76	-1.11	74.0	-20.24	Peak	76.00	150	Horizontal	Pass
4**	6262.600	43.80	-1.11	54.0	-10.20	AV	76.00	150	Horizontal	Pass
5	10190.963	52.37	0.30	74.0	-21.63	Peak	352.00	150	Horizontal	Pass
5**	10190.963	43.66	0.30	54.0	-10.34	AV	352.00	150	Horizontal	Pass
6	16096.088	56.34	1.30	74.0	-17.66	Peak	0.00	150	Horizontal	Pass
6**	16096.088	47.40	1.30	54.0	-6.60	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.700	38.82	-17.53	74.0	-35.18	Peak	66.00	150	Vertical	Pass
1**	1594.700	29.41	-17.53	54.0	-24.59	AV	66.00	150	Vertical	Pass
2	2415.000	96.58	-12.26	74.0	22.58	Peak	301.00	150	Vertical	N/A
2**	2415.000	88.76	-12.26	54.0	34.76	AV	301.00	150	Vertical	N/A
3	4774.200	51.46	-2.97	74.0	-22.54	Peak	292.00	150	Vertical	Pass
3**	4774.200	41.71	-2.97	54.0	-12.29	AV	292.00	150	Vertical	Pass
4	6996.200	54.36	0.18	74.0	-19.64	Peak	0.00	150	Vertical	Pass
4**	6996.200	44.73	0.18	54.0	-9.27	AV	0.00	150	Vertical	Pass
5	10196.425	51.71	0.45	74.0	-22.29	Peak	320.00	150	Vertical	Pass
5**	10196.425	43.55	0.45	54.0	-10.45	AV	320.00	150	Vertical	Pass
6	17200.949	57.19	1.85	74.0	-16.81	Peak	333.00	150	Vertical	Pass
6**	17200.949	47.91	1.85	54.0	-6.09	AV	333.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.300	39.22	-17.61	74.0	-34.78	Peak	301.00	150	Horizontal	Pass
1**	1517.300	28.71	-17.61	54.0	-25.29	AV	301.00	150	Horizontal	Pass
2	2435.700	103.63	-12.80	74.0	29.63	Peak	0.00	150	Horizontal	N/A
2**	2435.700	96.30	-12.80	54.0	42.30	AV	0.00	150	Horizontal	N/A
3	4789.000	50.87	-2.76	74.0	-23.13	Peak	161.00	150	Horizontal	Pass
3**	4789.000	41.22	-2.76	54.0	-12.78	AV	161.00	150	Horizontal	Pass
4	6685.000	54.13	-0.21	74.0	-19.87	Peak	323.00	150	Horizontal	Pass
4**	6685.000	45.31	-0.21	54.0	-8.69	AV	323.00	150	Horizontal	Pass
5	9965.275	52.60	-0.61	74.0	-21.40	Peak	305.00	150	Horizontal	Pass
5**	9965.275	42.71	-0.61	54.0	-11.29	AV	305.00	150	Horizontal	Pass
6	17177.850	57.69	2.60	74.0	-16.31	Peak	202.00	150	Horizontal	Pass
6**	17177.850	47.87	2.60	54.0	-6.13	AV	202.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.100	38.78	-17.43	74.0	-35.22	Peak	135.00	150	Vertical	Pass
1**	1400.100	29.42	-17.43	54.0	-24.58	AV	135.00	150	Vertical	Pass
2	2438.300	98.55	-12.60	74.0	24.55	Peak	14.00	150	Vertical	N/A
2**	2438.300	90.80	-12.60	54.0	36.80	AV	14.00	150	Vertical	N/A
3	5112.200	52.23	-2.37	74.0	-21.77	Peak	269.00	150	Vertical	Pass
3**	5112.200	42.08	-2.37	54.0	-11.92	AV	269.00	150	Vertical	Pass
4	6671.600	54.62	-0.78	74.0	-19.38	Peak	337.00	150	Vertical	Pass
4**	6671.600	44.39	-0.78	54.0	-9.61	AV	337.00	150	Vertical	Pass
5	10149.276	52.15	0.00	74.0	-21.85	Peak	339.00	150	Vertical	Pass
5**	10149.276	43.59	0.00	54.0	-10.41	AV	339.00	150	Vertical	Pass
6	17131.912	57.28	2.24	74.0	-16.72	Peak	334.00	150	Vertical	Pass
6**	17131.912	47.15	2.24	54.0	-6.85	AV	334.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1811.500	39.86	-16.64	74.0	-34.14	Peak	51.00	150	Horizontal	Pass
1**	1811.500	30.64	-16.64	54.0	-23.36	AV	51.00	150	Horizontal	Pass
2	2459.600	102.41	-12.75	74.0	28.41	Peak	360.00	150	Horizontal	N/A
2**	2459.600	95.72	-12.75	54.0	41.72	AV	360.00	150	Horizontal	N/A
3	5209.600	52.12	-2.65	74.0	-21.88	Peak	150.00	150	Horizontal	Pass
3**	5209.600	42.08	-2.65	54.0	-11.92	AV	150.00	150	Horizontal	Pass
4	6676.400	55.04	-0.60	74.0	-18.96	Peak	70.00	150	Horizontal	Pass
4**	6676.400	45.24	-0.60	54.0	-8.76	AV	70.00	150	Horizontal	Pass
5	10199.588	52.61	0.49	74.0	-21.39	Peak	153.00	150	Horizontal	Pass
5**	10199.588	43.33	0.49	54.0	-10.67	AV	153.00	150	Horizontal	Pass
6	17188.874	57.22	2.38	74.0	-16.78	Peak	5.00	150	Horizontal	Pass
6**	17188.874	46.93	2.38	54.0	-7.07	AV	5.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1632.800	38.52	-17.58	74.0	-35.48	Peak	79.00	150	Vertical	Pass
1**	1632.800	29.05	-17.58	54.0	-24.95	AV	79.00	150	Vertical	Pass
2	2460.800	97.70	-12.75	74.0	23.70	Peak	296.00	150	Vertical	N/A
2**	2460.800	90.45	-12.75	54.0	36.45	AV	296.00	150	Vertical	N/A
3	4800.000	50.97	-2.55	74.0	-23.03	Peak	360.00	150	Vertical	Pass
3**	4800.000	42.97	-2.55	54.0	-11.03	AV	360.00	150	Vertical	Pass
4	6286.200	53.76	-0.28	74.0	-20.24	Peak	322.00	150	Vertical	Pass
4**	6286.200	44.58	-0.28	54.0	-9.42	AV	322.00	150	Vertical	Pass
5	10142.662	52.52	0.03	74.0	-21.48	Peak	0.00	150	Vertical	Pass
5**	10142.662	43.32	0.03	54.0	-10.68	AV	0.00	150	Vertical	Pass
6	17235.599	56.92	1.56	74.0	-17.08	Peak	198.00	150	Vertical	Pass
6**	17235.599	47.22	1.56	54.0	-6.78	AV	198.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1642.400	39.55	-17.43	74.0	-34.45	Peak	273.00	150	Horizontal	Pass
1**	1642.400	30.06	-17.43	54.0	-23.94	AV	273.00	150	Horizontal	Pass
2	2419.300	98.95	-12.31	74.0	24.95	Peak	7.00	150	Horizontal	N/A
2**	2419.300	91.66	-12.31	54.0	37.66	AV	7.00	150	Horizontal	N/A
3	4693.000	50.69	-3.80	74.0	-23.31	Peak	30.00	150	Horizontal	Pass
3**	4693.000	40.72	-3.80	54.0	-13.28	AV	30.00	150	Horizontal	Pass
4	6692.200	54.24	-0.31	74.0	-19.76	Peak	44.00	150	Horizontal	Pass
4**	6692.200	44.45	-0.31	54.0	-9.55	AV	44.00	150	Horizontal	Pass
5	10481.338	51.92	-0.86	74.0	-22.08	Peak	0.00	150	Horizontal	Pass
5**	10481.338	42.46	-0.86	54.0	-11.54	AV	0.00	150	Horizontal	Pass
6	17198.850	58.19	1.96	74.0	-15.81	Peak	134.00	150	Horizontal	Pass
6**	17198.850	47.16	1.96	54.0	-6.84	AV	134.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.100	38.95	-17.47	74.0	-35.05	Peak	114.00	150	Vertical	Pass
1**	1439.100	29.66	-17.47	54.0	-24.34	AV	114.00	150	Vertical	Pass
2	2419.400	93.78	-12.31	74.0	19.78	Peak	297.00	150	Vertical	N/A
2**	2419.400	86.60	-12.31	54.0	32.60	AV	297.00	150	Vertical	N/A
3	4893.200	51.72	-3.22	74.0	-22.28	Peak	94.00	150	Vertical	Pass
3**	4893.200	41.61	-3.22	54.0	-12.39	AV	94.00	150	Vertical	Pass
4	6270.400	54.44	-0.33	74.0	-19.56	Peak	0.00	150	Vertical	Pass
4**	6270.400	44.84	-0.33	54.0	-9.16	AV	0.00	150	Vertical	Pass
5	10198.725	52.72	0.48	74.0	-21.28	Peak	149.00	150	Vertical	Pass
5**	10198.725	43.41	0.48	54.0	-10.59	AV	149.00	150	Vertical	Pass
6	15821.513	56.30	1.80	74.0	-17.70	Peak	104.00	150	Vertical	Pass
6**	15821.513	46.34	1.80	54.0	-7.66	AV	104.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1785.500	39.04	-16.92	74.0	-34.96	Peak	164.00	150	Horizontal	Pass
1**	1785.500	29.81	-16.92	54.0	-24.19	AV	164.00	150	Horizontal	Pass
2	2434.000	100.50	-12.87	74.0	26.50	Peak	1.00	150	Horizontal	N/A
2**	2434.000	92.35	-12.87	54.0	38.35	AV	1.00	150	Horizontal	N/A
3	4879.000	50.60	-3.43	74.0	-23.40	Peak	91.00	150	Horizontal	Pass
3**	4879.000	42.10	-3.43	54.0	-11.90	AV	91.00	150	Horizontal	Pass
4	6683.200	54.91	-0.40	74.0	-19.09	Peak	175.00	150	Horizontal	Pass
4**	6683.200	45.47	-0.40	54.0	-8.53	AV	175.00	150	Horizontal	Pass
5	11006.026	52.52	-0.78	74.0	-21.48	Peak	303.00	150	Horizontal	Pass
5**	11006.026	44.18	-0.78	54.0	-9.82	AV	303.00	150	Horizontal	Pass
6	17211.187	57.10	1.47	74.0	-16.90	Peak	138.00	150	Horizontal	Pass
6**	17211.187	47.66	1.47	54.0	-6.34	AV	138.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1380.500	39.39	-17.35	74.0	-34.61	Peak	349.00	150	Vertical	Pass
1**	1380.500	29.29	-17.35	54.0	-24.71	AV	349.00	150	Vertical	Pass
2	2434.600	94.07	-12.85	74.0	20.07	Peak	304.00	150	Vertical	N/A
2**	2434.600	86.36	-12.85	54.0	32.36	AV	304.00	150	Vertical	N/A
3	5010.600	51.45	-3.16	74.0	-22.55	Peak	294.00	150	Vertical	Pass
3**	5010.600	41.68	-3.16	54.0	-12.32	AV	294.00	150	Vertical	Pass
4	6266.800	54.68	-0.56	74.0	-19.32	Peak	268.00	150	Vertical	Pass
4**	6266.800	44.84	-0.56	54.0	-9.16	AV	268.00	150	Vertical	Pass
5	10198.438	52.31	0.47	74.0	-21.69	Peak	71.00	150	Vertical	Pass
5**	10198.438	43.60	0.47	54.0	-10.40	AV	71.00	150	Vertical	Pass
6	17413.839	56.65	3.59	74.0	-17.35	Peak	0.00	150	Vertical	Pass
6**	17413.839	47.93	3.59	54.0	-6.07	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1657.300	39.28	-17.49	74.0	-34.72	Peak	169.00	150	Horizontal	Pass
1**	1657.300	29.23	-17.49	54.0	-24.77	AV	169.00	150	Horizontal	Pass
2	2443.100	99.37	-12.84	74.0	25.37	Peak	17.00	150	Horizontal	N/A
2**	2443.100	92.04	-12.84	54.0	38.04	AV	17.00	150	Horizontal	N/A
3	5023.600	51.89	-3.21	74.0	-22.11	Peak	5.00	150	Horizontal	Pass
3**	5023.600	41.20	-3.21	54.0	-12.80	AV	5.00	150	Horizontal	Pass
4	6614.200	54.68	0.18	74.0	-19.32	Peak	256.00	150	Horizontal	Pass
4**	6614.200	44.89	0.18	54.0	-9.11	AV	256.00	150	Horizontal	Pass
5	11051.450	52.49	-0.66	74.0	-21.51	Peak	86.00	150	Horizontal	Pass
5**	11051.450	42.38	-0.66	54.0	-11.62	AV	86.00	150	Horizontal	Pass
6	17183.887	57.15	2.56	74.0	-16.85	Peak	132.00	150	Horizontal	Pass
6**	17183.887	47.72	2.56	54.0	-6.28	AV	132.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1667.100	38.83	-17.41	74.0	-35.17	Peak	27.00	150	Vertical	Pass
1**	1667.100	29.76	-17.41	54.0	-24.24	AV	27.00	150	Vertical	Pass
2	2453.500	94.01	-12.67	74.0	20.01	Peak	306.00	150	Vertical	N/A
2**	2453.500	86.86	-12.67	54.0	32.86	AV	306.00	150	Vertical	N/A
3	4801.000	51.59	-2.57	74.0	-22.41	Peak	216.00	150	Vertical	Pass
3**	4801.000	42.45	-2.57	54.0	-11.55	AV	216.00	150	Vertical	Pass
4	6687.200	54.30	-0.23	74.0	-19.70	Peak	350.00	150	Vertical	Pass
4**	6687.200	45.00	-0.23	54.0	-9.00	AV	350.00	150	Vertical	Pass
5	10186.651	52.07	0.20	74.0	-21.93	Peak	110.00	150	Vertical	Pass
5**	10186.651	42.41	0.20	54.0	-11.59	AV	110.00	150	Vertical	Pass
6	17227.725	56.80	1.44	74.0	-17.20	Peak	0.00	150	Vertical	Pass
6**	17227.725	47.50	1.44	54.0	-6.50	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.700	39.09	-17.55	74.0	-34.91	Peak	231.00	150	Horizontal	Pass
1**	1498.700	29.08	-17.55	54.0	-24.92	AV	231.00	150	Horizontal	Pass
2	2414.100	103.98	-12.26	74.0	29.98	Peak	6.00	150	Horizontal	N/A
2**	2414.100	94.56	-12.26	54.0	40.56	AV	6.00	150	Horizontal	N/A
3	4654.400	50.58	-3.65	74.0	-23.42	Peak	86.00	150	Horizontal	Pass
3**	4654.400	41.38	-3.65	54.0	-12.62	AV	86.00	150	Horizontal	Pass
4	6267.000	53.47	-0.54	74.0	-20.53	Peak	207.00	150	Horizontal	Pass
4**	6267.000	44.33	-0.54	54.0	-9.67	AV	207.00	150	Horizontal	Pass
5	10191.250	52.26	0.31	74.0	-21.74	Peak	235.00	150	Horizontal	Pass
5**	10191.250	43.58	0.31	54.0	-10.42	AV	235.00	150	Horizontal	Pass
6	16374.600	56.19	1.82	74.0	-17.81	Peak	0.00	150	Horizontal	Pass
6**	16374.600	46.11	1.82	54.0	-7.89	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.500	38.50	-17.64	74.0	-35.50	Peak	132.00	150	Vertical	Pass
1**	1526.500	29.24	-17.64	54.0	-24.76	AV	132.00	150	Vertical	Pass
2	2417.100	98.59	-12.25	74.0	24.59	Peak	261.00	150	Vertical	N/A
2**	2417.100	88.73	-12.25	54.0	34.73	AV	261.00	150	Vertical	N/A
3	4798.600	51.64	-2.55	74.0	-22.36	Peak	59.00	150	Vertical	Pass
3**	4798.600	42.50	-2.55	54.0	-11.50	AV	59.00	150	Vertical	Pass
4	6616.200	53.92	0.05	74.0	-20.08	Peak	349.00	150	Vertical	Pass
4**	6616.200	44.38	0.05	54.0	-9.62	AV	349.00	150	Vertical	Pass
5	10185.500	51.70	0.17	74.0	-22.30	Peak	360.00	150	Vertical	Pass
5**	10185.500	42.81	0.17	54.0	-11.19	AV	360.00	150	Vertical	Pass
6	16093.987	56.17	1.35	74.0	-17.83	Peak	0.00	150	Vertical	Pass
6**	16093.987	46.56	1.35	54.0	-7.44	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.800	39.01	-17.55	74.0	-34.99	Peak	151.00	150	Horizontal	Pass
1**	1606.800	29.25	-17.55	54.0	-24.75	AV	151.00	150	Horizontal	Pass
2	2435.000	105.25	-12.84	74.0	31.25	Peak	360.00	150	Horizontal	N/A
2**	2435.000	95.80	-12.84	54.0	41.80	AV	360.00	150	Horizontal	N/A
3	4905.200	50.90	-2.57	74.0	-23.10	Peak	49.00	150	Horizontal	Pass
3**	4905.200	42.22	-2.57	54.0	-11.78	AV	49.00	150	Horizontal	Pass
4	6270.600	54.47	-0.33	74.0	-19.53	Peak	193.00	150	Horizontal	Pass
4**	6270.600	45.78	-0.33	54.0	-8.22	AV	193.00	150	Horizontal	Pass
5	10935.012	52.48	-0.01	74.0	-21.52	Peak	72.00	150	Horizontal	Pass
5**	10935.012	42.73	-0.01	54.0	-11.27	AV	72.00	150	Horizontal	Pass
6	17486.025	57.46	2.45	74.0	-16.54	Peak	105.00	150	Horizontal	Pass
6**	17486.025	47.28	2.45	54.0	-6.72	AV	105.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	38.78	-17.49	74.0	-35.22	Peak	293.00	150	Vertical	Pass
1**	1592.800	29.08	-17.49	54.0	-24.92	AV	293.00	150	Vertical	Pass
2	2439.700	99.75	-12.64	74.0	25.75	Peak	8.00	150	Vertical	N/A
2**	2439.700	90.19	-12.64	54.0	36.19	AV	8.00	150	Vertical	N/A
3	4873.200	50.96	-3.31	74.0	-23.04	Peak	243.00	150	Vertical	Pass
3**	4873.200	41.28	-3.31	54.0	-12.72	AV	243.00	150	Vertical	Pass
4	6268.000	54.22	-0.45	74.0	-19.78	Peak	28.00	150	Vertical	Pass
4**	6268.000	45.52	-0.45	54.0	-8.48	AV	28.00	150	Vertical	Pass
5	9818.651	51.83	0.02	74.0	-22.17	Peak	225.00	150	Vertical	Pass
5**	9818.651	43.04	0.02	54.0	-10.96	AV	225.00	150	Vertical	Pass
6	17232.187	57.28	1.52	74.0	-16.72	Peak	302.00	150	Vertical	Pass
6**	17232.187	47.73	1.52	54.0	-6.27	AV	302.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) CHANNEL 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1755.600	40.29	-17.15	74.0	-33.71	Peak	126.00	150	Horizontal	Pass
1**	1755.600	29.44	-17.15	54.0	-24.56	AV	126.00	150	Horizontal	Pass
2	2464.400	104.38	-12.76	74.0	30.38	Peak	168.00	150	Horizontal	N/A
2**	2464.400	95.05	-12.76	54.0	41.05	AV	168.00	150	Horizontal	N/A
3	4554.400	50.28	-4.00	74.0	-23.72	Peak	228.00	150	Horizontal	Pass
3**	4554.400	41.02	-4.00	54.0	-12.98	AV	228.00	150	Horizontal	Pass
4	6686.400	53.99	-0.21	74.0	-20.01	Peak	325.00	150	Horizontal	Pass
4**	6686.400	45.86	-0.21	54.0	-8.14	AV	325.00	150	Horizontal	Pass
5	10315.450	52.89	-0.27	74.0	-21.11	Peak	16.00	150	Horizontal	Pass
5**	10315.450	42.36	-0.27	54.0	-11.64	AV	16.00	150	Horizontal	Pass
6	15840.675	56.84	1.44	74.0	-17.16	Peak	299.00	150	Horizontal	Pass
6**	15840.675	47.98	1.44	54.0	-6.02	AV	299.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) CHANNEL 11

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1366.500	38.49	-17.41	74.0	-35.51	Peak	338.00	150	Vertical	Pass
1**	1366.500	29.25	-17.41	54.0	-24.75	AV	338.00	150	Vertical	Pass
2	2463.400	99.68	-12.79	74.0	25.68	Peak	306.00	150	Vertical	N/A
2**	2463.400	89.86	-12.79	54.0	35.86	AV	306.00	150	Vertical	N/A
3	4897.200	51.45	-2.94	74.0	-22.55	Peak	104.00	150	Vertical	Pass
3**	4897.200	42.11	-2.94	54.0	-11.89	AV	104.00	150	Vertical	Pass
4	6691.400	54.27	-0.30	74.0	-19.73	Peak	13.00	150	Vertical	Pass
4**	6691.400	44.94	-0.30	54.0	-9.06	AV	13.00	150	Vertical	Pass
5	10194.700	52.47	0.42	74.0	-21.53	Peak	343.00	150	Vertical	Pass
5**	10194.700	44.45	0.42	54.0	-9.55	AV	343.00	150	Vertical	Pass
6	17177.062	56.80	2.57	74.0	-17.20	Peak	332.00	150	Vertical	Pass
6**	17177.062	47.16	2.57	54.0	-6.84	AV	332.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.400	39.21	-17.55	74.0	-34.79	Peak	334.00	150	Horizontal	Pass
1**	1547.400	29.48	-17.55	54.0	-24.52	AV	334.00	150	Horizontal	Pass
2	2409.200	100.76	-12.26	74.0	26.76	Peak	360.00	150	Horizontal	N/A
2**	2409.200	90.10	-12.26	54.0	36.10	AV	360.00	150	Horizontal	N/A
3	4793.000	51.48	-2.64	74.0	-22.52	Peak	258.00	150	Horizontal	Pass
3**	4793.000	41.09	-2.64	54.0	-12.91	AV	258.00	150	Horizontal	Pass
4	6681.000	54.32	-0.52	74.0	-19.68	Peak	15.00	150	Horizontal	Pass
4**	6681.000	45.73	-0.52	54.0	-8.27	AV	15.00	150	Horizontal	Pass
5	10200.450	52.11	0.48	74.0	-21.89	Peak	36.00	150	Horizontal	Pass
5**	10200.450	43.20	0.48	54.0	-10.80	AV	36.00	150	Horizontal	Pass
6	17907.864	57.85	3.56	74.0	-16.15	Peak	0.00	150	Horizontal	Pass
6**	17907.864	47.71	3.56	54.0	-6.29	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.500	39.12	-17.43	74.0	-34.88	Peak	188.00	150	Vertical	Pass
1**	1552.500	29.45	-17.43	54.0	-24.55	AV	188.00	150	Vertical	Pass
2	2421.000	94.80	-12.44	74.0	20.80	Peak	296.00	150	Vertical	N/A
2**	2421.000	86.41	-12.44	54.0	32.41	AV	296.00	150	Vertical	N/A
3	4855.800	51.39	-3.29	74.0	-22.61	Peak	38.00	150	Vertical	Pass
3**	4855.800	41.77	-3.29	54.0	-12.23	AV	38.00	150	Vertical	Pass
4	6752.800	54.27	-0.80	74.0	-19.73	Peak	279.00	150	Vertical	Pass
4**	6752.800	43.91	-0.80	54.0	-10.09	AV	279.00	150	Vertical	Pass
5	10191.537	51.74	0.32	74.0	-22.26	Peak	308.00	150	Vertical	Pass
5**	10191.537	43.49	0.32	54.0	-10.51	AV	308.00	150	Vertical	Pass
6	17200.687	56.59	1.86	74.0	-17.41	Peak	0.00	150	Vertical	Pass
6**	17200.687	47.79	1.86	54.0	-6.21	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1700.100	39.03	-17.33	74.0	-34.97	Peak	296.00	150	Horizontal	Pass
1**	1700.100	29.43	-17.33	54.0	-24.57	AV	296.00	150	Horizontal	Pass
2	2438.000	102.40	-12.60	74.0	28.40	Peak	341.00	150	Horizontal	N/A
2**	2438.000	92.34	-12.60	54.0	38.34	AV	341.00	150	Horizontal	N/A
3	4917.400	51.57	-2.23	74.0	-22.43	Peak	147.00	150	Horizontal	Pass
3**	4917.400	42.80	-2.23	54.0	-11.20	AV	147.00	150	Horizontal	Pass
4	6284.000	54.00	-0.23	74.0	-20.00	Peak	214.00	150	Horizontal	Pass
4**	6284.000	44.41	-0.23	54.0	-9.59	AV	214.00	150	Horizontal	Pass
5	10098.962	52.36	0.17	74.0	-21.64	Peak	285.00	150	Horizontal	Pass
5**	10098.962	42.93	0.17	54.0	-11.07	AV	285.00	150	Horizontal	Pass
6	16107.638	56.44	0.87	74.0	-17.56	Peak	1.00	150	Horizontal	Pass
6**	16107.638	46.18	0.87	54.0	-7.82	AV	1.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1663.500	38.85	-17.52	74.0	-35.15	Peak	214.00	150	Vertical	Pass
1**	1663.500	29.59	-17.52	54.0	-24.41	AV	214.00	150	Vertical	Pass
2	2428.000	96.56	-12.80	74.0	22.56	Peak	10.00	150	Vertical	N/A
2**	2428.000	86.92	-12.80	54.0	32.92	AV	10.00	150	Vertical	N/A
3	5011.200	51.36	-3.15	74.0	-22.64	Peak	158.00	150	Vertical	Pass
3**	5011.200	42.36	-3.15	54.0	-11.64	AV	158.00	150	Vertical	Pass
4	6273.000	53.74	-0.18	74.0	-20.26	Peak	0.00	150	Vertical	Pass
4**	6273.000	44.53	-0.18	54.0	-9.47	AV	0.00	150	Vertical	Pass
5	10203.900	52.67	0.36	74.0	-21.33	Peak	308.00	150	Vertical	Pass
5**	10203.900	42.86	0.36	54.0	-11.14	AV	308.00	150	Vertical	Pass
6	17418.562	58.52	3.72	74.0	-15.48	Peak	140.00	150	Vertical	Pass
6**	17418.562	47.66	3.72	54.0	-6.34	AV	140.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1652.800	38.58	-17.57	74.0	-35.42	Peak	194.00	150	Horizontal	Pass
1**	1652.800	29.41	-17.57	54.0	-24.59	AV	194.00	150	Horizontal	Pass
2	2437.400	101.93	-12.60	74.0	27.93	Peak	360.00	150	Horizontal	N/A
2**	2437.400	92.52	-12.60	54.0	38.52	AV	360.00	150	Horizontal	N/A
3	4804.600	51.31	-2.80	74.0	-22.69	Peak	94.00	150	Horizontal	Pass
3**	4804.600	41.42	-2.80	54.0	-12.58	AV	94.00	150	Horizontal	Pass
4	6604.200	53.80	-0.01	74.0	-20.20	Peak	334.00	150	Horizontal	Pass
4**	6604.200	46.18	-0.01	54.0	-7.82	AV	334.00	150	Horizontal	Pass
5	10194.700	51.94	0.42	74.0	-22.06	Peak	105.00	150	Horizontal	Pass
5**	10194.700	43.52	0.42	54.0	-10.48	AV	105.00	150	Horizontal	Pass
6	17192.813	57.58	2.25	74.0	-16.42	Peak	361.00	150	Horizontal	Pass
6**	17192.813	47.38	2.25	54.0	-6.62	AV	361.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1891.400	40.36	-16.03	74.0	-33.64	Peak	127.00	150	Vertical	Pass
1**	1891.400	31.06	-16.03	54.0	-22.94	AV	127.00	150	Vertical	Pass
2	2441.700	96.56	-12.91	74.0	22.56	Peak	283.00	150	Vertical	N/A
2**	2441.700	86.61	-12.91	54.0	32.61	AV	283.00	150	Vertical	N/A
3	4359.800	49.73	-3.77	74.0	-24.27	Peak	333.00	150	Vertical	Pass
3**	4359.800	39.66	-3.77	54.0	-14.34	AV	333.00	150	Vertical	Pass
4	6681.200	54.51	-0.51	74.0	-19.49	Peak	333.00	150	Vertical	Pass
4**	6681.200	44.99	-0.51	54.0	-9.01	AV	333.00	150	Vertical	Pass
5	10192.975	52.67	0.37	74.0	-21.33	Peak	0.00	150	Vertical	Pass
5**	10192.975	43.65	0.37	54.0	-10.35	AV	0.00	150	Vertical	Pass
6	17929.386	57.23	3.23	74.0	-16.77	Peak	355.00	150	Vertical	Pass
6**	17929.386	47.31	3.23	54.0	-6.69	AV	355.00	150	Vertical	Pass

MIMO

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1646.700	39.22	-17.47	74.0	-34.78	Peak	102.00	150	Horizontal	Pass
1**	1646.700	29.69	-17.47	54.0	-24.31	AV	102.00	150	Horizontal	Pass
2	2410.700	104.77	-12.25	74.0	30.77	Peak	198.00	150	Horizontal	N/A
2**	2410.700	101.83	-12.25	54.0	47.83	AV	198.00	150	Horizontal	N/A
3	4824.000	51.29	-3.38	74.0	-22.71	Peak	360.00	150	Horizontal	Pass
3**	4824.000	47.28	-3.38	54.0	-6.72	AV	360.00	150	Horizontal	Pass
4	6601.800	54.24	-0.22	74.0	-19.76	Peak	286.00	150	Horizontal	Pass
4**	6601.800	45.31	-0.22	54.0	-8.69	AV	286.00	150	Horizontal	Pass
5	10143.813	51.96	0.04	74.0	-22.04	Peak	343.00	150	Horizontal	Pass
5**	10143.813	43.52	0.04	54.0	-10.48	AV	343.00	150	Horizontal	Pass
6	17413.575	57.78	3.58	74.0	-16.22	Peak	162.00	150	Horizontal	Pass
6**	17413.575	47.35	3.58	54.0	-6.65	AV	162.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.100	39.15	-17.57	74.0	-34.85	Peak	0.00	150	Vertical	Pass
1**	1504.100	29.70	-17.57	54.0	-24.30	AV	0.00	150	Vertical	Pass
2	2410.700	95.59	-12.25	74.0	21.59	Peak	242.00	150	Vertical	N/A
2**	2410.700	92.73	-12.25	54.0	38.73	AV	242.00	150	Vertical	N/A
3	4803.600	51.57	-2.71	74.0	-22.43	Peak	134.00	150	Vertical	Pass
3**	4803.600	41.87	-2.71	54.0	-12.13	AV	134.00	150	Vertical	Pass
4	6684.000	54.10	-0.32	74.0	-19.90	Peak	176.00	150	Vertical	Pass
4**	6684.000	45.09	-0.32	54.0	-8.91	AV	176.00	150	Vertical	Pass
5	10197.576	52.50	0.46	74.0	-21.50	Peak	345.00	150	Vertical	Pass
5**	10197.576	43.31	0.46	54.0	-10.69	AV	345.00	150	Vertical	Pass
6	16432.613	56.10	1.11	74.0	-17.90	Peak	235.00	150	Vertical	Pass
6**	16432.613	46.36	1.11	54.0	-7.64	AV	235.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1822.600	40.84	-16.76	74.0	-33.16	Peak	274.00	150	Horizontal	Pass
1**	1822.600	29.90	-16.76	54.0	-24.10	AV	274.00	150	Horizontal	Pass
2	2415.400	103.71	-12.25	74.0	29.71	Peak	210.00	150	Horizontal	N/A
2**	2415.400	100.67	-12.25	54.0	46.67	AV	210.00	150	Horizontal	N/A
3	4834.200	51.40	-3.48	74.0	-22.60	Peak	360.00	150	Horizontal	Pass
3**	4834.200	47.73	-3.48	54.0	-6.27	AV	360.00	150	Horizontal	Pass
4	6676.400	53.93	-0.60	74.0	-20.07	Peak	264.00	150	Horizontal	Pass
4**	6676.400	45.45	-0.60	54.0	-8.55	AV	264.00	150	Horizontal	Pass
5	10376.688	51.74	0.18	74.0	-22.26	Peak	360.00	150	Horizontal	Pass
5**	10376.688	42.89	0.18	54.0	-11.11	AV	360.00	150	Horizontal	Pass
6	17294.137	57.22	1.63	74.0	-16.78	Peak	182.00	150	Horizontal	Pass
6**	17294.137	48.00	1.63	54.0	-6.00	AV	182.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1674.000	39.15	-17.43	74.0	-34.85	Peak	130.00	150	Vertical	Pass
1**	1674.000	29.17	-17.43	54.0	-24.83	AV	130.00	150	Vertical	Pass
2	2417.000	92.32	-12.25	74.0	18.32	Peak	232.00	150	Vertical	N/A
2**	2417.000	88.48	-12.25	54.0	34.48	AV	232.00	150	Vertical	N/A
3	4834.200	52.16	-3.48	74.0	-21.84	Peak	29.00	150	Vertical	Pass
3**	4834.200	44.21	-3.48	54.0	-9.79	AV	29.00	150	Vertical	Pass
4	6678.800	54.50	-0.55	74.0	-19.50	Peak	211.00	150	Vertical	Pass
4**	6678.800	45.11	-0.55	54.0	-8.89	AV	211.00	150	Vertical	Pass
5	10425.562	51.89	0.01	74.0	-22.11	Peak	88.00	150	Vertical	Pass
5**	10425.562	43.36	0.01	54.0	-10.64	AV	88.00	150	Vertical	Pass
6	17415.676	56.76	3.65	74.0	-17.24	Peak	0.00	150	Vertical	Pass
6**	17415.676	47.41	3.65	54.0	-6.59	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1906.200	41.36	-16.14	74.0	-32.64	Peak	93.00	150	Horizontal	Pass
1**	1906.200	30.88	-16.14	54.0	-23.12	AV	93.00	150	Horizontal	Pass
2	2420.300	104.12	-12.37	74.0	30.12	Peak	215.00	150	Horizontal	N/A
2**	2420.300	101.18	-12.37	54.0	47.18	AV	215.00	150	Horizontal	N/A
3	4844.400	51.50	-3.44	74.0	-22.50	Peak	360.00	150	Horizontal	Pass
3**	4844.400	47.96	-3.44	54.0	-6.04	AV	360.00	150	Horizontal	Pass
4	6283.000	54.60	-0.22	74.0	-19.40	Peak	190.00	150	Horizontal	Pass
4**	6283.000	44.43	-0.22	54.0	-9.57	AV	190.00	150	Horizontal	Pass
5	11571.250	54.37	-0.40	74.0	-19.63	Peak	289.00	150	Horizontal	Pass
5**	11571.250	44.25	-0.40	54.0	-9.75	AV	289.00	150	Horizontal	Pass
6	17230.875	57.27	1.49	74.0	-16.73	Peak	0.00	150	Horizontal	Pass
6**	17230.875	48.00	1.49	54.0	-6.00	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 3

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1692.100	39.01	-17.25	74.0	-34.99	Peak	192.00	150	Vertical	Pass
1**	1692.100	29.55	-17.25	54.0	-24.45	AV	192.00	150	Vertical	Pass
2	2420.600	92.86	-12.39	74.0	18.86	Peak	225.00	150	Vertical	N/A
2**	2420.600	89.90	-12.39	54.0	35.90	AV	225.00	150	Vertical	N/A
3	4799.600	51.03	-2.55	74.0	-22.97	Peak	137.00	150	Vertical	Pass
3**	4799.600	42.68	-2.55	54.0	-11.32	AV	137.00	150	Vertical	Pass
4	6592.000	53.97	-1.20	74.0	-20.03	Peak	8.00	150	Vertical	Pass
4**	6592.000	44.64	-1.20	54.0	-9.36	AV	8.00	150	Vertical	Pass
5	11628.463	52.65	-0.18	74.0	-21.35	Peak	145.00	150	Vertical	Pass
5**	11628.463	44.05	-0.18	54.0	-9.95	AV	145.00	150	Vertical	Pass
6	16097.401	56.97	1.26	74.0	-17.03	Peak	198.00	150	Vertical	Pass
6**	16097.401	47.13	1.26	54.0	-6.87	AV	198.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1709.700	39.52	-17.22	74.0	-34.48	Peak	334.00	150	Horizontal	Pass
1**	1709.700	29.61	-17.22	54.0	-24.39	AV	334.00	150	Horizontal	Pass
2	2425.400	103.51	-12.88	74.0	29.51	Peak	219.00	150	Horizontal	N/A
2**	2425.400	100.61	-12.88	54.0	46.61	AV	219.00	150	Horizontal	N/A
3	4854.000	51.90	-3.18	74.0	-22.10	Peak	0.00	150	Horizontal	Pass
3**	4854.000	47.79	-3.18	54.0	-6.21	AV	0.00	150	Horizontal	Pass
4	6625.400	54.69	-0.25	74.0	-19.31	Peak	208.00	150	Horizontal	Pass
4**	6625.400	44.86	-0.25	54.0	-9.14	AV	208.00	150	Horizontal	Pass
5	10928.975	53.40	0.10	74.0	-20.60	Peak	15.00	150	Horizontal	Pass
5**	10928.975	42.81	0.10	54.0	-11.19	AV	15.00	150	Horizontal	Pass
6	17412.526	57.32	3.54	74.0	-16.68	Peak	342.00	150	Horizontal	Pass
6**	17412.526	47.43	3.54	54.0	-6.57	AV	342.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.400	39.26	-17.53	74.0	-34.74	Peak	218.00	150	Vertical	Pass
1**	1503.400	29.29	-17.53	54.0	-24.71	AV	218.00	150	Vertical	Pass
2	2425.500	92.83	-12.87	74.0	18.83	Peak	201.00	150	Vertical	N/A
2**	2425.500	89.98	-12.87	54.0	35.98	AV	201.00	150	Vertical	N/A
3	4800.200	51.46	-2.55	74.0	-22.54	Peak	0.00	150	Vertical	Pass
3**	4800.200	43.26	-2.55	54.0	-10.74	AV	0.00	150	Vertical	Pass
4	6686.000	54.12	-0.20	74.0	-19.88	Peak	89.00	150	Vertical	Pass
4**	6686.000	45.29	-0.20	54.0	-8.71	AV	89.00	150	Vertical	Pass
5	11597.412	53.17	-0.12	74.0	-20.83	Peak	341.00	150	Vertical	Pass
5**	11597.412	45.09	-0.12	54.0	-8.91	AV	341.00	150	Vertical	Pass
6	17203.313	57.25	1.73	74.0	-16.75	Peak	319.00	150	Vertical	Pass
6**	17203.313	47.96	1.73	54.0	-6.04	AV	319.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1784.300	39.54	-17.00	74.0	-34.46	Peak	291.00	150	Horizontal	Pass
1**	1784.300	29.87	-17.00	54.0	-24.13	AV	291.00	150	Horizontal	Pass
2	2433.400	104.07	-12.89	74.0	30.07	Peak	215.00	150	Horizontal	N/A
2**	2433.400	101.17	-12.89	54.0	47.17	AV	215.00	150	Horizontal	N/A
3	4864.200	51.24	-3.44	74.0	-22.76	Peak	3.00	150	Horizontal	Pass
3**	4864.200	47.86	-3.44	54.0	-6.14	AV	3.00	150	Horizontal	Pass
4	6674.200	53.74	-0.69	74.0	-20.26	Peak	283.00	150	Horizontal	Pass
4**	6674.200	45.65	-0.69	54.0	-8.35	AV	283.00	150	Horizontal	Pass
5	10549.188	52.20	-0.63	74.0	-21.80	Peak	108.00	150	Horizontal	Pass
5**	10549.188	42.24	-0.63	54.0	-11.76	AV	108.00	150	Horizontal	Pass
6	15239.026	56.11	0.97	74.0	-17.89	Peak	321.00	150	Horizontal	Pass
6**	15239.026	46.66	0.97	54.0	-7.34	AV	321.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1633.300	38.51	-17.56	74.0	-35.49	Peak	215.00	150	Vertical	Pass
1**	1633.300	29.27	-17.56	54.0	-24.73	AV	215.00	150	Vertical	Pass
2	2433.000	96.36	-12.87	74.0	22.36	Peak	207.00	150	Vertical	N/A
2**	2433.000	93.52	-12.87	54.0	39.52	AV	207.00	150	Vertical	N/A
3	4910.400	51.27	-2.45	74.0	-22.73	Peak	181.00	150	Vertical	Pass
3**	4910.400	41.07	-2.45	54.0	-12.93	AV	181.00	150	Vertical	Pass
4	6548.600	54.34	-1.68	74.0	-19.66	Peak	351.00	150	Vertical	Pass
4**	6548.600	44.69	-1.68	54.0	-9.31	AV	351.00	150	Vertical	Pass
5	10152.150	52.46	-0.07	74.0	-21.54	Peak	360.00	150	Vertical	Pass
5**	10152.150	44.83	-0.07	54.0	-9.17	AV	360.00	150	Vertical	Pass
6	17238.489	57.10	1.56	74.0	-16.90	Peak	190.00	150	Vertical	Pass
6**	17238.489	47.67	1.56	54.0	-6.33	AV	190.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1706.300	39.19	-17.23	74.0	-34.81	Peak	14.00	150	Horizontal	Pass
1**	1706.300	29.90	-17.23	54.0	-24.10	AV	14.00	150	Horizontal	Pass
2	2435.600	104.22	-12.81	74.0	30.22	Peak	201.00	150	Horizontal	N/A
2**	2435.600	101.20	-12.81	54.0	47.20	AV	201.00	150	Horizontal	N/A
3	4874.000	51.57	-3.34	74.0	-22.43	Peak	0.00	150	Horizontal	Pass
3**	4874.000	47.25	-3.34	54.0	-6.75	AV	0.00	150	Horizontal	Pass
4	6682.800	54.20	-0.42	74.0	-19.80	Peak	316.00	150	Horizontal	Pass
4**	6682.800	45.03	-0.42	54.0	-8.97	AV	316.00	150	Horizontal	Pass
5	10201.600	52.52	0.44	74.0	-21.48	Peak	8.00	150	Horizontal	Pass
5**	10201.600	43.38	0.44	54.0	-10.62	AV	8.00	150	Horizontal	Pass
6	17135.588	56.88	2.20	74.0	-17.12	Peak	360.00	150	Horizontal	Pass
6**	17135.588	47.24	2.20	54.0	-6.76	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1658.900	39.76	-17.55	74.0	-34.24	Peak	12.00	150	Vertical	Pass
1**	1658.900	30.06	-17.55	54.0	-23.94	AV	12.00	150	Vertical	Pass
2	2435.500	95.97	-12.82	74.0	21.97	Peak	253.00	150	Vertical	N/A
2**	2435.500	92.91	-12.82	54.0	38.91	AV	253.00	150	Vertical	N/A
3	4910.800	51.91	-2.46	74.0	-22.09	Peak	206.00	150	Vertical	Pass
3**	4910.800	41.31	-2.46	54.0	-12.69	AV	206.00	150	Vertical	Pass
4	6271.400	55.34	-0.29	74.0	-18.66	Peak	360.00	150	Vertical	Pass
4**	6271.400	44.31	-0.29	54.0	-9.69	AV	360.00	150	Vertical	Pass
5	10146.975	52.48	0.03	74.0	-21.52	Peak	227.00	150	Vertical	Pass
5**	10146.975	43.33	0.03	54.0	-10.67	AV	227.00	150	Vertical	Pass
6	17225.099	56.66	1.39	74.0	-17.34	Peak	360.00	150	Vertical	Pass
6**	17225.099	47.05	1.39	54.0	-6.95	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.300	39.55	-17.53	74.0	-34.45	Peak	162.00	150	Horizontal	Pass
1**	1484.300	28.93	-17.53	54.0	-25.07	AV	162.00	150	Horizontal	Pass
2	2463.600	104.79	-12.78	74.0	30.79	Peak	205.00	150	Horizontal	N/A
2**	2463.600	101.92	-12.78	54.0	47.92	AV	205.00	150	Horizontal	N/A
3	4924.000	52.24	-2.59	74.0	-21.76	Peak	360.00	150	Horizontal	Pass
3**	4924.000	48.40	-2.59	54.0	-5.60	AV	360.00	150	Horizontal	Pass
4	6682.600	54.33	-0.43	74.0	-19.67	Peak	89.00	150	Horizontal	Pass
4**	6682.600	44.70	-0.43	54.0	-9.30	AV	89.00	150	Horizontal	Pass
5	10145.537	52.64	0.04	74.0	-21.36	Peak	285.00	150	Horizontal	Pass
5**	10145.537	43.17	0.04	54.0	-10.83	AV	285.00	150	Horizontal	Pass
6	16125.225	56.58	0.81	74.0	-17.42	Peak	263.00	150	Horizontal	Pass
6**	16125.225	46.19	0.81	54.0	-7.81	AV	263.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.400	39.16	-17.53	74.0	-34.84	Peak	2.00	150	Vertical	Pass
1**	1501.400	29.63	-17.53	54.0	-24.37	AV	2.00	150	Vertical	Pass
2	2460.700	97.68	-12.75	74.0	23.68	Peak	280.00	150	Vertical	N/A
2**	2460.700	94.72	-12.75	54.0	40.72	AV	280.00	150	Vertical	N/A
3	4981.200	51.72	-3.00	74.0	-22.28	Peak	356.00	150	Vertical	Pass
3**	4981.200	41.40	-3.00	54.0	-12.60	AV	356.00	150	Vertical	Pass
4	6692.200	53.90	-0.31	74.0	-20.10	Peak	169.00	150	Vertical	Pass
4**	6692.200	45.30	-0.31	54.0	-8.70	AV	169.00	150	Vertical	Pass
5	10204.188	52.31	0.35	74.0	-21.69	Peak	48.00	150	Vertical	Pass
5**	10204.188	42.82	0.35	54.0	-11.18	AV	48.00	150	Vertical	Pass
6	17289.150	57.01	1.68	74.0	-16.99	Peak	360.00	150	Vertical	Pass
6**	17289.150	46.61	1.68	54.0	-7.39	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.200	38.71	-17.34	74.0	-35.29	Peak	66.00	150	Horizontal	Pass
1**	1436.200	29.60	-17.34	54.0	-24.40	AV	66.00	150	Horizontal	Pass
2	2417.100	107.59	-12.25	74.0	33.59	Peak	350.00	150	Horizontal	N/A
2**	2417.100	101.22	-12.25	54.0	47.22	AV	350.00	150	Horizontal	N/A
3	4836.400	51.86	-3.41	74.0	-22.14	Peak	28.00	150	Horizontal	Pass
3**	4836.400	41.39	-3.41	54.0	-12.61	AV	28.00	150	Horizontal	Pass
4	6604.600	53.57	0.02	74.0	-20.43	Peak	292.00	150	Horizontal	Pass
4**	6604.600	45.45	0.02	54.0	-8.55	AV	292.00	150	Horizontal	Pass
5	10201.888	51.88	0.43	74.0	-22.12	Peak	3.00	150	Horizontal	Pass
5**	10201.888	43.16	0.43	54.0	-10.84	AV	3.00	150	Horizontal	Pass
6	17408.324	57.39	3.40	74.0	-16.61	Peak	93.00	150	Horizontal	Pass
6**	17408.324	47.27	3.40	54.0	-6.73	AV	93.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1643.500	39.51	-17.44	74.0	-34.49	Peak	350.00	150	Vertical	Pass
1**	1643.500	29.44	-17.44	54.0	-24.56	AV	350.00	150	Vertical	Pass
2	2411.100	99.44	-12.25	74.0	25.44	Peak	183.00	150	Vertical	N/A
2**	2411.100	93.26	-12.25	54.0	39.26	AV	183.00	150	Vertical	N/A
3	4800.000	50.99	-2.55	74.0	-23.01	Peak	28.00	150	Vertical	Pass
3**	4800.000	43.78	-2.55	54.0	-10.22	AV	28.00	150	Vertical	Pass
4	6610.600	53.75	0.18	74.0	-20.25	Peak	278.00	150	Vertical	Pass
4**	6610.600	45.17	0.18	54.0	-8.83	AV	278.00	150	Vertical	Pass
5	10198.150	52.11	0.47	74.0	-21.89	Peak	110.00	150	Vertical	Pass
5**	10198.150	44.11	0.47	54.0	-9.89	AV	110.00	150	Vertical	Pass
6	15236.138	56.45	1.01	74.0	-17.55	Peak	134.00	150	Vertical	Pass
6**	15236.138	46.38	1.01	54.0	-7.62	AV	134.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.600	39.04	-17.65	74.0	-34.96	Peak	111.00	150	Horizontal	Pass
1**	1518.600	29.44	-17.65	54.0	-24.56	AV	111.00	150	Horizontal	Pass
2	2437.800	108.10	-12.59	74.0	34.10	Peak	0.00	150	Horizontal	N/A
2**	2437.800	101.37	-12.59	54.0	47.37	AV	0.00	150	Horizontal	N/A
3	4598.800	50.42	-3.82	74.0	-23.58	Peak	282.00	150	Horizontal	Pass
3**	4598.800	40.54	-3.82	54.0	-13.46	AV	282.00	150	Horizontal	Pass
4	6272.600	54.38	-0.21	74.0	-19.62	Peak	220.00	150	Horizontal	Pass
4**	6272.600	45.07	-0.21	54.0	-8.93	AV	220.00	150	Horizontal	Pass
5	10322.350	52.21	-0.13	74.0	-21.79	Peak	64.00	150	Horizontal	Pass
5**	10322.350	42.67	-0.13	54.0	-11.33	AV	64.00	150	Horizontal	Pass
6	16432.088	56.71	1.11	74.0	-17.29	Peak	65.00	150	Horizontal	Pass
6**	16432.088	46.53	1.11	54.0	-7.47	AV	65.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.900	38.70	-17.62	74.0	-35.30	Peak	203.00	150	Vertical	Pass
1**	1517.900	30.06	-17.62	54.0	-23.94	AV	203.00	150	Vertical	Pass
2	2438.000	100.47	-12.60	74.0	26.47	Peak	1.00	150	Vertical	N/A
2**	2438.000	93.04	-12.60	54.0	39.04	AV	1.00	150	Vertical	N/A
3	4800.200	51.55	-2.55	74.0	-22.45	Peak	147.00	150	Vertical	Pass
3**	4800.200	43.88	-2.55	54.0	-10.12	AV	147.00	150	Vertical	Pass
4	6689.600	54.32	-0.27	74.0	-19.68	Peak	207.00	150	Vertical	Pass
4**	6689.600	45.34	-0.27	54.0	-8.66	AV	207.00	150	Vertical	Pass
5	10199.300	51.88	0.48	74.0	-22.12	Peak	305.00	150	Vertical	Pass
5**	10199.300	42.81	0.48	54.0	-11.19	AV	305.00	150	Vertical	Pass
6	17212.762	56.97	1.44	74.0	-17.03	Peak	1.00	150	Vertical	Pass
6**	17212.762	47.26	1.44	54.0	-6.74	AV	1.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1694.300	38.53	-17.24	74.0	-35.47	Peak	94.00	150	Horizontal	Pass
1**	1694.300	29.30	-17.24	54.0	-24.70	AV	94.00	150	Horizontal	Pass
2	2460.500	107.48	-12.75	74.0	33.48	Peak	197.00	150	Horizontal	N/A
2**	2460.500	99.95	-12.75	54.0	45.95	AV	197.00	150	Horizontal	N/A
3	4784.400	51.50	-2.87	74.0	-22.50	Peak	307.00	150	Horizontal	Pass
3**	4784.400	41.13	-2.87	54.0	-12.87	AV	307.00	150	Horizontal	Pass
4	6673.600	54.24	-0.74	74.0	-19.76	Peak	122.00	150	Horizontal	Pass
4**	6673.600	45.19	-0.74	54.0	-8.81	AV	122.00	150	Horizontal	Pass
5	10198.150	52.34	0.47	74.0	-21.66	Peak	304.00	150	Horizontal	Pass
5**	10198.150	43.25	0.47	54.0	-10.75	AV	304.00	150	Horizontal	Pass
6	17184.150	57.15	2.55	74.0	-16.85	Peak	336.00	150	Horizontal	Pass
6**	17184.150	47.51	2.55	54.0	-6.49	AV	336.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1915.500	40.63	-15.96	74.0	-33.37	Peak	302.00	150	Vertical	Pass
1**	1915.500	31.77	-15.96	54.0	-22.23	AV	302.00	150	Vertical	Pass
2	2462.500	99.37	-12.78	74.0	25.37	Peak	302.00	150	Vertical	N/A
2**	2462.500	91.61	-12.78	54.0	37.61	AV	302.00	150	Vertical	N/A
3	4807.600	51.27	-2.99	74.0	-22.73	Peak	12.00	150	Vertical	Pass
3**	4807.600	42.99	-2.99	54.0	-11.01	AV	12.00	150	Vertical	Pass
4	6682.200	55.29	-0.46	74.0	-18.71	Peak	333.00	150	Vertical	Pass
4**	6682.200	45.83	-0.46	54.0	-8.17	AV	333.00	150	Vertical	Pass
5	10263.987	51.88	0.49	74.0	-22.12	Peak	343.00	150	Vertical	Pass
5**	10263.987	42.35	0.49	54.0	-11.65	AV	343.00	150	Vertical	Pass
6	17414.625	57.60	3.62	74.0	-16.40	Peak	360.00	150	Vertical	Pass
6**	17414.625	47.41	3.62	54.0	-6.59	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.200	38.84	-17.61	74.0	-35.16	Peak	114.00	150	Horizontal	Pass
1**	1508.200	29.19	-17.61	54.0	-24.81	AV	114.00	150	Horizontal	Pass
2	2414.500	106.79	-12.26	74.0	32.79	Peak	0.00	150	Horizontal	N/A
2**	2414.500	100.24	-12.26	54.0	46.24	AV	0.00	150	Horizontal	N/A
3	4802.400	51.42	-2.62	74.0	-22.58	Peak	76.00	150	Horizontal	Pass
3**	4802.400	42.27	-2.62	54.0	-11.73	AV	76.00	150	Horizontal	Pass
4	6689.000	54.45	-0.26	74.0	-19.55	Peak	311.00	150	Horizontal	Pass
4**	6689.000	45.65	-0.26	54.0	-8.35	AV	311.00	150	Horizontal	Pass
5	10433.325	52.33	-0.15	74.0	-21.67	Peak	90.00	150	Horizontal	Pass
5**	10433.325	41.99	-0.15	54.0	-12.01	AV	90.00	150	Horizontal	Pass
6	17409.636	57.53	3.44	74.0	-16.47	Peak	299.00	150	Horizontal	Pass
6**	17409.636	47.16	3.44	54.0	-6.84	AV	299.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1723.800	39.33	-17.26	74.0	-34.67	Peak	281.00	150	Vertical	Pass
1**	1723.800	30.02	-17.26	54.0	-23.98	AV	281.00	150	Vertical	Pass
2	2408.800	97.63	-12.27	74.0	23.63	Peak	236.00	150	Vertical	N/A
2**	2408.800	90.64	-12.27	54.0	36.64	AV	236.00	150	Vertical	N/A
3	5326.800	52.87	-3.08	74.0	-21.13	Peak	122.00	150	Vertical	Pass
3**	5326.800	45.59	-3.08	54.0	-8.41	AV	122.00	150	Vertical	Pass
4	6682.600	53.84	-0.43	74.0	-20.16	Peak	294.00	150	Vertical	Pass
4**	6682.600	45.27	-0.43	54.0	-8.73	AV	294.00	150	Vertical	Pass
5	11614.950	52.78	-0.07	74.0	-21.22	Peak	278.00	150	Vertical	Pass
5**	11614.950	43.00	-0.07	54.0	-11.00	AV	278.00	150	Vertical	Pass
6	17410.425	57.06	3.46	74.0	-16.94	Peak	303.00	150	Vertical	Pass
6**	17410.425	47.17	3.46	54.0	-6.83	AV	303.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.700	38.97	-17.38	74.0	-35.03	Peak	55.00	150	Horizontal	Pass
1**	1449.700	29.67	-17.38	54.0	-24.33	AV	55.00	150	Horizontal	Pass
2	2439.300	107.38	-12.63	74.0	33.38	Peak	360.00	150	Horizontal	N/A
2**	2439.300	99.96	-12.63	54.0	45.96	AV	360.00	150	Horizontal	N/A
3	4749.600	51.69	-3.61	74.0	-22.31	Peak	173.00	150	Horizontal	Pass
3**	4749.600	41.28	-3.61	54.0	-12.72	AV	173.00	150	Horizontal	Pass
4	6271.000	54.10	-0.31	74.0	-19.90	Peak	286.00	150	Horizontal	Pass
4**	6271.000	44.44	-0.31	54.0	-9.56	AV	286.00	150	Horizontal	Pass
5	11130.225	52.71	-0.93	74.0	-21.29	Peak	28.00	150	Horizontal	Pass
5**	11130.225	42.07	-0.93	54.0	-11.93	AV	28.00	150	Horizontal	Pass
6	17423.550	57.20	3.66	74.0	-16.80	Peak	360.00	150	Horizontal	Pass
6**	17423.550	47.80	3.66	54.0	-6.20	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1738.900	39.49	-17.03	74.0	-34.51	Peak	117.00	150	Vertical	Pass
1**	1738.900	29.64	-17.03	54.0	-24.36	AV	117.00	150	Vertical	Pass
2	2435.000	99.88	-12.84	74.0	25.88	Peak	286.00	150	Vertical	N/A
2**	2435.000	93.26	-12.84	54.0	39.26	AV	286.00	150	Vertical	N/A
3	4774.200	50.90	-2.97	74.0	-23.10	Peak	127.00	150	Vertical	Pass
3**	4774.200	41.44	-2.97	54.0	-12.56	AV	127.00	150	Vertical	Pass
4	6595.800	53.69	-0.90	74.0	-20.31	Peak	360.00	150	Vertical	Pass
4**	6595.800	44.36	-0.90	54.0	-9.64	AV	360.00	150	Vertical	Pass
5	10366.050	51.92	0.11	74.0	-22.08	Peak	0.00	150	Vertical	Pass
5**	10366.050	42.45	0.11	54.0	-11.55	AV	0.00	150	Vertical	Pass
6	17218.802	56.87	1.36	74.0	-17.13	Peak	302.00	150	Vertical	Pass
6**	17218.802	47.37	1.36	54.0	-6.63	AV	302.00	150	Vertical	Pass