





11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230






11AC40SISO_Ant1_5270




11AC40SISO_Ant1_5310






11AC40SISO_Ant1_5510




11AC40SISO_Ant1_5550






11AC40SISO_Ant1_5670




11AC40SISO_Ant1_5710_UNII-2C






11AC40SISO_Ant1_5710_UNII-3



Date: 31.MAR.2024 13:09:29


11AC40SISO_Ant1_5755




Date: 31.MAR.2024 13:10:06



11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210






11AC80SISO_Ant1_5290




11AC80SISO_Ant1_5530






11AC80SISO_Ant1_5610




11AC80SISO_Ant1_5690_UNII-2C






11AC80SISO_Ant1_5690_UNII-3




11AC80SISO_Ant1_5775






11AC160SISO_Ant1_5250_UNII-1




11AC160SISO_Ant1_5250_UNII-2A






11AC160SISO_Ant1_5570




11AX20SISO_Ant1_5180






11AX20SISO_Ant1_5220




11AX20SISO_Ant1_5240






11AX20SISO_Ant1_5260




11AX20SISO_Ant1_5300






11AX20SISO_Ant1_5320




11AX20SISO_Ant1_5500






11AX20SISO_Ant1_5580




11AX20SISO_Ant1_5700






11AX20SISO_Ant1_5720_UNII-2C




11AX20SISO_Ant1_5720_UNII-3






11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785






11AX20SISO_Ant1_5825




11AX40SISO_Ant1_5190






11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270






11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510






11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670






11AX40SISO_Ant1_5710_UNII-2C




11AX40SISO_Ant1_5710_UNII-3






11AX40SISO_Ant1_5755




11AX40SISO_Ant1_5795






11AX80SISO_Ant1_5210




11AX80SISO_Ant1_5290






11AX80SISO_Ant1_5530




11AX80SISO_Ant1_5610






11AX80SISO_Ant1_5690_UNII-2C




11AX80SISO_Ant1_5690_UNII-3






11AX80SISO_Ant1_5775



Date: 31.MAR.2024 13:37:51


11AX160SISO_Ant1_5250_UNII-1




Date: 31.MAR.2024 13:38:35



11AX160SISO_Ant1_5250_UNII-2A



11AX160SISO_Ant1_5570





<Maximum power spectral density for 802.11ax Part RU>

Test Result


Test Mode	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20SISO	5180	26Tone	RU0	1.37	≤11.00	PASS
		52Tone	RU37	1.52	≤11.00	PASS
		106Tone	RU53	1.41	≤11.00	PASS
	5220	26Tone	RU0	1.37	≤11.00	PASS
		52Tone	RU37	1.56	≤11.00	PASS
		106Tone	RU53	1.46	≤11.00	PASS
	5240	26Tone	RU8	1.03	≤11.00	PASS
		52Tone	RU40	1.23	≤11.00	PASS
		106Tone	RU54	1.16	≤11.00	PASS
	5260	26Tone	RU0	2.64	≤11.00	PASS
		52Tone	RU37	3	≤11.00	PASS
		106Tone	RU53	2.92	≤11.00	PASS
	5300	26Tone	RU0	3.18	≤11.00	PASS
		52Tone	RU37	3.63	≤11.00	PASS
		106Tone	RU53	3.53	≤11.00	PASS
	5320	26Tone	RU8	2.66	≤11.00	PASS
		52Tone	RU40	3	≤11.00	PASS
		106Tone	RU54	2.99	≤11.00	PASS
	5500	26Tone	RU0	5.15	≤11.00	PASS
		52Tone	RU37	5.2	≤11.00	PASS
		106Tone	RU53	5.19	≤11.00	PASS
	5580	26Tone	RU0	5.15	≤11.00	PASS
		52Tone	RU37	5.03	≤11.00	PASS
		106Tone	RU53	5.14	≤11.00	PASS
	5700	26Tone	RU8	2.5	≤11.00	PASS
		52Tone	RU40	2.7	≤11.00	PASS
		106Tone	RU54	2.65	≤11.00	PASS
	5720	26Tone	RU8	5.46	≤11.00	PASS
		52Tone	RU40	5.41	≤11.00	PASS
		106Tone	RU54	5.49	≤11.00	PASS
	5745	26Tone	RU0	3.2	≤30.00	PASS
		52Tone	RU37	3.14	≤30.00	PASS
		106Tone	RU53	3.15	≤30.00	PASS
	5785	26Tone	RU0	3.41	≤30.00	PASS
		52Tone	RU37	3.2	≤30.00	PASS
		106Tone	RU53	3.19	≤30.00	PASS
	5825	26Tone	RU8	3	≤30.00	PASS
		52Tone	RU40	2.87	≤30.00	PASS
		106Tone	RU54	2.92	≤30.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.




Test Graphs






11AX20SISO_Ant1_5180_106Tone_RU53




11AX20SISO_Ant1_5220_26Tone_RU0






11AX20SISO_Ant1_5220_52Tone_RU37




11AX20SISO_Ant1_5220_106Tone_RU53






11AX20SISO_Ant1_5240_26Tone_RU8




11AX20SISO_Ant1_5240_52Tone_RU40






11AX20SISO_Ant1_5240_106Tone_RU54




11AX20SISO_Ant1_5260_26Tone_RU0






11AX20SISO_Ant1_5260_52Tone_RU37




11AX20SISO_Ant1_5260_106Tone_RU53






11AX20SISO_Ant1_5300_26Tone_RU0




11AX20SISO_Ant1_5300_52Tone_RU37






11AX20SISO_Ant1_5300_106Tone_RU53




11AX20SISO_Ant1_5320_26Tone_RU8






11AX20SISO_Ant1_5320_52Tone_RU40




11AX20SISO_Ant1_5320_106Tone_RU54






11AX20SISO_Ant1_5500_26Tone_RU0




11AX20SISO_Ant1_5500_52Tone_RU37






11AX20SISO_Ant1_5500_106Tone_RU53




11AX20SISO_Ant1_5580_26Tone_RU0






11AX20SISO_Ant1_5580_52Tone_RU37




11AX20SISO_Ant1_5580_106Tone_RU53






11AX20SISO_Ant1_5700_26Tone_RU8




11AX20SISO_Ant1_5700_52Tone_RU40






11AX20SISO_Ant1_5700_106Tone_RU54




11AX20SISO_Ant1_5720_26Tone_RU8






11AX20SISO_Ant1_5720_52Tone_RU40




11AX20SISO_Ant1_5720_106Tone_RU54






11AX20SISO_Ant1_5745_26Tone_RU0




11AX20SISO_Ant1_5745_52Tone_RU37






11AX20SISO_Ant1_5745_106Tone_RU53




11AX20SISO_Ant1_5785_26Tone_RU0






11AX20SISO_Ant1_5785_52Tone_RU37




11AX20SISO_Ant1_5785_106Tone_RU53







11AX20SISO_Ant1_5825_26Tone_RU8



11AX20SISO_Ant1_5825_52Tone_RU40







Appendix B. Radiated Spurious Emission Test Data

Test Engineer :	Henry Li	Relative Humidity :	41 ~ 42 %
		Temperature :	22 ~ 23 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	802.11ax HE20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	802.11ax HE20	44	5220	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	802.11ax HE20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	802.11ax HE20	52	5280	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	802.11ax HE20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	802.11ax HE20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	802.11ax HE20	100	5500	MCS0	Full RU	-
Mode 17	U-NII-2C	5.47-5.725	802.11ax HE20	116	5580	MCS0	Full RU	-
Mode 18	U-NII-2C	5.47-5.725	802.11ax HE20	140	5700	MCS0	Full RU	-
Mode 19	U-NII-1	5.15-5.25	802.11ax HE20	36	5180	MCS0	RU26/0	-
Mode 20	U-NII-2A	5.25-5.35	802.11ax HE20	64	5320	MCS0	RU26/8	-
Mode 21	U-NII-2C	5.47-5.725	802.11ax HE20	100	5500	MCS0	RU26/0	-
Mode 22	U-NII-2C	5.47-5.725	802.11ax HE20	140	5700	MCS0	RU26/8	-
Mode 23	U-NII-1	5.15-5.25	802.11ax HE20	36	5180	MCS0	RU52/37	-
Mode 24	U-NII-2A	5.25-5.35	802.11ax HE20	64	5320	MCS0	RU52/40	-
Mode 25	U-NII-2C	5.47-5.725	802.11ax HE20	100	5500	MCS0	RU52/37	-
Mode 26	U-NII-2C	5.47-5.725	802.11ax HE20	140	5700	MCS0	RU52/40	-
Mode 27	U-NII-1	5.15-5.25	802.11ax HE20	36	5180	MCS0	RU106/53	-
Mode 28	U-NII-2A	5.25-5.35	802.11ax HE20	64	5320	MCS0	RU106/54	-
Mode 29	U-NII-2C	5.47-5.725	802.11ax HE20	100	5500	MCS0	RU106/53	-
Mode 30	U-NII-2C	5.47-5.725	802.11ax HE20	140	5700	MCS0	RU106/54	-
Mode 31	U-NII-1	5.15-5.25	802.11ax HE40	38	5190	MCS0	Full RU	-
Mode 32	U-NII-1	5.15-5.25	802.11ax HE40	46	5230	MCS0	Full RU	-
Mode 33	U-NII-2A	5.25-5.35	802.11ax HE40	54	5270	MCS0	Full RU	-
Mode 34	U-NII-2A	5.25-5.35	802.11ax HE40	62	5310	MCS0	Full RU	-
Mode 35	U-NII-2C	5.47-5.725	802.11ax HE40	102	5510	MCS0	Full RU	-



ode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 36	U-NII-2C	5.47-5.725	802.11ax HE40	110	5550	MCS0	Full RU	-
Mode 37	U-NII-2C	5.47-5.725	802.11ax HE40	134	5670	MCS0	Full RU	-
Mode 38	U-NII-1	5.15-5.25	802.11ax HE80	42	5210	MCS0	Full RU	-
Mode 39	U-NII-2A	5.25-5.35	802.11ax HE80	58	5290	MCS0	Full RU	-
Mode 40	U-NII-2C	5.47-5.725	802.11ax HE80	106	5530	MCS0	Full RU	-
Mode 41	U-NII-2C	5.47-5.725	802.11ax HE80	122	5610	MCS0	Full RU	-
Mode 42	U-NII-2A	5.25-5.35	802.11ax HE160	50	5250	MCS0	Full RU	-
Mode 43	U-NII-2C	5.47-5.725	802.11ax HE160	114	5570	MCS0	Full RU	-
Mode 44	U-NII-3	5.725-5.85	802.11a	149	5745	6Mbps	-	-
Mode 45	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-	-
Mode 46	U-NII-3	5.725-5.85	802.11a	165	5825	6Mbps	-	-
Mode 47	U-NII-3	5.725-5.85	802.11ax HE20	149	5745	MCS0	Full RU	-
Mode 48	U-NII-3	5.725-5.85	802.11ax HE20	157	5785	MCS0	Full RU	-
Mode 49	U-NII-3	5.725-5.85	802.11ax HE20	165	5825	MCS0	Full RU	-
Mode 50	U-NII-3	5.725-5.85	802.11ax HE40	151	5755	MCS0	Full RU	-
Mode 51	U-NII-3	5.725-5.85	802.11ax HE40	159	5795	MCS0	Full RU	-
Mode 52	U-NII-3	5.725-5.85	802.11ax HE80	155	5775	MCS0	Full RU	-
Mode 53	U-NII-3	5.725-5.85	802.11ax HE20	149	5745	MCS0	RU26/0	-
Mode 54	U-NII-3	5.725-5.85	802.11ax HE20	165	5825	MCS0	RU26/8	-
Mode 55	U-NII-3	5.725-5.85	802.11ax HE20	149	5745	MCS0	RU52/37	-
Mode 56	U-NII-3	5.725-5.85	802.11ax HE20	165	5825	MCS0	RU52/40	-
Mode 57	U-NII-3	5.725-5.85	802.11ax HE20	149	5745	MCS0	RU106/53	-
Mode 58	U-NII-3	5.725-5.85	802.11ax HE20	165	5825	MCS0	RU106/54	-
Mode 59	U-NII-3	5.725-5.85	802.11a	144	5720	6Mbps	-	-
Mode 60	U-NII-3	5.725-5.85	802.11ax HE20	144	5720	MCS0	Full RU	-
Mode 61	U-NII-3	5.725-5.85	802.11ax HE40	142	5710	MCS0	Full RU	-
Mode 62	U-NII-3	5.725-5.85	802.11ax HE80	138	5690	MCS0	Full RU	-
Mode 65	U-NII-2C	5.47-5.725	802.11ax HE160	114	5570	MCS0	Full RU	-
	Part 27F LTE Band 13 Link (BW 5M)							
Mode 66	2400-2483.5	2400-2483.5	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-2C	5.47-5.725	802.11ax HE160	114	5570	MCS0	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.98	44.69	54.00	-9.31	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.03	68.20	-23.17	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	45.09	68.20	-23.11	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	-	-	-	-	-	-	-	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10560.00	46.05	68.20	-22.15	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.01	45.79	74.00	-28.21	H	PEAK	Pass	Harmonic
6	802.11a	64	5350.00	45.64	54.00	-8.36	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	44.78	74.00	-29.22	H	PEAK	Pass	Harmonic
7	802.11a	100	5469.92	59.72	68.20	-8.48	H	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	45.41	74.00	-28.59	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.66	74.00	-28.34	V	PEAK	Pass	Harmonic
9	802.11a	140	5725.04	64.35	68.20	-3.85	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	46.50	74.00	-27.50	H	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5150.00	46.18	54.00	-7.82	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	36	10360.00	44.76	68.20	-23.44	H	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	44	10440.00	44.62	68.20	-23.58	H	PEAK	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	48	10480.00	44.82	68.20	-23.38	H	PEAK	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	52	10560.00	44.81	68.20	-23.39	H	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	60	10600.00	45.25	74.00	-28.75	H	PEAK	Pass	Harmonic
15	802.11ax HE20	64	5350.00	46.80	54.00	-7.20	V	AVERAGE	Pass	Band Edge
37	802.11ax HE20	64	7093.13	46.97	68.20	-21.23	H	Peak	Pass	Harmonic
16	802.11ax HE20	100	5468.00	62.71	68.20	-5.49	H	PEAK	Pass	Band Edge
38	802.11ax HE20	100	11000.00	44.91	74.00	-29.09	V	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	45.62	74.00	-28.38	V	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.88	64.52	68.20	-3.68	H	Peak	Pass	Band Edge
18	802.11ax HE20	140	11400.00	45.86	74.00	-28.14	V	PEAK	Pass	Harmonic
19	802.11ax HE20	36	5137.05	42.38	54.00	-11.62	V	AVERAGE	Pass	Band Edge
19	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11ax HE20	64	5361.85	41.05	54.00	-12.95	V	AVERAGE	Pass	Band Edge
20	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
21	802.11ax HE20	100	5458.09	40.46	54.00	-13.54	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
22	802.11ax HE20	140	5727.84	63.63	68.20	-4.57	H	PEAK	Pass	Band Edge
22	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
23	802.11ax HE20	36	5148.94	42.33	54.00	-11.67	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
24	802.11ax HE20	64	5350.00	40.14	54.00	-13.86	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
25	802.11ax HE20	100	5462.09	57.10	68.20	-11.10	H	PEAK	Pass	Band Edge
25	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
26	802.11ax HE20	140	5730.17	59.83	68.20	-8.37	V	PEAK	Pass	Band Edge
26	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	36	5147.66	42.42	54.00	-11.58	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	36	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	64	5350.35	42.04	54.00	-11.96	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	64	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	100	5459.62	41.84	54.00	-12.16	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	100	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	140	5726.32	59.40	68.20	-8.80	H	PEAK	Pass	Band Edge
30	802.11ax HE20	140	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE40	38	5149.83	47.34	54.00	-6.66	H	AVERAGE	Pass	Band Edge
31	802.11ax HE40	38	10380.00	45.33	68.20	-22.87	V	PEAK	Pass	Harmonic
32	802.11ax HE40	46	5149.96	42.43	54.00	-11.57	H	AVERAGE	Pass	Band Edge
32	802.11ax HE40	46	10460.00	45.25	68.20	-22.95	H	PEAK	Pass	Harmonic
33	802.11ax HE40	54	5149.91	40.71	54.00	-13.29	V	AVERAGE	Pass	Band Edge
33	802.11ax HE40	54	10540.00	45.05	68.20	-23.15	V	PEAK	Pass	Harmonic
34	802.11ax HE40	62	5350.26	50.15	54.00	-3.85	V	AVERAGE	Pass	Band Edge
34	802.11ax HE40	62	10620.00	45.10	74.00	-28.90	H	PEAK	Pass	Harmonic
35	802.11ax HE40	102	5468.49	64.52	68.20	-3.68	H	PEAK	Pass	Band Edge
35	802.11ax HE40	102	11020.00	44.54	74.00	-29.46	V	PEAK	Pass	Harmonic
36	802.11ax HE40	110	5459.89	43.04	54.00	-10.96	V	AVERAGE	Pass	Band Edge
36	802.11ax HE40	110	11100.00	46.08	74.00	-27.92	H	PEAK	Pass	Harmonic
37	802.11ax HE40	134	5725.52	61.10	68.20	-7.10	H	PEAK	Pass	Band Edge
37	802.11ax HE40	134	11340.00	45.66	74.00	-28.34	H	PEAK	Pass	Harmonic
38	802.11ax HE80	42	5149.99	49.01	54.00	-4.99	V	AVERAGE	Pass	Band Edge
38	802.11ax HE80	42	10420.00	45.13	68.20	-23.07	H	PEAK	Pass	Harmonic
39	802.11ax HE80	58	5350.00	48.50	54.00	-5.50	V	AVERAGE	Pass	Band Edge







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
39	802.11ax HE80	58	10580.00	43.94	68.20	-24.26	V	PEAK	Pass	Harmonic
40	802.11ax HE80	106	5459.60	49.44	54.00	-4.56	V	AVERAGE	Pass	Band Edge
40	802.11ax HE80	106	11060.00	45.15	74.00	-28.85	H	PEAK	Pass	Harmonic
41	802.11ax HE80	122	5726.32	57.38	68.20	-10.82	H	PEAK	Pass	Band Edge
41	802.11ax HE80	122	11220.00	44.96	74.00	-29.04	H	PEAK	Pass	Harmonic
42	802.11ax HE160	50	5093.86	48.44	54.00	-5.56	V	AVERAGE	Pass	Band Edge
42	802.11ax HE160	50	10500.00	45.84	68.20	-22.36	H	PEAK	Pass	Harmonic
43	802.11ax HE160	114	5416.33	50.66	54.00	-3.34	V	AVERAGE	Pass	Band Edge
43	802.11ax HE160	114	11140.00	46.69	74.00	-27.31	H	PEAK	Pass	Harmonic
44	802.11a	149	5638.22	49.54	68.20	-18.66	H	PEAK	Pass	Band Edge
44	802.11a	149	11490.00	47.54	74.00	-26.46	V	PEAK	Pass	Harmonic
45	802.11a	157	-	-	-	-	-	-	-	Band Edge
45	802.11a	157	11570.00	45.68	74.00	-28.32	V	PEAK	Pass	Harmonic
46	802.11a	165	5953.80	48.82	68.20	-19.38	H	PEAK	Pass	Band Edge
46	802.11a	165	11650.00	45.90	74.00	-28.10	H	PEAK	Pass	Harmonic
47	802.11ax HE20	149	5635.80	52.16	68.20	-16.04	V	PEAK	Pass	Band Edge
47	802.11ax HE20	149	11490.00	46.16	74.00	-27.84	H	PEAK	Pass	Harmonic
48	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	157	11570.00	45.77	74.00	-28.23	H	PEAK	Pass	Harmonic
49	802.11ax HE20	165	5987.00	48.64	68.20	-19.56	H	PEAK	Pass	Band Edge
49	802.11ax HE20	165	11650.00	45.97	74.00	-28.03	V	PEAK	Pass	Harmonic
50	802.11ax HE40	151	5648.90	57.51	68.20	-10.69	H	PEAK	Pass	Band Edge
50	802.11ax HE40	151	11510.00	46.03	74.00	-27.97	H	PEAK	Pass	Harmonic
51	802.11ax HE40	159	5649.80	51.97	68.20	-16.23	H	PEAK	Pass	Band Edge
51	802.11ax HE40	159	11590.00	45.79	74.00	-28.21	V	PEAK	Pass	Harmonic
52	802.11ax HE80	155	5651.80	58.88	69.54	-10.66	H	PEAK	Pass	Band Edge
52	802.11ax HE80	155	11550.00	45.43	74.00	-28.57	H	PEAK	Pass	Harmonic
53	802.11ax HE20	149	5639.00	49.71	68.20	-18.49	H	PEAK	Pass	Band Edge
53	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
54	802.11ax HE20	165	5987.42	48.53	68.20	-19.67	H	PEAK	Pass	Band Edge
54	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
55	802.11ax HE20	149	5644.60	56.22	68.20	-11.98	H	PEAK	Pass	Band Edge
55	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
56	802.11ax HE20	165	5947.80	48.35	68.20	-19.85	V	PEAK	Pass	Band Edge
56	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic
57	802.11ax HE20	149	5652.22	58.48	69.86	-11.38	V	PEAK	Pass	Band Edge
57	802.11ax HE20	149	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	165	5939.80	49.06	68.20	-19.14	H	PEAK	Pass	Band Edge
58	802.11ax HE20	165	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
59	802.11a	144	-	-	-	-	-	-	-	Band Edge
	802.11a	144	11440.00	45.94	74.00	-28.06	H	PEAK	Pass	Harmonic
60	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	144	11440.00	45.85	74.00	-28.15	V	PEAK	Pass	Harmonic
61	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	142	11420.00	45.43	74.00	-28.57	H	PEAK	Pass	Harmonic
62	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
	802.11ax HE80	138	11380.00	45.89	74.00	-28.11	V	PEAK	Pass	Harmonic
65	802.11ax HE160	114	5419.63	50.46	54.00	-3.54	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	114	11140.00	44.37	74.00	-29.63	V	PEAK	Pass	Harmonic
66	Bluetooth-LE	39	2483.50	40.15	54.00	-13.85	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	42.11	74.00	-31.89	H	PEAK	Pass	Harmonic
	802.11ax HE160	114	5455.89	50.94	54.00	-3.06	V	AVERAGE	Pass	Band Edge
	802.11ax HE160	114	11140.00	45.49	74.00	-28.51	H	PEAK	Pass	Harmonic




Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.35</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>47.45</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>106</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.35	55.96	74.00	-18.04	47.45	34.55	10.61	36.65	0.00	106	123	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>111.04</td><td>-----</td><td>-----</td><td>102.37</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>106</td><td>123</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	111.04	-----	-----	102.37	34.64	10.64	36.61	0.00	106	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.35	55.96	74.00	-18.04	47.45	34.55	10.61	36.65	0.00	106	123	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	111.04	-----	-----	102.37	34.64	10.64	36.61	0.00	106	123	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>44.44</td><td>54.00</td><td>-9.56</td><td>35.93</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>106</td><td>123</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	44.44	54.00	-9.56	35.93	34.55	10.61	36.65	0.00	106	123	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.47</td><td>-----</td><td>-----</td><td>93.80</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>106</td><td>123</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.47	-----	-----	93.80	34.64	10.64	36.61	0.00	106	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	44.44	54.00	-9.56	35.93	34.55	10.61	36.65	0.00	106	123	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.47	-----	-----	93.80	34.64	10.64	36.61	0.00	106	123	AVERAGE																																																																																							





Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.66</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>46.39</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.66	54.90	74.00	-19.10	46.39	34.55	10.61	36.65	0.00	100	121	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>109.76</td><td>-----</td><td>-----</td><td>101.09</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>121</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	109.76	-----	-----	101.09	34.64	10.64	36.61	0.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.66	54.90	74.00	-19.10	46.39	34.55	10.61	36.65	0.00	100	121	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	109.76	-----	-----	101.09	34.64	10.64	36.61	0.00	100	121	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>44.69</td><td>54.00</td><td>-9.31</td><td>36.18</td><td>34.55</td><td>10.61</td><td>36.65</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	44.69	54.00	-9.31	36.18	34.55	10.61	36.65	0.00	100	121	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.70</td><td>-----</td><td>-----</td><td>93.03</td><td>34.64</td><td>10.64</td><td>36.61</td><td>0.00</td><td>100</td><td>121</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.70	-----	-----	93.03	34.64	10.64	36.61	0.00	100	121
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.98	44.69	54.00	-9.31	36.18	34.55	10.61	36.65	0.00	100	121	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	101.70	-----	-----	93.03	34.64	10.64	36.61	0.00	100	121	AVERAGE																																																																																							



		1																																																						
Mode		Harmonic																																																						
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT		1																																																						
Pol.		Horizontal																																																						
Peak Avg																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>45.03</td><td>68.20</td><td>-23.17</td><td>59.13</td><td>37.41</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	45.03	68.20	-23.17	59.13	37.41	15.45	66.96	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	45.03	68.20	-23.17	59.13	37.41	15.45	66.96	0.00	--	--	PEAK																																												
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.67</td><td>68.20</td><td>-23.53</td><td>58.76</td><td>37.42</td><td>15.45</td><td>66.96</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.67	68.20	-23.53	58.76	37.42	15.45	66.96	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	10360.00	44.67	68.20	-23.53	58.76	37.42	15.45	66.96	0.00	--	--	PEAK																																												
		Vertical																																																						





Mode	2																																																																																						
	Harmonic																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal	Vertical																																																																																					
Peak Avg																																																																																							
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>44.66</td><td>68.20</td><td>-23.54</td><td>58.60</td><td>37.46</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	44.66	68.20	-23.54	58.60	37.46	15.52	66.92	0.00	--	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10440.00</td><td>45.09</td><td>68.20</td><td>-23.11</td><td>59.03</td><td>37.46</td><td>15.52</td><td>66.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10440.00	45.09	68.20	-23.11	59.03	37.46	15.52	66.92	0.00	--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 10440.00	44.66	68.20	-23.54	58.60	37.46	15.52	66.92	0.00	--	PEAK																																																																													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 10440.00	45.09	68.20	-23.11	59.03	37.46	15.52	66.92	0.00	--	PEAK																																																																													







Mode	4																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10560.00</td><td>44.99</td><td>68.20</td><td>-23.21</td><td>58.68</td><td>37.53</td><td>15.63</td><td>66.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr></table> PEAK <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10560.00</td><td>46.05</td><td>68.20</td><td>-22.15</td><td>59.74</td><td>37.53</td><td>15.63</td><td>66.85</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr></table> PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10560.00	44.99	68.20	-23.21	58.68	37.53	15.63	66.85								0.00	--								--	--		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10560.00	46.05	68.20	-22.15	59.74	37.53	15.63	66.85								0.00	--								--	--	
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10560.00	44.99	68.20	-23.21	58.68	37.53	15.63	66.85																																																																																																						
							0.00	--																																																																																																						
							--	--																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10560.00	46.05	68.20	-22.15	59.74	37.53	15.63	66.85																																																																																																						
							0.00	--																																																																																																						
							--	--																																																																																																						







Mode	5																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.01</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>59.39</td><td>37.56</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.01	45.79	74.00	-28.21	59.39	37.56	15.67	66.83	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.01</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>58.30</td><td>37.56</td><td>15.67</td><td>66.83</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.01	44.70	74.00	-29.30	58.30	37.56	15.67	66.83	0.00	--	-- PEAK
			Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 10600.01	45.79	74.00	-28.21	59.39	37.56	15.67	66.83	0.00	--	-- PEAK																																																																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1 10600.01	44.70	74.00	-29.30	58.30	37.56	15.67	66.83	0.00	--	-- PEAK																																																																																							





Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.75</td><td>53.78</td><td>74.00</td><td>-20.22</td><td>44.20</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>105</td><td>34</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.75	53.78	74.00	-20.22	44.20	35.20	10.75	36.37	0.00	105	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.75	53.78	74.00	-20.22	44.20	35.20	10.75	36.37	0.00	105	34	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.76</td><td>-----</td><td>-----</td><td>99.32</td><td>35.13</td><td>10.73</td><td>36.42</td><td>0.00</td><td>105</td><td>34</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.76	-----	-----	99.32	35.13	10.73	36.42	0.00	105	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	108.76	-----	-----	99.32	35.13	10.73	36.42	0.00	105	34	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>34.90</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>105</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	44.48	54.00	-9.52	34.90	35.20	10.75	36.37	0.00	105	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	44.48	54.00	-9.52	34.90	35.20	10.75	36.37	0.00	105	34	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.72</td><td>-----</td><td>-----</td><td>90.28</td><td>35.13</td><td>10.73</td><td>36.42</td><td>0.00</td><td>105</td><td>34</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.72	-----	-----	90.28	35.13	10.73	36.42	0.00	105	34
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	99.72	-----	-----	90.28	35.13	10.73	36.42	0.00	105	34	AVERAGE																																											



Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.05</td><td>65.50</td><td>74.00</td><td>-17.50</td><td>46.92</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>101</td><td>58</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	65.50	74.00	-17.50	46.92	35.20	10.75	36.37	0.00	101	58	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>109.30</td><td>-----</td><td>-----</td><td>99.86</td><td>35.13</td><td>10.73</td><td>36.42</td><td>0.00</td><td>101</td><td>58</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.30	-----	-----	99.86	35.13	10.73	36.42	0.00	101	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.05	65.50	74.00	-17.50	46.92	35.20	10.75	36.37	0.00	101	58	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	109.30	-----	-----	99.86	35.13	10.73	36.42	0.00	101	58	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>45.64</td><td>54.00</td><td>-8.36</td><td>36.06</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>101</td><td>58</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.64	54.00	-8.36	36.06	35.20	10.75	36.37	0.00	101	58	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>101.52</td><td>-----</td><td>-----</td><td>92.00</td><td>35.13</td><td>10.73</td><td>36.42</td><td>0.00</td><td>101</td><td>58</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.52	-----	-----	92.00	35.13	10.73	36.42	0.00	101	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	45.64	54.00	-8.36	36.06	35.20	10.75	36.37	0.00	101	58	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	101.52	-----	-----	92.00	35.13	10.73	36.42	0.00	101	58	AVERAGE																																																																																							



Mode	6																																																																																																	
	Harmonic																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>44.78</td><td>74.00</td><td>-29.22</td><td>58.30</td><td>37.58</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	44.78	74.00	-29.22	58.30	37.58	15.71	66.81	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>58.22</td><td>37.58</td><td>15.71</td><td>66.81</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	44.70	74.00	-29.30	58.22	37.58	15.71	66.81	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10640.00	44.78	74.00	-29.22	58.30	37.58	15.71	66.81	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10640.00	44.70	74.00	-29.30	58.22	37.58	15.71	66.81	0.00	--	PEAK																																																																																							



	7																																																																																																						
Mode	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.29</td><td>54.95</td><td>74.00</td><td>-19.05</td><td>45.26</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>42</td><td>PEAK</td></tr><tr><td>2</td><td>5469.92</td><td>59.72</td><td>68.20</td><td>-8.48</td><td>50.05</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>42</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.29	54.95	74.00	-19.05	45.26	35.07	10.84	36.22	0.00	300	42	PEAK	2	5469.92	59.72	68.20	-8.48	50.05	35.02	10.85	36.20	0.00	300	42	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.35</td><td>-----</td><td>-----</td><td>101.72</td><td>34.91</td><td>10.88</td><td>36.16</td><td>0.00</td><td>300</td><td>42</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.35	-----	-----	101.72	34.91	10.88	36.16	0.00	300	42	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5457.29	54.95	74.00	-19.05	45.26	35.07	10.84	36.22	0.00	300	42	PEAK																																																																																											
2	5469.92	59.72	68.20	-8.48	50.05	35.02	10.85	36.20	0.00	300	42	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	111.35	-----	-----	101.72	34.91	10.88	36.16	0.00	300	42	PEAK																																																																																											
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>44.32</td><td>54.00</td><td>-9.68</td><td>34.63</td><td>35.06</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>42</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	44.32	54.00	-9.68	34.63	35.06	10.84	36.21	0.00	300	42	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.68</td><td>-----</td><td>-----</td><td>93.05</td><td>34.91</td><td>10.88</td><td>36.16</td><td>0.00</td><td>300</td><td>42</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.68	-----	-----	93.05	34.91	10.88	36.16	0.00	300	42	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5460.00	44.32	54.00	-9.68	34.63	35.06	10.84	36.21	0.00	300	42	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5500.00	102.68	-----	-----	93.05	34.91	10.88	36.16	0.00	300	42	AVERAGE																																																																																											





	7																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.60</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>45.75</td><td>35.07</td><td>10.84</td><td>36.22</td><td>0.00</td><td>300</td><td>70</td><td>PEAK</td></tr><tr><td>2</td><td>5469.13</td><td>59.59</td><td>68.20</td><td>-8.61</td><td>49.92</td><td>35.02</td><td>10.85</td><td>36.20</td><td>0.00</td><td>300</td><td>70</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.60	55.44	74.00	-18.56	45.75	35.07	10.84	36.22	0.00	300	70	PEAK	2	5469.13	59.59	68.20	-8.61	49.92	35.02	10.85	36.20	0.00	300	70	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>111.64</td><td>-----</td><td>-----</td><td>102.01</td><td>34.91</td><td>10.88</td><td>36.16</td><td>0.00</td><td>300</td><td>70</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.64	-----	-----	102.01	34.91	10.88	36.16	0.00	300	70
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.60	55.44	74.00	-18.56	45.75	35.07	10.84	36.22	0.00	300	70	PEAK																																																																																																				
2	5469.13	59.59	68.20	-8.61	49.92	35.02	10.85	36.20	0.00	300	70	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	111.64	-----	-----	102.01	34.91	10.88	36.16	0.00	300	70	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>45.00</td><td>54.00</td><td>-8.92</td><td>35.39</td><td>35.06</td><td>10.84</td><td>36.21</td><td>0.00</td><td>300</td><td>70</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	45.00	54.00	-8.92	35.39	35.06	10.84	36.21	0.00	300	70	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.11</td><td>-----</td><td>-----</td><td>93.48</td><td>34.91</td><td>10.88</td><td>36.16</td><td>0.00</td><td>300</td><td>70</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.11	-----	-----	93.48	34.91	10.88	36.16	0.00	300	70	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5460.00	45.00	54.00	-8.92	35.39	35.06	10.84	36.21	0.00	300	70	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	103.11	-----	-----	93.48	34.91	10.88	36.16	0.00	300	70	AVERAGE																																																																																																				



Mode	7																																																																									
	Harmonic																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>58.18</td><td>37.80</td><td>16.04</td><td>66.61</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	45.41	74.00	-28.59	58.18	37.80	16.04	66.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>57.92</td><td>37.80</td><td>16.04</td><td>66.61</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	45.15	74.00	-28.85	57.92	37.80	16.04	66.61
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	11000.00	45.41	74.00	-28.59	58.18	37.80	16.04	66.61																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	11000.00	45.15	74.00	-28.85	57.92	37.80	16.04	66.61																																																																		



Mode	8																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																																					
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>57.86</td><td>37.98</td><td>16.15</td><td>66.52</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-- PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	45.47	74.00	-28.53	57.86	37.98	16.15	66.52								0.00	--									deg									-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>58.05</td><td>37.98</td><td>16.15</td><td>66.52</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-- PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	45.66	74.00	-28.34	58.05	37.98	16.15	66.52								0.00	--									deg									-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11160.00	45.47	74.00	-28.53	57.86	37.98	16.15	66.52																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								-- PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11160.00	45.66	74.00	-28.34	58.05	37.98	16.15	66.52																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								-- PEAK																																																																																																																																						