





**LTE Band 66 / 1.4MHz**




Date: 13.DEC.2017 19:12:23



Date: 13.DEC.2017 19:24:49

**Highest Channel / 64QAM**




Date: 13.DEC.2017 19:25:58




**LTE Band 66 / 3MHz**

**Lowest Channel / 64QAM**




Date: 13.DEC.2017 20:08:40

**Middle Channel / 64QAM**



Date: 13.DEC.2017 20:04:50

**Highest Channel / 64QAM**




Date: 13.DEC.2017 19:59:33




**LTE Band 66 / 5MHz**

**Lowest Channel / 64QAM**




Date: 13.DEC.2017 20:44:32

**Middle Channel / 64QAM**



Date: 13.DEC.2017 20:40:15

**Highest Channel / 64QAM**





Date: 13.DEC.2017 20:37:39



LTE Band 66 / 10MHz

Lowest Channel / 64QAM


Middle Channel / 64QAM



Date: 13.DEC.2017 21:19:11

Date: 13.DEC.2017 21:18:15

Highest Channel / 64QAM




Date: 13.DEC.2017 21:03:46




LTE Band 66 / 15MHz

Lowest Channel / 64QAM

Middle Channel / 64QAM




Date: 13.DEC.2017 21:40:18



Date: 13.DEC.2017 21:38:26

Highest Channel / 64QAM





Date: 13.DEC.2017 21:35:09



LTE Band 66 / 20MHz

Lowest Channel / 64QAM


Middle Channel / 64QAM



Date: 13.DEC.2017 21:57:17

Date: 13.DEC.2017 21:56:26

Highest Channel / 64QAM



Date: 13.DEC.2017 21:51:59



Frequency Stability

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0011	PASS
40	Normal Voltage	0.0005	
30	Normal Voltage	0.0019	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0003	
0	Normal Voltage	0.0022	
-10	Normal Voltage	0.0026	
-20	Normal Voltage	0.0003	
-30	Normal Voltage	0.0027	
20	Maximum Voltage	0.0003	
20	Normal Voltage	0.0001	
20	Battery End Point	0.0022	

Note:

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 4 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0008	PASS
40	Normal Voltage	0.0022	
30	Normal Voltage	0.0002	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0026	
0	Normal Voltage	0.0003	
-10	Normal Voltage	0.0000	
-20	Normal Voltage	0.0017	
-30	Normal Voltage	0.0000	
20	Maximum Voltage	0.0025	
20	Normal Voltage	0.0018	
20	Battery End Point	0.0008	

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.





Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0022	PASS
40	Normal Voltage	0.0036	
30	Normal Voltage	0.0051	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0011	
0	Normal Voltage	0.0042	
-10	Normal Voltage	0.0049	
-20	Normal Voltage	0.0005	
-30	Normal Voltage	0.0054	
20	Maximum Voltage	0.0006	
20	Normal Voltage	0.0002	
20	Battery End Point	0.0027	

Note: Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.4 V.



Test Conditions		LTE Band 12 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0040	PASS
40	Normal Voltage	0.0013	
30	Normal Voltage	0.0025	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0016	
0	Normal Voltage	0.0030	
-10	Normal Voltage	0.0018	
-20	Normal Voltage	0.0011	
-30	Normal Voltage	0.0004	
20	Maximum Voltage	0.0024	
20	Normal Voltage	0.0014	
20	Battery End Point	0.0017	

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 66 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0013	PASS
40	Normal Voltage	0.0033	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0039	
0	Normal Voltage	0.0005	
-10	Normal Voltage	0.0001	
-20	Normal Voltage	0.0026	
-30	Normal Voltage	0.0001	
20	Maximum Voltage	0.0037	
20	Normal Voltage	0.0027	
20	Battery End Point	0.0001	

**Note:**

1. Normal Voltage =3.85 V. ; Battery End Point (BEP) =3.5 V. ; Maximum Voltage =4.4 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



## Appendix B. Test Results of Radiated Test

### Radiated Spurious Emission

LTE Band 2 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3759	-56.76	-13	-43.76	-71.00	-58.47	5.08	6.80	H
	5637	-56.06	-13	-43.06	-72.86	-57.73	8.03	9.70	H
	7518	-50.71	-13	-37.71	-72.01	-53.09	9.43	11.81	H
	3759	-57.62	-13	-44.62	-70.05	-59.33	5.08	6.80	V
	5637	-54.99	-13	-41.99	-72.08	-56.66	8.03	9.70	V
	7518	-51.35	-13	-38.35	-72.49	-53.73	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3756	-57.91	-13	-44.91	-72.15	-59.62	5.08	6.80	H
	5637	-55.80	-13	-42.80	-72.60	-57.47	8.03	9.70	H
	7515	-50.47	-13	-37.47	-71.77	-52.85	9.43	11.81	H
	3756	-57.40	-13	-44.40	-69.83	-59.11	5.08	6.80	V
	5637	-53.65	-13	-40.65	-70.74	-55.32	8.03	9.70	V
	7515	-51.02	-13	-38.02	-72.16	-53.40	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3756	-56.17	-13	-43.17	-70.41	-57.88	5.08	6.80	H
	5634	-55.52	-13	-42.52	-72.32	-57.19	8.03	9.70	H
	7512	-49.83	-13	-36.83	-71.13	-52.21	9.43	11.81	H
	3756	-57.75	-13	-44.75	-70.18	-59.46	5.08	6.80	V
	5634	-53.96	-13	-40.96	-71.05	-55.63	8.03	9.70	V
	7512	-51.69	-13	-38.69	-72.83	-54.07	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 2 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3750	-57.64	-13	-44.64	-71.88	-59.35	5.08	6.80	H
	5628	-54.28	-13	-41.28	-71.08	-55.95	8.03	9.70	H
	7503	-51.78	-13	-38.78	-73.08	-54.16	9.43	11.81	H
	3750	-58.14	-13	-45.14	-70.57	-59.85	5.08	6.80	V
	5628	-51.65	-13	-38.65	-68.74	-53.32	8.03	9.70	V
	7503	-51.83	-13	-38.83	-72.97	-54.21	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3747	-57.96	-13	-44.96	-72.20	-59.67	5.08	6.80	H
	5619	-54.81	-13	-41.81	-71.61	-56.48	8.03	9.70	H
	7494	-51.50	-13	-38.50	-72.80	-53.88	9.43	11.81	H
	3747	-58.63	-13	-45.63	-71.06	-60.34	5.08	6.80	V
	5619	-52.08	-13	-39.08	-69.17	-53.75	8.03	9.70	V
	7494	-50.87	-13	-37.87	-72.01	-53.25	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3741	-57.35	-13	-44.35	-71.59	-59.06	5.08	6.80	H
	5613	-56.30	-13	-43.30	-73.10	-57.97	8.03	9.70	H
	7485	-50.29	-13	-37.29	-71.59	-52.67	9.43	11.81	H
	3741	-58.66	-13	-45.66	-71.09	-60.37	5.08	6.80	V
	5613	-53.62	-13	-40.62	-70.71	-55.29	8.03	9.70	V
	7485	-51.69	-13	-38.69	-72.83	-54.07	9.43	11.81	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1672	-61.41	-13	-48.41	-64.01	-63.73	1.33	5.80	H
	2508	-59.56	-13	-46.56	-68.91	-62.73	1.58	6.90	H
	3345	-62.21	-13	-49.21	-71.42	-65.71	1.85	7.50	H
	1672	-64.83	-13	-51.83	-66.70	-67.15	1.33	5.80	V
	2508	-61.40	-13	-48.40	-69.37	-64.57	1.58	6.90	V
	3345	-62.66	-13	-49.66	-71.68	-66.16	1.85	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 5 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1670	-61.18	-13	-48.18	-63.78	-63.50	1.33	5.80	H
	2506	-59.90	-13	-46.90	-69.25	-63.07	1.58	6.90	H
	3342	-61.74	-13	-48.74	-70.95	-65.24	1.85	7.50	H
	1670	-64.88	-13	-51.88	-66.75	-67.20	1.33	5.80	V
	2506	-61.48	-13	-48.48	-69.45	-64.65	1.58	6.90	V
	3342	-61.77	-13	-48.77	-70.79	-65.27	1.85	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1668	-61.26	-13	-48.26	-63.86	-63.58	1.33	5.80	H
	2504	-58.65	-13	-45.65	-68.00	-61.82	1.58	6.90	H
	3336	-62.38	-13	-49.38	-71.59	-65.88	1.85	7.50	H
	1668	-64.79	-13	-51.79	-66.66	-67.11	1.33	5.80	V
	2504	-61.86	-13	-48.86	-69.83	-65.03	1.58	6.90	V
	3336	-61.01	-13	-48.01	-70.03	-64.51	1.85	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1664	-59.86	-13	-46.86	-62.46	-62.18	1.33	5.80	H
	2496	-60.15	-13	-47.15	-69.50	-63.32	1.58	6.90	H
	3327	-62.08	-13	-49.08	-71.29	-65.58	1.85	7.50	H
	1664	-65.35	-13	-52.35	-67.22	-67.67	1.33	5.80	V
	2496	-60.03	-13	-47.03	-68.00	-63.20	1.58	6.90	V
	3327	-62.64	-13	-49.64	-71.66	-66.14	1.85	7.50	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1414	-64.60	-13	-51.60	-65.55	-65.83	1.17	4.55	H
	2120	-63.59	-13	-50.59	-68.18	-65.34	1.45	5.35	H
	2828	-65.14	-13	-52.14	-69.11	-67.41	1.68	6.10	H
	1414	-56.15	-13	-43.15	-59.64	-57.38	1.17	4.55	V
	2120	-64.30	-13	-51.30	-68.88	-66.05	1.45	5.35	V
	2828	-64.35	-13	-51.35	-69.03	-66.61	1.68	6.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 12 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1412	-64.06	-13	-51.06	-65.01	-65.29	1.17	4.55	H
	2118	-63.91	-13	-50.91	-68.50	-65.66	1.45	5.35	H
	2824	-65.34	-13	-52.34	-69.31	-67.61	1.68	6.10	H
	1412	-55.67	-13	-42.67	-59.41	-56.90	1.17	4.55	V
	2118	-63.97	-13	-50.97	-68.55	-65.72	1.45	5.35	V
	2824	-64.56	-13	-51.56	-69.24	-66.82	1.68	6.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.





LTE Band 12 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1410	-64.67	-13	-51.67	-65.62	-65.90	1.17	4.55	H
	2116	-65.16	-13	-52.16	-69.75	-66.91	1.45	5.35	H
	2820	-65.57	-13	-52.57	-69.54	-67.84	1.68	6.10	H
	1410	-54.61	-13	-41.61	-58.80	-55.85	1.17	4.55	V
	2116	-65.11	-13	-52.11	-69.69	-66.86	1.45	5.35	V
	2820	-64.26	-13	-51.26	-68.94	-66.52	1.68	6.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	ERP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1406	-63.96	-13	-50.96	-64.91	-65.19	1.17	4.55	H
	2108	-63.80	-13	-50.80	-68.39	-65.55	1.45	5.35	H
	2812	-64.68	-13	-51.68	-68.65	-66.95	1.68	6.10	H
	1406	-51.77	-13	-38.77	-56.75	-53.00	1.17	4.55	V
	2108	-62.52	-13	-49.52	-67.10	-64.27	1.45	5.35	V
	2812	-63.05	-13	-50.05	-67.73	-65.31	1.68	6.10	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 1.4MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3489	-56.23	-13	-43.23	-68.26	-60.20	4.87	8.84	H
	5235	-45.64	-13	-32.64	-61.55	-47.09	7.70	9.14	H
	6978	-51.27	-13	-38.27	-72.32	-52.95	8.98	10.66	H
	3489	-55.12	-13	-42.12	-69.83	-59.09	4.87	8.84	V
	5232	-52.49	-13	-39.49	-68.51	-53.93	7.70	9.14	V
	6978	-51.29	-13	-38.29	-72.09	-52.97	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 3MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3486	-56.53	-13	-43.53	-68.56	-60.50	4.87	8.84	H
	5232	-47.42	-13	-34.42	-63.24	-48.86	7.70	9.14	H
	6975	-50.92	-13	-37.92	-71.97	-52.60	8.98	10.66	H
	3486	-57.13	-13	-44.13	-71.84	-61.10	4.87	8.84	V
	5232	-53.09	-13	-40.09	-69.11	-54.53	7.70	9.14	V
	6975	-50.95	-13	-37.95	-71.75	-52.63	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 5MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3486	-57.40	-13	-44.40	-69.43	-61.37	4.87	8.84	H
	5229	-49.75	-13	-36.75	-65.57	-51.19	7.70	9.14	H
	6972	-51.35	-13	-38.35	-72.40	-53.03	8.98	10.66	H
	3486	-55.45	-13	-42.45	-70.16	-59.42	4.87	8.84	V
	5229	-52.85	-13	-39.85	-68.87	-54.29	7.70	9.14	V
	6972	-51.41	-13	-38.41	-72.21	-53.09	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3480	-56.56	-13	-43.56	-68.59	-60.53	4.87	8.84	H
	5223	-49.44	-13	-36.44	-65.26	-50.88	7.70	9.14	H
	6963	-52.60	-13	-39.60	-73.65	-54.28	8.98	10.66	H
	3480	-56.73	-13	-43.73	-71.44	-60.70	4.87	8.84	V
	5223	-53.36	-13	-40.36	-69.38	-54.80	7.70	9.14	V
	6963	-52.08	-13	-39.08	-72.88	-53.76	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 15MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3477	-57.45	-13	-44.45	-69.48	-61.42	4.87	8.84	H
	5214	-47.86	-13	-34.86	-63.68	-49.30	7.70	9.14	H
	6954	-49.77	-13	-36.77	-70.82	-51.45	8.98	10.66	H
	3477	-56.42	-13	-43.42	-71.13	-60.39	4.87	8.84	V
	5214	-53.51	-13	-40.51	-69.53	-54.95	7.70	9.14	V
	6954	-52.23	-13	-39.23	-73.03	-53.91	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency ( MHz )	EIRP ( dBm )	Limit ( dBm )	Over Limit ( dB )	SPA Reading (dBm)	S.G. Power ( dBm )	TX Cable loss ( dB )	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	3471	-58.14	-13	-45.14	-70.17	-62.11	4.87	8.84	H
	5208	-46.34	-13	-33.34	-62.16	-47.78	7.70	9.14	H
	6945	-50.94	-13	-37.94	-71.99	-52.62	8.98	10.66	H
	3471	-55.37	-13	-42.37	-70.08	-59.34	4.87	8.84	V
	5208	-52.35	-13	-39.35	-68.37	-53.79	7.70	9.14	V
	6945	-51.56	-13	-38.56	-72.36	-53.24	8.98	10.66	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.