



802.11n (HT20) CH149



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1276.50 | 45.43 | --- | 68.20 | 22.77 | 500.00 | 200.0 | V | 158.00 | -11 |
| 1411.25 | --- | 33.77 | 54.00 | 20.23 | 500.00 | 100.0 | V | 3.00 | -10 |
| 1446.25 | --- | 33.99 | 54.00 | 20.01 | 500.00 | 200.0 | V | 325.00 | -10 |
| 1978.25 | 46.87 | --- | 68.20 | 21.33 | 500.00 | 100.0 | V | 221.00 | -9 |
| 2606.50 | 48.69 | --- | 68.20 | 19.51 | 500.00 | 100.0 | V | 18.00 | -7 |
| 2786.75 | --- | 36.75 | 54.00 | 17.25 | 500.00 | 100.0 | H | 278.00 | -7 |
| 3546.25 | 49.70 | --- | 68.20 | 18.50 | 500.00 | 100.0 | H | 83.00 | -5 |
| 3828.00 | --- | 38.46 | 54.00 | 15.54 | 500.00 | 100.0 | H | 357.00 | -4 |
| 5457.25 | --- | 40.86 | 54.00 | 13.14 | 500.00 | 100.0 | V | 10.00 | 1 |
| 5627.00 | 52.93 | --- | 68.20 | 15.27 | 500.00 | 200.0 | V | 19.00 | 1 |
| 6166.00 | 53.63 | --- | 68.20 | 14.57 | 500.00 | 100.0 | H | 255.00 | 3 |
| 7450.50 | --- | 44.09 | 54.00 | 9.91 | 500.00 | 100.0 | V | 61.00 | 6 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8955.00 | 40.62 | --- | 68.20 | 27.58 | 500.00 | 100.0 | V | 143.00 | 6 |
| 9010.00 | --- | 28.33 | 54.00 | 25.67 | 500.00 | 200.0 | H | 40.00 | 6 |
| 9327.50 | --- | 29.28 | 54.00 | 24.72 | 500.00 | 200.0 | V | 355.00 | 7 |
| 10040.00 | 43.30 | --- | 68.20 | 24.90 | 500.00 | 100.0 | V | 16.00 | 8 |
| 10592.50 | 43.86 | --- | 68.20 | 24.34 | 500.00 | 100.0 | H | 0.00 | 9 |
| 11280.00 | --- | 32.85 | 54.00 | 21.15 | 500.00 | 100.0 | V | 59.00 | 9 |
| 12017.50 | --- | 31.93 | 54.00 | 22.07 | 500.00 | 100.0 | V | 263.00 | 9 |
| 13332.50 | --- | 32.11 | 54.00 | 21.89 | 500.00 | 100.0 | H | 272.00 | 8 |
| 13667.50 | 45.89 | --- | 68.20 | 22.31 | 500.00 | 100.0 | H | 272.00 | 9 |
| 15035.00 | 47.82 | --- | 68.20 | 20.38 | 500.00 | 100.0 | V | 2.00 | 9 |
| 15712.50 | --- | 36.60 | 54.00 | 17.40 | 500.00 | 200.0 | V | 240.00 | 8 |
| 16847.50 | 49.18 | --- | 68.20 | 19.02 | 500.00 | 200.0 | V | 357.00 | 11 |

802.11n (HT20) CH157



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1278.25 | 45.54 | --- | 68.20 | 22.66 | 500.00 | 100.0 | V | 200.00 | -11 |
| 1376.25 | --- | 33.73 | 54.00 | 20.27 | 500.00 | 200.0 | V | 241.00 | -10 |
| 1444.50 | --- | 33.94 | 54.00 | 20.06 | 500.00 | 200.0 | V | 295.00 | -10 |
| 1987.00 | 47.13 | --- | 68.20 | 21.07 | 500.00 | 200.0 | V | 225.00 | -9 |
| 2662.50 | 48.43 | --- | 68.20 | 19.77 | 500.00 | 100.0 | H | 288.00 | -7 |
| 2739.50 | --- | 36.80 | 54.00 | 17.20 | 500.00 | 100.0 | H | 122.00 | -7 |
| 3558.50 | 49.62 | --- | 68.20 | 18.58 | 500.00 | 100.0 | V | 2.00 | -5 |
| 3982.00 | --- | 38.35 | 54.00 | 15.65 | 500.00 | 200.0 | V | 359.00 | -4 |
| 5448.50 | --- | 40.91 | 54.00 | 13.09 | 500.00 | 200.0 | H | 0.00 | 1 |
| 5642.75 | 53.28 | --- | 68.20 | 14.92 | 500.00 | 200.0 | H | 5.00 | 1 |
| 6643.75 | 55.34 | --- | 68.20 | 12.86 | 500.00 | 200.0 | H | 169.00 | 5 |
| 7461.00 | --- | 43.97 | 54.00 | 10.03 | 500.00 | 200.0 | H | 34.00 | 6 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8927.50 | 40.37 | --- | 68.20 | 27.83 | 500.00 | 100.0 | V | 161.00 | 6 |
| 9025.00 | --- | 28.35 | 54.00 | 25.65 | 500.00 | 200.0 | V | 358.00 | 6 |
| 9337.50 | --- | 29.23 | 54.00 | 24.77 | 500.00 | 200.0 | V | 179.00 | 7 |
| 10450.00 | 43.68 | --- | 68.20 | 24.52 | 500.00 | 100.0 | V | 36.00 | 9 |
| 10590.00 | 44.31 | --- | 68.20 | 23.89 | 500.00 | 200.0 | H | 74.00 | 9 |
| 11302.50 | --- | 33.00 | 54.00 | 21.00 | 500.00 | 100.0 | H | 295.00 | 9 |
| 12180.00 | --- | 31.66 | 54.00 | 22.34 | 500.00 | 100.0 | H | 342.00 | 9 |
| 13285.00 | --- | 32.16 | 54.00 | 21.84 | 500.00 | 200.0 | H | 31.00 | 8 |
| 13720.00 | 45.52 | --- | 68.20 | 22.68 | 500.00 | 100.0 | H | 312.00 | 9 |
| 15350.00 | 47.51 | --- | 68.20 | 20.69 | 500.00 | 200.0 | V | 292.00 | 8 |
| 15710.00 | --- | 36.54 | 54.00 | 17.46 | 500.00 | 100.0 | H | 269.00 | 8 |
| 16422.50 | 47.90 | --- | 68.20 | 20.30 | 500.00 | 100.0 | H | 359.00 | 9 |

802.11n (HT20) CH165



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1285.25 | 45.09 | --- | 68.20 | 23.11 | 500.00 | 100.0 | V | 57.00 | -11 |
| 1404.25 | --- | 33.86 | 54.00 | 20.14 | 500.00 | 100.0 | V | 113.00 | -10 |
| 1700.00 | --- | 33.97 | 54.00 | 20.03 | 500.00 | 100.0 | H | 355.00 | -10 |
| 1945.00 | 46.41 | --- | 68.20 | 21.79 | 500.00 | 200.0 | V | 0.00 | -9 |
| 2559.25 | 48.85 | --- | 68.20 | 19.35 | 500.00 | 100.0 | H | 350.00 | -7 |
| 2708.00 | --- | 36.78 | 54.00 | 17.22 | 500.00 | 100.0 | H | 288.00 | -7 |
| 3276.75 | 49.18 | --- | 68.20 | 19.02 | 500.00 | 100.0 | H | 185.00 | -6 |
| 3994.25 | --- | 38.54 | 54.00 | 15.46 | 500.00 | 100.0 | H | 357.00 | -3 |
| 4444.00 | 49.65 | --- | 68.20 | 18.55 | 500.00 | 200.0 | H | 131.00 | -2 |
| 5452.00 | --- | 40.75 | 54.00 | 13.25 | 500.00 | 200.0 | H | 67.00 | 1 |
| 7030.50 | 53.69 | --- | 68.20 | 14.51 | 500.00 | 200.0 | H | 52.00 | 5 |
| 7487.25 | --- | 43.77 | 54.00 | 10.23 | 500.00 | 100.0 | H | 104.00 | 6 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8757.50 | 40.32 | --- | 68.20 | 27.88 | 500.00 | 200.0 | H | 165.00 | 6 |
| 9020.00 | --- | 28.31 | 54.00 | 25.69 | 500.00 | 200.0 | V | 90.00 | 6 |
| 9332.50 | --- | 29.35 | 54.00 | 24.65 | 500.00 | 100.0 | V | 92.00 | 7 |
| 10462.50 | 43.32 | --- | 68.20 | 24.88 | 500.00 | 100.0 | V | 5.00 | 9 |
| 10525.00 | 43.57 | --- | 68.20 | 24.63 | 500.00 | 200.0 | H | 89.00 | 9 |
| 11352.50 | --- | 32.83 | 54.00 | 21.17 | 500.00 | 200.0 | V | 226.00 | 9 |
| 12322.50 | --- | 31.25 | 54.00 | 22.75 | 500.00 | 100.0 | H | 356.00 | 8 |
| 13267.50 | --- | 32.45 | 54.00 | 21.55 | 500.00 | 100.0 | V | 3.00 | 8 |
| 13680.00 | 45.62 | --- | 68.20 | 22.58 | 500.00 | 100.0 | V | 59.00 | 9 |
| 15047.50 | 47.55 | --- | 68.20 | 20.65 | 500.00 | 100.0 | V | 76.00 | 9 |
| 15722.50 | --- | 36.56 | 54.00 | 17.44 | 500.00 | 200.0 | H | 0.00 | 8 |
| 16495.00 | 46.85 | --- | 68.20 | 21.35 | 500.00 | 200.0 | V | 349.00 | 9 |

802.11n (HT40) CH38



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1267.75 | 45.26 | --- | 68.20 | 22.94 | 500.00 | 200.0 | V | 45.00 | -11 |
| 1411.25 | --- | 33.93 | 54.00 | 20.07 | 500.00 | 100.0 | V | 0.00 | -10 |
| 1462.00 | --- | 33.87 | 54.00 | 20.13 | 500.00 | 100.0 | V | 130.00 | -10 |
| 1939.75 | 46.86 | --- | 68.20 | 21.34 | 500.00 | 100.0 | V | 346.00 | -9 |
| 2624.00 | 48.87 | --- | 68.20 | 19.33 | 500.00 | 200.0 | H | 356.00 | -7 |
| 2722.00 | --- | 37.02 | 54.00 | 16.98 | 500.00 | 100.0 | V | 24.00 | -7 |
| 3462.25 | 49.90 | --- | 68.20 | 18.30 | 500.00 | 100.0 | H | 166.00 | -5 |
| 3989.00 | --- | 38.75 | 54.00 | 15.25 | 500.00 | 100.0 | V | 346.00 | -3 |
| 4419.50 | 49.76 | --- | 68.20 | 18.44 | 500.00 | 100.0 | V | 290.00 | -2 |
| 4767.75 | --- | 39.76 | 54.00 | 14.24 | 500.00 | 100.0 | V | 350.00 | -1 |
| 6316.50 | 54.75 | --- | 68.20 | 13.45 | 500.00 | 100.0 | H | 5.00 | 4 |
| 7679.75 | --- | 45.22 | 54.00 | 8.78 | 500.00 | 100.0 | V | 359.00 | 7 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8820.00 | 49.40 | --- | 68.20 | 18.80 | 500.00 | 100.0 | H | 110.00 | 6 |
| 9080.00 | --- | 37.54 | 54.00 | 16.46 | 500.00 | 100.0 | V | 10.00 | 7 |
| 9305.00 | --- | 38.10 | 54.00 | 15.90 | 500.00 | 100.0 | V | 116.00 | 7 |
| 10437.50 | 51.97 | --- | 68.20 | 16.23 | 500.00 | 100.0 | H | 143.00 | 9 |
| 10555.00 | 52.29 | --- | 68.20 | 15.91 | 500.00 | 200.0 | H | 321.00 | 9 |
| 11345.00 | --- | 40.95 | 54.00 | 13.05 | 500.00 | 100.0 | H | 156.00 | 9 |
| 12687.50 | --- | 39.66 | 54.00 | 14.34 | 500.00 | 100.0 | H | 306.00 | 8 |
| 13700.00 | 52.06 | --- | 68.20 | 16.14 | 500.00 | 100.0 | H | 64.00 | 9 |
| 14415.00 | 53.94 | --- | 68.20 | 14.26 | 500.00 | 100.0 | H | 343.00 | 10 |
| 14485.00 | --- | 40.43 | 54.00 | 13.57 | 500.00 | 200.0 | V | 261.00 | 10 |
| 15780.00 | --- | 39.14 | 54.00 | 14.86 | 500.00 | 100.0 | V | 70.00 | 8 |
| 16450.00 | 51.18 | --- | 68.20 | 17.02 | 500.00 | 200.0 | V | 254.00 | 9 |

802.11n (HT40) CH46



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1299.25 | 45.10 | --- | 68.20 | 23.10 | 500.00 | 200.0 | H | 131.00 | -11 |
| 1409.50 | --- | 34.10 | 54.00 | 19.90 | 500.00 | 200.0 | H | 351.00 | -10 |
| 1675.50 | --- | 34.01 | 54.00 | 19.99 | 500.00 | 200.0 | H | 0.00 | -10 |
| 1883.75 | 46.66 | --- | 68.20 | 21.54 | 500.00 | 100.0 | V | 320.00 | -9 |
| 2643.25 | 48.94 | --- | 68.20 | 19.26 | 500.00 | 200.0 | H | 252.00 | -7 |
| 2788.50 | --- | 37.03 | 54.00 | 16.97 | 500.00 | 200.0 | V | 29.00 | -7 |
| 3437.75 | 49.62 | --- | 68.20 | 18.58 | 500.00 | 200.0 | H | 270.00 | -5 |
| 3905.00 | --- | 38.84 | 54.00 | 15.16 | 500.00 | 200.0 | V | 0.00 | -4 |
| 4400.25 | 49.81 | --- | 68.20 | 18.39 | 500.00 | 100.0 | V | 332.00 | -2 |
| 4781.75 | --- | 39.48 | 54.00 | 14.52 | 500.00 | 100.0 | V | 359.00 | -1 |
| 5894.75 | 52.43 | --- | 68.20 | 15.77 | 500.00 | 200.0 | V | 3.00 | 2 |
| 7513.50 | --- | 44.69 | 54.00 | 9.31 | 500.00 | 100.0 | V | 162.00 | 6 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8835.00 | 49.51 | --- | 68.20 | 18.69 | 500.00 | 200.0 | V | 307.00 | 6 |
| 9060.00 | --- | 37.54 | 54.00 | 16.46 | 500.00 | 200.0 | V | 66.00 | 7 |
| 9300.00 | --- | 37.97 | 54.00 | 16.03 | 500.00 | 200.0 | H | 77.00 | 7 |
| 10325.00 | 51.97 | --- | 68.20 | 16.23 | 500.00 | 200.0 | H | 19.00 | 8 |
| 10590.00 | 52.94 | --- | 68.20 | 15.26 | 500.00 | 100.0 | V | 137.00 | 9 |
| 11347.50 | --- | 40.69 | 54.00 | 13.31 | 500.00 | 100.0 | H | 341.00 | 9 |
| 12032.50 | --- | 39.62 | 54.00 | 14.38 | 500.00 | 200.0 | V | 307.00 | 9 |
| 13625.00 | 52.25 | --- | 68.20 | 15.95 | 500.00 | 100.0 | V | 137.00 | 9 |
| 14485.00 | --- | 40.35 | 54.00 | 13.65 | 500.00 | 200.0 | H | 0.00 | 10 |
| 14732.50 | 53.39 | --- | 68.20 | 14.81 | 500.00 | 200.0 | V | 214.00 | 9 |
| 15727.50 | --- | 38.98 | 54.00 | 15.02 | 500.00 | 100.0 | H | 0.00 | 8 |
| 16807.50 | 51.55 | --- | 68.20 | 16.65 | 500.00 | 200.0 | V | 352.00 | 11 |

802.11n (HT40) CH151



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1292.25 | 45.44 | --- | 68.20 | 22.76 | 500.00 | 100.0 | H | 357.00 | -11 |
| 1381.50 | --- | 33.81 | 54.00 | 20.19 | 500.00 | 200.0 | V | 356.00 | -10 |
| 1416.50 | --- | 33.76 | 54.00 | 20.24 | 500.00 | 200.0 | H | 46.00 | -10 |
| 1992.25 | 46.81 | --- | 68.20 | 21.39 | 500.00 | 200.0 | H | 86.00 | -9 |
| 2583.75 | 49.02 | --- | 68.20 | 19.18 | 500.00 | 200.0 | H | 4.00 | -7 |
| 2725.50 | --- | 36.85 | 54.00 | 17.15 | 500.00 | 100.0 | V | 252.00 | -7 |
| 3595.25 | 49.64 | --- | 68.20 | 18.56 | 500.00 | 200.0 | V | 235.00 | -5 |
| 3815.75 | --- | 38.47 | 54.00 | 15.53 | 500.00 | 100.0 | V | 23.00 | -4 |
| 4402.00 | 50.02 | --- | 68.20 | 18.18 | 500.00 | 200.0 | V | 5.00 | -2 |
| 4736.25 | --- | 39.53 | 54.00 | 14.47 | 500.00 | 100.0 | V | 7.00 | -1 |
| 7734.00 | --- | 46.27 | 54.00 | 7.73 | 500.00 | 100.0 | H | 139.00 | 7 |
| 7774.25 | 57.81 | --- | 68.20 | 10.39 | 500.00 | 100.0 | V | 68.00 | 7 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8837.50 | 49.37 | --- | 68.20 | 18.83 | 500.00 | 100.0 | H | 238.00 | 6 |
| 9055.00 | --- | 37.57 | 54.00 | 16.43 | 500.00 | 100.0 | H | 246.00 | 6 |
| 9300.00 | --- | 38.05 | 54.00 | 15.95 | 500.00 | 100.0 | V | 230.00 | 7 |
| 10322.50 | 51.79 | --- | 68.20 | 16.41 | 500.00 | 100.0 | H | 94.00 | 8 |
| 10587.50 | 52.13 | --- | 68.20 | 16.07 | 500.00 | 100.0 | H | 34.00 | 9 |
| 11345.00 | --- | 40.67 | 54.00 | 13.33 | 500.00 | 100.0 | H | 136.00 | 9 |
| 12715.00 | 51.90 | --- | 68.20 | 16.30 | 500.00 | 100.0 | H | 102.00 | 8 |
| 13270.00 | --- | 39.61 | 54.00 | 14.40 | 500.00 | 200.0 | H | 189.00 | 8 |
| 14482.50 | --- | 40.38 | 54.00 | 13.62 | 500.00 | 200.0 | V | 33.00 | 10 |
| 15027.50 | 53.75 | --- | 68.20 | 14.45 | 500.00 | 200.0 | V | 4.00 | 9 |
| 15717.50 | --- | 39.57 | 54.00 | 14.43 | 500.00 | 200.0 | V | 14.00 | 8 |
| 16715.00 | 50.92 | --- | 68.20 | 17.28 | 500.00 | 200.0 | H | 127.00 | 10 |

802.11n (HT40) CH159



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1276.50 | 45.33 | --- | 68.20 | 22.87 | 500.00 | 100.0 | V | 0.00 | -11 |
| 1379.75 | --- | 33.82 | 54.00 | 20.18 | 500.00 | 100.0 | V | 238.00 | -10 |
| 1696.50 | --- | 33.77 | 54.00 | 20.23 | 500.00 | 200.0 | H | 0.00 | -10 |
| 1883.75 | 46.88 | --- | 68.20 | 21.32 | 500.00 | 200.0 | V | 231.00 | -9 |
| 2575.00 | 48.53 | --- | 68.20 | 19.67 | 500.00 | 100.0 | V | 198.00 | -7 |
| 2800.75 | --- | 36.78 | 54.00 | 17.22 | 500.00 | 200.0 | V | 146.00 | -7 |
| 3016.00 | 50.04 | --- | 68.20 | 18.16 | 500.00 | 200.0 | H | 11.00 | -6 |
| 3996.00 | --- | 38.43 | 54.00 | 15.57 | 500.00 | 100.0 | V | 191.00 | -3 |
| 4438.75 | 49.56 | --- | 68.20 | 18.64 | 500.00 | 200.0 | H | 2.00 | -2 |
| 4890.25 | --- | 39.78 | 54.00 | 14.22 | 500.00 | 100.0 | H | 352.00 | -1 |
| 7006.00 | 53.78 | --- | 68.20 | 14.42 | 500.00 | 200.0 | H | 168.00 | 5 |
| 7452.25 | --- | 43.51 | 54.00 | 10.49 | 500.00 | 200.0 | V | 358.00 | 6 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8992.50 | 49.21 | --- | 68.20 | 18.99 | 500.00 | 100.0 | H | 30.00 | 6 |
| 9085.00 | --- | 37.48 | 54.00 | 16.52 | 500.00 | 200.0 | H | 261.00 | 7 |
| 9302.50 | --- | 38.09 | 54.00 | 15.91 | 500.00 | 100.0 | V | 122.00 | 7 |
| 10322.50 | 52.15 | --- | 68.20 | 16.05 | 500.00 | 100.0 | V | 131.00 | 8 |
| 10580.00 | 52.03 | --- | 68.20 | 16.17 | 500.00 | 200.0 | H | 56.00 | 9 |
| 11342.50 | --- | 40.54 | 54.00 | 13.46 | 500.00 | 100.0 | H | 332.00 | 9 |
| 12692.50 | --- | 39.54 | 54.00 | 14.46 | 500.00 | 100.0 | V | 62.00 | 8 |
| 13657.50 | 52.00 | --- | 68.20 | 16.20 | 500.00 | 200.0 | H | 219.00 | 9 |
| 14410.00 | 52.98 | --- | 68.20 | 15.22 | 500.00 | 200.0 | V | 289.00 | 10 |
| 14480.00 | --- | 40.35 | 54.00 | 13.65 | 500.00 | 100.0 | V | 316.00 | 10 |
| 15780.00 | --- | 39.17 | 54.00 | 14.83 | 500.00 | 200.0 | H | 359.00 | 8 |
| 16410.00 | 50.97 | --- | 68.20 | 17.23 | 500.00 | 200.0 | H | 82.00 | 9 |

802.11ac (VHT80) CH42



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1278.25 | 45.37 | --- | 68.20 | 22.83 | 500.00 | 200.0 | H | 138.00 | -11 |
| 1411.25 | --- | 33.98 | 54.00 | 20.02 | 500.00 | 200.0 | V | 9.00 | -10 |
| 1525.00 | --- | 33.95 | 54.00 | 20.05 | 500.00 | 200.0 | H | 237.00 | -10 |
| 1974.75 | 46.64 | --- | 68.20 | 21.56 | 500.00 | 100.0 | V | 178.00 | -9 |
| 2508.50 | 49.32 | --- | 68.20 | 18.88 | 500.00 | 100.0 | H | 214.00 | -7 |
| 2814.75 | --- | 36.95 | 54.00 | 17.05 | 500.00 | 100.0 | V | 317.00 | -7 |
| 3241.75 | 49.79 | --- | 68.20 | 18.41 | 500.00 | 100.0 | V | 311.00 | -6 |
| 3994.25 | --- | 38.65 | 54.00 | 15.35 | 500.00 | 100.0 | H | 0.00 | -3 |
| 4416.00 | 49.92 | --- | 68.20 | 18.28 | 500.00 | 200.0 | V | 115.00 | -2 |
| 4766.00 | --- | 40.16 | 54.00 | 13.84 | 500.00 | 100.0 | V | 290.00 | -1 |
| 7734.00 | --- | 46.10 | 54.00 | 7.90 | 500.00 | 100.0 | H | 0.00 | 7 |
| 7912.50 | 57.96 | --- | 68.20 | 10.24 | 500.00 | 100.0 | V | 356.00 | 7 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8787.50 | 49.60 | --- | 68.20 | 18.60 | 500.00 | 200.0 | H | 82.00 | 6 |
| 9062.50 | --- | 37.65 | 54.00 | 16.35 | 500.00 | 200.0 | V | 191.00 | 7 |
| 9380.00 | --- | 37.98 | 54.00 | 16.02 | 500.00 | 200.0 | H | 48.00 | 7 |
| 10397.50 | 52.40 | --- | 68.20 | 15.80 | 500.00 | 200.0 | H | 240.00 | 9 |
| 10572.50 | 51.99 | --- | 68.20 | 16.21 | 500.00 | 100.0 | V | 0.00 | 9 |
| 11342.50 | --- | 40.84 | 54.00 | 13.16 | 500.00 | 200.0 | V | 356.00 | 9 |
| 12682.50 | --- | 39.52 | 54.00 | 14.48 | 500.00 | 200.0 | V | 191.00 | 8 |
| 13735.00 | 51.89 | --- | 68.20 | 16.31 | 500.00 | 200.0 | V | 297.00 | 9 |
| 14040.00 | 52.88 | --- | 68.20 | 15.32 | 500.00 | 200.0 | H | 22.00 | 10 |
| 14487.50 | --- | 40.37 | 54.00 | 13.63 | 500.00 | 100.0 | H | 332.00 | 10 |
| 15747.50 | --- | 39.04 | 54.00 | 14.96 | 500.00 | 100.0 | V | 142.00 | 8 |
| 16570.00 | 48.69 | --- | 68.20 | 19.51 | 500.00 | 100.0 | V | 189.00 | 9 |

802.11ac (VHT80) CH155



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1273.00 | 45.91 | --- | 68.20 | 22.29 | 500.00 | 100.0 | H | 310.00 | -11 |
| 1395.50 | --- | 33.76 | 54.00 | 20.24 | 500.00 | 200.0 | V | 202.00 | -10 |
| 1446.25 | --- | 34.00 | 54.00 | 20.00 | 500.00 | 200.0 | H | 253.00 | -10 |
| 1976.50 | 47.04 | --- | 68.20 | 21.16 | 500.00 | 200.0 | H | 3.00 | -9 |
| 2477.00 | 48.57 | --- | 68.20 | 19.63 | 500.00 | 200.0 | V | 347.00 | -7 |
| 2739.50 | --- | 36.88 | 54.00 | 17.12 | 500.00 | 200.0 | H | 24.00 | -7 |
| 3217.25 | 49.77 | --- | 68.20 | 18.43 | 500.00 | 100.0 | V | 54.00 | -6 |
| 3983.75 | --- | 38.40 | 54.00 | 15.60 | 500.00 | 100.0 | V | 5.00 | -4 |
| 4440.50 | 50.11 | --- | 68.20 | 18.09 | 500.00 | 100.0 | V | 359.00 | -2 |
| 4825.50 | --- | 40.17 | 54.00 | 13.83 | 500.00 | 200.0 | H | 86.00 | -1 |
| 6927.25 | 55.29 | --- | 68.20 | 12.91 | 500.00 | 100.0 | H | 160.00 | 5 |
| 7489.00 | --- | 44.07 | 54.00 | 9.93 | 500.00 | 100.0 | H | 176.00 | 6 |



Final Result


| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8870.00 | 49.92 | --- | 68.20 | 18.28 | 500.00 | 100.0 | V | 219.00 | 6 |
| 9075.00 | --- | 37.49 | 54.00 | 16.51 | 500.00 | 200.0 | H | 96.00 | 7 |
| 9307.50 | --- | 38.06 | 54.00 | 15.94 | 500.00 | 100.0 | H | 127.00 | 7 |
| 10370.00 | 52.88 | --- | 68.20 | 15.32 | 500.00 | 100.0 | V | 0.00 | 8 |
| 10587.50 | 51.45 | --- | 68.20 | 16.75 | 500.00 | 100.0 | H | 67.00 | 9 |
| 11347.50 | --- | 40.68 | 54.00 | 13.32 | 500.00 | 200.0 | V | 225.00 | 9 |
| 13352.50 | --- | 39.32 | 54.00 | 14.68 | 500.00 | 100.0 | V | 0.00 | 8 |
| 13567.50 | 51.91 | --- | 68.20 | 16.29 | 500.00 | 100.0 | V | 54.00 | 9 |
| 14485.00 | --- | 40.68 | 54.00 | 13.32 | 500.00 | 100.0 | H | 324.00 | 10 |
| 14630.00 | 53.23 | --- | 68.20 | 14.97 | 500.00 | 100.0 | H | 0.00 | 9 |
| 15725.00 | --- | 39.13 | 54.00 | 14.87 | 500.00 | 100.0 | H | 0.00 | 8 |
| 16430.00 | 51.35 | --- | 68.20 | 16.85 | 500.00 | 100.0 | V | 321.00 | 9 |

802.11ax HE20 CH36



Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 1252.00 | 45.49 | --- | 68.20 | 22.71 | 500.00 | 200.0 | H | 350.00 | -11 |
| 1409.50 | --- | 34.01 | 54.00 | 19.99 | 500.00 | 100.0 | H | 203.00 | -10 |
| 1418.25 | --- | 34.10 | 54.00 | 19.90 | 500.00 | 100.0 | V | 106.00 | -10 |
| 1974.75 | 46.49 | --- | 68.20 | 21.71 | 500.00 | 200.0 | H | 238.00 | -9 |
| 2608.25 | 49.03 | --- | 68.20 | 19.17 | 500.00 | 100.0 | H | 2.00 | -7 |
| 2755.25 | --- | 37.04 | 54.00 | 16.96 | 500.00 | 100.0 | H | 68.00 | -7 |
| 3142.00 | 49.65 | --- | 68.20 | 18.55 | 500.00 | 200.0 | H | 337.00 | -6 |
| 3761.50 | --- | 38.82 | 54.00 | 15.18 | 500.00 | 100.0 | H | 0.00 | -4 |
| 4412.50 | 48.39 | --- | 68.20 | 19.81 | 500.00 | 200.0 | V | 183.00 | -2 |
| 4615.50 | --- | 39.56 | 54.00 | 14.44 | 500.00 | 100.0 | H | 75.00 | -2 |
| 6834.50 | 58.32 | --- | 68.20 | 9.88 | 500.00 | 200.0 | H | 213.00 | 5 |
| 7725.25 | --- | 46.44 | 54.00 | 7.56 | 500.00 | 200.0 | H | 357.00 | 7 |



Final Result

| Frequency (MHz) | MaxPeak (dBμV/m) | Average (dBμV/m) | Limit (dBμV/m) | Margin (dB) | Meas. Time (ms) | Height (cm) | Pol | Azimuth (deg) | Corr. (dB/m) |
|-----------------|------------------|------------------|----------------|-------------|-----------------|-------------|-----|---------------|--------------|
| 8812.50 | 49.25 | --- | 68.20 | 18.96 | 500.00 | 100.0 | V | 0.00 | 6 |
| 9060.00 | --- | 37.55 | 54.00 | 16.45 | 500.00 | 200.0 | V | 336.00 | 7 |
| 9300.00 | --- | 38.17 | 54.00 | 15.83 | 500.00 | 200.0 | V | 284.00 | 7 |
| 10040.00 | 51.52 | --- | 68.20 | 16.68 | 500.00 | 100.0 | H | 32.00 | 8 |
| 10555.00 | 51.88 | --- | 68.20 | 16.32 | 500.00 | 200.0 | H | 47.00 | 9 |
| 11347.50 | --- | 40.74 | 54.00 | 13.26 | 500.00 | 200.0 | V | 357.00 | 9 |
| 12687.50 | --- | 39.65 | 54.00 | 14.35 | 500.00 | 200.0 | V | 198.00 | 8 |
| 13640.00 | 52.44 | --- | 68.20 | 15.76 | 500.00 | 100.0 | V | 295.00 | 9 |
| 14410.00 | 53.13 | --- | 68.20 | 15.07 | 500.00 | 200.0 | H | 127.00 | 10 |
| 14487.50 | --- | 40.46 | 54.00 | 13.54 | 500.00 | 100.0 | H | 357.00 | 10 |
| 15740.00 | --- | 39.07 | 54.00 | 14.93 | 500.00 | 100.0 | V | 147.00 | 8 |
| 16600.00 | 49.42 | --- | 68.20 | 18.78 | 500.00 | 100.0 | V | 20.00 | 10 |