



FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

BLU Products, Inc.

10814 NW 33rd St # 100 Doral, FL 33172, United States

FCC ID: YHLBOLDC2

Report Type: Original Report	Product Type: Mobile Phone
Report Number: RSZ191023004-00C	
Report Date: 2019-11-26	
Nancy Wang 	
Reviewed By: RF Engineer	
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

Note: This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk "★".

BACL is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with an asterisk '*'. Customer model name, addresses, names, trademarks etc. are not considered data.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	4
TEST FACILITY	4
SYSTEM TEST CONFIGURATION.....	5
DESCRIPTION OF TEST CONFIGURATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50 (C) (D) - RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST DATA	11
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	39
APPLICABLE STANDARD	39
TEST PROCEDURE	39
TEST DATA	39
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS	75
APPLICABLE STANDARD	75
TEST PROCEDURE	75
TEST DATA	75
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 SPURIOUS RADIATED EMISSIONS	111
APPLICABLE STANDARD	111
TEST PROCEDURE	111
TEST DATA	111
FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES	115
APPLICABLE STANDARD	115
TEST PROCEDURE	115
TEST DATA	115
FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY	173
APPLICABLE STANDARD	173
TEST PROCEDURE	173
TEST DATA	174

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Product	Mobile Phone
Model	C2
Frequency Range	Cellular: 824-849 MHz PCS: 1850-1910 MHz WCDMA B2/LTE B2: 1850-1910 MHz WCDMA B5/LTE B5: 824-849 MHz WCDMA B4/LTE B4: 1710- 1755 MHz LTE B12: 699-716 MHz LTE B17: 704-716MHz
Transmit Power	GSM850: 32.85dBm(GMSK), 27.18dBm(8PSK) PCS1900: 29.92dBm(GMSK), 26.45dBm(8PSK) WCDMA Band 2: 22.72dBm WCDMA Band 4: 22.77dBm WCDMA Band 5: 22.63dBm LTE Band 2: 23.10dBm LTE Band 4: 22.78dBm LTE Band 5: 22.92dBm LTE Band 12: 23.09dBm LTE Band 17: 23.17dBm
Modulation Technique	2G: GMSK, 8PSK 3G: BPSK, QPSK, 16QAM 4G: QPSK, 16QAM
Antenna Specification	2G/3G/4G: FPC Antennas
Voltage Range	Powered: DC 3.7V by internal rechargeable Li-ion battery Recharged: DC 5.0V by adapter
Date of Test	2019/10/29~2019/11/07
Sample serial number	1234567890123 (Assigned by applicant)
Received date	2019/10/23
Sample/EUT Status	Good condition
Adapter information	Model: US-NB-1000 Input: AC 100-240V, 50/60Hz, 0.2A Output: DC 5.0V, 1000mA

Objective

This test report is prepared on behalf of *BLU Products, Inc.* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DSS, Part 15.247 DTS and Part 15B JBP submissions with FCC ID: YHLBOLDC2.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
Part 24 Subpart E - Personal Communication Services
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		Uncertainty
Occupied Channel Bandwidth		±5%
RF output power, conducted		±0.73dB
Unwanted Emission, conducted		±1.6dB
Radiated Emissions	Below 1GHz	±4.75dB
	Above 1GHz	±4.88dB
Temperature		±1 °C
Humidity		±6%
Supply voltages		±0.4%

Note: The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§ 1.1307 , §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (c) (d)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53(h) (m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ191023004-20.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal Analyzer	FSEM	845987/005	2019-07-22	2020-07-21
Sunol Sciences	Broadband Antenna	JB1	A040904-1	2017-12-22	2020-12-21
COM-POWER	Pre-amplifier	PA-122	181919	2018-11-12	2019-11-12
Sonoma Instrument	Amplifier	310N	186238	2018-11-12	2019-11-12
Agilent	Signal Generator	N5183A	MY51040755	2018-12-03	2019-12-03
Rohde & Schwarz	EMI Test Receiver	ESR3	102455	2019-07-09	2020-07-08
COM-POWER	Dipole Antenna	AD-100	41000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2018-09-01	2021-08-31
UTiFLEX MICRO-C0AX	RF Cable	UFA147A-2362-100100	MFR64639 231029-003	2018-11-12	2019-11-12
Ducommun Technologies	RF Cable	104PEA	218124002	2018-11-12	2019-11-12
Ducommun Technologies	RF Cable	RG-214	1	2018-11-12	2019-11-12
Ducommun Technologies	RF Cable	RG-214	2	2018-11-12	2019-11-12
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Heatsink Required	Amplifier	QLW-18405536-J0	15964001002	2018-11-12	2019-11-12
Unknown	High Pass filter	2.8GHz	Unknown	2019-04-20	2020-04-20
Unknown	High Pass filter	1.3GHz	Unknown	2019-04-20	2020-04-20

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	Spectrum Analyzer	FSU26	200120	2019-03-02	2020-03-01
ESPEC	Temperature & Humidity Chamber	EL-10KA	9107726	2019-01-05	2020-01-05
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	106891	2019-01-15	2020-01-15
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh	2019-07-09	2020-07-08
Ducommun Technologies	RF Cable	RG-214	3	Each Time	
Ducommun technologies	RF Cable	UFA210A-1-4724-30050U	MFR64369 223410-001	2018-11-12	2019-11-12
WEINSCHTEL	3dB Attenuator	6231	666	Each Time	
Unknown	Power Splitter	1620	129	Each Time	

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ191023004-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50 (c) (d) - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Alan He and Curry Xiang on 2019-11-01.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	32.62	38.45
	190	836.6	32.57	38.45
	251	848.8	32.85	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	32.48	30.64	28.89	27.37	38.45
	190	836.6	32.57	30.48	28.87	27.44	38.45
	251	848.8	32.49	30.55	28.85	27.32	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	27.18	25.17	23.87	21.63	38.45
	190	836.6	27.15	25.24	23.85	21.68	38.45
	251	848.8	27.13	25.12	23.94	21.67	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		22.63	22.63	22.50
		HSDPA	1	21.44	21.34	21.51
			2	21.30	21.58	21.52
			3	21.45	21.67	21.45
			4	21.48	21.61	21.64
			5	21.46	21.55	21.57
		HSUPA	1	21.44	21.26	21.48
			2	21.41	21.22	21.23
			3	21.58	21.27	21.15
			4	21.52	21.30	21.41
			5	21.60	21.36	21.56

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	29.85	33
	661	1880.0	29.78	33
	810	1909.8	29.92	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	29.37	27.18	25.83	23.54	33
	661	1880.0	29.38	27.27	25.94	23.67	33
	810	1909.8	29.46	27.12	25.99	23.75	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	26.45	24.43	22.17	20.78	33
	661	1880.0	26.44	24.64	22.34	20.74	33
	810	1909.8	26.38	24.51	22.29	20.72	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		22.28	22.15	22.06
		HSDPA	1	21.64	21.54	21.77
			2	21.55	21.75	21.45
			3	21.38	21.87	21.41
			4	21.51	21.81	21.54
			5	21.34	21.82	21.53
		HSUPA	1	21.17	21.16	21.15
			2	21.26	21.38	21.12
			3	21.22	21.40	21.26
			4	21.37	21.41	21.37
			5	21.36	21.55	21.34

AWS Band (Part 27)

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band IV)	Normal	RMC12.2k		22.53	22.77	22.65
		HSDPA	1	21.44	21.55	21.44
			2	21.55	21.68	21.42
			3	21.47	21.42	21.50
			4	21.41	21.63	21.34
			5	21.40	21.50	21.51
		HSUPA	1	21.12	21.11	21.26
			2	21.20	21.18	21.38
			3	21.16	21.27	21.29
			4	21.09	21.17	21.14
			5	21.18	21.39	21.27

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	1.63	13
	Middle	1.54	13
	High	1.48	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	1.62	13
	Middle	1.37	13
	High	1.52	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.28	13
	Middle	3.54	13
	High	3.47	13
HSDPA (16QAM)	Low	3.05	13
	Middle	3.02	13
	High	3.01	13
HSUPA (BPSK)	Low	2.97	13
	Middle	3.05	13
	High	2.99	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	1.48	13
	Middle	1.44	13
	High	1.37	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	1.32	13
	Middle	1.64	13
	High	1.28	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.13	13
	Middle	3.14	13
	High	3.28	13
HSDPA (16QAM)	Low	2.95	13
	Middle	2.91	13
	High	3.07	13
HSUPA (BPSK)	Low	3.15	13
	Middle	2.99	13
	High	3.24	13

AWS Band

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	2.92	13
	Middle	2.97	13
	High	3.14	13
HSDPA (16QAM)	Low	3.08	13
	Middle	3.05	13
	High	3.16	13
HSUPA (BPSK)	Low	2.94	13
	Middle	2.82	13
	High	3.07	13

Radiated Power**GSM Mode:**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	91.54	250	2.5	H	32.2	1.35	0.0	30.85	38.45	7.60
836.6	85.47	303	1.4	V	25.5	1.35	0.0	24.15	38.45	14.30
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	91.13	78	2.0	H	21.5	1.30	9.40	29.60	33	3.40
1880.00	89.49	169	1.9	V	19.6	1.30	9.40	27.70	33	5.30

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBd/dBi)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	85.24	338	1.3	H	25.9	1.35	0.0	24.55	38.45	13.90
836.6	81.27	243	1.2	V	21.3	1.35	0.0	19.95	38.45	18.50
EIRP, PCS Band (Part 24E), Middle Channel										
1880.00	86.41	111	2.3	H	16.7	1.30	9.40	24.80	33	8.20
1880.00	79.68	123	1.7	V	9.8	1.30	9.40	17.90	33	15.10

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBD/dBi)			
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	82.24	318	1.6	H	22.9	1.35	0.0	21.55	38.45	16.90
836.6	79.56	180	1.9	V	19.6	1.35	0.0	18.25	38.45	20.20
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	82.54	314	1.4	H	12.9	1.30	9.40	21.00	33	12.00
1880.00	79.62	180	1.3	V	9.7	1.30	9.40	17.80	33	15.20
EIRP for WCDMA Band IV (Part 27), Middle Channel										
1732.60	85.27	66	2.3	H	11.9	1.30	8.90	19.50	30	10.50
1732.60	81.65	308	2.4	V	8.9	1.30	8.90	16.50	30	13.50

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

dBd is for the ERP, dBi is for EIRP.

LTE Band 2:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.62	22.63	22.66
		RB Size=1, RB Offset=2	22.64	22.48	22.56
		RB Size=1, RB Offset=5	22.31	22.65	22.53
		RB Size=3, RB Offset=0	22.43	22.35	22.39
		RB Size=3, RB Offset=1	22.28	22.34	22.16
		RB Size=3, RB Offset=2	22.27	22.28	22.19
		RB Size=6, RB Offset=0	22.23	22.19	22.07
	16QAM	RB Size=1, RB Offset=0	22.15	22.16	22.03
		RB Size=1, RB Offset=2	22.14	22.03	21.99
		RB Size=1, RB Offset=5	21.97	21.86	22.92
		RB Size=3, RB Offset=0	21.82	21.78	22.89
		RB Size=3, RB Offset=1	21.88	21.86	21.76
		RB Size=3, RB Offset=2	21.73	21.88	21.83
		RB Size=6, RB Offset=0	21.75	21.73	21.88
3.0	QPSK	RB Size=1, RB Offset=0	22.81	22.73	22.73
		RB Size=1, RB Offset=7	22.69	22.72	22.89
		RB Size=1, RB Offset=14	22.55	22.69	22.78
		RB Size=8, RB Offset=0	21.93	21.94	22.00
		RB Size=8, RB Offset=4	21.91	21.79	21.90
		RB Size=8, RB Offset=7	21.69	21.61	21.74
		RB Size=15, RB Offset=0	21.79	21.71	21.71
	16QAM	RB Size=1, RB Offset=0	22.07	22.23	22.10
		RB Size=1, RB Offset=7	22.11	21.93	21.95
		RB Size=1, RB Offset=14	22.08	21.84	22.02
		RB Size=8, RB Offset=0	20.85	20.83	20.91
		RB Size=8, RB Offset=4	20.69	20.89	20.87
		RB Size=8, RB Offset=7	20.44	20.56	20.73
		RB Size=15, RB Offset=0	20.77	20.71	20.76

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.86	22.76	22.93
		RB Size=1, RB Offset=12	22.91	22.70	22.64
		RB Size=1, RB Offset=24	22.58	22.97	22.44
		RB Size=12, RB Offset=0	21.86	21.86	21.93
		RB Size=12, RB Offset=6	21.85	21.77	21.75
		RB Size=12, RB Offset=11	21.85	21.65	21.72
		RB Size=25, RB Offset=0	21.74	21.70	21.88
	16QAM	RB Size=1, RB Offset=0	22.07	21.59	21.67
		RB Size=1, RB Offset=12	21.71	21.55	21.87
		RB Size=1, RB Offset=24	21.97	21.43	21.55
		RB Size=12, RB Offset=0	20.68	20.81	20.89
		RB Size=12, RB Offset=6	20.91	20.72	20.76
		RB Size=12, RB Offset=11	20.64	20.50	20.60
		RB Size=25, RB Offset=0	20.77	20.70	20.75
10.0	QPSK	RB Size=1, RB Offset=0	22.74	22.88	22.82
		RB Size=1, RB Offset=24	22.86	22.74	22.79
		RB Size=1, RB Offset=49	22.63	22.77	22.73
		RB Size=25, RB Offset=0	21.86	21.73	21.73
		RB Size=25, RB Offset=12	21.76	21.79	21.69
		RB Size=25, RB Offset=24	21.95	21.63	21.62
		RB Size=50, RB Offset=0	21.61	21.58	21.57
	16QAM	RB Size=1, RB Offset=0	21.71	21.68	21.76
		RB Size=1, RB Offset=24	21.75	21.50	21.73
		RB Size=1, RB Offset=49	21.50	21.42	21.81
		RB Size=25, RB Offset=0	22.62	20.75	20.69
		RB Size=25, RB Offset=12	22.55	20.57	20.59
		RB Size=25, RB Offset=24	22.48	20.42	20.30
		RB Size=50, RB Offset=0	20.50	20.45	20.50

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.25	22.24	22.45
		RB Size=1, RB Offset=37	22.10	21.95	22.27
		RB Size=1, RB Offset=74	22.00	22.08	22.23
		RB Size=36, RB Offset=0	22.07	22.04	22.00
		RB Size=36, RB Offset=18	22.15	22.07	21.96
		RB Size=36, RB Offset=37	22.04	21.77	21.71
		RB Size=75, RB Offset=0	21.88	21.89	22.03
	16QAM	RB Size=1, RB Offset=0	21.90	21.88	21.75
		RB Size=1, RB Offset=37	21.72	21.94	21.65
		RB Size=1, RB Offset=74	21.71	21.78	21.38
		RB Size=36, RB Offset=0	21.88	21.89	22.02
		RB Size=36, RB Offset=18	21.80	21.84	22.02
		RB Size=36, RB Offset=37	21.56	21.57	21.98
		RB Size=75, RB Offset=0	21.16	21.14	20.93
20.0	QPSK	RB Size=1, RB Offset=0	22.98	23.01	23.10
		RB Size=1, RB Offset=49	23.03	22.83	22.95
		RB Size=1, RB Offset=99	22.88	22.99	22.84
		RB Size=50, RB Offset=0	21.93	21.84	21.87
		RB Size=50, RB Offset=24	21.88	21.84	21.95
		RB Size=50, RB Offset=49	21.83	21.69	21.67
		RB Size=100, RB Offset=0	21.95	21.83	21.85
	16QAM	RB Size=1, RB Offset=0	22.12	22.08	22.02
		RB Size=1, RB Offset=49	22.03	21.92	21.96
		RB Size=1, RB Offset=99	22.02	21.68	21.89
		RB Size=50, RB Offset=0	21.05	20.92	20.96
		RB Size=50, RB Offset=24	20.79	20.94	21.06
		RB Size=50, RB Offset=49	20.40	20.79	20.97
		RB Size=100, RB Offset=0	20.95	20.80	21.03

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.59	13	Pass
QPSK (100RB Size)	5.60	13	Pass
16QAM (1RB Size)	6.59	13	Pass
16QAM (1000RB Size)	6.65	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	86.35	139	1.7	H	16.7	1.30	9.40	24.80	33
1880.00	83.64	126	1.4	V	13.7	1.30	9.40	21.80	33
3 MHz Bandwidth									
1880.00	86.27	316	2.5	H	16.6	1.30	9.40	24.70	33
1880.00	83.66	5	2.2	V	13.8	1.30	9.40	21.90	33
5 MHz Bandwidth									
1880.00	86.29	121	1.9	H	16.6	1.30	9.40	24.70	33
1880.00	84.13	133	1.1	V	14.2	1.30	9.40	22.30	33
10 MHz Bandwidth									
1880.00	85.88	127	2.1	H	16.2	1.30	9.40	24.30	33
1880.00	83.16	307	2.4	V	13.3	1.30	9.40	21.40	33
15 MHz Bandwidth									
1880.00	85.67	3	2.4	H	16.0	1.30	9.40	24.10	33
1880.00	82.92	34	2.2	V	13.0	1.30	9.40	21.10	33
20 MHz Bandwidth									
1880.00	85.84	4	1.6	H	16.2	1.30	9.40	24.30	33
1880.00	83.35	66	1.3	V	13.5	1.30	9.40	21.60	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	85.34	208	2.0	H	15.7	1.30	9.40	23.80	33
1880.00	82.49	352	2.2	V	12.6	1.30	9.40	20.70	33
3 MHz Bandwidth									
1880.00	85.46	322	2.0	H	15.8	1.30	9.40	23.90	33
1880.00	82.68	213	1.7	V	12.8	1.30	9.40	20.90	33
5 MHz Bandwidth									
1880.00	85.86	162	2.4	H	16.2	1.30	9.40	24.30	33
1880.00	83.14	259	2.1	V	13.2	1.30	9.40	21.30	33
10 MHz Bandwidth									
1880.00	85.55	335	1.9	H	15.9	1.30	9.40	24.00	33
1880.00	83.33	87	2.3	V	13.4	1.30	9.40	21.50	33
15 MHz Bandwidth									
1880.00	85.32	24	1.4	H	15.6	1.30	9.40	23.70	33
1880.00	83.08	356	1.6	V	13.2	1.30	9.40	21.30	33
20 MHz Bandwidth									
1880.00	85.48	318	2.1	H	15.8	1.30	9.40	23.90	33
1880.00	83.16	153	1.8	V	13.3	1.30	9.40	21.40	33

LTE Band 4:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.38	22.37	22.54
		RB Size=1, RB Offset=2	22.42	22.25	22.59
		RB Size=1, RB Offset=5	22.50	22.04	22.68
		RB Size=3, RB Offset=0	22.54	22.63	22.63
		RB Size=3, RB Offset=1	22.65	22.59	22.70
		RB Size=3, RB Offset=2	22.38	22.40	22.41
		RB Size=6, RB Offset=0	21.38	21.38	21.46
	16QAM	RB Size=1, RB Offset=0	21.84	21.96	22.09
		RB Size=1, RB Offset=2	21.91	21.80	21.77
		RB Size=1, RB Offset=5	21.80	21.93	21.80
		RB Size=3, RB Offset=0	22.90	21.93	21.82
		RB Size=3, RB Offset=1	22.75	21.65	21.75
		RB Size=3, RB Offset=2	22.76	21.75	21.61
		RB Size=6, RB Offset=0	20.65	20.78	20.65
3.0	QPSK	RB Size=1, RB Offset=0	22.46	22.55	22.40
		RB Size=1, RB Offset=7	22.28	22.50	22.36
		RB Size=1, RB Offset=14	22.46	22.17	22.21
		RB Size=8, RB Offset=0	21.61	21.59	21.61
		RB Size=8, RB Offset=4	21.52	21.43	21.68
		RB Size=8, RB Offset=7	21.22	21.33	21.76
		RB Size=15, RB Offset=0	21.57	21.68	21.70
	16QAM	RB Size=1, RB Offset=0	21.83	21.72	21.54
		RB Size=1, RB Offset=7	21.75	21.61	21.53
		RB Size=1, RB Offset=14	21.75	21.48	21.32
		RB Size=8, RB Offset=0	20.71	20.72	20.80
		RB Size=8, RB Offset=4	20.71	20.53	20.80
		RB Size=8, RB Offset=7	20.54	20.76	20.60
		RB Size=15, RB Offset=0	20.68	20.67	20.70

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.66	22.57	22.66
		RB Size=1, RB Offset=12	22.54	22.57	22.70
		RB Size=1, RB Offset=24	22.59	22.52	22.54
		RB Size=12, RB Offset=0	21.70	21.63	21.74
		RB Size=12, RB Offset=6	21.73	21.68	21.69
		RB Size=12, RB Offset=11	21.39	21.64	21.53
		RB Size=25, RB Offset=0	21.86	21.79	21.76
	16QAM	RB Size=1, RB Offset=0	21.90	21.99	21.96
		RB Size=1, RB Offset=12	21.82	21.77	21.57
		RB Size=1, RB Offset=24	21.63	21.77	21.66
		RB Size=12, RB Offset=0	21.00	20.99	20.89
		RB Size=12, RB Offset=6	20.85	20.94	20.93
		RB Size=12, RB Offset=11	20.71	20.72	20.72
		RB Size=25, RB Offset=0	20.76	20.67	20.65
10.0	QPSK	RB Size=1, RB Offset=0	22.69	22.67	22.77
		RB Size=1, RB Offset=24	22.69	22.56	22.78
		RB Size=1, RB Offset=49	22.63	22.61	22.71
		RB Size=25, RB Offset=0	21.85	21.84	21.68
		RB Size=25, RB Offset=12	21.68	21.75	21.78
		RB Size=25, RB Offset=24	21.68	21.57	21.62
		RB Size=50, RB Offset=0	21.81	21.92	21.78
	16QAM	RB Size=1, RB Offset=0	22.21	22.18	22.26
		RB Size=1, RB Offset=24	22.19	22.10	22.25
		RB Size=1, RB Offset=49	22.30	22.03	22.11
		RB Size=25, RB Offset=0	20.85	20.89	20.99
		RB Size=25, RB Offset=12	20.72	20.62	20.89
		RB Size=25, RB Offset=24	20.57	20.62	20.72
		RB Size=50, RB Offset=0	21.01	20.85	20.97

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.70	22.48	22.52
		RB Size=1, RB Offset=37	22.66	22.32	22.57
		RB Size=1, RB Offset=74	22.54	22.41	22.43
		RB Size=36, RB Offset=0	21.98	21.90	21.89
		RB Size=36, RB Offset=18	21.94	21.77	21.76
		RB Size=36, RB Offset=37	22.03	21.71	21.67
		RB Size=75, RB Offset=0	21.78	21.54	21.56
	16QAM	RB Size=1, RB Offset=0	21.72	21.52	21.69
		RB Size=1, RB Offset=37	21.58	21.59	21.64
		RB Size=1, RB Offset=74	21.53	21.39	21.53
		RB Size=36, RB Offset=0	20.94	20.66	20.79
		RB Size=36, RB Offset=18	20.76	20.50	20.67
		RB Size=36, RB Offset=37	20.54	20.49	20.49
		RB Size=75, RB Offset=0	20.72	20.77	20.91
20.0	QPSK	RB Size=1, RB Offset=0	22.77	22.44	22.48
		RB Size=1, RB Offset=49	22.65	22.26	22.53
		RB Size=1, RB Offset=99	22.65	22.22	22.10
		RB Size=50, RB Offset=0	21.80	21.86	21.98
		RB Size=50, RB Offset=24	21.84	21.86	21.95
		RB Size=50, RB Offset=49	21.74	21.76	21.90
		RB Size=100, RB Offset=0	21.85	21.55	21.65
	16QAM	RB Size=1, RB Offset=0	22.37	22.17	22.32
		RB Size=1, RB Offset=49	22.19	22.28	22.38
		RB Size=1, RB Offset=99	22.10	22.03	22.30
		RB Size=50, RB Offset=0	20.97	20.99	21.17
		RB Size=50, RB Offset=24	21.03	21.09	21.02
		RB Size=50, RB Offset=49	20.81	21.06	21.00
		RB Size=100, RB Offset=0	20.95	20.80	20.82

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.04	13	Pass
QPSK (100RB Size)	6.10	13	Pass
16QAM (1RB Size)	6.96	13	Pass
16QAM (100RB Size)	6.97	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	89.80	93	2.2	H	16.5	1.30	8.90	24.10	30
1732.50	86.03	106	2.3	V	13.3	1.30	8.90	20.90	30
3 MHz Bandwidth									
1732.50	89.72	278	1.1	H	16.4	1.30	8.90	24.00	30
1732.50	86.53	316	1.4	V	13.8	1.30	8.90	21.40	30
5 MHz Bandwidth									
1732.50	89.34	70	2.2	H	16.0	1.30	8.90	23.60	30
1732.50	86.15	175	2.2	V	13.4	1.30	8.90	21.00	30
10 MHz Bandwidth									
1732.50	88.75	128	1.0	H	15.4	1.30	8.90	23.00	30
1732.50	85.93	76	1.8	V	13.2	1.30	8.90	20.80	30
15 MHz Bandwidth									
1732.50	88.89	143	1.9	H	15.6	1.30	8.90	23.20	30
1732.50	85.97	342	1.2	V	13.2	1.30	8.90	20.80	30
20 MHz Bandwidth									
1732.50	89.23	123	1.5	H	15.9	1.30	8.90	23.50	30
1732.50	86.28	319	2.1	V	13.6	1.30	8.90	21.20	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	88.61	215	1.2	H	15.3	1.30	8.90	22.90	30
1732.50	86.05	26	1.7	V	13.3	1.30	8.90	20.90	30
3 MHz Bandwidth									
1732.50	88.79	90	2.2	H	15.5	1.30	8.90	23.10	30
1732.50	86.24	137	1.7	V	13.5	1.30	8.90	21.10	30
5 MHz Bandwidth									
1732.50	89.68	58	1.7	H	16.4	1.30	8.90	24.00	30
1732.50	86.37	45	1.9	V	13.6	1.30	8.90	21.20	30
10 MHz Bandwidth									
1732.50	89.55	10	2.3	H	16.2	1.30	8.90	23.80	30
1732.50	86.14	53	1.8	V	13.4	1.30	8.90	21.00	30
15 MHz Bandwidth									
1732.50	89.73	37	1.9	H	16.4	1.30	8.90	24.00	30
1732.50	86.59	76	1.6	V	13.9	1.30	8.90	21.50	30
20 MHz Bandwidth									
1732.50	89.43	196	2.0	H	16.1	1.30	8.90	23.70	30
1732.50	85.87	104	1.7	V	13.1	1.30	8.90	20.70	30

LTE Band 5:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.56	22.36	22.51
		RB Size=1, RB Offset=2	22.45	22.35	22.51
		RB Size=1, RB Offset=5	22.55	21.98	22.58
		RB Size=3, RB Offset=0	22.76	22.64	22.66
		RB Size=3, RB Offset=1	22.61	22.67	22.69
		RB Size=3, RB Offset=2	22.52	22.47	22.43
		RB Size=6, RB Offset=0	21.51	21.44	21.42
	16QAM	RB Size=1, RB Offset=0	21.86	21.89	22.01
		RB Size=1, RB Offset=2	21.85	21.86	21.66
		RB Size=1, RB Offset=5	21.76	21.83	21.83
		RB Size=3, RB Offset=0	22.88	21.71	21.68
		RB Size=3, RB Offset=1	22.92	21.60	21.91
		RB Size=3, RB Offset=2	22.59	21.64	21.58
		RB Size=6, RB Offset=0	20.58	20.82	20.79
3.0	QPSK	RB Size=1, RB Offset=0	22.47	22.56	22.35
		RB Size=1, RB Offset=7	22.31	22.51	22.31
		RB Size=1, RB Offset=14	22.36	22.17	22.25
		RB Size=8, RB Offset=0	21.67	21.74	21.71
		RB Size=8, RB Offset=4	21.52	21.42	21.64
		RB Size=8, RB Offset=7	21.35	21.28	21.70
		RB Size=15, RB Offset=0	21.56	21.70	21.65
	16QAM	RB Size=1, RB Offset=0	21.73	21.78	21.54
		RB Size=1, RB Offset=7	21.65	21.66	21.55
		RB Size=1, RB Offset=14	21.77	21.38	21.34
		RB Size=8, RB Offset=0	20.79	20.71	20.71
		RB Size=8, RB Offset=4	20.64	20.55	20.67
		RB Size=8, RB Offset=7	20.62	20.77	20.69
		RB Size=15, RB Offset=0	20.71	20.67	20.80

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.78	22.66	22.78
		RB Size=1, RB Offset=12	22.65	22.60	22.54
		RB Size=1, RB Offset=24	22.57	22.41	22.75
		RB Size=12, RB Offset=0	21.78	21.70	21.63
		RB Size=12, RB Offset=6	21.72	21.58	21.73
		RB Size=12, RB Offset=11	21.51	21.80	21.53
		RB Size=25, RB Offset=0	21.74	21.75	21.76
	16QAM	RB Size=1, RB Offset=0	22.09	21.98	21.89
		RB Size=1, RB Offset=12	21.73	21.74	21.77
		RB Size=1, RB Offset=24	21.75	21.84	21.72
		RB Size=12, RB Offset=0	20.95	21.10	20.97
		RB Size=12, RB Offset=6	20.80	20.93	20.96
		RB Size=12, RB Offset=11	20.60	20.77	20.86
		RB Size=25, RB Offset=0	20.84	20.63	20.78
10.0	QPSK	RB Size=1, RB Offset=0	22.67	22.76	22.72
		RB Size=1, RB Offset=24	22.70	22.64	22.71
		RB Size=1, RB Offset=49	22.52	22.78	22.81
		RB Size=25, RB Offset=0	21.78	21.86	21.85
		RB Size=25, RB Offset=12	21.74	21.86	21.71
		RB Size=25, RB Offset=24	21.70	21.53	21.69
		RB Size=50, RB Offset=0	21.83	21.85	21.88
	16QAM	RB Size=1, RB Offset=0	22.24	22.18	22.39
		RB Size=1, RB Offset=24	22.06	22.16	22.20
		RB Size=1, RB Offset=49	22.17	22.26	21.98
		RB Size=25, RB Offset=0	20.90	20.78	20.81
		RB Size=25, RB Offset=12	20.65	20.64	20.96
		RB Size=25, RB Offset=24	20.64	20.76	20.74
		RB Size=50, RB Offset=0	21.02	20.89	20.94

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.83	13	Pass
QPSK (50RB Size)	5.89	13	Pass
16QAM (1RB Size)	6.85	13	Pass
16QAM (50RB Size)	6.90	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	82.46	51	2.2	H	23.1	1.35	0.0	21.75	38.45
836.5	75.11	230	1.8	V	15.1	1.35	0.0	13.75	38.45
3 MHz Bandwidth									
836.5	82.57	236	1.3	H	23.2	1.35	0.0	21.85	38.45
836.5	74.68	8	1.8	V	14.7	1.35	0.0	13.35	38.45
5 MHz Bandwidth									
836.5	81.53	16	2.0	H	22.2	1.35	0.0	20.85	38.45
836.5	73.24	276	1.8	V	13.2	1.35	0.0	11.85	38.45
10 MHz Bandwidth									
836.5	81.64	305	1.3	H	22.3	1.35	0.0	20.95	38.45
836.5	73.55	296	2.4	V	13.6	1.35	0.0	12.25	38.45

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	82.87	157	1.8	H	23.5	1.35	0.0	22.15	38.45
836.5	76.33	75	1.5	V	16.3	1.35	0.0	14.95	38.45
3 MHz Bandwidth									
836.5	82.45	292	2.2	H	23.1	1.35	0.0	21.75	38.45
836.5	75.93	226	1.4	V	15.9	1.35	0.0	14.55	38.45
5 MHz Bandwidth									
836.5	82.37	21	2.5	H	23.0	1.35	0.0	21.65	38.45
836.5	75.64	42	1.2	V	15.6	1.35	0.0	14.25	38.45
10 MHz Bandwidth									
836.5	81.86	27	1.2	H	22.1	1.90	0.0	20.20	38.45
836.5	74.29	11	1.1	V	14.3	1.90	0.0	12.40	38.45

LTE Band 12:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.97	22.97	22.96
		RB Size=1, RB Offset=2	23.02	23.06	23.07
		RB Size=1, RB Offset=5	22.90	22.96	22.78
		RB Size=3, RB Offset=0	23.03	23.06	23.18
		RB Size=3, RB Offset=1	22.89	22.98	23.11
		RB Size=3, RB Offset=2	22.75	22.73	23.02
		RB Size=6, RB Offset=0	22.04	22.06	22.05
	16QAM	RB Size=1, RB Offset=0	22.03	22.04	22.07
		RB Size=1, RB Offset=2	21.99	22.01	21.79
		RB Size=1, RB Offset=5	22.01	21.65	21.73
		RB Size=3, RB Offset=0	22.09	22.20	22.30
		RB Size=3, RB Offset=1	22.01	22.13	22.13
		RB Size=3, RB Offset=2	22.01	22.07	22.12
		RB Size=6, RB Offset=0	20.90	20.98	21.01
3.0	QPSK	RB Size=1, RB Offset=0	22.91	22.92	22.87
		RB Size=1, RB Offset=7	22.84	23.14	22.87
		RB Size=1, RB Offset=14	22.50	22.84	22.62
		RB Size=8, RB Offset=0	22.17	22.12	22.14
		RB Size=8, RB Offset=4	22.11	21.87	22.16
		RB Size=8, RB Offset=7	22.20	21.92	21.90
		RB Size=15, RB Offset=0	21.97	21.99	22.18
	16QAM	RB Size=1, RB Offset=0	22.44	22.55	22.48
		RB Size=1, RB Offset=7	22.37	22.35	22.64
		RB Size=1, RB Offset=14	22.28	22.14	22.36
		RB Size=8, RB Offset=0	21.19	21.09	21.09
		RB Size=8, RB Offset=4	21.11	21.11	21.24
		RB Size=8, RB Offset=7	21.08	21.08	21.10
		RB Size=15, RB Offset=0	21.12	21.23	21.12

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.02	22.08	22.14
		RB Size=1, RB Offset=12	22.11	21.92	21.80
		RB Size=1, RB Offset=24	21.98	21.78	21.78
		RB Size=12, RB Offset=0	21.26	21.29	21.12
		RB Size=12, RB Offset=6	20.99	21.15	21.10
		RB Size=12, RB Offset=11	20.78	21.09	21.11
		RB Size=25, RB Offset=0	22.03	21.98	21.97
	16QAM	RB Size=1, RB Offset=0	21.94	22.05	22.03
		RB Size=1, RB Offset=12	21.84	21.74	21.92
		RB Size=1, RB Offset=24	22.06	21.57	21.97
		RB Size=12, RB Offset=0	21.24	21.14	21.11
		RB Size=12, RB Offset=6	21.01	21.17	21.19
		RB Size=12, RB Offset=11	20.84	21.02	21.00
		RB Size=25, RB Offset=0	21.04	21.08	21.19
10.0	QPSK	RB Size=1, RB Offset=0	23.09	23.09	22.96
		RB Size=1, RB Offset=24	23.13	22.96	22.93
		RB Size=1, RB Offset=49	23.02	23.02	22.85
		RB Size=25, RB Offset=0	22.11	22.02	22.03
		RB Size=25, RB Offset=12	22.11	22.06	22.00
		RB Size=25, RB Offset=24	21.75	21.86	21.84
		RB Size=50, RB Offset=0	22.05	21.97	22.10
	16QAM	RB Size=1, RB Offset=0	22.66	22.67	22.54
		RB Size=1, RB Offset=24	22.50	22.39	22.43
		RB Size=1, RB Offset=49	22.51	22.31	22.23
		RB Size=25, RB Offset=0	21.14	21.14	21.28
		RB Size=25, RB Offset=12	21.00	21.28	21.14
		RB Size=25, RB Offset=24	21.05	21.38	20.86
		RB Size=50, RB Offset=0	21.14	21.17	21.24

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.43	13	Pass
QPSK (50RB Size)	6.49	13	Pass
16QAM (1RB Size)	7.58	13	Pass
16QAM (50RB Size)	7.59	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
707.5	82.54	81	1.9	H	23.2	1.35	0.0	21.85	34.77
707.5	76.68	133	1.5	V	16.7	1.35	0.0	15.35	34.77
3 MHz Bandwidth									
707.5	82.43	244	1.8	H	23.1	1.35	0.0	21.75	34.77
707.5	75.98	19	1.4	V	16.0	1.35	0.0	14.65	34.77
5 MHz Bandwidth									
707.5	81.85	158	1.7	H	22.5	1.35	0.0	21.15	34.77
707.5	74.61	77	1.7	V	14.6	1.35	0.0	13.25	34.77
10 MHz Bandwidth									
707.5	81.76	169	1.4	H	22.4	1.35	0.0	21.05	34.77
707.5	75.11	224	1.9	V	15.1	1.35	0.0	13.75	34.77

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
707.5	82.55	149	1.7	H	23.2	1.35	0.0	21.85	34.77
707.5	76.31	349	2.1	V	16.3	1.35	0.0	14.95	34.77
3 MHz Bandwidth									
707.5	82.46	79	1.9	H	23.1	1.35	0.0	21.75	34.77
707.5	76.21	82	1.7	V	16.2	1.35	0.0	14.85	34.77
5 MHz Bandwidth									
707.5	81.47	338	2.2	H	22.1	1.35	0.0	20.75	34.77
707.5	75.89	50	2.4	V	15.9	1.35	0.0	14.55	34.77
10 MHz Bandwidth									
707.5	81.76	62	1.8	H	22.4	1.35	0.0	21.05	34.77
707.5	76.61	190	1.6	V	16.6	1.35	0.0	15.25	34.77

LTE Band 17:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5	QPSK	RB Size=1, RB Offset=0	22.04	21.92	22.08
		RB Size=1, RB Offset=12	21.96	21.95	21.89
		RB Size=1, RB Offset=24	21.89	21.83	21.73
		RB Size=12, RB Offset=0	21.13	21.10	21.23
		RB Size=12, RB Offset=6	20.89	21.08	21.06
		RB Size=12, RB Offset=11	20.71	21.11	20.99
		RB Size=25, RB Offset=0	22.00	22.10	22.08
	16QAM	RB Size=1, RB Offset=0	22.02	22.00	21.95
		RB Size=1, RB Offset=12	21.78	21.82	21.93
		RB Size=1, RB Offset=24	21.99	21.55	21.90
		RB Size=12, RB Offset=0	21.17	21.18	21.20
		RB Size=12, RB Offset=6	21.03	20.99	21.07
		RB Size=12, RB Offset=11	20.96	21.11	20.90
		RB Size=25, RB Offset=0	21.10	21.09	21.22
10	QPSK	RB Size=1, RB Offset=0	23.08	22.99	23.17
		RB Size=1, RB Offset=24	23.17	22.97	23.01
		RB Size=1, RB Offset=49	23.02	23.13	22.78
		RB Size=25, RB Offset=0	22.07	22.05	21.88
		RB Size=25, RB Offset=12	22.06	21.98	22.18
		RB Size=25, RB Offset=24	21.85	21.88	21.99
		RB Size=50, RB Offset=0	22.09	22.10	22.17
	16QAM	RB Size=1, RB Offset=0	22.64	22.68	22.59
		RB Size=1, RB Offset=24	22.49	22.30	22.60
		RB Size=1, RB Offset=49	22.37	22.30	22.28
		RB Size=25, RB Offset=0	21.15	21.08	21.20
		RB Size=25, RB Offset=12	20.95	21.28	21.01
		RB Size=25, RB Offset=24	20.93	21.31	20.98
		RB Size=50, RB Offset=0	21.11	21.09	21.25

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.58	13	Pass
QPSK (50RB Size)	6.60	13	Pass
16QAM (1RB Size)	7.51	13	Pass
16QAM (50RB Size)	7.54	13	Pass

EIRP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
710	82.24	274	2.2	H	22.9	1.35	0.0	21.55	34.77
710	76.58	88	1.4	V	16.6	1.35	0.0	15.25	34.77
10 MHz Bandwidth									
710	82.53	341	2.0	H	23.2	1.35	0.0	21.85	34.77
710	76.28	16	1.2	V	16.3	1.35	0.0	14.95	34.77

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
710	82.14	14	2.3	H	22.8	1.35	0.0	21.45	34.77
710	76.11	274	2.1	V	16.1	1.35	0.0	14.75	34.77
10 MHz Bandwidth									
710	82.66	92	1.8	H	23.3	1.35	0.0	21.95	34.77
710	76.48	32	2.0	V	16.5	1.35	0.0	15.15	34.77

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by James Fu from 2019-10-29 to 2019-10-30.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	245.19	317.63
EGPRS(8PSK)	836.6	245.19	316.35

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.15	4.70
HSUPA (BPSK)	836.6	4.15	4.70
HSDPA (16QAM)	836.6	4.15	4.67

PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	246.79	313.78
EGPRS(8PSK)	1880.0	243.59	313.78


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.17	4.72
HSUPA (BPSK)	1880.0	4.17	4.73
HSDPA (16QAM)	1880.0	4.18	4.71

AWS Band (Part 27)

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1732.6	4.17	4.67
HSUPA (BPSK)	1732.6	4.15	4.69
HSDPA (16QAM)	1732.6	4.15	4.67


Cellular Band (Part 22H)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 29.OCT.2019 18:58:01

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 29.OCT.2019 19:28:11

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 29.OCT.2019 20:05:57


26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 29.OCT.2019 20:12:11


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode

Date: 29.OCT.2019 20:09:29

PCS Band (Part 24E)**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode**


Date: 29.OCT.2019 19:08:55

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 29.OCT.2019 19:19:09

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 29.OCT.2019 19:57:03

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 29.OCT.2019 19:58:38


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 29.OCT.2019 20:00:34


AWS Band (Part 27)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 29.OCT.2019 21:01:01

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 29.OCT.2019 20:59:04

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode




Date: 29.OCT.2019 21:00:08

LTE Band 2: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.12	1.47
	16QAM	1.12	1.35
3.0	QPSK	2.71	3.05
	16QAM	2.70	3.08
5.0	QPSK	4.54	5.47
	16QAM	4.55	5.47
10.0	QPSK	8.97	10.37
	16QAM	8.97	9.98
15.0	QPSK	13.61	16.06
	16QAM	13.61	15.43
20.0	QPSK	18.01	20.01
	16QAM	18.08	20.08

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:13:16


16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 30.OCT.2019 21:10:30


QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 21:14:37

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 30.OCT.2019 21:16:08

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel





Date: 30.OCT.2019 21:19:39

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:18:22




QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 21:24:39

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 30.OCT.2019 21:26:50

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 30.OCT.2019 21:29:29

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:30:54

LTE Band 4: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.11	1.29
	16QAM	1.11	1.28
3.0	QPSK	2.70	3.04
	16QAM	2.70	3.02
5.0	QPSK	4.55	5.43
	16QAM	4.54	5.25
10.0	QPSK	8.97	9.90
	16QAM	8.97	9.84
15.0	QPSK	13.61	15.68
	16QAM	13.56	15.13
20.0	QPSK	18.01	20.07
	16QAM	18.01	19.69

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:41:51

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:42:35

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:43:37

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:44:45

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:46:00

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:46:53

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:47:57

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:48:51

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 21:50:17


16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 30.OCT.2019 21:51:08

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 30.OCT.2019 21:51:58

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 30.OCT.2019 21:52:37

LTE Band 5: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.11	1.29
	16QAM	1.12	1.28
3.0	QPSK	2.71	3.01
	16QAM	2.70	3.03
5.0	QPSK	4.54	5.24
	16QAM	4.54	5.29
10.0	QPSK	8.97	9.76
	16QAM	8.97	9.92






QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 22:53:19

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 30.OCT.2019 22:52:36

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 30.OCT.2019 22:54:54

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 22:54:19

LTE Band 12: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.11	1.30
	16QAM	1.11	1.28
3.0	QPSK	2.70	3.04
	16QAM	2.70	3.04
5.0	QPSK	4.55	5.38
	16QAM	4.54	5.32
10.0	QPSK	8.97	9.90
	16QAM	8.97	10.00

QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 23:14:15

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 23:13:25

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 23:16:01

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 23:15:05

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 23:17:29


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 30.OCT.2019 23:18:19

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 23:19:18


16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 23:19:58

LTE Band 17: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.55	5.40
	16QAM	4.55	5.36
10.0	QPSK	9.01	9.83
	16QAM	8.97	10.02

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 30.OCT.2019 23:33:43


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 30.OCT.2019 23:32:11

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 23:31:03

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 30.OCT.2019 23:29:47

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	50~56 %
ATM Pressure:	101.0 kPa

The testing was performed by James Fu from 2019-10-29 to 2019-11-07.

Test result: Compliance.

EUT operation mode: transmitting


Please refer to the following plots.

30 MHz – 1 GHz (GSM Mode)



1 GHz – 10 GHz (GSM Mode)


30 MHz – 1 GHz (WCDMA Mode)



Fundamental test

Date: 29.OCT.2019 20:48:01


1 GHz – 10 GHz (WCDMA Mode)



Date: 29.OCT.2019 20:48:23


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)



Date: 29.OCT.2019 19:06:03


1 GHz – 2 GHz (GSM Mode)



Fundamental test


Date: 29.OCT.2019 19:06:42

2 GHz – 20 GHz (GSM Mode)




Date: 29.OCT.2019 19:07:09

30 MHz – 1 GHz (WCDMA Mode)




Date: 29.OCT.2019 19:52:08

1 GHz – 2 GHz (WCDMA Mode)



Date: 29.OCT.2019 19:52:59


2 GHz – 20 GHz (WCDMA Mode)



Date: 29.OCT.2019 19:53:30


AWS Band (Part 27)

30 MHz – 1 GHz (WCDMA Mode)




Date: 29.OCT.2019 20:52:06

1 GHz – 2 GHz (WCDMA Mode)



Date: 29.OCT.2019 20:51:35


2 GHz – 20 GHz (WCDMA Mode)



Date: 29.OCT.2019 20:51:08


LTE Band 2:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 18:40:01

1 GHz – 2 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 18:52:08

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 18:55:19

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:40:11

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:49:47

2 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:59:12

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:40:22

1 GHz – 2 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:49:10

2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:59:26

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:40:34

1 GHz - 2 GHz (10.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:47:05

2 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:59:43

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:40:50

1 GHz – 2 GHz (15.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:46:25

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:00:05

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 7.NOV.2019 18:41:04

1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 7.NOV.2019 18:45:54


2 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:00:23


LTE Band 4:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 19:09:12

1 GHz – 2 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 19:17:16

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 19:17:39

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:09:31

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:16:59

2 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:19:45

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:09:44

1 GHz – 2 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:16:19

2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:20:20

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:10:00

1 GHz - 2 GHz (10.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:16:03

2 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:20:32

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:10:15

1 GHz – 2 GHz (15.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:15:26

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:21:06

30 MHz - 1 GHz (20.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:10:58

1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:11:50

Ref 21 dBm * Att 10 dB

* RBW 1 MHz Marker 1 [T1] -25.45 dBm
 * VBW 3 MHz
 SWT 105 ms 3.442307692 GHz

Offset 6 dB

1. PK MAXH

D1 -13 dBm

1

Start 2 GHz 1.8 GHz/ Stop 20 GHz

LTE Band 5:

Ref 31 dBm * Att 20 dB * RBW 100 kHz * VBW 300 kHz * Marker 1 [T1] -45.09 dBm
SWT 100 ms 466.810897436 MHz

30 Offset 6 dB

1 PK MAXH


D1 -13 dBm

1

Start 30 MHz 97 MHz/ Stop 1 GHz


Page 100 of 182

1 GHz – 10 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 19:36:55

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:24:35

1 GHz – 10 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:36:22

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:35:14

1 GHz – 10 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:36:10

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:35:35


1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:35:59


LTE Band 12:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 19:38:57

1 GHz – 10 GHz (1.4 MHz, Middle Channel)




Date: 7.NOV.2019 19:45:00

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:41:13

1 GHz – 10 GHz (3.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:44:30

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:43:09

1 GHz – 10 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:44:20

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:43:46


1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:44:07


LTE Band 17:

30 MHz – 1.0 GHz (5.0 MHz, Middle Channel)




Date: 7.NOV.2019 19:48:49

1 GHz – 10GHz (5 MHz, Middle Channel)




Date: 7.NOV.2019 19:47:32

30 MHz – 1.0 GHz (10.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:48:21

1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 7.NOV.2019 19:47:55

FCC § 2.1053; § 22.917 (a); § 24.238 (a); § 27.53 SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, § 22.917(a) and § 24.238(a) and § 27.53

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data**Environmental Conditions**

Temperature:	24~25 °C
Relative Humidity:	51~52 %
ATM Pressure:	101.0 kPa

The testing was performed by Curry Xiang on 2019-10-31 and by Alan He on 2019-11-01.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
342.48	36.62	84	2.0	H	-60.4	0.38	0	-60.78	-13	47.78
342.48	36.54	91	1.6	V	-60.5	0.38	0	-60.88	-13	47.88
1673.20	60.36	243	1.9	H	-46.0	1.30	8.90	-38.40	-13	25.40
1673.20	59.56	323	1.4	V	-46.2	1.30	8.90	-38.60	-13	25.60
2509.80	48.99	223	2.2	H	-54.4	2.60	10.20	-46.80	-13	33.80
2509.80	48.71	229	1.2	V	-54.0	2.60	10.20	-46.40	-13	33.40
3346.40	43.05	221	1.8	H	-57.8	1.50	11.70	-47.60	-13	34.60
3346.40	43.26	276	1.1	V	-57.7	1.50	11.70	-47.50	-13	34.50
WCDMA Mode, Middle channel										
342.48	36.14	134	1.3	H	-60.9	0.38	0	-61.28	-13	48.28
342.48	36.42	32	2.2	V	-60.6	0.38	0	-60.98	-13	47.98
1673.20	46.57	13	1.9	H	-59.8	1.30	8.90	-52.20	-13	39.20
1673.20	44.30	105	1.3	V	-61.4	1.30	8.90	-53.80	-13	40.80
2509.80	48.14	48	1.9	H	-55.2	2.60	10.20	-47.60	-13	34.60
2509.80	47.15	317	1.2	V	-55.6	2.60	10.20	-48.00	-13	35.00
3346.40	43.76	74	2.2	H	-57.1	1.50	11.70	-46.90	-13	33.90
3346.40	44.71	187	2.1	V	-56.2	1.50	11.70	-46.00	-13	33.00

30 MHz ~ 20 GHz:**PCS Band (Part 24E)**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
342.48	37.07	83	2.1	H	-59.9	0.38	0	-60.28	-13	47.28
342.48	36.52	187	1.8	V	-60.5	0.38	0	-60.88	-13	47.88
3760.00	67.77	296	2.4	H	-34.3	1.50	11.80	-24.00	-13	11.00
3760.00	70.88	154	2.0	V	-30.7	1.50	11.80	-20.40	-13	7.40
5640.00	58.36	348	2.0	H	-41.3	1.70	12.40	-30.60	-13	17.60
5640.00	52.60	166	1.2	V	-46.7	1.70	12.40	-36.00	-13	23.00
9400.00	58.78	7	1.1	H	-38.1	2.20	11.50	-28.80	-13	15.80
9400.00	59.28	87	2.0	V	-37.8	2.20	11.50	-28.50	-13	15.50
WCDMA Mode Band II, Middle channel										
342.48	37.68	169	2.4	H	-59.3	0.38	0	-59.68	-13	46.68
342.48	37.41	311	1.6	V	-59.6	0.38	0	-59.98	-13	46.98
3760.00	58.06	47	1.5	H	-44.0	1.50	11.80	-33.70	-13	20.70
3760.00	58.79	356	2.1	V	-42.8	1.50	11.80	-32.50	-13	19.50

30 MHz ~ 20 GHz:**AWS Band (Part 27)**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 27	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)		Limit (dBm)	Margin (dB)
WCDMA Mode Band IV, Middle channel										
342.48	37.86	318	2.3	H	-59.1	0.38	0	-59.48	-13	46.48
342.48	37.59	148	1.7	V	-59.4	0.38	0	-59.78	-13	46.78
3465.20	52.23	335	1.3	H	-48.5	1.50	12.00	-38.00	-13	25.00
3465.20	49.48	111	1.5	V	-52.0	1.50	12.00	-41.50	-13	28.50

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBd/dBi)			
Band 2 (1.4 MHz, Middle Channel)										
Test frequency range:30 MHz ~ 20 GHz										
342.48	36.05	7	2.2	H	-61.0	0.38	0	-61.38	-13	48.38
342.48	37.32	322	2.3	V	-59.7	0.38	0	-60.08	-13	47.08
3760.00	68.91	146	1.6	H	-33.1	1.50	11.80	-22.80	-13	9.80
3760.00	66.42	277	1.2	V	-35.2	1.50	11.80	-24.90	-13	11.90
Band 4 (1.4 MHz, Middle Channel)										
Test frequency range:30 MHz ~ 20 GHz										
342.48	36.62	194	1.7	H	-60.4	0.38	0	-60.78	-13	47.78
342.48	36.57	238	1.4	V	-60.4	0.38	0	-60.78	-13	47.78
3465.00	57.83	164	1.7	H	-42.9	1.50	12.00	-32.40	-13	19.40
3465.00	55.26	126	1.5	V	-46.2	1.50	12.00	-35.70	-13	22.70
5197.50	50.56	147	1.8	H	-49.5	1.60	12.10	-39.00	-13	26.00
5197.50	48.37	281	1.4	V	-51.2	1.60	12.10	-40.70	-13	27.70
Band 5 (1.4 MHz, Middle Channel)										
Test frequency range:30 MHz ~ 10 GHz										
342.48	37.71	296	1.3	H	-59.3	0.38	0	-59.68	-13	46.68
342.48	36.19	47	1.8	V	-60.8	0.38	0	-61.18	-13	48.18
1673.00	49.05	154	2.4	H	-57.3	1.30	8.90	-49.70	-13	36.70
1673.00	47.52	83	2.1	V	-58.2	1.30	8.90	-50.60	-13	37.60
2509.50	55.24	26	2.3	H	-48.1	2.60	10.20	-40.50	-13	27.50
2509.50	52.65	98	2.4	V	-50.1	2.60	10.20	-42.50	-13	29.50
3346.00	47.62	180	1.6	H	-53.3	1.50	11.70	-43.10	-13	30.10
3346.00	46.30	303	1.8	V	-54.6	1.50	11.70	-44.40	-13	31.40
Band 12 (1.4 MHz, Middle Channel)										
Test frequency range: 30 MHz ~ 10GHz										
342.48	37.51	56	1.5	H	-59.5	0.38	0	-59.88	-13	46.88
342.48	37.27	169	1.4	V	-59.7	0.38	0	-60.08	-13	47.08
1415.00	51.58	128	2.1	H	-56.6	1.60	7.90	-50.30	-13	37.30
1415.00	48.67	323	1.8	V	-59.8	1.60	7.90	-53.50	-13	40.50
2830.00	47.59	35	1.0	H	-56.4	1.80	10.50	-47.70	-13	34.70
2830.00	45.25	74	1.2	V	-58.4	1.80	10.50	-49.70	-13	36.70
Band 17 (5 MHz, Middle Channel)										
Test frequency range: 30 MHz ~ 10GHz										
342.48	37.38	306	2.0	H	-59.6	0.38	0	-59.98	-13	46.98
342.48	36.46	184	1.1	V	-60.5	0.38	0	-60.88	-13	47.88
1420.00	51.49	116	1.5	H	-56.7	1.60	7.90	-50.40	-13	37.40
1420.00	48.52	343	2.2	V	-59.9	1.60	7.90	-53.60	-13	40.60
2840.00	48.59	306	2.2	H	-55.4	1.80	10.50	-46.70	-13	33.70
2840.00	46.31	115	1.3	V	-57.3	1.80	10.50	-48.60	-13	35.60

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

dBd is for the ERP, dBi is for EIRP.

FCC § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) - BAND EDGES**Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to § 24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC § 27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


Temperature:	24~25 °C
Relative Humidity:	50~56 %
ATM Pressure:	101.0 kPa

The testing was performed by James Fu from 2019-10-29 to 2019-11-07.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 29.OCT.2019 18:59:42

Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 29.OCT.2019 19:01:22

Cellular Band, Left Band Edge for EDGE Mode




Date: 29.OCT.2019 19:29:11

Cellular Band, Right Band Edge for EDGE Mode




Date: 29.OCT.2019 19:29:52

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 29.OCT.2019 20:46:07

Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 29.OCT.2019 20:46:34

Cellular Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 29.OCT.2019 20:45:35

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 29.OCT.2019 20:45:13

Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 29.OCT.2019 20:43:19

Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 29.OCT.2019 20:44:07

PCS Band, Left Band Edge for GSM (GMSK) Mode



Date: 29.OCT.2019 19:11:16


PCS Band, Right Band Edge for GSM (GMSK) Mode



Date: 29.OCT.2019 19:10:24


[illegible]

PCS Band, Right Band Edge for EDGE Mode




Page 122 of 182

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 29.OCT.2019 19:49:22

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 29.OCT.2019 19:49:52

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 29.OCT.2019 19:38:30

PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 29.OCT.2019 19:39:20

PCS Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 29.OCT.2019 19:48:42

PCS Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 29.OCT.2019 19:47:41

AWS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 29.OCT.2019 21:02:34

AWS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 29.OCT.2019 21:03:05

AWS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 29.OCT.2019 21:04:28

AWS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 29.OCT.2019 21:03:41

AWS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 29.OCT.2019 21:05:03


AWS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 29.OCT.2019 21:05:30


Band 2:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:08:29

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:10:24

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:09:28

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:10:04

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:14:25

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:11:04

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:12:19

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:11:32

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:15:17

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:17:25

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:15:40

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:16:46

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:19:46

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:18:07

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:19:30

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:18:43

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:20:38

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:29:08

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:21:00

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:28:44

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:32:18

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:30:15

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 7.NOV.2019 21:31:58


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 7.NOV.2019 21:31:11


Band 4:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:51:02

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:53:01

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:52:00

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:52:41

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:54:56

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:53:35

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:54:34

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:54:06

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:56:02

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:58:02

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:56:33

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:57:42

QPSK (10.0 MHz, FULL RB) - Left Band Edge



Date: 7.NOV.2019 21:01:24

QPSK (10.0 MHz, FULL RB) - Right Band Edge



Date: 7.NOV.2019 20:59:02

Ref 31 dBm * Att 20 dB * RBW 100 kHz Marker [T1] -25.62 dBm 1.709839744 GHz

Offset 6 dB

1 RM
MAXH

D1 -13 dBm


1

A
LVL
3DB

Center 1.71 GHz 2 MHz/ Span 20 MHz


Page 148 of 182

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:02:08

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:03:41

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:02:34

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:03:20

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 21:05:40

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 21:04:28

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 7.NOV.2019 21:05:16


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 7.NOV.2019 21:04:51


Band 5:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:34:31

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:37:14

16-QAM 1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:36:11

16-QAM (1.4MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:36:52

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:40:20

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:37:46

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:39:58

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:39:02

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:41:03

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:43:58

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:42:53

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:43:28

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:49:54

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:44:50

16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 7.NOV.2019 20:49:30


16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 7.NOV.2019 20:45:34


Band 12:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:02:01

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:08:57

16-QAM 1.4 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:04:20

16-QAM (1.4MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:06:26

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:26:14

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:21:08

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:24:57

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:23:50

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:26:50

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:29:46

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 20:27:25

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 20:29:20

QPSK (10.0 MHz, FULL RB) - Left Band Edge



Date: 7.NOV.2019 20:33:09

QPSK (10.0 MHz, FULL RB) - Right Band Edge



Date: 7.NOV.2019 20:30:34

Ref 31 dBm * Att 20 dB * RBW 100 kHz * VBW 300 kHz * Marker 1 [T1] -22.58 dBm
SWT 10 ms 698.711538462 MHz

Offset 6 dB

1. RM *
MAXH

D1 -13 dBm

Center 699 MHz 2 MHz/ Span 20 MHz

Ref 31 dBm * Att 20 dB * RBW 100 kHz * VBW 300 kHz * SWT 10 ms * Marker 1 [T1] 716.067307692 MHz -22.39 dBm

Offset 6 dB

1 RM * MAXH


D1 -13 dBm

Center 716 MHz 2 MHz/ Span 20 MHz

Page 168 of 182


Band 17:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 19:50:26

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 19:54:46

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 19:52:25

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 19:53:24

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 7.NOV.2019 19:58:29

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 7.NOV.2019 19:55:55

16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 7.NOV.2019 19:56:39

16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 7.NOV.2019 19:56:20

FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055, §22.355, §24.235 and & §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	24~25 °C
Relative Humidity:	50~56 %
ATM Pressure:	101.0 kPa

The testing was performed by James Fu from 2019-10-29 to 2019-11-07.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GSM Mode**

Middle Channel, $f_0 = 836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.7	5	0.0060	2.5
-20		6	0.0072	2.5
-10		1	0.0012	2.5
0		2	0.0024	2.5
10		3	0.0036	2.5
20		1	0.0012	2.5
30		-4	-0.0048	2.5
40		2	0.0024	2.5
50		-5	-0.0060	2.5
20	V min.= 3.5	3	0.0036	2.5
	V max.= 4.2	-1	-0.0012	2.5

EDGE Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.7	-3	-0.0036	2.5
-20		5	0.0060	2.5
-10		-2	-0.0024	2.5
0		1	0.0012	2.5
10		2	0.0024	2.5
20		4	0.0048	2.5
30		-2	-0.0024	2.5
40		-3	-0.0036	2.5
50		5	0.0060	2.5
20	V min.= 3.5	-3	-0.0036	2.5
	V max.= 4.2	4	0.0048	2.5

WCDMA Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.7	2	0.0024	2.5
-20		5	0.0060	2.5
-10		-4	-0.0048	2.5
0		6	0.0072	2.5
10		-2	-0.0024	2.5
20		1	0.0012	2.5
30		-3	-0.0036	2.5
40		4	0.0048	2.5
50		-1	-0.0012	2.5
20	V min.= 3.5	5	0.0060	2.5
	V max.= 4.2	-4	-0.0048	2.5

PCS Band (Part 24E)**GSM Mode**

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.7	6	0.0032	pass
-20		-2	-0.0011	pass
-10		4	0.0021	pass
0		-3	-0.0016	pass
10		-2	-0.0011	pass
20		1	0.0005	pass
30		-5	-0.0027	pass
40		2	0.0011	pass
50		4	0.0021	pass
20	V min.= 3.5	-1	-0.0005	pass
	V max.= 4.2	4	0.0021	pass

EDGE Mode

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.7	4	0.0021	pass
-20		-2	-0.0011	pass
-10		1	0.0005	pass
0		-6	-0.0032	pass
10		3	0.0016	pass
20		-2	-0.0011	pass
30		-1	-0.0005	pass
40		-7	-0.0037	pass
50		2	0.0011	pass
20	V min.= 3.5	5	0.0027	pass
	V max.= 4.2	-3	-0.0016	pass

WCDMA Mode

Middle Channel, $f_0=1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.7	3	0.0016	pass
-20		-4	-0.0021	pass
-10		1	0.0005	pass
0		-5	-0.0027	pass
10		2	0.0011	pass
20		-4	-0.0021	pass
30		3	0.0016	pass
40		1	0.0005	pass
50		-2	-0.0011	pass
20	V min.= 3.5	6	0.0032	pass
	V max.= 4.2	-5	-0.0027	pass

AWS Band (Part 27)

Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	1710.1112	1754.9982	1710	1755
-20		1710.0754	1754.9974	1710	1755
-10		1710.0128	1754.9975	1710	1755
0		1710.2682	1754.9951	1710	1755
10		1710.2084	1754.9947	1710	1755
20		1710.2965	1754.9988	1710	1755
30		1710.2587	1754.9965	1710	1755
40		1710.0333	1754.9973	1710	1755
50		1710.1564	1754.9984	1710	1755
20	V min.= 3.5	1710.0624	1754.9969	1710	1755
	V max.= 4.2	1710.2776	1754.9984	1710	1755

LTE:
QPSK:

Band 2:

10.0 MHz Middle Channel, $f_o=1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.7	-13	-0.0069	pass
-20		-11	-0.0059	pass
-10		-9	-0.0048	pass
0		-7	-0.0037	pass
10		-5	-0.0027	pass
20		-3	-0.0016	pass
30		-1	-0.0005	pass
40		2	0.0011	pass
50		4	0.0021	pass
20	V min.= 3.5	6	0.0032	pass
	V max.= 4.2	7	0.0037	pass

Band 4:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	1710.5348	1754.7682	1710	1755
-20		1710.5354	1754.7628	1710	1755
-10		1710.5306	1754.7796	1710	1755
0		1710.5403	1754.7677	1710	1755
10		1710.5373	1754.7726	1710	1755
20		1710.5420	1754.7711	1710	1755
30		1710.5351	1754.7805	1710	1755
40		1710.5498	1754.7646	1710	1755
50		1710.5338	1754.7714	1710	1755
20	V min.= 3.5	1710.5466	1754.7583	1710	1755
	V max.= 4.2	1710.5368	1754.7655	1710	1755

Band 5:

10.0 MHz Middle Channel, $f_o=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.7	-4	-0.0048	2.5
-20		-6	-0.0072	2.5
-10		-8	-0.0096	2.5
0		-5	-0.0060	2.5
10		-2	-0.0024	2.5
20		-1	-0.0012	2.5
30		1	0.0012	2.5
40		3	0.0036	2.5
50		4	0.0048	2.5
20	V min.= 3.5	7	0.0084	2.5
	V max.= 4.2	9	0.0108	2.5

Band 12:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	699.4614	715.6489	699	716
-20		699.4640	715.6579	699	716
-10		699.4657	715.6421	699	716
0		699.4659	715.6456	699	716
10		699.4603	715.6397	699	716
20		699.4644	715.6502	699	716
30		699.4520	715.6514	699	716
40		699.4534	715.6578	699	716
50		699.4746	715.6423	699	716
20	V min.= 3.5	699.4689	715.6401	699	716
	V max.= 4.2	699.4498	715.6479	699	716

Band 17:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	704.3804	715.6697	704	716
-20		704.3789	715.6760	704	716
-10		704.3807	715.6709	704	716
0		704.3718	715.6790	704	716
10		704.3733	715.6788	704	716
20		704.3606	715.6730	704	716
30		704.3674	715.6660	704	716
40		704.3832	715.6637	704	716
50		704.3724	715.6740	704	716
20	V min.= 3.5	704.3841	715.6857	704	716
	V max.= 4.2	704.3734	715.6772	704	716

16QAM:**Band 2:**

10.0 MHz Middle Channel, f ₀ =1880MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.7	-16	-0.0085	pass
-20		-12	-0.0064	pass
-10		-8	-0.0043	pass
0		-5	-0.0027	pass
10		-4	-0.0021	pass
20		-2	-0.0011	pass
30		1	0.0005	pass
40		4	0.0021	pass
50		6	0.0032	pass
20	V min.= 3.5	7	0.0037	pass
	V max.= 4.2	11	0.0059	pass

Band 4:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	1710.5014	1754.5395	1710	1755
-20		1710.4962	1754.5482	1710	1755
-10		1710.5079	1754.5301	1710	1755
0		1710.4908	1754.5365	1710	1755
10		1710.4980	1754.5382	1710	1755
20		1710.4812	1754.5316	1710	1755
30		1710.5058	1754.5334	1710	1755
40		1710.4828	1754.5330	1710	1755
50		1710.4975	1754.5287	1710	1755
20	V min.= 3.5	1710.4922	1754.5316	1710	1755
	V max.= 4.2	1710.5002	1754.5306	1710	1755

Band 5:

10.0 MHz Middle Channel, f _o =836.6MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.7	-15	-0.0179	2.5
-20		-13	-0.0069	2.5
-10		-12	-0.0064	2.5
0		-8	-0.0043	2.5
10		-5	-0.0027	2.5
20		-4	-0.0021	2.5
30		-1	-0.0005	2.5
40		1	0.0005	2.5
50		3	0.0016	2.5
20	V min.= 3.5	5	0.0027	2.5
	V max.= 4.2	8	0.0043	2.5

Band 12:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	699.4693	715.6788	699	716
-20		699.4637	715.6736	699	716
-10		699.4778	715.6740	699	716
0		699.4633	715.6769	699	716
10		699.4755	715.6698	699	716
20		699.4602	715.6694	699	716
30		699.4749	715.6710	699	716
40		699.4758	715.6833	699	716
50		699.4593	715.6703	699	716
20	V min.= 3.5	699.4663	715.6704	699	716
	V max.= 4.2	699.4603	715.6623	699	716

Band 17:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.7	704.3626	715.6885	704	716
-20		704.3717	715.6853	704	716
-10		704.3622	715.6797	704	716
0		704.3682	715.6905	704	716
10		704.3620	715.6674	704	716
20		704.3562	715.6845	704	716
30		704.3669	715.6875	704	716
40		704.3721	715.6888	704	716
50		704.3772	715.6858	704	716
20	V min.= 3.5	704.3610	715.6790	704	716
	V max.= 4.2	704.3758	715.6889	704	716

***** END OF REPORT *****