


REVISIONS	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	68469	PRODUCTION RELEASE	See Omnify	E. MOORE
B	68591	UPDATING FCC ID, IC ID	See Omnify	D. TRAN

NOTES: UNLESS OTHERWISE SPECIFIED

1. APPLICABLE STANDARDS / SPECIFICATIONS;
MIL-STD-100E, ENGINEERING DRAWING PRACTICES.
ANSI Y14.5M-1982, DIMENSIONS AND TOLERANCES.
2. FONT (TYPICAL) : CALIBRI (VARIOUS SIZES),
ARIAL (VARIOUS SIZES).
IF REQUIRED, BARCODE FORMAT : CODE 128
OR DATA MATRIX ECC200, BLACK INK
3. IF REQUIRED, DATE CODE SHALL BE DEFINED
AS : WWYY
WW – TWO DIGIT WORK WEEK
YY – TWO DIGIT YEAR
4. IF REQUIRED, CURRENT DATE SHALL BE
DEFINED AS : MM/DD/YYYY
MM – MONTH
DD – DAY
YYYY – YEAR
5. MATERIAL SHALL BE LEAD (Pb) FREE PER
THE EUROPEAN UNION'S RESTRICTION OF
HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.
6. COUNTRY OF ORIGIN (COO) IN THE LABEL
IMAGE WILL BE REPLACED BY THE COUNTRY
LISTED PER THE TABLE BELOW ON ACTUAL
PRINTED LABEL. OTHERWISE, THE LABEL
IMAGE ON THIS DOCUMENT WILL
SHOW "Assembled in USA".



1	1	79-00326	LABEL BLANK, 1.5" X 1.0", 1.0" SPOOL SIZE			
ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION			
USED ON						
LMU3035LABL-KZ03-G1000						
DRAWN: E. MOORE 11/01/2018			TITLE LABEL MARKING, UNIT, LMU3035, AT&T, LTE CAT1, BLE, 180MAH BATT, BUZZER, 3 LED, GEN-HW			
CHECKED: SEE OMNIFY						
ISSUED: SEE OMNIFY						
MKTG:						
LABEL FILE: 135762-G1000_B_LMU3035LABL-KZ03-G1000_G_DB.btw			SIZE A	CAGE CODE 6T925	DWG NO. 135762-G1000	REV B
Elec. File: 135762-G1000_B.docx			SCALE		SHEET 1 OF 1	



Label Location within the
outlined borders



HHSL


WESTCOTT
Since 1872®

REVISIONS	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

REV	ECO NO.	DESCRIPTION	DATE	APPROVED
A	68469	PRODUCTION RELEASE	11/9/18	E. MOORE
B	68951	UPDATING FCC ID, IC ID	See Omnify	D. Tran

NOTES: UNLESS OTHERWISE SPECIFIED

1. **APPLICABLE STANDARDS / SPECIFICATIONS;
MIL-STD-100E, ENGINEERING DRAWING
PRACTICES.
ANSI Y14.5M-1982, DIMENSIONS AND
TOLERANCES.**
2. **FONT (TYPICAL) : CALIBRI (VARIOUS SIZES),
ARIAL (VARIOUS SIZES).
IF REQUIRED, BARCODE FORMAT : CODE 128
OR DATA MATRIX ECC200, BLACK INK**
3. **IF REQUIRED, DATE CODE SHALL BE DEFINED
AS : WWYY
WW – TWO DIGIT WORK WEEK
YY – TWO DIGIT YEAR**
4. **IF REQUIRED, CURRENT DATE SHALL BE
DEFINED AS : MM/DD/YYYY
MM – MONTH
DD – DAY
YYYY – YEAR**
5. **MATERIAL SHALL BE LEAD (Pb) FREE PER
THE EUROPEAN UNION'S RESTRICTION OF
HAZARDOUS SUBSTANCE (RoHS) DIRECTIVE.**
6. **COUNTRY OF ORIGIN (COO) IN THE LABEL
IMAGE WILL BE REPLACED BY THE COUNTRY
LISTED PER THE TABLE BELOW ON ACTUAL
PRINTED LABEL. OTHERWISE, THE LABEL
IMAGE ON THIS DOCUMENT WILL
SHOW "Assembled in USA".**



1	1	79-00326	LABEL BLANK, 1.5" X 1.0", 1.0" SPOOL SIZE			
ITEM NO.	QTY REQD	IDENTIFYING NO.	DESCRIPTION			
USED ON						
LMU3030LABL-KZ03-G1000						
DRAWN: E. MOORE12/20/2018			TITLE LABEL MARKING, UNIT, LMU3030, AT&T, LTE CAT1, BLE, 180MAH BATT, BUZZER, 3 LED, GEN-HW			
CHECKED: SEE OMNIFY						
ISSUED: SEE OMNIFY						
MKTG:						
LABEL FILE: 135760-G1000_B_LMU3030LABL-KZ03-G1000_G_DB.btw			SIZE A	CAGE CODE 6T925	DWG NO. 135760-G1000	REV B
Elec. File: 135760-G1000_B.docx			SCALE		SHEET 1 OF 1	