

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.70
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.96
802.11be EHT40_Nss1,(MCS0)_2TX	4.75
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.16
802.11be EHT80_Nss1,(MCS0)_2TX	4.80
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.42
802.11be EHT160_Nss1,(MCS0)_2TX	4.96
802.11be EHT160-BF_Nss1,(MCS0)_2TX	1.65
802.11be EHT320_Nss1,(MCS0)_2TX	4.53
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-1.53
6.425-6.525GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.73
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.36
802.11be EHT40_Nss1,(MCS0)_2TX	4.96
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.50
802.11be EHT80_Nss1,(MCS0)_2TX	4.89
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.40
802.11be EHT160_Nss1,(MCS0)_2TX	4.65
802.11be EHT160-BF_Nss1,(MCS0)_2TX	2.96
802.11be EHT320_Nss1,(MCS0)_2TX	3.85
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-0.14
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.76
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.67
802.11be EHT40_Nss1,(MCS0)_2TX	4.88
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.64
802.11be EHT80_Nss1,(MCS0)_2TX	4.77
802.11be EHT80-BF_Nss1,(MCS0)_2TX	4.19
802.11be EHT160_Nss1,(MCS0)_2TX	4.90
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.17
802.11be EHT320_Nss1,(MCS0)_2TX	4.06
802.11be EHT320-BF_Nss1,(MCS0)_2TX	0.70
6.875-7.125GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	4.96
802.11be EHT20-BF_Nss1,(MCS0)_2TX	4.67
802.11be EHT40_Nss1,(MCS0)_2TX	4.97
802.11be EHT40-BF_Nss1,(MCS0)_2TX	4.55
802.11be EHT80_Nss1,(MCS0)_2TX	4.60
802.11be EHT80-BF_Nss1,(MCS0)_2TX	3.81
802.11be EHT160_Nss1,(MCS0)_2TX	4.69
802.11be EHT160-BF_Nss1,(MCS0)_2TX	3.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.70	5.00
6195MHz	Pass	4.56	5.00
6415MHz	Pass	4.68	5.00
6435MHz	Pass	4.54	5.00
6475MHz	Pass	4.45	5.00
6515MHz	Pass	4.73	5.00
6535MHz	Pass	4.50	5.00
6695MHz	Pass	4.76	5.00
6875MHz	Pass	4.70	5.00
6895MHz	Pass	4.55	5.00
6995MHz	Pass	4.72	5.00
7095MHz	Pass	4.96	5.00
7115MHz	Pass	-3.90	5.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.59	5.00
6205MHz	Pass	4.75	5.00
6405MHz	Pass	4.69	5.00
6445MHz	Pass	4.96	5.00
6485MHz	Pass	4.73	5.00
6525MHz	Pass	4.61	5.00
6565MHz	Pass	4.58	5.00
6685MHz	Pass	4.88	5.00
6885MHz	Pass	4.88	5.00
6925MHz	Pass	4.84	5.00
7005MHz	Pass	4.97	5.00
7085MHz	Pass	4.83	5.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.80	5.00
6225MHz	Pass	4.67	5.00
6385MHz	Pass	4.77	5.00
6465MHz	Pass	4.89	5.00
6545MHz	Pass	4.73	5.00
6625MHz	Pass	4.77	5.00
6705MHz	Pass	4.74	5.00
6785MHz	Pass	4.63	5.00
6865MHz	Pass	4.65	5.00
6945MHz	Pass	4.50	5.00
7025MHz	Pass	4.60	5.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	3.90	5.00
6185MHz	Pass	4.96	5.00
6345MHz	Pass	4.88	5.00
6505MHz	Pass	4.65	5.00
6665MHz	Pass	4.90	5.00
6825MHz	Pass	4.58	5.00
6985MHz	Pass	4.69	5.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.59	5.00
6265MHz	Pass	4.53	5.00
6425MHz	Pass	3.78	5.00
6585MHz	Pass	3.85	5.00
6745MHz	Pass	3.67	5.00
6905MHz	Pass	4.06	5.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-




Radiated PSD

Appendix D


5955MHz	Pass	2.20	5.00
6195MHz	Pass	3.32	5.00
6415MHz	Pass	4.96	5.00
6435MHz	Pass	3.92	5.00
6475MHz	Pass	4.25	5.00
6515MHz	Pass	4.36	5.00
6535MHz	Pass	3.39	5.00
6695MHz	Pass	4.67	5.00
6875MHz	Pass	4.63	5.00
6895MHz	Pass	4.25	5.00
6995MHz	Pass	4.67	5.00
7095MHz	Pass	4.22	5.00
7115MHz	Pass	-4.22	5.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	2.43	5.00
6205MHz	Pass	4.16	5.00
6405MHz	Pass	3.99	5.00
6445MHz	Pass	3.31	5.00
6485MHz	Pass	4.50	5.00
6525MHz	Pass	4.39	5.00
6565MHz	Pass	4.64	5.00
6685MHz	Pass	4.07	5.00
6885MHz	Pass	4.26	5.00
6925MHz	Pass	4.48	5.00
7005MHz	Pass	4.55	5.00
7085MHz	Pass	3.48	5.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	1.76	5.00
6225MHz	Pass	3.42	5.00
6385MHz	Pass	3.24	5.00
6465MHz	Pass	3.40	5.00
6545MHz	Pass	0.68	5.00
6625MHz	Pass	4.19	5.00
6705MHz	Pass	3.68	5.00
6785MHz	Pass	4.07	5.00
6865MHz	Pass	3.98	5.00
6945MHz	Pass	3.81	5.00
7025MHz	Pass	3.50	5.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	0.36	5.00
6185MHz	Pass	0.19	5.00
6345MHz	Pass	1.65	5.00
6505MHz	Pass	2.96	5.00
6665MHz	Pass	2.25	5.00
6825MHz	Pass	3.17	5.00
6985MHz	Pass	3.64	5.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	-4.25	5.00
6265MHz	Pass	-2.97	5.00
6425MHz	Pass	-1.53	5.00
6585MHz	Pass	-0.14	5.00
6745MHz	Pass	-1.32	5.00
6905MHz	Pass	0.70	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7115MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX




EIRP PSD;Band:6.7G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6435MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6475MHz;TX




EIRP PSD;Band:6.4G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6515MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6875MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6895MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6995MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7095MHz;TX




EIRP PSD;Band:7.0G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:7115MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6445MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6485MHz;TX




EIRP PSD;Band:6.4G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6525MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6885MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6925MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7005MHz;TX




EIRP PSD;Band:7.0G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:7085MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




EIRP PSD;Band:6.4G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6865MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6945MHz;TX




EIRP PSD;Band:7.0G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:7025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.4G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6825MHz;TX




EIRP PSD;Band:7.0G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6985MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6425MHz;TX




EIRP PSD;Band:6.4G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6585MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6745MHz;TX



EIRP PSD;Band:6.7G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6905MHz;TX






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	30M	36.74	40.00	-3.26	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30M	36.74	40.00	-3.26	-19.15	3	Vertical	112	1.25	"Worst"	55.89	23.86	1.15	44.16		
PK	59.1M	35.50	40.00	-4.50	-30.32	3	Vertical	9	1.50	-	65.82	12.46	1.62	44.40		
PK	67.83M	32.06	40.00	-7.94	-30.54	3	Vertical	360	1.00	-	62.60	12.25	1.65	44.44		
PK	87.23M	31.14	40.00	-8.86	-27.98	3	Vertical	134	1.50	-	59.12	14.68	1.85	44.51		
PK	444.19M	36.59	46.00	-9.41	-16.70	3	Vertical	198	1.25	-	53.29	22.60	4.55	43.85		
PK	940.83M	36.95	46.00	-9.05	-10.34	3	Vertical	214	1.00	-	47.29	26.53	6.57	43.44		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	30.97M	35.98	40.00	-4.02	-19.80	3	Horizontal	244	1.50	"Worst"	55.78	23.23	1.15	44.18		
PK	167.74M	36.04	43.50	-7.46	-25.85	3	Horizontal	105	2.00	-	61.89	15.86	2.73	44.44		
PK	263.77M	38.40	46.00	-7.60	-21.28	3	Horizontal	316	1.25	-	59.68	19.50	3.50	44.28		
PK	323.91M	38.51	46.00	-7.49	-20.84	3	Horizontal	321	1.00	-	59.35	19.40	3.92	44.16		
PK	335.55M	39.29	46.00	-6.71	-20.57	3	Horizontal	321	1.00	-	59.86	19.58	3.98	44.13		
PK	944.71M	37.80	46.00	-8.20	-10.20	3	Horizontal	202	1.50	-	48.00	26.66	6.58	43.44		




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)	
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1255G	68.19	68.20	-0.01	3	Vertical	155	1.58	BP 1MHz

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 13.5
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9133G	63.69	88.20	-24.51	53.82	3	Vertical	190	1.80	13.5	34.88	7.43	32.44				
RMS	5.9244G	52.42	68.20	-15.78	42.47	3	Vertical	190	1.80	13.5	34.95	7.44	32.44				
PK	5.9631G	109.25	Inf	-Inf	99.07	3	Vertical	190	1.80	13.5	35.15	7.47	32.44				
RMS	5.9637G	98.90	Inf	-Inf	88.72	3	Vertical	190	1.80	13.5	35.15	7.47	32.44				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
SET 13.5
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.883G	63.32	88.20	-24.88	53.65	3	Horizontal	143	1.80	13.5	34.70	7.41	32.44				
RMS	5.9037G	51.81	68.20	-16.39	42.00	3	Horizontal	143	1.80	13.5	34.82	7.43	32.44				
PK	5.9589G	100.23	Inf	-Inf	90.06	3	Horizontal	143	1.80	13.5	35.14	7.47	32.44				
RMS	5.958G	89.36	Inf	-Inf	79.20	3	Horizontal	143	1.80	13.5	35.13	7.47	32.44				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
SET 13.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92335G	55.17	74.00	-18.83	70.93	3	Vertical	357	2.95	13.5	38.95	11.08	65.79			
AV	11.9106G	42.93	54.00	-11.07	58.74	3	Vertical	357	2.95	13.5	38.92	11.07	65.80			
PK	17.9124G	52.00	74.00	-22.00	53.86	3	Vertical	209	2.46	-	47.17	13.42	62.45			
AV	17.9139G	39.30	54.00	-14.70	41.12	3	Vertical	209	2.46	-	47.21	13.42	62.45			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
SET 13.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89134G	55.88	74.00	-18.12	71.73	3	Horizontal	136	1.80	13.5	38.90	11.06	65.81			
AV	11.91675G	42.16	54.00	-11.84	57.95	3	Horizontal	136	1.80	13.5	38.93	11.07	65.79			
PK	17.8632G	51.43	74.00	-22.57	54.55	3	Horizontal	278	2.29	-	46.02	13.41	62.55			
AV	17.8739G	38.08	54.00	-15.92	40.93	3	Horizontal	278	2.29	-	46.27	13.41	62.53			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 13.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8276G	49.82	83.54	-33.72	41.11	1	Vertical	336	2.13	-	39.10	17.28	47.67			
AV	23.8248G	36.73	63.54	-26.81	28.02	1	Vertical	336	2.13	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 13.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.7896G	50.27	83.54	-33.27	41.58	1	Horizontal	117	1.80	-	39.10	17.27	47.68			
AV	23.78202G	36.58	63.54	-26.96	27.90	1	Horizontal	117	1.80	-	39.10	17.27	47.69			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.39927G	54.56	74.00	-19.44	69.87	3	Vertical	350	1.79	13	38.80	11.27	65.38				
AV	12.39591G	42.76	54.00	-11.24	58.06	3	Vertical	350	1.79	13	38.81	11.27	65.38				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
SET 13
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.38381G	54.40	74.00	-19.60	69.69	3	Horizontal	10	1.80	13	38.83	11.27	65.39				
AV	12.39903G	42.40	54.00	-11.60	57.71	3	Horizontal	10	1.80	13	38.80	11.27	65.38				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 13
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58316G	46.42	83.54	-37.12	41.74	1	Vertical	117	2.00	-	37.80	15.26	48.38			
AV	18.5892G	32.41	63.54	-31.13	27.75	1	Vertical	117	2.00	-	37.80	15.25	48.39			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 13
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58072G	46.15	83.54	-37.39	41.47	1	Horizontal	315	1.22	-	37.80	15.26	48.38			
AV	18.58202G	32.69	63.54	-30.85	28.01	1	Horizontal	315	1.22	-	37.80	15.26	48.38			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX

EUT_Y_2TX
SET 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82904G	55.03	88.20	-33.17	69.58	3	Vertical	312	1.80	12	39.26	11.44	65.25			
RMS	12.81002G	42.43	68.20	-25.77	57.03	3	Vertical	312	1.80	12	39.22	11.43	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
SET 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83755G	55.39	88.20	-32.81	69.92	3	Horizontal	306	1.09	12	39.28	11.44	65.25			
RMS	12.8101G	42.41	68.20	-25.79	57.01	3	Horizontal	306	1.09	12	39.22	11.43	65.25			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 12
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24452G	46.11	83.54	-37.43	41.71	1	Vertical	309	1.80	-	37.98	15.22	48.80			
AV	19.24452G	32.34	63.54	-31.20	27.94	1	Vertical	309	1.80	-	37.98	15.22	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 12
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24312G	45.97	83.54	-37.57	41.58	1	Horizontal	73	1.49	-	37.97	15.22	48.80			
AV	19.24456G	32.20	63.54	-31.34	27.80	1	Horizontal	73	1.49	-	37.98	15.22	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8702G	55.06	88.20	-33.14	69.56	3	Vertical	235	2.63	11.5	39.30	11.45	65.25			
RMS	12.86241G	42.59	68.20	-25.61	57.09	3	Vertical	235	2.63	11.5	39.30	11.45	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.86461G	54.84	88.20	-33.36	69.34	3	Horizontal	74	1.80	11.5	39.30	11.45	65.25			
RMS	12.86225G	42.46	68.20	-25.74	56.96	3	Horizontal	74	1.80	11.5	39.30	11.45	65.25			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 11.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3039G	45.66	83.54	-37.88	41.45	1	Vertical	235	1.11	-	37.80	15.21	48.80			
AV	19.30316G	31.68	63.54	-31.86	27.47	1	Vertical	235	1.11	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 11.5
06-C-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.30692G	45.32	83.54	-38.22	41.11	1	Horizontal	292	2.85	-	37.80	15.21	48.80			
AV	19.30292G	31.62	63.54	-31.92	27.41	1	Horizontal	292	2.85	-	37.80	15.21	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
SET 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93394G	54.32	88.20	-33.88	68.72	3	Vertical	221	1.77	12	39.37	11.47	65.24			
RMS	12.96638G	41.54	68.20	-26.66	55.95	3	Vertical	221	1.77	12	39.33	11.49	65.23			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
SET 12
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.95815G	53.71	88.20	-34.49	68.10	3	Horizontal	277	1.80	12	39.37	11.48	65.24			
RMS	12.9665G	41.59	68.20	-26.61	56.00	3	Horizontal	277	1.80	12	39.33	11.49	65.23			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 12
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42842G	44.79	74.00	-29.21	40.60	1	Vertical	262	2.58	-	37.79	15.20	48.80			
AV	19.42246G	31.31	54.00	-22.69	27.10	1	Vertical	262	2.58	-	37.81	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6475MHz_TX

EUT_V_2TX
Setting 12
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4251G	45.77	74.00	-28.23	41.57	1	Horizontal	233	1.29	-	37.80	15.20	48.80			
AV	19.42506G	31.52	54.00	-22.48	27.32	1	Horizontal	233	1.29	-	37.80	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02533G	54.66	88.20	-33.54	69.23	3	Vertical	3	1.93	12.5	39.10	11.51	65.18			
RMS	13.0139G	42.14	68.20	-26.06	56.69	3	Vertical	3	1.93	12.5	39.14	11.51	65.20			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01514G	55.10	88.20	-33.10	69.65	3	Horizontal	299	1.80	12.5	39.14	11.51	65.20			
RMS	13.01014G	42.15	68.20	-26.05	56.70	3	Horizontal	299	1.80	12.5	39.16	11.50	65.21			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 12.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54212G	45.80	83.54	-37.74	41.68	1	Vertical	220	2.62	-	37.72	15.20	48.80			
AV	19.54492G	31.50	63.54	-32.04	27.39	1	Vertical	220	2.62	-	37.71	15.20	48.80			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6515MHz_TX

EUT_Y_2TX
Setting 12.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54702G	45.58	83.54	-37.96	41.47	1	Horizontal	333	1.69	-	37.71	15.20	48.80			
AV	19.54434G	31.39	63.54	-32.15	27.28	1	Horizontal	333	1.69	-	37.71	15.20	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.05026G	54.65	88.20	-33.55	69.26	3	Vertical	191	1.80	12.5	39.00	11.52	65.13			
RMS	13.08447G	42.80	68.20	-25.40	57.20	3	Vertical	191	1.80	12.5	39.14	11.53	65.07			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX


EUT_Y_2TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.07815G	55.38	88.20	-32.82	69.82	3	Horizontal	305	1.80	12.5	39.11	11.53	65.08				
RMS	13.08367G	42.78	68.20	-25.42	57.19	3	Horizontal	305	1.80	12.5	39.13	11.53	65.07				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 12.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60964G	46.37	83.54	-37.17	42.28	1	Vertical	32	1.35	-	37.70	15.19	48.80			
AV	19.61G	31.80	63.54	-31.74	27.71	1	Vertical	32	1.35	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 12.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60428G	46.17	83.54	-37.37	42.08	1	Horizontal	20	1.80	-	37.70	15.19	48.80			
AV	19.6016G	31.77	63.54	-31.77	27.68	1	Horizontal	20	1.80	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37877G	56.66	74.00	-17.34	69.76	3	Vertical	117	1.80	11	39.76	11.64	64.50			
AV	13.37446G	44.40	54.00	-9.60	57.51	3	Vertical	117	1.80	11	39.75	11.64	64.50			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.39192G	57.48	74.00	-16.52	70.52	3	Horizontal	246	1.30	11	39.78	11.65	64.47				
AV	13.37394G	44.52	54.00	-9.48	57.63	3	Horizontal	246	1.30	11	39.75	11.64	64.50				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 11
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08858G	46.78	83.54	-36.76	42.52	1	Vertical	337	1.31	-	37.80	15.24	48.78			
AV	20.08814G	31.88	63.54	-31.66	27.62	1	Vertical	337	1.31	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 11
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0825G	46.07	83.54	-37.47	41.81	1	Horizontal	104	2.63	-	37.80	15.24	48.78			
AV	20.08852G	31.91	63.54	-31.63	27.65	1	Horizontal	104	2.63	-	37.80	15.24	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
SET 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7313G	57.11	88.20	-31.09	69.52	3	Vertical	216	1.80	11	40.16	11.78	64.35			
RMS	13.76914G	44.74	68.20	-23.46	57.12	3	Vertical	216	1.80	11	40.20	11.79	64.37			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
SET 11
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.74728G	57.91	88.20	-30.29	70.30	3	Horizontal	336	1.05	11	40.19	11.78	64.36			
RMS	13.76698G	44.69	68.20	-23.51	57.07	3	Horizontal	336	1.05	11	40.20	11.79	64.37			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_V_2TX
Setting 11
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.62954G	48.51	74.00	-25.49	43.63	1	Vertical	48	2.14	-	37.90	15.68	48.70			
AV	20.62696G	34.22	54.00	-19.78	29.34	1	Vertical	48	2.14	-	37.90	15.68	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6875MHz_TX




EUT_Y_2TX
Setting 11
06-C-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.6234G	48.64	74.00	-25.36	43.76	1	Horizontal	61	1.45	-	37.90	15.68	48.70			
AV	20.62736G	34.33	54.00	-19.67	29.45	1	Horizontal	61	1.45	-	37.90	15.68	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80547G	57.45	88.20	-30.75	69.81	3	Vertical	346	1.80	11.5	40.21	11.81	64.38			
RMS	13.78828G	45.09	68.20	-23.11	57.47	3	Vertical	346	1.80	11.5	40.20	11.80	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
SET 11.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80207G	57.44	88.20	-30.76	69.82	3	Horizontal	254	2.08	11.5	40.20	11.80	64.38			
RMS	13.78816G	45.02	68.20	-23.18	57.40	3	Horizontal	254	2.08	11.5	40.20	11.80	64.38			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 11.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.68182G	48.40	83.54	-35.14	43.47	1	Vertical	185	1.25	-	37.90	15.73	48.70			
AV	20.68472G	34.68	63.54	-28.86	29.75	1	Vertical	185	1.25	-	37.90	15.73	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6895MHz_TX




EUT_Y_2TX
Setting 11.5
06-C-E-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.6854G	48.14	83.54	-35.40	43.21	1	Horizontal	56	2.28	-	37.90	15.73	48.70				
AV	20.68878G	34.61	63.54	-28.93	29.68	1	Horizontal	56	2.28	-	37.90	15.73	48.70				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
SET 11
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00638G	59.30	88.20	-28.90	70.96	3	Vertical	7	1.80	11	40.91	11.88	64.45			
RMS	13.99959G	45.94	68.20	-22.26	57.62	3	Vertical	7	1.80	11	40.90	11.88	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
SET 11
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99983G	58.15	88.20	-30.05	69.83	3	Horizontal	63	2.95	11	40.90	11.88	64.46			
RMS	13.99983G	45.93	68.20	-22.27	57.61	3	Horizontal	63	2.95	11	40.90	11.88	64.46			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 11
06-C-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98418G	51.50	83.54	-32.04	46.26	1	Vertical	360	1.80	-	37.97	15.97	48.70			
AV	20.98986G	37.50	63.54	-26.04	32.24	1	Vertical	360	1.80	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 11
06-C-E-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98838G	51.34	83.54	-32.20	46.08	1	Horizontal	267	2.02	-	37.98	15.98	48.70			
AV	20.99G	37.26	63.54	-26.28	32.00	1	Horizontal	267	2.02	-	37.98	15.98	48.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET 12.5
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.1004G	108.71	Inf	-Inf	96.67	3	Vertical	161	1.80	12.5	36.80	7.95	32.71			
RMS	7.1028G	99.19	Inf	-Inf	87.14	3	Vertical	161	1.80	12.5	36.81	7.95	32.71			
PK	7.1337G	63.94	88.20	-24.26	51.82	3	Vertical	161	1.80	12.5	36.87	7.95	32.70			
RMS	7.125G	53.32	68.20	-14.88	41.22	3	Vertical	161	1.80	12.5	36.85	7.95	32.70			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX

EUT_Y_2TX
SET 12.5
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.104G	100.25	Inf	-Inf	88.20	3	Horizontal	53	1.80	12.5	36.81	7.95	32.71			
RMS	7.1016G	90.14	Inf	-Inf	78.10	3	Horizontal	53	1.80	12.5	36.80	7.95	32.71			
PK	7.1922G	65.03	88.20	-23.17	52.62	3	Horizontal	53	1.80	12.5	37.15	7.94	32.68			
RMS	7.2114G	53.02	68.20	-15.18	40.53	3	Horizontal	53	1.80	12.5	37.22	7.94	32.67			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET 12.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18417G	59.76	88.20	-28.44	70.39	3	Vertical	142	1.80	12.5	41.47	11.96	64.06			
RMS	14.17134G	46.94	68.20	-21.26	57.63	3	Vertical	142	1.80	12.5	41.44	11.96	64.09			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
SET 12.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.20582G	59.92	88.20	-28.28	70.47	3	Horizontal	127	1.80	12.5	41.49	11.97	64.01			
RMS	14.17486G	46.96	68.20	-21.24	57.63	3	Horizontal	127	1.80	12.5	41.45	11.96	64.08			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 12.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2378G	53.07	83.54	-30.47	47.52	1	Vertical	308	2.56	-	38.02	16.18	48.65			
AV	21.2248G	39.00	63.54	-24.54	33.44	1	Vertical	308	2.56	-	38.05	16.17	48.66			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 12.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2926G	52.51	83.54	-31.03	46.84	1	Horizontal	111	1.51	-	38.09	16.22	48.64			
AV	21.3248G	38.99	63.54	-24.55	33.28	1	Horizontal	111	1.51	-	38.10	16.25	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 1.5
06-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	7.1065G	99.16	Inf	-Inf	88.94	3	Vertical	167	1.66	BP 1MHz	36.01	8.39	34.18				
RMS	7.1065G	92.53	Inf	-Inf	82.31	3	Vertical	167	1.66	BP 1MHz	36.01	8.39	34.18				
PK	7.1255G	77.50	88.20	-10.70	67.22	3	Vertical	167	1.66	BP 1MHz	36.05	8.41	34.18				
RMS	7.1255G	67.88	68.20	-0.32	57.60	3	Vertical	167	1.66	BP 1MHz	36.05	8.41	34.18				

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 1.5
06-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1215G	89.99	Inf	-Inf	79.73	3	Horizontal	58	2.02	BP 1MHz	36.04	8.40	34.18			
RMS	7.1195G	83.61	Inf	-Inf	73.35	3	Horizontal	58	2.02	BP 1MHz	36.04	8.40	34.18			
PK	7.1255G	68.76	88.20	-19.44	58.48	3	Horizontal	58	2.02	BP 1MHz	36.05	8.41	34.18			
RMS	7.1255G	59.17	68.20	-9.03	48.89	3	Horizontal	58	2.02	BP 1MHz	36.05	8.41	34.18			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
SET 1.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22904G	59.57	88.20	-28.63	70.10	3	Vertical	336	1.21	15	41.44	11.99	63.96			
RMS	14.2117G	46.95	68.20	-21.25	57.49	3	Vertical	336	1.21	15	41.48	11.98	64.00			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
SET 1.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.22245G	59.89	88.20	-28.31	70.43	3	Horizontal	345	1.80	15	41.46	11.98	63.98			
RMS	14.2298G	46.95	68.20	-21.25	57.48	3	Horizontal	345	1.80	15	41.44	11.99	63.96			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 1.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.3124G	52.01	83.54	-31.53	46.31	1	Vertical	5	2.89	-	38.10	16.24	48.64			
AV	21.3222G	39.16	63.54	-24.38	33.45	1	Vertical	5	2.89	-	38.10	16.25	48.64			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 1.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.321G	52.99	83.54	-30.55	47.28	1	Horizontal	193	2.25	-	38.10	16.25	48.64			
AV	21.325G	39.21	63.54	-24.33	33.50	1	Horizontal	193	2.25	-	38.10	16.25	48.64			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 16
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9134G	63.36	88.20	-24.84	53.48	3	Vertical	188	1.80	16	34.88	7.44	32.44				
RMS	5.9248G	52.62	68.20	-15.58	42.67	3	Vertical	188	1.80	16	34.95	7.44	32.44				
PK	5.9518G	109.43	Inf	-Inf	99.30	3	Vertical	188	1.80	16	35.11	7.46	32.44				
RMS	5.9722G	98.84	Inf	-Inf	88.61	3	Vertical	188	1.80	16	35.19	7.48	32.44				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 16
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	63.09	88.20	-25.11	53.14	3	Horizontal	143	1.80	16	34.95	7.44	32.44			
RMS	5.925G	51.99	68.20	-16.21	42.04	3	Horizontal	143	1.80	16	34.95	7.44	32.44			
PK	5.968G	98.62	Inf	-Inf	88.41	3	Horizontal	143	1.80	16	35.17	7.48	32.44			
RMS	5.9677G	88.75	Inf	-Inf	78.54	3	Horizontal	143	1.80	16	35.17	7.48	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 16
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90618G	55.30	74.00	-18.70	71.12	3	Vertical	3	1.80	16	38.91	11.07	65.80				
AV	11.92976G	43.26	54.00	-10.74	59.01	3	Vertical	3	1.80	16	38.96	11.08	65.79				
PK	17.9264G	52.51	74.00	-21.49	54.02	3	Vertical	167	2.13	-	47.48	13.43	62.42				
AV	17.9444G	40.30	54.00	-13.70	41.38	3	Vertical	167	2.13	-	47.88	13.43	62.39				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
SET 16
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90227G	54.66	74.00	-19.34	70.49	3	Horizontal	3	1.80	16	38.90	11.07	65.80			
AV	11.91953G	42.34	54.00	-11.66	58.11	3	Horizontal	3	1.80	16	38.94	11.08	65.79			
PK	17.9237G	51.61	74.00	-22.39	53.19	3	Horizontal	135	2.52	-	47.42	13.43	62.43			
AV	17.9446G	39.29	54.00	-14.71	40.37	3	Horizontal	135	2.52	-	47.88	13.43	62.39			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 16
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.893G	49.94	83.54	-33.60	41.27	1	Vertical	181	1.98	-	39.01	17.30	47.64			
AV	23.8798G	36.69	63.54	-26.85	28.00	1	Vertical	181	1.98	-	39.04	17.30	47.65			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 16
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8598G	50.43	83.54	-33.11	41.72	1	Horizontal	248	2.53	-	39.08	17.29	47.66			
AV	23.82G	37.33	63.54	-26.21	28.62	1	Horizontal	248	2.53	-	39.10	17.28	47.67			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40896G	55.09	74.00	-18.91	70.43	3	Vertical	4	1.80	15	38.75	11.28	65.37			
AV	12.41647G	43.16	54.00	-10.84	58.55	3	Vertical	4	1.80	15	38.70	11.28	65.37			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
SET 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41655G	55.23	74.00	-18.77	70.62	3	Horizontal	124	1.05	15	38.70	11.28	65.37			
AV	12.39897G	42.41	54.00	-11.59	57.72	3	Horizontal	124	1.05	15	38.80	11.27	65.38			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 15
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.621G	47.53	83.54	-36.01	42.86	1	Vertical	346	1.45	-	37.84	15.25	48.42				
AV	18.6528G	33.28	63.54	-30.26	28.58	1	Vertical	346	1.45	-	37.90	15.25	48.45				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 15
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.602G	47.36	83.54	-36.18	42.71	1	Horizontal	18	1.66	-	37.80	15.25	48.40				
AV	18.6494G	33.40	63.54	-30.14	28.70	1	Horizontal	18	1.66	-	37.90	15.25	48.45				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
SET 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78491G	54.93	88.20	-33.27	69.66	3	Vertical	302	2.81	14.5	39.11	11.42	65.26			
RMS	12.78155G	42.70	68.20	-25.50	57.45	3	Vertical	302	2.81	14.5	39.09	11.42	65.26			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX


EUT_Y_2TX
SET 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84469G	55.05	88.20	-33.15	69.57	3	Horizontal	114	1.80	14.5	39.29	11.44	65.25			
RMS	12.78043G	42.66	68.20	-25.54	57.42	3	Horizontal	114	1.80	14.5	39.08	11.42	65.26			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 14.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2018G	45.94	83.54	-37.60	41.71	1	Vertical	260	2.53	-	37.81	15.22	48.80			
AV	19.176G	32.37	63.54	-31.17	28.05	1	Vertical	260	2.53	-	37.90	15.22	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 14.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1654G	45.81	83.54	-37.73	41.45	1	Horizontal	114	2.90	-	37.94	15.22	48.80			
AV	19.1754G	32.34	63.54	-31.20	28.02	1	Horizontal	114	2.90	-	37.90	15.22	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6445MHz_TX

EUT_Y_2TX
SET 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88009G	55.24	88.20	-32.96	69.73	3	Vertical	4	1.43	15.5	39.30	11.45	65.24			
RMS	12.86235G	42.56	68.20	-25.64	57.06	3	Vertical	4	1.43	15.5	39.30	11.45	65.25			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88936G	56.34	88.20	-31.86	70.82	3	Horizontal	44	1.80	15.5	39.30	11.46	65.24			
RMS	12.86059G	42.54	68.20	-25.66	57.04	3	Horizontal	44	1.80	15.5	39.30	11.45	65.25			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 15.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3538G	46.27	83.54	-37.27	42.05	1	Vertical	270	2.73	-	37.81	15.21	48.80			
AV	19.2956G	32.24	63.54	-31.30	28.01	1	Vertical	270	2.73	-	37.82	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 15.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3586G	45.92	83.54	-37.62	41.69	1	Horizontal	327	2.88	-	37.82	15.21	48.80			
AV	19.3956G	32.36	63.54	-31.18	28.06	1	Horizontal	327	2.88	-	37.89	15.21	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.98662G	54.25	88.20	-33.95	68.74	3	Vertical	355	1.08	15.5	39.25	11.49	65.23			
RMS	12.98335G	42.20	68.20	-26.00	56.67	3	Vertical	355	1.08	15.5	39.27	11.49	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96353G	54.42	88.20	-33.78	68.81	3	Horizontal	98	1.80	15.5	39.35	11.49	65.23			
RMS	12.98335G	42.11	68.20	-26.09	56.58	3	Horizontal	98	1.80	15.5	39.27	11.49	65.23			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 15.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4806G	45.71	83.54	-37.83	41.55	1	Vertical	24	1.06	-	37.76	15.20	48.80			
AV	19.4818G	31.79	63.54	-31.75	27.63	1	Vertical	24	1.06	-	37.76	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 15.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.4304G	45.62	83.54	-37.92	41.44	1	Horizontal	259	2.83	-	37.78	15.20	48.80			
AV	19.4284G	31.77	63.54	-31.77	27.58	1	Horizontal	259	2.83	-	37.79	15.20	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
SET 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.01867G	54.97	88.20	-33.23	69.52	3	Vertical	195	1.51	15	39.13	11.51	65.19			
RMS	13.08397G	42.85	68.20	-25.35	57.25	3	Vertical	195	1.51	15	39.14	11.53	65.07			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
SET 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08501G	55.25	88.20	-32.95	69.65	3	Horizontal	83	1.80	15	39.14	11.53	65.07			
RMS	13.08309G	42.84	68.20	-25.36	57.25	3	Horizontal	83	1.80	15	39.13	11.53	65.07			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 15
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6102G	45.60	83.54	-37.94	41.51	1	Vertical	314	2.78	-	37.70	15.19	48.80			
AV	19.6154G	32.27	63.54	-31.27	28.18	1	Vertical	314	2.78	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6525MHz_TX




EUT_Y_2TX
Setting 15
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5936G	45.73	83.54	-37.81	41.64	1	Horizontal	186	1.73	-	37.70	15.19	48.80			
AV	19.6082G	32.26	63.54	-31.28	28.17	1	Horizontal	186	1.73	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16285G	55.85	88.20	-32.35	69.85	3	Vertical	322	1.22	14.5	39.35	11.56	64.91			
RMS	13.13424G	43.60	68.20	-24.60	57.68	3	Vertical	322	1.22	14.5	39.34	11.55	64.97			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
SET 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14558G	56.01	88.20	-32.19	70.02	3	Horizontal	247	1.80	14.5	39.38	11.56	64.95			
RMS	13.1344G	43.66	68.20	-24.54	57.74	3	Horizontal	247	1.80	14.5	39.34	11.55	64.97			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 14.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70418G	46.69	83.54	-36.85	42.60	1	Vertical	219	1.40	-	37.70	15.19	48.80			
AV	19.70304G	33.18	63.54	-30.36	29.09	1	Vertical	219	1.40	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 14.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69158G	46.38	83.54	-37.16	42.29	1	Horizontal	120	2.45	-	37.70	15.19	48.80			
AV	19.6929G	33.10	63.54	-30.44	29.01	1	Horizontal	120	2.45	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38662G	57.40	74.00	-16.60	70.46	3	Vertical	297	1.80	14	39.77	11.65	64.48			
RMS	13.37392G	44.38	54.00	-9.62	57.49	3	Vertical	297	1.80	14	39.75	11.64	64.50			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
SET 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36968G	57.04	74.00	-16.96	70.17	3	Horizontal	215	1.80	14	39.74	11.64	64.51			
RMS	13.37368G	44.39	54.00	-9.61	57.51	3	Horizontal	215	1.80	14	39.75	11.64	64.51			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting 14
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04336G	46.19	83.54	-37.35	41.98	1	Vertical	251	1.37	-	37.79	15.21	48.79			
AV	20.04934G	32.40	63.54	-31.14	28.18	1	Vertical	251	1.37	-	37.80	15.21	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX

EUT_Y_2TX
Setting 14
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.0442G	46.57	83.54	-36.97	42.36	1	Horizontal	346	1.95	-	37.79	15.21	48.79				
AV	20.04738G	32.27	63.54	-31.27	28.06	1	Horizontal	346	1.95	-	37.79	15.21	48.79				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
SET 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.79382G	57.93	88.20	-30.27	70.31	3	Vertical	286	2.95	14.5	40.20	11.80	64.38				
RMS	13.7855G	44.98	68.20	-23.22	57.35	3	Vertical	286	2.95	14.5	40.20	11.80	64.37				

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
SET 14.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77416G	57.79	88.20	-30.41	70.17	3	Horizontal	128	1.80	14.5	40.20	11.79	64.37			
RMS	13.78614G	45.03	68.20	-23.17	57.40	3	Horizontal	128	1.80	14.5	40.20	11.80	64.37			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 14.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65884G	48.92	83.54	-34.62	44.01	1	Vertical	110	2.39	-	37.90	15.71	48.70			
AV	20.66238G	34.82	63.54	-28.72	29.91	1	Vertical	110	2.39	-	37.90	15.71	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6885MHz_TX




EUT_Y_2TX
Setting 14.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.66172G	48.60	83.54	-34.94	43.69	1	Horizontal	0	1.62	-	37.90	15.71	48.70			
AV	20.66952G	34.85	63.54	-28.69	29.93	1	Horizontal	0	1.62	-	37.90	15.72	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
SET 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85575G	58.02	88.20	-30.18	70.24	3	Vertical	94	1.56	15	40.35	11.83	64.40			
RMS	13.81276G	44.83	68.20	-23.37	57.18	3	Vertical	94	1.56	15	40.23	11.81	64.39			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6925MHz_TX




EUT_Y_2TX
SET 15
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81476G	57.44	88.20	-30.76	69.79	3	Horizontal	304	1.80	15	40.23	11.81	64.39			
RMS	13.8309G	44.86	68.20	-23.34	57.17	3	Horizontal	304	1.80	15	40.26	11.82	64.39			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 15
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77608G	49.77	83.54	-33.77	44.77	1	Vertical	291	2.81	-	37.90	15.80	48.70			
AV	20.7834G	36.25	63.54	-27.29	31.24	1	Vertical	291	2.81	-	37.90	15.81	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX

EUT_Y_2TX
Setting 15
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77416G	49.80	83.54	-33.74	44.80	1	Horizontal	2	2.13	-	37.90	15.80	48.70			
AV	20.78616G	36.17	63.54	-27.37	31.16	1	Horizontal	2	2.13	-	37.90	15.81	48.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
SET 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.99162G	58.35	88.20	-29.85	70.05	3	Vertical	76	1.38	14	40.88	11.88	64.46				
RMS	13.99226G	45.85	68.20	-22.35	57.55	3	Vertical	76	1.38	14	40.88	11.88	64.46				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
SET 14
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.99689G	58.65	88.20	-29.55	70.34	3	Horizontal	91	1.13	14	40.89	11.88	64.46				
RMS	14.00321G	45.92	68.20	-22.28	57.58	3	Horizontal	91	1.13	14	40.91	11.88	64.45				

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX

EUT_Y_2TX
Setting
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.01554G	51.26	83.54	-32.28	45.96	1	Vertical	79	1.52	-	38.00	16.00	48.70			
AV	21.02568G	38.14	63.54	-25.40	32.82	1	Vertical	79	1.52	-	38.00	16.01	48.69			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.01488G	51.53	83.54	-32.01	46.23	1	Horizontal	302	1.96	-	38.00	16.00	48.70			
AV	21.02796G	38.08	63.54	-25.46	32.76	1	Horizontal	302	1.96	-	38.00	16.01	48.69			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0931G	109.76	Inf	-Inf	97.73	3	Vertical	187	1.80	15.5	36.79	7.95	32.71			
RMS	7.0946G	99.03	Inf	-Inf	87.00	3	Vertical	187	1.80	15.5	36.79	7.95	32.71			
PK	7.1324G	66.27	88.20	-21.93	54.16	3	Vertical	187	1.80	15.5	36.86	7.95	32.70			
RMS	7.1336G	55.52	68.20	-12.68	43.40	3	Vertical	187	1.80	15.5	36.87	7.95	32.70			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0907G	99.91	Inf	-Inf	87.90	3	Horizontal	52	1.80	15.5	36.78	7.95	32.72			
RMS	7.0919G	89.50	Inf	-Inf	77.49	3	Horizontal	52	1.80	15.5	36.78	7.95	32.72			
PK	7.1306G	64.14	88.20	-24.06	52.03	3	Horizontal	52	1.80	15.5	36.86	7.95	32.70			
RMS	7.2137G	53.01	68.20	-15.19	40.51	3	Horizontal	52	1.80	15.5	37.23	7.94	32.67			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.15122G	59.49	88.20	-28.71	70.27	3	Vertical	6	2.10	15.5	41.40	11.95	64.13			
RMS	14.15593G	46.96	68.20	-21.24	57.72	3	Vertical	6	2.10	15.5	41.41	11.95	64.12			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
SET 15.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.14083G	59.17	88.20	-29.03	70.02	3	Horizontal	358	1.80	15.5	41.36	11.94	64.15			
RMS	14.15673G	46.91	68.20	-21.29	57.67	3	Horizontal	358	1.80	15.5	41.41	11.95	64.12			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 15.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.24294G	52.35	83.54	-31.19	46.81	1	Vertical	55	1.31	-	38.01	16.18	48.65			
AV	21.25686G	39.06	63.54	-24.48	33.51	1	Vertical	55	1.31	-	38.01	16.19	48.65			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 15.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.2427G	52.54	83.54	-31.00	47.00	1	Horizontal	240	2.98	-	38.01	16.18	48.65			
AV	21.24108G	39.08	63.54	-24.46	33.53	1	Horizontal	240	2.98	-	38.02	16.18	48.65			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
SET 18
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.916G	63.23	88.20	-24.97	53.33	3	Vertical	188	1.80	18	34.90	7.44	32.44				
RMS	5.925G	53.39	68.20	-14.81	43.44	3	Vertical	188	1.80	18	34.95	7.44	32.44				
PK	6.0135G	109.37	Inf	-Inf	98.97	3	Vertical	188	1.80	18	35.33	7.51	32.44				
RMS	6.013G	99.14	Inf	-Inf	88.74	3	Vertical	188	1.80	18	35.33	7.51	32.44				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
SET 18
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.909G	62.68	88.20	-25.52	52.84	3	Horizontal	143	1.80	18	34.85	7.43	32.44			
RMS	5.925G	52.20	68.20	-16.00	42.25	3	Horizontal	143	1.80	18	34.95	7.44	32.44			
PK	5.9925G	99.24	Inf	-Inf	88.92	3	Horizontal	143	1.80	18	35.27	7.49	32.44			
RMS	5.9885G	89.59	Inf	-Inf	79.29	3	Horizontal	143	1.80	18	35.25	7.49	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
SET 18
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96904G	55.34	74.00	-18.66	70.96	3	Vertical	357	1.80	18	39.04	11.10	65.76			
AV	11.95098G	43.37	54.00	-10.63	59.05	3	Vertical	357	1.80	18	39.00	11.09	65.77			
PK	17.95635G	53.39	74.00	-20.61	54.12	3	Vertical	76	1.27	-	48.20	13.44	62.37			
AV	17.96727G	40.26	54.00	-13.74	40.61	3	Vertical	76	1.27	-	48.55	13.44	62.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
SET 18
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94395G	55.13	74.00	-18.87	70.83	3	Horizontal	7	1.80	18	38.99	11.09	65.78			
AV	11.89168G	42.40	54.00	-11.60	58.25	3	Horizontal	7	1.80	18	38.90	11.06	65.81			
PK	17.9571G	52.44	74.00	-21.56	53.13	3	Horizontal	343	1.24	-	48.23	13.44	62.36			
AV	17.96811G	39.27	54.00	-14.73	39.59	3	Horizontal	343	1.24	-	48.58	13.44	62.34			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 18
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95182G	49.67	83.54	-33.87	40.97	1	Vertical	39	2.12	-	39.00	17.32	47.62			
AV	23.94638G	36.25	63.54	-27.29	27.55	1	Vertical	39	2.12	-	39.00	17.32	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 18
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93634G	49.91	83.54	-33.63	41.23	1	Horizontal	234	1.63	-	39.00	17.31	47.63			
AV	23.93584G	36.19	63.54	-27.35	27.51	1	Horizontal	234	1.63	-	39.00	17.31	47.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
SET 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43402G	55.45	74.00	-18.55	70.92	3	Vertical	10	1.80	18.5	38.60	11.28	65.35			
AV	12.45288G	43.50	54.00	-10.50	59.04	3	Vertical	10	1.80	18.5	38.50	11.29	65.33			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
SET 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.52784G	55.06	74.00	-18.94	70.53	3	Horizontal	341	1.80	18.5	38.50	11.32	65.29				
AV	12.4532G	42.38	54.00	-11.62	57.92	3	Horizontal	341	1.80	18.5	38.50	11.29	65.33				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 18.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67962G	47.49	83.54	-36.05	42.82	1	Vertical	19	1.45	-	37.90	15.25	48.48			
AV	18.66384G	33.65	63.54	-29.89	28.96	1	Vertical	19	1.45	-	37.90	15.25	48.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 18.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66204G	47.03	83.54	-36.51	42.34	1	Horizontal	116	1.55	-	37.90	15.25	48.46			
AV	18.66936G	33.60	63.54	-29.94	28.92	1	Horizontal	116	1.55	-	37.90	15.25	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
SET 18
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7935G	54.92	88.20	-33.28	69.59	3	Vertical	235	1.80	18	39.16	11.42	65.25			
RMS	12.79941G	42.55	68.20	-25.65	57.18	3	Vertical	235	1.80	18	39.20	11.42	65.25			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
SET 18
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77448G	54.48	88.20	-33.72	69.28	3	Horizontal	304	2.47	18	39.05	11.41	65.26			
RMS	12.78487G	42.49	68.20	-25.71	57.22	3	Horizontal	304	2.47	18	39.11	11.42	65.26			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 18
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16904G	46.16	83.54	-37.38	41.82	1	Vertical	259	2.29	-	37.92	15.22	48.80			
AV	19.16718G	32.39	63.54	-31.15	28.04	1	Vertical	259	2.29	-	37.93	15.22	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 18
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14546G	46.03	83.54	-37.51	41.61	1	Horizontal	334	1.65	-	38.00	15.22	48.80			
AV	19.14988G	32.39	63.54	-31.15	27.97	1	Horizontal	334	1.65	-	38.00	15.22	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
SET 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.99058G	55.09	88.20	-33.11	69.58	3	Vertical	354	1.80	18.5	39.24	11.50	65.23			
RMS	12.86255G	42.84	68.20	-25.36	57.34	3	Vertical	354	1.80	18.5	39.30	11.45	65.25			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
SET 18.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96037G	54.75	88.20	-33.45	69.14	3	Horizontal	345	1.80	18.5	39.36	11.48	65.23			
RMS	12.85967G	42.73	68.20	-25.47	57.23	3	Horizontal	345	1.80	18.5	39.30	11.45	65.25			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 18.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38918G	45.15	83.54	-38.39	40.86	1	Vertical	287	2.08	-	37.88	15.21	48.80			
AV	19.39788G	32.04	63.54	-31.50	27.73	1	Vertical	287	2.08	-	37.90	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX

EUT_Y_2TX
Setting 18.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39416G	45.49	83.54	-38.05	41.19	1	Horizontal	274	2.68	-	37.89	15.21	48.80			
AV	19.38084G	32.03	63.54	-31.51	27.76	1	Horizontal	274	2.68	-	37.86	15.21	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6545MHz_TX




EUT_Y_2TX
SET 18
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12005G	55.56	88.20	-32.64	69.73	3	Vertical	6	1.80	18	39.28	11.55	65.00			
RMS	13.16305G	43.52	68.20	-24.68	57.52	3	Vertical	6	1.80	18	39.35	11.56	64.91			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
SET 18
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.16273G	56.75	88.20	-31.45	70.75	3	Horizontal	329	1.90	18	39.35	11.56	64.91			
RMS	13.16305G	43.54	68.20	-24.66	57.54	3	Horizontal	329	1.90	18	39.35	11.56	64.91			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 18
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.63602G	46.26	83.54	-37.28	42.17	1	Vertical	117	1.82	-	37.70	15.19	48.80			
AV	19.64484G	32.43	63.54	-31.11	28.34	1	Vertical	117	1.82	-	37.70	15.19	48.80			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz_TX

EUT_Y_2TX
Setting 18
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6395G	45.91	83.54	-37.63	41.82	1	Horizontal	118	1.28	-	37.70	15.19	48.80			
AV	19.6488G	32.45	63.54	-31.09	28.36	1	Horizontal	118	1.28	-	37.70	15.19	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 17.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.22938G	55.16	88.20	-33.04	69.16	3	Vertical	355	1.80	17.5	39.20	11.59	64.79			
RMS	13.17072G	43.46	68.20	-24.74	57.48	3	Vertical	355	1.80	17.5	39.32	11.56	64.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 17.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31394G	56.31	74.00	-17.69	69.83	3	Horizontal	7	1.80	17.5	39.48	11.62	64.62			
RMS	13.17024G	43.43	68.20	-24.77	57.45	3	Horizontal	7	1.80	17.5	39.32	11.56	64.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 17.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8759G	45.89	83.54	-37.65	41.81	1	Vertical	75	1.79	-	37.70	15.18	48.80			
AV	19.87174G	32.28	63.54	-31.26	28.20	1	Vertical	75	1.79	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 17.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86108G	45.59	83.54	-37.95	41.51	1	Horizontal	157	2.03	-	37.70	15.18	48.80			
AV	19.86102G	32.20	63.54	-31.34	28.12	1	Horizontal	157	2.03	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3459G	56.73	74.00	-17.27	69.98	3	Vertical	204	2.23	17	39.68	11.63	64.56			
AV	13.37851G	44.65	54.00	-9.35	57.75	3	Vertical	204	2.23	17	39.76	11.64	64.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3742G	56.83	74.00	-17.17	69.94	3	Horizontal	212	1.80	17	39.75	11.64	64.50			
AV	13.3742G	44.61	54.00	-9.39	57.72	3	Horizontal	212	1.80	17	39.75	11.64	64.50			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 17
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12196G	47.52	83.54	-36.02	43.23	1	Vertical	350	1.53	-	37.80	15.27	48.78			
AV	20.127G	33.22	63.54	-30.32	28.92	1	Vertical	350	1.53	-	37.80	15.27	48.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX

EUT_Y_2TX
Setting 17
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1147G	46.99	83.54	-36.55	42.71	1	Horizontal	21	1.61	-	37.80	15.26	48.78			
AV	20.11748G	33.23	63.54	-30.31	28.94	1	Horizontal	21	1.61	-	37.80	15.27	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.64369G	57.49	88.20	-30.71	69.97	3	Vertical	10	1.80	16.5	40.10	11.74	64.32			
RMS	13.49168G	45.14	68.20	-23.06	57.65	3	Vertical	10	1.80	16.5	40.08	11.69	64.28			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX

EUT_Y_2TX
SET 16.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56185G	58.07	88.20	-30.13	70.39	3	Horizontal	120	1.80	16.5	40.25	11.71	64.28			
RMS	13.49168G	45.14	68.20	-23.06	57.65	3	Horizontal	120	1.80	16.5	40.08	11.69	64.28			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16.5
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35032G	48.68	83.54	-34.86	44.05	1	Vertical	262	2.93	-	37.90	15.46	48.73			
AV	20.34678G	34.56	63.54	-28.98	29.95	1	Vertical	262	2.93	-	37.89	15.45	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34768G	49.31	83.54	-34.23	44.69	1	Horizontal	3	1.76	-	37.90	15.45	48.73			
AV	20.3466G	34.54	63.54	-29.00	29.93	1	Horizontal	3	1.76	-	37.89	15.45	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
SET 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65887G	57.80	88.20	-30.40	70.27	3	Vertical	76	2.94	17	40.10	11.75	64.32			
RMS	13.66958G	45.31	68.20	-22.89	57.79	3	Vertical	76	2.94	17	40.10	11.75	64.33			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
SET 17
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.66542G	58.47	88.20	-29.73	70.95	3	Horizontal	1	1.27	17	40.10	11.75	64.33			
RMS	13.6699G	45.28	68.20	-22.92	57.76	3	Horizontal	1	1.27	17	40.10	11.75	64.33			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6865MHz_TX




EUT_Y_2TX
Setting 17
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59686G	47.66	83.54	-35.88	42.80	1	Vertical	180	2.00	-	37.90	15.66	48.70			
AV	20.60442G	34.29	63.54	-29.25	29.43	1	Vertical	180	2.00	-	37.90	15.66	48.70			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz_TX

EUT_Y_2TX
Setting 17
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58576G	47.68	83.54	-35.86	42.83	1	Horizontal	49	1.06	-	37.90	15.65	48.70			
AV	20.607G	34.26	63.54	-29.28	29.40	1	Horizontal	49	1.06	-	37.90	15.66	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
SET 17.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.81615G	58.66	88.20	-29.54	71.01	3	Vertical	66	2.95	17.5	40.23	11.81	64.39			
RMS	13.968G	45.48	68.20	-22.72	57.22	3	Vertical	66	2.95	17.5	40.84	11.87	64.45			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
SET 17.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.86155G	58.57	88.20	-29.63	70.75	3	Horizontal	261	1.80	17.5	40.39	11.83	64.40			
RMS	13.9688G	45.45	68.20	-22.75	57.19	3	Horizontal	261	1.80	17.5	40.84	11.87	64.45			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 17.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83794G	49.61	83.54	-33.93	44.56	1	Vertical	316	1.70	-	37.90	15.85	48.70			
AV	20.82006G	36.34	63.54	-27.20	31.30	1	Vertical	316	1.70	-	37.90	15.84	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX

EUT_Y_2TX
Setting 17.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82228G	50.05	83.54	-33.49	45.01	1	Horizontal	41	1.28	-	37.90	15.84	48.70			
AV	20.82G	36.30	63.54	-27.24	31.26	1	Horizontal	41	1.28	-	37.90	15.84	48.70			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 16.5
06-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.9962G	109.36	Inf	-Inf	99.89	3	Vertical	168	1.80	-	35.38	8.27	34.18			
RMS	7.0158G	99.56	Inf	-Inf	89.98	3	Vertical	168	1.80	-	35.46	8.30	34.18			
PK	7.1534G	64.57	88.20	-23.63	54.21	3	Vertical	168	1.80	-	36.11	8.43	34.18			
RMS	7.2238G	52.45	68.20	-15.75	41.83	3	Vertical	168	1.80	-	36.30	8.50	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 16.5
06-C-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.003G	100.78	Inf	-Inf	91.27	3	Horizontal	223	1.80	-	35.41	8.28	34.18			
RMS	6.9866G	90.24	Inf	-Inf	80.81	3	Horizontal	223	1.80	-	35.35	8.26	34.18			
PK	7.2174G	62.68	88.20	-25.52	52.10	3	Horizontal	223	1.80	-	36.27	8.49	34.18			
RMS	7.2194G	52.09	68.20	-16.11	41.49	3	Horizontal	223	1.80	-	36.28	8.50	34.18			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99693G	58.71	88.20	-29.49	70.40	3	Vertical	3	1.80	13.5	40.89	11.88	64.46			
RMS	14.082777G	46.42	68.20	-21.78	57.65	3	Vertical	3	1.80	13.5	41.13	11.92	64.28			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
SET 16.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	14.03993G	59.12	88.20	-29.08	70.61	3	Horizontal	151	1.80	13.5	40.98	11.90	64.37				
RMS	14.09044G	46.50	68.20	-21.70	57.68	3	Horizontal	151	1.80	13.5	41.16	11.92	64.26				

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 16.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07542G	51.92	83.54	-31.62	46.55	1	Vertical	55	2.16	-	38.00	16.05	48.68			
AV	21.08736G	38.35	63.54	-25.19	32.97	1	Vertical	55	2.16	-	38.00	16.06	48.68			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX

EUT_Y_2TX
Setting 16.5
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.08292G	51.79	83.54	-31.75	46.42	1	Horizontal	208	1.88	-	38.00	16.05	48.68			
AV	21.0849G	38.36	63.54	-25.18	32.99	1	Horizontal	208	1.88	-	38.00	16.05	48.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-H-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9235G	68.08	88.20	-20.12	58.14	3	Vertical	188	1.80	21	34.94	7.44	32.44				
RMS	5.925G	57.68	68.20	-10.52	47.73	3	Vertical	188	1.80	21	34.95	7.44	32.44				
PK	6.055G	108.95	Inf	-Inf	98.46	3	Vertical	188	1.80	21	35.40	7.52	32.43				
RMS	6.073G	99.17	Inf	-Inf	88.67	3	Vertical	188	1.80	21	35.40	7.53	32.43				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-H-J-8-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9245G	62.84	88.20	-25.36	52.89	3	Horizontal	140	1.80	21	34.95	7.44	32.44				
RMS	5.922G	53.02	68.20	-15.18	43.09	3	Horizontal	140	1.80	21	34.93	7.44	32.44				
PK	6.028G	98.79	Inf	-Inf	88.36	3	Horizontal	140	1.80	21	35.36	7.51	32.44				
RMS	5.9875G	88.47	Inf	-Inf	78.17	3	Horizontal	140	1.80	21	35.25	7.49	32.44				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.93779G	54.71	74.00	-19.29	70.42	3	Vertical	356	2.22	22.5	38.98	11.09	65.78				
AV	11.95122G	42.52	54.00	-11.48	58.20	3	Vertical	356	2.22	22.5	39.00	11.09	65.77				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 21
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94866G	54.35	74.00	-19.65	70.03	3	Horizontal	83	2.93	22.5	39.00	11.09	65.77			
AV	11.91637G	42.29	54.00	-11.71	58.09	3	Horizontal	83	2.93	22.5	38.93	11.07	65.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08502G	47.34	83.54	-36.20	42.67	1	Vertical	325	1.66	-	37.61	15.28	48.22			
AV	18.08832G	33.35	63.54	-30.19	28.66	1	Vertical	325	1.66	-	37.63	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08838G	47.02	83.54	-36.52	42.33	1	Horizontal	251	2.93	-	37.63	15.28	48.22			
AV	18.08544G	33.39	63.54	-30.15	28.72	1	Horizontal	251	2.93	-	37.61	15.28	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
SET 22.5
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.43234G	55.52	74.00	-18.48	70.98	3	Vertical	358	1.80	22.5	38.61	11.28	65.35			
AV	12.39589G	44.27	54.00	-9.73	59.57	3	Vertical	358	1.80	22.5	38.81	11.27	65.38			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
SET 22.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.30574G	54.68	74.00	-19.32	69.91	3	Horizontal	157	1.78	22.5	38.99	11.24	65.46			
AV	12.30351G	42.63	54.00	-11.37	57.87	3	Horizontal	157	1.78	22.5	38.99	11.24	65.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54486G	46.11	83.54	-37.43	41.39	1	Vertical	335	2.63	-	37.80	15.26	48.34			
AV	18.54828G	33.06	63.54	-30.48	28.35	1	Vertical	335	2.63	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 22.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54876G	46.30	83.54	-37.24	41.59	1	Horizontal	128	1.34	-	37.80	15.26	48.35			
AV	18.55416G	33.02	63.54	-30.52	28.31	1	Horizontal	128	1.34	-	37.80	15.26	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
SET21
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.76896G	54.82	88.20	-33.38	69.66	3	Vertical	323	1.47	21	39.01	11.41	65.26				
RMS	12.78143G	42.35	68.20	-25.85	57.10	3	Vertical	323	1.47	21	39.09	11.42	65.26				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
SET21
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79837G	55.17	88.20	-33.03	69.81	3	Horizontal	149	1.78	21	39.19	11.42	65.25			
RMS	12.79901G	42.52	68.20	-25.68	57.16	3	Horizontal	149	1.78	21	39.19	11.42	65.25			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04412G	45.44	83.54	-38.10	41.10	1	Vertical	205	2.65	-	37.91	15.23	48.80			
AV	19.04486G	32.08	63.54	-31.46	27.74	1	Vertical	205	2.65	-	37.91	15.23	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03152G	46.69	83.54	-36.85	42.32	1	Horizontal	338	2.34	-	37.94	15.23	48.80			
AV	19.0221G	32.10	63.54	-31.44	27.71	1	Horizontal	338	2.34	-	37.96	15.23	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz_TX


EUT_Y_2TX
SET21
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14011G	56.13	88.20	-32.07	70.18	3	Vertical	26	1.80	21	39.36	11.55	64.96			
RMS	13.16249G	43.45	68.20	-24.75	57.45	3	Vertical	26	1.80	21	39.35	11.56	64.91			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
SET21
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13308G	55.01	88.20	-33.19	69.10	3	Horizontal	9	1.80	21	39.33	11.55	64.97			
RMS	13.13404G	43.34	68.20	-24.86	57.42	3	Horizontal	9	1.80	21	39.34	11.55	64.97			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz_TX

EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51752G	46.09	83.54	-37.45	41.93	1	Vertical	261	2.15	-	37.76	15.20	48.80			
AV	19.51422G	32.04	63.54	-31.50	27.87	1	Vertical	261	2.15	-	37.77	15.20	48.80			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




EUT_Y_2TX
Setting 21
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51764G	45.41	83.54	-38.13	41.25	1	Horizontal	17	1.53	-	37.76	15.20	48.80			
AV	19.5057G	31.93	63.54	-31.61	27.74	1	Horizontal	17	1.53	-	37.79	15.20	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
SET 20
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.30027G	56.21	74.00	-17.79	69.85	3	Vertical	235	2.78	20	39.40	11.61	64.65			
AV	13.3738G	44.55	54.00	-9.45	57.66	3	Vertical	235	2.78	20	39.75	11.64	64.50			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
SET 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.46682G	57.11	88.20	-31.09	69.72	3	Horizontal	192	1.80	20	40.03	11.68	64.32				
AV	13.37827G	44.57	54.00	-9.43	57.67	3	Horizontal	192	1.80	20	39.76	11.64	64.50				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 20
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0079G	45.41	83.54	-38.13	41.31	1	Vertical	36	2.46	-	37.72	15.18	48.80			
AV	20.00676G	31.94	63.54	-31.60	27.85	1	Vertical	36	2.46	-	37.71	15.18	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 20
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.00562G	45.36	83.54	-38.18	41.28	1	Horizontal	30	1.16	-	37.71	15.17	48.80			
AV	20.00088G	32.03	63.54	-31.51	27.96	1	Horizontal	30	1.16	-	37.70	15.17	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
SET 19.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76508G	57.21	88.20	-30.99	69.59	3	Vertical	162	2.56	19.5	40.20	11.79	64.37			
RMS	13.66918G	45.14	68.20	-23.06	57.62	3	Vertical	162	2.56	19.5	40.10	11.75	64.33			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
SET 19.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5656G	58.14	88.20	-30.06	70.48	3	Horizontal	272	1.70	19.5	40.24	11.71	64.29			
RMS	13.66918G	45.07	68.20	-23.13	57.55	3	Horizontal	272	1.70	19.5	40.10	11.75	64.33			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 19.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.48736G	47.62	83.54	-35.92	42.85	1	Vertical	282	1.04	-	37.90	15.57	48.70			
AV	20.46G	33.81	63.54	-29.73	29.08	1	Vertical	282	1.04	-	37.90	15.54	48.71			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




EUT_Y_2TX
Setting 19.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.47404G	47.74	83.54	-35.80	42.99	1	Horizontal	169	2.66	-	37.90	15.56	48.71			
AV	20.46G	33.78	63.54	-29.76	29.05	1	Horizontal	169	2.66	-	37.90	15.54	48.71			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 20
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9725G	110.16	Inf	-Inf	98.24	3	Vertical	160	1.80	20	36.69	7.96	32.73			
RMS	6.912G	99.06	Inf	-Inf	87.25	3	Vertical	160	1.80	20	36.52	7.97	32.68			
PK	7.127G	67.66	88.20	-20.54	55.56	3	Vertical	160	1.80	20	36.85	7.95	32.70			
RMS	7.1315G	57.42	68.20	-10.78	45.31	3	Vertical	160	1.80	20	36.86	7.95	32.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
SET 20
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.938G	99.39	Inf	-Inf	87.54	3	Horizontal	153	1.80	20	36.58	7.97	32.70			
RMS	6.9165G	88.76	Inf	-Inf	76.95	3	Horizontal	153	1.80	20	36.53	7.97	32.69			
PK	7.225G	64.94	88.20	-23.26	52.40	3	Horizontal	153	1.80	20	37.25	7.95	32.66			
RMS	7.2015G	53.07	68.20	-15.13	40.60	3	Horizontal	153	1.80	20	37.20	7.94	32.67			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
SET 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.07549G	58.89	88.20	-29.31	70.18	3	Vertical	312	1.80	20	41.10	11.91	64.30			
RMS	14.08445G	46.41	68.20	-21.79	57.63	3	Vertical	312	1.80	20	41.14	11.92	64.28			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
SET 20
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.08764G	58.17	88.20	-30.03	69.37	3	Horizontal	150	1.80	20	41.15	11.92	64.27			
RMS	14.07773G	46.45	68.20	-21.75	57.71	3	Horizontal	150	1.80	20	41.11	11.92	64.29			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95062G	50.81	83.54	-32.73	45.67	1	Vertical	359	1.16	-	37.90	15.94	48.70			
AV	20.96568G	37.37	63.54	-26.17	32.18	1	Vertical	359	1.16	-	37.93	15.96	48.70			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 20
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.95362G	51.32	83.54	-32.22	46.16	1	Horizontal	298	2.86	-	37.91	15.95	48.70			
AV	20.96838G	37.39	63.54	-26.15	32.19	1	Horizontal	298	2.86	-	37.94	15.96	48.70			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.922G	69.23	88.20	-18.97	59.30	3	Vertical	186	1.80	22	34.93	7.44	32.44			
RMS	5.922G	59.29	68.20	-8.91	49.36	3	Vertical	186	1.80	22	34.93	7.44	32.44			
PK	6.072G	109.95	Inf	-Inf	99.45	3	Vertical	186	1.80	22	35.40	7.53	32.43			
RMS	6.072G	97.87	Inf	-Inf	87.37	3	Vertical	186	1.80	22	35.40	7.53	32.43			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.882G	64.55	88.20	-23.65	54.89	3	Horizontal	282	1.80	22	34.69	7.41	32.44			
RMS	5.925G	54.27	68.20	-13.93	44.32	3	Horizontal	282	1.80	22	34.95	7.44	32.44			
PK	6.169G	99.74	Inf	-Inf	89.28	3	Horizontal	282	1.80	22	35.30	7.58	32.42			
RMS	6.252G	89.01	Inf	-Inf	78.47	3	Horizontal	282	1.80	22	35.30	7.65	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0719G	54.73	74.00	-19.27	69.96	3	Vertical	63	1.80	22	39.30	11.15	65.68			
AV	11.91781G	42.45	54.00	-11.55	58.23	3	Vertical	63	1.80	22	38.94	11.07	65.79			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.94786G	54.42	74.00	-19.58	70.10	3	Horizontal	197	1.61	22	39.00	11.09	65.77			
AV	11.89096G	42.35	54.00	-11.65	58.20	3	Horizontal	197	1.61	22	38.90	11.06	65.81			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 22
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3015G	47.04	83.54	-36.50	42.43	1	Vertical	173	2.65	-	37.60	15.27	48.26			
AV	18.31488G	33.14	63.54	-30.40	28.50	1	Vertical	173	2.65	-	37.63	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 22
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30048G	46.95	83.54	-36.59	42.34	1	Horizontal	186	2.73	-	37.60	15.27	48.26			
AV	18.30396G	33.17	63.54	-30.37	28.55	1	Horizontal	186	2.73	-	37.61	15.27	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 23
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39765G	55.98	74.00	-18.02	71.29	3	Vertical	4	1.80	23	38.80	11.27	65.38			
AV	12.45264G	43.36	54.00	-10.64	58.90	3	Vertical	4	1.80	23	38.50	11.29	65.33			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 23
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40852G	54.67	74.00	-19.33	70.01	3	Horizontal	255	2.44	23	38.75	11.28	65.37			
AV	12.30686G	42.75	54.00	-11.25	57.98	3	Horizontal	255	2.44	23	38.99	11.24	65.46			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 23
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.8176G	50.69	83.54	-32.85	46.13	1	Vertical	2	1.80	-	37.94	15.24	48.62			
AV	18.841G	34.79	63.54	-28.75	30.21	1	Vertical	2	1.80	-	37.98	15.24	48.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 23
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.8076G	50.18	83.54	-33.36	45.63	1	Horizontal	17	1.80	-	37.92	15.24	48.61			
AV	18.7966G	34.86	63.54	-28.68	30.32	1	Horizontal	17	1.80	-	37.90	15.24	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13452G	55.21	88.20	-32.99	69.29	3	Vertical	207	1.80	22	39.34	11.55	64.97			
RMS	13.13388G	43.42	68.20	-24.78	57.50	3	Vertical	207	1.80	22	39.34	11.55	64.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.14219G	55.68	88.20	-32.52	69.71	3	Horizontal	357	2.30	22	39.37	11.55	64.95			
RMS	13.13388G	43.37	68.20	-24.83	57.45	3	Horizontal	357	2.30	22	39.34	11.55	64.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 22
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2783G	50.63	83.54	-32.91	46.33	1	Vertical	190	1.15	-	37.89	15.21	48.80			
AV	19.26024G	37.35	63.54	-26.19	32.98	1	Vertical	190	1.15	-	37.96	15.21	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 22
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.28988G	50.61	83.54	-32.93	46.36	1	Horizontal	255	1.02	-	37.84	15.21	48.80			
AV	19.26426G	37.32	63.54	-26.22	32.97	1	Horizontal	255	1.02	-	37.94	15.21	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 22
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17817G	57.04	88.20	-31.16	69.60	3	Vertical	310	1.80	22	40.06	11.68	64.30			
RMS	13.16297G	43.53	68.20	-24.67	57.53	3	Vertical	310	1.80	22	39.35	11.56	64.91			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 22
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17247G	54.83	88.20	-33.37	69.33	3	Horizontal	304	1.86	22	39.30	11.45	65.25			
RMS	13.18968G	44.99	68.20	-23.21	57.50	3	Horizontal	304	1.86	22	40.08	11.69	64.28			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz_TX

EUT_Y_2TX
Setting 22
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.74258G	52.28	83.54	-31.26	48.19	1	Vertical	137	2.64	-	37.70	15.19	48.80			
AV	19.76316G	39.14	63.54	-24.40	35.06	1	Vertical	137	2.64	-	37.70	15.18	48.80			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 22
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75236G	52.87	83.54	-30.67	48.79	1	Horizontal	24	1.05	-	37.70	15.18	48.80			
AV	19.76238G	39.13	63.54	-24.41	35.05	1	Horizontal	24	1.05	-	37.70	15.18	48.80			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 21.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.46845G	55.43	88.20	-32.77	NaN	3	Vertical	265	1.80	22.5	NaN	11.68	64.32			
RMS	13.47364G	44.59	68.20	-23.61	NaN	3	Vertical	265	1.80	22.5	NaN	11.68	64.31			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz_TX

EUT_Y_2TX
Setting 21.5
01-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.47607G	55.57	88.20	-32.63	NaN	3	Horizontal	360	1.05	22.5	NaN	11.68	64.31			
RMS	13.47228G	44.61	68.20	-23.59	NaN	3	Horizontal	360	1.05	22.5	NaN	11.68	64.31			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 21.5
06-C-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.24766G	55.69	83.54	-27.85	51.27	1	Vertical	217	1.67	-	37.80	15.37	48.75			
AV	20.24616G	42.16	63.54	-21.38	37.74	1	Vertical	217	1.67	-	37.80	15.37	48.75			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX



EUT_Y_2TX
Setting 21.5
06-C-Y-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23002G	55.79	83.54	-27.75	51.38	1	Horizontal	176	1.94	-	37.80	15.36	48.75			
AV	20.24544G	41.18	63.54	-22.36	36.76	1	Horizontal	176	1.94	-	37.80	15.37	48.75			