



Test Mode	UNII-2C_ IEEE 802.11ax (HE80)
-----------	-------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	81.600	76.800
122	5610	81.400	76.400
138	5690	82.790	77.200

CH106




Date: 3.JUN.2024 12:27:17

CH122
26 dB Bandwidth



Date: 3.JUN.2024 12:28:43

CH138




Date: 3.JUN.2024 14:36:53


99 % Occupied Bandwidth



Date: 3.JUN.2024 12:26:39



Date: 3.JUN.2024 12:28:04




Date: 3.JUN.2024 14:31:12


Test Mode	UNII-3_ IEEE 802.11a
-----------	----------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.890	16.400	0.5	Complies
157	5785	16.199	16.300	0.5	Complies
165	5825	15.100	16.400	0.5	Complies

CH149




Date: 31.MAY.2024 22:20:55

CH157
6 dB Bandwidth



Date: 31.MAY.2024 22:22:14

CH165




Date: 31.MAY.2024 22:23:35


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:20:23



Date: 31.MAY.2024 22:22:142





Date: 31.MAY.2024 22:23:03


Test Mode	UNII-3_ IEEE 802.11ac (VHT20)
-----------	-------------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.150	18.200	0.5	Complies
157	5785	14.800	17.900	0.5	Complies
165	5825	15.090	18.300	0.5	Complies




CH149


CH157
6 dB Bandwidth


CH165




99 % Occupied Bandwidth



Test Mode	UNII-3_ IEEE 802.11ac (VHT40)
-----------	-------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	34.100	36.400	0.5	Complies
159	5795	34.100	36.800	0.5	Complies

CH151




Date: 31.MAY.2024 23:33:59

CH159
6 dB Bandwidth




Date: 31.MAY.2024 23:35:32

99 % Occupied Bandwidth



Date: 31.MAY.2024 23:33:17




Date: 31.MAY.2024 23:34:50

Test Mode	UNII-3_ IEEE 802.11ac (VHT80)
-----------	-------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.196	75.600	0.5	Complies

CH155 6 dB Bandwidth



Date: 31.MAY.2024 23:44:11

99 % Occupied Bandwidth




Date: 31.MAY.2024 23:43:32

Test Mode	UNII-3_ IEEE 802.11ax (HE20)
-----------	------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.250	18.900	0.5	Complies
157	5785	16.600	18.800	0.5	Complies
165	5825	17.888	18.800	0.5	Complies

CH149




Date: 3.JUN.2024 11:57:37

CH157
6 dB Bandwidth




Date: 3.JUN.2024 11:59:09

CH165




Date: 3.JUN.2024 12:00:27


99 % Occupied Bandwidth



Date: 3.JUN.2024 11:57:05



Date: 3.JUN.2024 11:58:37




Date: 3.JUN.2024 11:59:56


Test Mode	UNII-3_ IEEE 802.11ax (HE40)
-----------	------------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	33.990	37.600	0.5	Complies
159	5795	32.700	37.800	0.5	Complies

CH151




Date: 3.JUN.2024 12:14:28


CH159
6 dB Bandwidth


Date: 3.JUN.2024 12:16:16

99 % Occupied Bandwidth



Date: 3.JUN.2024 12:13:45




Date: 3.JUN.2024 12:15:25

Test Mode	UNII-3_ IEEE 802.11ax (HE80)
-----------	------------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.600	77.200	0.5	Complies

CH155 6 dB Bandwidth



Date: 3.JUN.2024 12:30:12

99 % Occupied Bandwidth



Date: 3.JUN.2024 12:29:35

APPENDIX F CONDUCTED OUTPUT POWER

Test Mode	IEEE 802.11a	Tested Date	2024/5/30
-----------	--------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.12	0.00	17.12	30.00	1.0000	Pass
5200	16.92	0.00	16.92	30.00	1.0000	Pass
5240	16.91	0.00	16.91	30.00	1.0000	Pass
5260	16.41	0.00	16.41	23.98	0.2500	Pass
5300	16.47	0.00	16.47	23.98	0.2500	Pass
5320	16.50	0.00	16.50	23.98	0.2500	Pass
5500	16.01	0.00	16.01	23.98	0.2500	Pass
5580	15.97	0.00	15.97	23.98	0.2500	Pass
5700	15.80	0.00	15.80	23.98	0.2500	Pass
5720	15.90	0.00	15.90	30.00	1.0000	Pass
5745	15.07	0.00	15.07	30.00	1.0000	Pass
5785	15.22	0.00	15.22	30.00	1.0000	Pass
5825	15.05	0.00	15.05	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT20)	Tested Date	2024/5/30
-----------	-----------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	17.04	0.11	17.15	30.00	1.0000	Pass
5200	16.88	0.11	16.99	30.00	1.0000	Pass
5240	17.05	0.11	17.16	30.00	1.0000	Pass
5260	16.55	0.11	16.66	23.98	0.2500	Pass
5300	16.44	0.11	16.55	23.98	0.2500	Pass
5320	16.46	0.11	16.57	23.98	0.2500	Pass
5500	16.09	0.11	16.20	23.98	0.2500	Pass
5580	16.20	0.11	16.31	23.98	0.2500	Pass
5700	15.97	0.11	16.08	23.98	0.2500	Pass
5720	15.88	0.11	15.99	30.00	1.0000	Pass
5745	15.07	0.11	15.18	30.00	1.0000	Pass
5785	15.21	0.11	15.32	30.00	1.0000	Pass
5825	15.03	0.11	15.14	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT40)	Tested Date	2024/5/30
-----------	-----------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.90	0.19	17.09	30.00	1.0000	Pass
5230	16.81	0.19	17.00	30.00	1.0000	Pass
5270	16.25	0.19	16.44	23.98	0.2500	Pass
5310	16.38	0.19	16.57	23.98	0.2500	Pass
5510	16.01	0.19	16.20	23.98	0.2500	Pass
5550	15.92	0.19	16.11	23.98	0.2500	Pass
5670	15.95	0.19	16.14	23.98	0.2500	Pass
5710	15.97	0.19	16.16	30.00	1.0000	Pass
5755	14.90	0.19	15.09	30.00	1.0000	Pass
5795	15.28	0.19	15.47	30.00	1.0000	Pass

Test Mode	IEEE 802.11ac (VHT80)	Tested Date	2024/5/30
-----------	-----------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	16.77	0.00	16.77	30.00	1.0000	Pass
5290	16.47	0.00	16.47	23.98	0.2500	Pass
5530	15.81	0.00	15.81	23.98	0.2500	Pass
5610	15.67	0.00	15.67	23.98	0.2500	Pass
5690	15.94	0.00	15.94	30.00	1.0000	Pass
5775	14.78	0.00	14.78	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE20)	Tested Date	2024/5/30
-----------	----------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5180	16.77	0.00	16.77	30.00	1.0000	Pass
5200	16.71	0.00	16.71	30.00	1.0000	Pass
5240	16.71	0.00	16.71	30.00	1.0000	Pass
5260	16.30	0.00	16.30	23.98	0.2500	Pass
5300	16.37	0.00	16.37	23.98	0.2500	Pass
5320	16.34	0.00	16.34	23.98	0.2500	Pass
5500	16.12	0.00	16.12	23.98	0.2500	Pass
5580	15.95	0.00	15.95	23.98	0.2500	Pass
5700	15.74	0.00	15.74	23.98	0.2500	Pass
5720	15.85	0.00	15.85	30.00	1.0000	Pass
5745	14.92	0.00	14.92	30.00	1.0000	Pass
5785	15.04	0.00	15.04	30.00	1.0000	Pass
5825	15.01	0.00	15.01	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE40)	Tested Date	2024/5/30
-----------	----------------------	-------------	-----------

Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5190	16.94	0.23	17.17	30.00	1.0000	Pass
5230	16.73	0.23	16.96	30.00	1.0000	Pass
5270	16.72	0.23	16.95	23.98	0.2500	Pass
5310	16.24	0.23	16.47	23.98	0.2500	Pass
5510	15.70	0.23	15.93	23.98	0.2500	Pass
5550	15.81	0.23	16.04	23.98	0.2500	Pass
5670	15.72	0.23	15.95	23.98	0.2500	Pass
5710	15.99	0.23	16.22	30.00	1.0000	Pass
5755	14.74	0.23	14.97	30.00	1.0000	Pass
5795	15.12	0.23	15.35	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax (HE80)	Tested Date	2024/5/30
-----------	----------------------	-------------	-----------


Frequency (MHz)	Conducted Power (dBm)	Duty Factor	Conducted Power+ Duty Factor (W)	Max. Limit (dBm)	Max. Limit (W)	Result
5210	17.13	0.45	17.58	30.00	1.0000	Pass
5290	16.32	0.45	16.77	23.98	0.2500	Pass
5530	15.85	0.45	16.30	23.98	0.2500	Pass
5610	15.90	0.45	16.35	23.98	0.2500	Pass
5690	15.81	0.45	16.26	30.00	1.0000	Pass
5775	14.91	0.45	15.36	30.00	1.0000	Pass

APPENDIX G POWER SPECTRAL DENSITY

Test Mode UNII-1_ IEEE 802.11a


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.54	0.00	-1.54	17.00	Complies
40	5200	-1.57	0.00	-1.57	17.00	Complies
48	5240	-1.09	0.00	-1.09	17.00	Complies

CH36




Date: 31.MAY.2024 22:09:36

CH40



Date: 31.MAY.2024 22:10:51

CH48




Date: 31.MAY.2024 22:12:01

Test Mode UNII-1_ IEEE 802.11ac (VHT20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.27	0.11	-0.16	17.00	Complies
40	5200	-0.61	0.11	-0.50	17.00	Complies
48	5240	-0.54	0.11	-0.43	17.00	Complies

CH36




Date: 31.MAY.2024 22:31:18

CH40



Date: 31.MAY.2024 22:32:19

CH48




Date: 31.MAY.2024 22:33:29

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.64	0.19	-5.45	17.00	Complies
46	5230	-6.72	0.19	-6.53	17.00	Complies

CH38



Date: 31.MAY.2024 23:22:58

CH46




Date: 31.MAY.2024 23:24:28

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.72	0.00	-5.72	17.00	Complies

CH42




Date: 31.MAY.2024 23:38:14

Test Mode UNII-1_ IEEE 802.11ax (HE20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.47	0.00	-1.47	17.00	Complies
40	5200	-1.34	0.00	-1.34	17.00	Complies
48	5240	-2.32	0.00	-2.32	17.00	Complies

CH36




Date: 3.JUN.2024 11:44:57

CH40



Date: 3.JUN.2024 11:46:10

CH48




Date: 3.JUN.2024 11:47:14

Test Mode UNII-1_ IEEE 802.11ax (HE40)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.11	0.23	-2.88	17.00	Complies
46	5230	-4.64	0.23	-4.41	17.00	Complies

CH38



Date: 3.JUN.2024 12:04:01


CH46



Date: 3.JUN.2024 12:05:22


Test Mode	UNII-1_ IEEE 802.11ax (HE80)
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.21	0.45	-5.76	17.00	Complies




Test Mode UNII-2A_ IEEE 802.11a


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.06	0.00	-2.06	11.00	Complies
60	5300	-1.88	0.00	-1.88	11.00	Complies
64	5320	-1.84	0.00	-1.84	11.00	Complies



Date: 31.MAY.2024 22:13:17




Date: 31.MAY.2024 22:14:28




Date: 31.MAY.2024 22:15:38

Test Mode UNII-2A_ IEEE 802.11ac (VHT20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.98	0.11	-0.87	11.00	Complies
60	5300	-0.64	0.11	-0.53	11.00	Complies
64	5320	-0.64	0.11	-0.53	11.00	Complies



Date: 31.MAY.2024 22:34:48



Date: 31.MAY.2024 22:36:04




Date: 31.MAY.2024 22:38:41

Test Mode	UNII-2A_ IEEE 802.11ac (VHT40)
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-7.62	0.19	-7.43	11.00	Complies
62	5310	-7.68	0.19	-7.49	11.00	Complies

CH54



Date: 31.MAY.2024 23:26:01

CH62




Date: 31.MAY.2024 23:27:36

Test Mode	UNII-2A_ IEEE 802.11ac (VHT80)
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-6.71	0.00	-6.71	11.00	Complies

CH58




Date: 31.MAY.2024 23:39:59

Test Mode UNII-2A_ IEEE 802.11ax (HE20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.45	0.00	-2.45	11.00	Complies
60	5300	-2.40	0.00	-2.40	11.00	Complies
64	5320	-2.98	0.00	-2.98	11.00	Complies

CH52




Date: 3.JUN.2024 11:48:29

CH60



Date: 3.JUN.2024 11:49:58

CH64




Date: 3.JUN.2024 11:51:22

Test Mode UNII-2A_ IEEE 802.11ax (HE40)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-5.28	0.23	-5.05	11.00	Complies
62	5310	-5.38	0.23	-5.15	11.00	Complies

CH54



Date: 3.JUN.2024 12:06:47


CH62



Date: 3.JUN.2024 12:08:23

Test Mode	UNII-2A_ IEEE 802.11ax (HE80)
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.94	0.45	-7.49	11.00	Complies



Test Mode UNII-2C_ IEEE 802.11a


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.13	0.00	-0.13	11.00	Complies
116	5580	-0.61	0.00	-0.61	11.00	Complies
140	5700	-1.09	0.00	-1.09	11.00	Complies
144	5720	-1.74	0.00	-1.74	11.00	Complies

CH100




Date: 31.MAY.2024 22:17:06

CH116




Date: 31.MAY.2024 22:18:16

CH140



Date: 31.MAY.2024 22:19:33

CH144




Date: 3.JUN.2024 12:54:46

Test Mode UNII-2C_ IEEE 802.11ac (VHT20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.14	0.11	1.25	11.00	Complies
116	5580	1.20	0.11	1.31	11.00	Complies
140	5700	0.10	0.11	0.21	11.00	Complies
144	5720	-2.21	0.11	-2.10	11.00	Complies

CH100




Date: 31.MAY.2024 22:40:00

CH116




Date: 31.MAY.2024 22:41:13

CH140



Date: 31.MAY.2024 22:42:24

CH144




Date: 3.JUN.2024 13:01:12

Test Mode	UNII-2C_ IEEE 802.11ac (VHT40)
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.06	0.19	-3.87	11.00	Complies
110	5550	-3.93	0.19	-3.74	11.00	Complies
134	5670	-3.86	0.19	-3.67	11.00	Complies
142	5710	-5.23	0.19	-5.04	11.00	Complies

CH102




Date: 31.MAY.2024 23:29:26

CH110




Date: 31.MAY.2024 23:31:14

CH134



Date: 31.MAY.2024 23:32:47

CH142




Date: 3.JUN.2024 13:04:33

Test Mode	UNII-2C_ IEEE 802.11ac (VHT80)
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.92	0.00	-5.92	11.00	Complies
122	5610	-6.10	0.00	-6.10	11.00	Complies
138	5690	-7.95	0.00	-7.95	11.00	Complies

CH106




Date: 31.MAY.2024 23:41:29

CH122



Date: 31.MAY.2024 23:43:00

CH138




Date: 3.JUN.2024 13:07:08


Test Mode	UNII-2C_ IEEE 802.11ax (HE20)
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.66	0.00	-0.66	11.00	Complies
116	5580	-0.40	0.00	-0.40	11.00	Complies
140	5700	-1.35	0.00	-1.35	11.00	Complies
144	5720	0.43	0.00	0.43	11.00	Complies


CH100




CH116



CH140




CH144



Test Mode UNII-2C_ IEEE 802.11ax (HE40)


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-4.30	0.23	-4.07	11.00	Complies
110	5550	-4.04	0.23	-3.81	11.00	Complies
134	5670	-3.96	0.23	-3.73	11.00	Complies
142	5710	-2.79	0.23	-2.56	11.00	Complies

CH102




Date: 3.JUN.2024 12:09:52

CH110




Date: 3.JUN.2024 12:11:26

CH134



Date: 3.JUN.2024 12:13:08

CH142




Date: 3.JUN.2024 14:25:03

Test Mode	UNII-2C_ IEEE 802.11ax (HE80)
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.02	0.45	-6.57	11.00	Complies
122	5610	-6.17	0.45	-5.72	11.00	Complies
138	5690	-5.92	0.45	-5.47	11.00	Complies

CH106




Date: 3.JUN.2024 12:27:39

CH122



Date: 3.JUN.2024 12:29:05

CH138




Date: 3.JUN.2024 14:26:16

Test Mode UNII-3_ IEEE 802.11a


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.31	0.00	-4.31	30.00	Complies
157	5785	-3.52	0.00	-3.52	30.00	Complies
165	5825	-4.32	0.00	-4.32	30.00	Complies

CH149




Date: 31.MAY.2024 22:21:11

CH157



Date: 31.MAY.2024 22:22:29

CH165




Date: 31.MAY.2024 22:23:51

Test Mode UNII-3_ IEEE 802.11ac (VHT20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.27	0.11	-3.16	30.00	Complies
157	5785	-3.54	0.11	-3.43	30.00	Complies
165	5825	-3.69	0.11	-3.58	30.00	Complies

CH149




Date: 31.MAY.2024 22:44:08

CH157



Date: 31.MAY.2024 22:45:37

CH165




Date: 31.MAY.2024 22:46:53

Test Mode	UNII-3_ IEEE 802.11ac (VHT40)
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.75	0.19	-7.56	30.00	Complies
159	5795	-7.47	0.19	-7.28	30.00	Complies

CH151



Date: 31.MAY.2024 23:34:21

CH159




Date: 31.MAY.2024 23:35:55

Test Mode	UNII-3_ IEEE 802.11ac (VHT80)
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-10.45	0.00	-10.45	30.00	Complies

CH155




Date: 31.MAY.2024 23:44:33

Test Mode UNII-3_ IEEE 802.11ax (HE20)


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-5.00	0.00	-5.00	30.00	Complies
157	5785	-5.77	0.00	-5.77	30.00	Complies
165	5825	-6.17	0.00	-6.17	30.00	Complies

CH149




Date: 3.JUN.2024 11:57:53

CH157



Date: 3.JUN.2024 11:59:25

CH165




Date: 3.JUN.2024 12:00:43

Test Mode UNII-3_ IEEE 802.11ax (HE40)


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.29	0.23	-8.06	30.00	Complies
159	5795	-8.53	0.23	-8.30	30.00	Complies

CH151



Date: 3.JUN.2024 12:14:50


CH159



Date: 3.JUN.2024 12:16:38

Test Mode	UNII-3_ IEEE 802.11ax (HE80)
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.25	0.45	-10.80	30.00	Complies



End of Test Report