



	담	당	검	토	검	토	승	인
결 재								

BELCO International


43-3519 RF BOARD

Doc: 43-3519 RF BOARD
Date: Monday, July 24, 1995

MAIN - TO - RF INTERFACE



결	담	검	검	승
재	Phom	김	김	인



	KEYPAD(ROW1) - KEYPAD(ROW7)			
	COL1(C2)	COL1(C1)	COL1(C2)	COL1(C3)
ROW1(R2)	1	2	3	MUTE / PG
ROW2(R1)	4	5	6	ERASE
ROW3(R2)	7	8	9	
ROW4(R3)	*	0	#	
ROW5(R4)		FLASH / CALL BACK	RE / PA	
ROW6(R5)	TALK			MEMO
ROW7(R7)			DOWN	UP

	담당	검토	검토
결 재	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>

BELCO International

43-3515 HAND MAIN BOARD


DESIGNER NUMBER: **HS BBA**

DATE: **1984. 12. 20**


43-3819 RF BOARD

The diagram shows a 20-pin connector labeled COM1. The pins are numbered 1 through 20. The functions for each pin are as follows:

Pin Number	Function
1	R000
2	R001
3	AGC
4	SYNTH1
5	SYNCLK
6	REFCLK
7	TxDATA
8	SYNDATA
9	GND
10	R00N
11	COM1_20PIN
12	GND
13	LNAATTN
14	TxDATA
15	T0EN
16	T0PWRR1
17	VCC_2
18	R00P
19	R00P
20	VCC_2



	담 당	검 토	검 토	승 인
결 재				



BELCO International

43-3519 RF BOARD

Size	Document Number
Custom	

HAND RF_TRX

Date: Monday, July 23, 2001

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----