


|           |                           |              |            |
|-----------|---------------------------|--------------|------------|
| Test Mode | UNII-3_TX A Mode 5825 MHz | Polarization | Horizontal |
|-----------|---------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5826.8000    | 78.78                      | 16.86                   | 95.64                     | 122.20          | -26.56       | Peak     | No Limit |
| 2   | 5850.0000    | 39.92                      | 16.87                   | 56.79                     | 122.20          | -65.41       | Peak     |          |
| 3   | 5860.0000    | 36.54                      | 16.88                   | 53.42                     | 109.40          | -55.98       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                           |              |            |
|-----------|---------------------------|--------------|------------|
| Test Mode | UNII-3_TX A Mode 5825 MHz | Polarization | Horizontal |
|-----------|---------------------------|--------------|------------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17473.2050   | 37.40                      | 21.40                   | 58.80                     | 68.20           | -9.40        | Peak     |         |
| 2 * | 17474.6050   | 25.74                      | 21.40                   | 47.14                     | 54.00           | -6.86        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5745 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|

130 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 40.66                      | 16.79                   | 57.45                     | 109.40          | -51.95       | Peak     |          |
| 2   | 5725.0000    | 60.03                      | 16.80                   | 76.83                     | 122.20          | -45.37       | Peak     |          |
| 3 * | 5744.2000    | 94.91                      | 16.81                   | 111.72                    | 122.20          | -10.48       | Peak     | No Limit |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5745 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 17233.4400   | 32.82                      | 20.47                   | 53.29                     | 54.00           | -0.71        | AVG      |         |
| 2   | 17242.4800   | 43.97                      | 20.51                   | 64.48                     | 68.20           | -3.72        | Peak     |         |

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
 (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5745 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 36.08                      | 16.79                   | 52.87                     | 109.40          | -56.53       | Peak     |          |
| 2   | 5725.0000    | 41.97                      | 16.80                   | 58.77                     | 122.20          | -63.43       | Peak     |          |
| 3 * | 5743.2000    | 72.93                      | 16.81                   | 89.74                     | 122.20          | -32.46       | Peak     | No Limit |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5745 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17233.6950   | 37.69                      | 20.47                   | 58.16                     | 68.20           | -10.04       | Peak     |         |
| 2 * | 17235.5800   | 26.40                      | 20.48                   | 46.88                     | 54.00           | -7.12        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5785 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5784.0000    | 94.00                      | 16.83                   | 110.83                    | 122.20          | -11.37       | Peak     | No Limit |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5785 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17356.7000   | 44.55                      | 20.95                   | 65.50                     | 68.20           | -2.70        | Peak     |         |
| 2 * | 17361.4400   | 32.58                      | 20.97                   | 53.55                     | 54.00           | -0.45        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5785 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5786.4000    | 78.45                      | 16.83                   | 95.28                     | 122.20          | -26.92       | Peak     | No Limit |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5785 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 17352.5600   | 26.12                      | 20.93                   | 47.05                     | 54.00           | -6.95        | AVG      |         |
| 2   | 17354.6850   | 37.59                      | 20.94                   | 58.53                     | 68.20           | -9.67        | Peak     |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5825 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5824.0000    | 92.08                      | 16.86                   | 108.94                    | 122.20          | -13.26       | Peak     | No Limit |
| 2   | 5850.0000    | 45.22                      | 16.87                   | 62.09                     | 122.20          | -60.11       | Peak     |          |
| 3   | 5860.0000    | 38.12                      | 16.88                   | 55.00                     | 109.40          | -54.40       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5825 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 17473.1600   | 32.49                      | 21.40                   | 53.89                     | 54.00           | -0.11        | AVG      |         |
| 2   | 17483.1400   | 44.10                      | 21.43                   | 65.53                     | 68.20           | -2.67        | Peak     |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5825 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5826.0000    | 77.55                      | 16.86                   | 94.41                     | 122.20          | -27.79       | Peak     | No Limit |
| 2   | 5850.0000    | 38.73                      | 16.87                   | 55.60                     | 122.20          | -66.60       | Peak     |          |
| 3   | 5860.0000    | 36.29                      | 16.88                   | 53.17                     | 109.40          | -56.23       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5825 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 17472.7850   | 25.74                      | 21.39                   | 47.13                     | 54.00           | -6.87        | AVG      |         |
| 2   | 17475.8250   | 37.86                      | 21.41                   | 59.27                     | 68.20           | -8.93        | Peak     |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5755 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 55.15                      | 16.79                   | 71.94                     | 109.40          | -37.46       | Peak     |          |
| 2   | 5725.0000    | 63.11                      | 16.80                   | 79.91                     | 122.20          | -42.29       | Peak     |          |
| 3 * | 5756.6000    | 90.73                      | 16.82                   | 107.55                    | 122.20          | -14.65       | Peak     | No Limit |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5755 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17266.4400   | 42.98                      | 20.60                   | 63.58                     | 68.20           | -4.62        | Peak     |         |
| 2 * | 17267.3699   | 32.67                      | 20.60                   | 53.27                     | 54.00           | -0.73        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5755 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 39.98                      | 16.79                   | 56.77                     | 109.40          | -52.63       | Peak     |          |
| 2   | 5725.0000    | 43.97                      | 16.80                   | 60.77                     | 122.20          | -61.43       | Peak     |          |
| 3 * | 5756.2000    | 74.99                      | 16.82                   | 91.81                     | 122.20          | -30.39       | Peak     | No Limit |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5755 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17263.8550   | 38.16                      | 20.59                   | 58.75                     | 68.20           | -9.45        | Peak     |         |
| 2 * | 17267.2400   | 26.30                      | 20.60                   | 46.90                     | 54.00           | -7.10        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5795 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5794.0000    | 91.55                      | 16.84                   | 108.39                    | 122.20          | -13.81       | Peak     | No Limit |
| 2   | 5850.0000    | 42.97                      | 16.87                   | 59.84                     | 122.20          | -62.36       | Peak     |          |
| 3   | 5860.0000    | 40.61                      | 16.88                   | 57.49                     | 109.40          | -51.91       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5795 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17383.2000   | 42.36                      | 21.05                   | 63.41                     | 68.20           | -4.79        | Peak     |         |
| 2 * | 17387.1900   | 32.06                      | 21.06                   | 53.12                     | 54.00           | -0.88        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5795 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5793.8000    | 75.47                      | 16.84                   | 92.31                     | 122.20          | -29.89       | Peak     | No Limit |
| 2   | 5850.0000    | 36.68                      | 16.87                   | 53.55                     | 122.20          | -68.65       | Peak     |          |
| 3   | 5860.0000    | 36.24                      | 16.88                   | 53.12                     | 109.40          | -56.28       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5795 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 17382.8900   | 25.71                      | 21.05                   | 46.76                     | 54.00           | -7.24        | AVG      |         |
| 2   | 17385.6950   | 37.32                      | 21.06                   | 58.38                     | 68.20           | -9.82        | Peak     |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT80) Mode 5775 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1 * | 5647.5000    | 50.76                      | 16.75                   | 67.51                     | 68.20           | -0.69        | Peak     |          |
| 2   | 5715.0000    | 67.00                      | 16.79                   | 83.79                     | 109.40          | -25.61       | Peak     |          |
| 3   | 5725.0000    | 68.46                      | 16.80                   | 85.26                     | 122.20          | -36.94       | Peak     |          |
| 4   | 5797.5000    | 91.79                      | 16.84                   | 108.63                    | 122.20          | -13.57       | Peak     | No Limit |
| 5   | 5850.0000    | 61.94                      | 16.87                   | 78.81                     | 122.20          | -43.39       | Peak     |          |
| 6   | 5860.0000    | 60.55                      | 16.88                   | 77.43                     | 109.40          | -31.97       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |          |
|-----------|-----------------------------------|--------------|----------|
| Test Mode | UNII-3_TX AC(VHT80) Mode 5775 MHz | Polarization | Vertical |
|-----------|-----------------------------------|--------------|----------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17287.6000   | 43.59                      | 20.68                   | 64.27                     | 68.20           | -3.93        | Peak     |         |
| 2 * | 17303.7000   | 33.15                      | 20.74                   | 53.89                     | 54.00           | -0.11        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.



|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment  |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|----------|
| 1   | 5715.0000    | 48.91                      | 16.79                   | 65.70                     | 109.40          | -43.70       | Peak     |          |
| 2   | 5725.0000    | 51.46                      | 16.80                   | 68.26                     | 122.20          | -53.94       | Peak     |          |
| 3 * | 5801.0000    | 76.47                      | 16.84                   | 93.31                     | 122.20          | -28.89       | Peak     | No Limit |
| 4   | 5850.0000    | 46.58                      | 16.87                   | 63.45                     | 122.20          | -58.75       | Peak     |          |
| 5   | 5860.0000    | 44.80                      | 16.88                   | 61.68                     | 109.40          | -47.72       | Peak     |          |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.  
(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|

80 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 17324.8400   | 37.60                      | 20.82                   | 58.42                     | 68.20           | -9.78        | Peak     |         |
| 2 * | 17327.0050   | 26.19                      | 20.83                   | 47.02                     | 54.00           | -6.98        | AVG      |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

The worst case of simultaneous transmission:

|           |                                                         |              |          |
|-----------|---------------------------------------------------------|--------------|----------|
| Test Mode | TX WLAN 2.4G B Mode 2462MHz + WLAN 5G AC40 Mode 5270MHz | Polarization | Vertical |
|-----------|---------------------------------------------------------|--------------|----------|




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   |     | 4923.896     | 49.02                    | 5.73                    | 54.75                      | 68.30           | -13.55       | peak     |         |
| 2   |     | 4924.012     | 47.85                    | 5.73                    | 53.58                      | 54.00           | -0.42        | AVG      |         |
| 3   | *   | 15808.356    | 37.61                    | 16.08                   | 53.69                      | 54.00           | -0.31        | AVG      |         |
| 4   |     | 15810.105    | 48.19                    | 16.08                   | 64.27                      | 68.30           | -4.03        | peak     |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                                         |              |            |
|-----------|---------------------------------------------------------|--------------|------------|
| Test Mode | TX WLAN 2.4G B Mode 2462MHz + WLAN 5G AC40 Mode 5270MHz | Polarization | Horizontal |
|-----------|---------------------------------------------------------|--------------|------------|



| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor<br>dB | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------------|----------------------------|-----------------|--------------|----------|---------|
| 1   | *   | 4923.853     | 39.42                    | 5.73                    | 45.15                      | 54.00           | -8.85        | AVG      |         |
| 2   |     | 4923.996     | 43.88                    | 5.73                    | 49.61                      | 68.30           | -18.69       | peak     |         |
| 3   |     | 15808.869    | 39.25                    | 16.08                   | 55.33                      | 68.30           | -12.97       | peak     |         |
| 4   |     | 15810.568    | 26.85                    | 16.08                   | 42.93                      | 54.00           | -11.07       | AVG      |         |

## REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

## **APPENDIX E - BANDWIDTH**

|           |                  |
|-----------|------------------|
| Test Mode | UNII-1_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 34.49                 | 19.10                         |
| 40      | 5200            | 35.55                 | 19.90                         |
| 48      | 5240            | 34.99                 | 18.90                         |

CH36




Date: 3.JUN.2021 15:04:27

CH40  
26 dB Bandwidth




Date: 3.JUN.2021 15:05:12

CH48




Date: 3.JUN.2021 15:23:24


99 % Occupied Bandwidth



Date: 3.JUN.2021 15:04:13



Date: 3.JUN.2021 15:04:58




Date: 3.JUN.2021 15:23:10

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 37.19                 | 20.90                         |
| 40      | 5200            | 38.89                 | 20.80                         |
| 48      | 5240            | 35.81                 | 18.70                         |

CH36




Date: 3.JUN.2021 15:13:33

CH40  
26 dB Bandwidth




Date: 3.JUN.2021 15:14:16

CH48




Date: 3.JUN.2021 15:16:28


99 % Occupied Bandwidth



Date: 3.JUN.2021 15:13:20



Date: 3.JUN.2021 15:14:02




Date: 3.JUN.2021 15:16:13

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 72.59                 | 38.00                         |
| 46      | 5230            | 78.39                 | 38.80                         |

## CH38




Date: 3.JUN.2021 15:33:42

## CH46 26 dB Bandwidth




Date: 3.JUN.2021 15:34:12

## 99 % Occupied Bandwidth



Date: 3.JUN.2021 15:17:36




Date: 3.JUN.2021 15:18:46



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 162.80                | 78.80                         |

## CH42 26 dB Bandwidth



Date: 3.JUN.2021 15:27:58

## 99 % Occupied Bandwidth




Date: 3.JUN.2021 15:27:19

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 25.19                 | 17.20                         |
| 60      | 5300            | 24.89                 | 17.10                         |
| 64      | 5320            | 23.29                 | 17.10                         |

CH52




Date: 3.JUN.2021 17:22:57

CH60  
26 dB Bandwidth




Date: 3.JUN.2021 17:23:32

CH64




Date: 3.JUN.2021 17:24:15


99 % Occupied Bandwidth



Date: 3.JUN.2021 17:22:38



Date: 3.JUN.2021 17:23:13




Date: 3.JUN.2021 17:23:47

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 20.89                 | 17.90                         |
| 60      | 5300            | 23.60                 | 17.90                         |
| 64      | 5320            | 23.79                 | 17.90                         |

CH52




Date: 3.JUN.2021 17:33:14

CH60  
26 dB Bandwidth




Date: 3.JUN.2021 17:33:54

CH64




Date: 3.JUN.2021 17:34:38


99 % Occupied Bandwidth



Date: 3.JUN.2021 17:32:54



Date: 3.JUN.2021 17:33:31




Date: 3.JUN.2021 17:34:15

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 78.60                 | 39.80                         |
| 62      | 5310            | 84.60                 | 42.60                         |

## CH54




Date: 3.JUN.2021 17:42:16

## CH62 26 dB Bandwidth




Date: 3.JUN.2021 17:42:47

## 99 % Occupied Bandwidth



Date: 3.JUN.2021 17:35:40




Date: 3.JUN.2021 17:36:15

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 189.99                | 90.80                         |

## CH58 26 dB Bandwidth



Date: 3.JUN.2021 17:37:47

## 99 % Occupied Bandwidth




Date: 3.JUN.2021 17:37:36

|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 31.99                 | 17.70                         |
| 116     | 5580            | 30.10                 | 17.40                         |
| 140     | 5700            | 26.59                 | 17.30                         |

CH100




Date: 3.JUN.2021 20:16:50

CH116  
26 dB Bandwidth




Date: 3.JUN.2021 20:17:25

CH140




Date: 3.JUN.2021 20:17:45


99 % Occupied Bandwidth



Date: 3.JUN.2021 19:54:15



Date: 3.JUN.2021 19:54:58




Date: 3.JUN.2021 19:55:27

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 36.19                 | 19.10                         |
| 116     | 5580            | 35.05                 | 18.40                         |
| 140     | 5700            | 31.40                 | 18.10                         |

CH100




Date: 3.JUN.2021 20:02:00

CH116  
26 dB Bandwidth




Date: 3.JUN.2021 20:03:31

CH140




Date: 3.JUN.2021 20:04:06


99 % Occupied Bandwidth



Date: 3.JUN.2021 20:01:43



Date: 3.JUN.2021 20:03:15




Date: 3.JUN.2021 20:03:51

|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 89.80                 | 53.20                         |
| 110     | 5550            | 93.30                 | 51.80                         |
| 134     | 5670            | 84.79                 | 47.20                         |

CH102




Date: 3.JUN.2021 20:24:34

CH110  
26 dB Bandwidth




Date: 3.JUN.2021 20:24:56

CH134




Date: 3.JUN.2021 20:25:32


99 % Occupied Bandwidth



Date: 3.JUN.2021 20:04:33



Date: 3.JUN.2021 20:05:27




Date: 3.JUN.2021 20:05:51



|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 94.79                 | 77.20                         |
| 122     | 5610            | 187.80                | 100.40                        |

CH106




Date: 3.JUN.2021 20:06:30

CH122  
26 dB Bandwidth




Date: 3.JUN.2021 20:06:49

99 % Occupied Bandwidth



Date: 12.MAR.2021 16:02:51



Date: 3.JUN.2021 20:06:41






|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151     | 5755            | 36.50                | 47.00                         | 0.50                            | Complies |
| 159     | 5795            | 36.50                | 45.40                         | 0.50                            | Complies |

## CH151




Date: 3.JUN.2021 14:30:35

## CH159 6 dB Bandwidth




Date: 3.JUN.2021 14:31:42

## 99 % Occupied Bandwidth



Date: 3.JUN.2021 14:30:07




Date: 3.JUN.2021 14:31:14

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (MHz) | Result   |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155     | 5775            | 76.40                | 95.60                         | 0.50                            | Complies |

## CH155 6 dB Bandwidth



Date: 3.JUN.2021 14:33:17

## 99 % Occupied Bandwidth



Date: 3.JUN.2021 14:32:51

## **APPENDIX F - MAXIMUM OUTPUT POWER**

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.01              | 0.00        | 15.01                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 15.52              | 0.00        | 15.52                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 14.68              | 0.00        | 14.68                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 15.16              | 0.00        | 15.16                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.35              | 0.00        | 16.35                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 14.31              | 0.00        | 14.31                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 18.10              | 29.04            | 0.8017         | Complies |
| 40      | 5200            | 18.97              | 29.04            | 0.8017         | Complies |
| 48      | 5240            | 17.51              | 29.04            | 0.8017         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 16.84              | 0.00        | 16.84                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.04              | 0.00        | 16.04                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 14.90              | 0.00        | 14.90                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 16.97              | 0.00        | 16.97                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 15.90              | 0.00        | 15.90                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 15.02              | 0.00        | 15.02                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 19.92              | 29.04            | 0.8017         | Complies |
| 40      | 5200            | 18.98              | 29.04            | 0.8017         | Complies |
| 48      | 5240            | 17.97              | 29.04            | 0.8017         | Complies |



|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.22              | 0.00        | 12.22                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 15.10              | 0.00        | 15.10                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.14              | 0.00        | 12.14                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 15.07              | 0.00        | 15.07                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-1_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 15.19              | 29.04            | 0.8017         | Complies |
| 46      | 5230            | 18.10              | 29.04            | 0.8017         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.05              | 0.00        | 17.05                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.13              | 0.00        | 16.13                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 15.13              | 0.00        | 15.13                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36      | 5180            | 17.12              | 0.00        | 17.12                            | 30.00            | 1.0000         | Complies |
| 40      | 5200            | 16.12              | 0.00        | 16.12                            | 30.00            | 1.0000         | Complies |
| 48      | 5240            | 15.13              | 0.00        | 15.13                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36      | 5180            | 20.10              | 29.04            | 0.8017         | Complies |
| 40      | 5200            | 19.14              | 29.04            | 0.8017         | Complies |
| 48      | 5240            | 18.14              | 29.04            | 0.8017         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.34              | 0.00        | 12.34                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 15.22              | 0.00        | 15.22                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38      | 5190            | 12.27              | 0.00        | 12.27                            | 30.00            | 1.0000         | Complies |
| 46      | 5230            | 15.16              | 0.00        | 15.16                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38      | 5190            | 15.32              | 29.04            | 0.8017         | Complies |
| 46      | 5230            | 18.20              | 29.04            | 0.8017         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 11.01              | 0.00        | 11.01                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42      | 5210            | 11.18              | 0.00        | 11.18                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42      | 5210            | 14.11              | 29.04            | 0.8017         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.71              | 0.00        | 14.71                            | 24.00            | 0.25           | Complies |
| 60      | 5300            | 13.96              | 0.00        | 13.96                            | 24.00            | 0.25           | Complies |
| 64      | 5320            | 14.27              | 0.00        | 14.27                            | 24.00            | 0.25           | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.35              | 0.00        | 14.35                            | 24.00            | 0.25           | Complies |
| 60      | 5300            | 13.53              | 0.00        | 13.53                            | 24.00            | 0.25           | Complies |
| 64      | 5320            | 13.56              | 0.00        | 13.56                            | 24.00            | 0.25           | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 17.54              | 22.85            | 0.1928         | Complies |
| 60      | 5300            | 16.76              | 22.85            | 0.1928         | Complies |
| 64      | 5320            | 16.94              | 22.85            | 0.1928         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.97              | 0.00        | 14.97                            | 24.00            | 0.25           | Complies |
| 60      | 5300            | 14.02              | 0.00        | 14.02                            | 24.00            | 0.25           | Complies |
| 64      | 5320            | 14.56              | 0.00        | 14.56                            | 24.00            | 0.25           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 14.89              | 0.00        | 14.89                            | 24.00            | 0.25           | Complies |
| 60      | 5300            | 13.94              | 0.00        | 13.94                            | 24.00            | 0.25           | Complies |
| 64      | 5320            | 14.43              | 0.00        | 14.43                            | 24.00            | 0.25           | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 17.94              | 22.85            | 0.1928         | Complies |
| 60      | 5300            | 16.99              | 22.85            | 0.1928         | Complies |
| 64      | 5320            | 17.51              | 22.85            | 0.1928         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 13.98              | 0.00        | 13.98                            | 24.00            | 0.25           | Complies |
| 62      | 5310            | 11.61              | 0.00        | 11.61                            | 24.00            | 0.25           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 13.80              | 0.00        | 13.80                            | 24.00            | 0.25           | Complies |
| 62      | 5310            | 11.53              | 0.00        | 11.53                            | 24.00            | 0.25           | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2A_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 16.90              | 22.85            | 0.1928         | Complies |
| 62      | 5310            | 14.58              | 22.85            | 0.1928         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.15              | 0.00        | 15.15                            | 24.00            | 0.25           | Complies |
| 60      | 5300            | 14.13              | 0.00        | 14.13                            | 24.00            | 0.25           | Complies |
| 64      | 5320            | 14.71              | 0.00        | 14.71                            | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 52      | 5260            | 15.11              | 0.00        | 15.11                            | 24.00            | 0.25           | Complies |
| 60      | 5300            | 14.05              | 0.00        | 14.05                            | 24.00            | 0.25           | Complies |
| 64      | 5320            | 14.62              | 0.00        | 14.62                            | 24.00            | 0.25           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 52      | 5260            | 18.14              | 22.85            | 0.1928         | Complies |
| 60      | 5300            | 17.10              | 22.85            | 0.1928         | Complies |
| 64      | 5320            | 17.68              | 22.85            | 0.1928         | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.11              | 0.00        | 14.11                            | 24.00            | 0.25           | Complies |
| 62      | 5310            | 11.78              | 0.00        | 11.78                            | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 54      | 5270            | 14.03              | 0.00        | 14.03                            | 24.00            | 0.25           | Complies |
| 62      | 5310            | 11.64              | 0.00        | 11.64                            | 24.00            | 0.25           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 54      | 5270            | 17.08              | 22.85            | 0.1928         | Complies |
| 62      | 5310            | 14.72              | 22.85            | 0.1928         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 11.52              | 0.00        | 11.52                            | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 58      | 5290            | 11.63              | 0.00        | 11.63                            | 24.00            | 0.25           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 58      | 5290            | 14.59              | 22.85            | 0.1928         | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.58              | 0.00        | 14.58                            | 24.00            | 0.25           | Complies |
| 116     | 5580            | 14.84              | 0.00        | 14.84                            | 24.00            | 0.25           | Complies |
| 140     | 5700            | 14.97              | 0.00        | 14.97                            | 24.00            | 0.25           | Complies |

|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.62              | 0.00        | 14.62                            | 24.00            | 0.25           | Complies |
| 116     | 5580            | 14.92              | 0.00        | 14.92                            | 24.00            | 0.25           | Complies |
| 140     | 5700            | 14.92              | 0.00        | 14.92                            | 24.00            | 0.25           | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2C_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 17.61              | 23.16            | 0.2070         | Complies |
| 116     | 5580            | 17.89              | 23.16            | 0.2070         | Complies |
| 140     | 5700            | 17.96              | 23.16            | 0.2070         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.94              | 0.00        | 14.94                            | 24.00            | 0.25           | Complies |
| 116     | 5580            | 14.14              | 0.00        | 14.14                            | 24.00            | 0.25           | Complies |
| 140     | 5700            | 14.26              | 0.00        | 14.26                            | 24.00            | 0.25           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.89              | 0.00        | 14.89                            | 24.00            | 0.25           | Complies |
| 116     | 5580            | 14.11              | 0.00        | 14.11                            | 24.00            | 0.25           | Complies |
| 140     | 5700            | 14.10              | 0.00        | 14.10                            | 24.00            | 0.25           | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 17.93              | 23.16            | 0.2070         | Complies |
| 116     | 5580            | 17.14              | 23.16            | 0.2070         | Complies |
| 140     | 5700            | 17.19              | 23.16            | 0.2070         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.36              | 0.00        | 12.36                            | 24.00            | 0.25           | Complies |
| 110     | 5550            | 18.97              | 0.00        | 18.97                            | 24.00            | 0.25           | Complies |
| 134     | 5670            | 19.00              | 0.00        | 19.00                            | 24.00            | 0.25           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.22              | 0.00        | 12.22                            | 24.00            | 0.25           | Complies |
| 110     | 5550            | 18.93              | 0.00        | 18.93                            | 24.00            | 0.25           | Complies |
| 134     | 5670            | 19.01              | 0.00        | 19.01                            | 24.00            | 0.25           | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-2C_TX N(HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 15.30              | 23.16            | 0.2070         | Complies |
| 110     | 5550            | 21.96              | 23.16            | 0.2070         | Complies |
| 134     | 5670            | 22.02              | 23.16            | 0.2070         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 15.03              | 0.00        | 15.03                            | 24.00            | 0.25           | Complies |
| 116     | 5580            | 14.36              | 0.00        | 14.36                            | 24.00            | 0.25           | Complies |
| 140     | 5700            | 14.34              | 0.00        | 14.34                            | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 100     | 5500            | 14.98              | 0.00        | 14.98                            | 24.00            | 0.25           | Complies |
| 116     | 5580            | 14.29              | 0.00        | 14.29                            | 24.00            | 0.25           | Complies |
| 140     | 5700            | 14.25              | 0.00        | 14.25                            | 24.00            | 0.25           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 100     | 5500            | 18.02              | 23.16            | 0.2070         | Complies |
| 116     | 5580            | 17.34              | 23.16            | 0.2070         | Complies |
| 140     | 5700            | 17.31              | 23.16            | 0.2070         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.53              | 0.00        | 12.53                            | 24.00            | 0.25           | Complies |
| 110     | 5550            | 19.12              | 0.00        | 19.12                            | 24.00            | 0.25           | Complies |
| 134     | 5670            | 19.15              | 0.00        | 19.15                            | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 102     | 5510            | 12.44              | 0.00        | 12.44                            | 24.00            | 0.25           | Complies |
| 110     | 5550            | 19.09              | 0.00        | 19.09                            | 24.00            | 0.25           | Complies |
| 134     | 5670            | 19.13              | 0.00        | 19.13                            | 24.00            | 0.25           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 102     | 5510            | 15.50              | 23.16            | 0.2070         | Complies |
| 110     | 5550            | 22.12              | 23.16            | 0.2070         | Complies |
| 134     | 5670            | 22.15              | 23.16            | 0.2070         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 11.52              | 0.00        | 11.52                            | 24.00            | 0.25           | Complies |
| 122     | 5610            | 17.54              | 0.00        | 17.54                            | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 106     | 5530            | 11.68              | 0.00        | 11.68                            | 24.00            | 0.25           | Complies |
| 122     | 5610            | 17.62              | 0.00        | 17.62                            | 24.00            | 0.25           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 106     | 5530            | 14.61              | 23.16            | 0.2070         | Complies |
| 122     | 5610            | 20.59              | 23.16            | 0.2070         | Complies |



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 17.62              | 0.00        | 17.62                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 17.71              | 0.00        | 17.71                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 17.24              | 0.00        | 17.24                            | 30.00            | 1.0000         | Complies |

|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 16.84              | 0.00        | 16.84                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 16.99              | 0.00        | 16.99                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 16.58              | 0.00        | 16.58                            | 30.00            | 1.0000         | Complies |

|           |                        |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 20.26              | 29.70            | 0.9333         | Complies |
| 157     | 5785            | 20.38              | 29.70            | 0.9333         | Complies |
| 165     | 5825            | 19.93              | 29.70            | 0.9333         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.42              | 0.00        | 15.42                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.25              | 0.00        | 15.25                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.91              | 0.00        | 13.91                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.45              | 0.00        | 15.45                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.32              | 0.00        | 15.32                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 13.92              | 0.00        | 13.92                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT20) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.45              | 29.70            | 0.9333         | Complies |
| 157     | 5785            | 18.30              | 29.70            | 0.9333         | Complies |
| 165     | 5825            | 16.93              | 29.70            | 0.9333         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 1 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 17.03              | 0.00        | 17.03                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 18.54              | 0.00        | 18.54                            | 30.00            | 1.0000         | Complies |

|           |                               |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Ant. 2 |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 16.92              | 0.00        | 16.92                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 18.47              | 0.00        | 18.47                            | 30.00            | 1.0000         | Complies |

|           |                              |
|-----------|------------------------------|
| Test Mode | UNII-3_TX N(HT40) Mode_Total |
|-----------|------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 19.99              | 29.70            | 0.9333         | Complies |
| 159     | 5795            | 21.52              | 29.70            | 0.9333         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.55              | 0.00        | 15.55                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.45              | 0.00        | 15.45                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.08              | 0.00        | 14.08                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149     | 5745            | 15.61              | 0.00        | 15.61                            | 30.00            | 1.0000         | Complies |
| 157     | 5785            | 15.55              | 0.00        | 15.55                            | 30.00            | 1.0000         | Complies |
| 165     | 5825            | 14.08              | 0.00        | 14.08                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149     | 5745            | 18.59              | 29.70            | 0.9333         | Complies |
| 157     | 5785            | 18.51              | 29.70            | 0.9333         | Complies |
| 165     | 5825            | 17.09              | 29.70            | 0.9333         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 17.12              | 0.00        | 17.12                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 18.65              | 0.00        | 18.65                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151     | 5755            | 17.08              | 0.00        | 17.08                            | 30.00            | 1.0000         | Complies |
| 159     | 5795            | 18.58              | 0.00        | 18.58                            | 30.00            | 1.0000         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151     | 5755            | 20.11              | 29.70            | 0.9333         | Complies |
| 159     | 5795            | 21.63              | 29.70            | 0.9333         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 19.49              | 0.00        | 19.49                            | 30.00            | 1.0000         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155     | 5775            | 19.34              | 0.00        | 19.34                            | 30.00            | 1.0000         | Complies |


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155     | 5775            | 22.43              | 29.70            | 0.9333         | Complies |

## **APPENDIX G - POWER SPECTRAL DENSITY**


|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 10.89                            | 0.00        | 10.89                                          | 17.00                | Complies |
| 40      | 5200            | 10.89                            | 0.00        | 10.89                                          | 17.00                | Complies |
| 48      | 5240            | 10.35                            | 0.00        | 10.35                                          | 17.00                | Complies |



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 9.26                             | 0.00        | 9.26                                           | 17.00                | Complies |
| 40      | 5200            | 9.63                             | 0.00        | 9.63                                           | 17.00                | Complies |
| 48      | 5240            | 9.27                             | 0.00        | 9.27                                           | 17.00                | Complies |




|           |                        |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 13.16                            | 16.04                | Complies |
| 40      | 5200            | 13.32                            | 16.04                | Complies |
| 48      | 5240            | 12.85                            | 16.04                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 10.45                            | 0.00        | 10.45                                          | 17.00                | Complies |
| 40      | 5200            | 10.41                            | 0.00        | 10.41                                          | 17.00                | Complies |
| 48      | 5240            | 9.63                             | 0.00        | 9.63                                           | 17.00                | Complies |



Date: 3.JUN.2021 15:13:47




Date: 3.JUN.2021 15:14:29




Date: 3.JUN.2021 15:16:41

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 8.89                             | 0.00        | 8.89                                           | 17.00                | Complies |
| 40      | 5200            | 9.25                             | 0.00        | 9.25                                           | 17.00                | Complies |
| 48      | 5240            | 8.63                             | 0.00        | 8.63                                           | 17.00                | Complies |



Date: 3.JUN.2021 15:45:04



Date: 3.JUN.2021 15:45:31



Date: 3.JUN.2021 15:46:03


|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.75                            | 16.04                | Complies |
| 40      | 5200            | 12.88                            | 16.04                | Complies |
| 48      | 5240            | 12.17                            | 16.04                | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 1 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.70                             | 0.00        | 6.70                                           | 17.00                | Complies |
| 46      | 5230            | 6.63                             | 0.00        | 6.63                                           | 17.00                | Complies |

CH38



Date: 3.JUN.2021 15:18:11

CH46




Date: 3.JUN.2021 15:19:22

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Ant. 2 |
|-----------|---------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.11                             | 0.00        | 6.11                                           | 17.00                | Complies |
| 46      | 5230            | 6.34                             | 0.00        | 6.34                                           | 17.00                | Complies |

CH38



Date: 3.JUN.2021 15:46:37

CH46




Date: 3.JUN.2021 15:47:09

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 9.43                             | 16.04                | Complies |
| 46      | 5230            | 9.50                             | 16.04                | Complies |


|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 4.12                             | 0.00        | 4.12                                           | 17.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 3.59                             | 0.00        | 3.59                                           | 17.00                | Complies |




|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 6.87                             | 16.04                | Complies |


|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 1 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 6.51                             | 0.00        | 6.51                                           | 11.00                | Complies |
| 60      | 5300            | 6.79                             | 0.00        | 6.79                                           | 11.00                | Complies |
| 64      | 5320            | 6.81                             | 0.00        | 6.81                                           | 11.00                | Complies |



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX A Mode_Ant. 2 |
|-----------|--------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 6.05                             | 0.00        | 6.05                                           | 11.00                | Complies |
| 60      | 5300            | 6.06                             | 0.00        | 6.06                                           | 11.00                | Complies |
| 64      | 5320            | 6.47                             | 0.00        | 6.47                                           | 11.00                | Complies |




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-2A_TX A Mode_Total |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 9.30                             | 9.85                 | Complies |
| 60      | 5300            | 9.45                             | 9.85                 | Complies |
| 64      | 5320            | 9.65                             | 9.85                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 6.40                             | 0.00        | 6.40                                           | 11.00                | Complies |
| 60      | 5300            | 6.78                             | 0.00        | 6.78                                           | 11.00                | Complies |
| 64      | 5320            | 6.51                             | 0.00        | 6.51                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 6.29                             | 0.00        | 6.29                                           | 11.00                | Complies |
| 60      | 5300            | 6.60                             | 0.00        | 6.60                                           | 11.00                | Complies |
| 64      | 5320            | 6.36                             | 0.00        | 6.36                                           | 11.00                | Complies |




|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 9.36                             | 9.85                 | Complies |
| 60      | 5300            | 9.70                             | 9.85                 | Complies |
| 64      | 5320            | 9.45                             | 9.85                 | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 6.73                             | 0.00        | 6.73                                           | 11.00                | Complies |
| 62      | 5310            | 6.77                             | 0.00        | 6.77                                           | 11.00                | Complies |

CH54



Date: 3.JUN.2021 16:49:15

CH62




Date: 3.JUN.2021 16:49:53

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 6.58                             | 0.00        | 6.58                                           | 11.00                | Complies |
| 62      | 5310            | 6.41                             | 0.00        | 6.41                                           | 11.00                | Complies |

CH54



Date: 3.JUN.2021 17:03:06

CH62




Date: 3.JUN.2021 17:06:35

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 9.67                             | 9.85                 | Complies |
| 62      | 5310            | 9.60                             | 9.85                 | Complies |


|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 3.92                             | 0.00        | 3.92                                           | 11.00                | Complies |



|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 58      | 5290            | 3.08                             | 0.00        | 3.08                                           | 11.00                | Complies |



|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 58      | 5290            | 6.53                             | 9.85                 | Complies |