

SP-7260

MANUAL DE USUARIO







1.Dual-rear camera	7.Ambient light
2.Receiver	8.Volume button +
3.Front camera	9.Volume button -
4.Card slots	10.Power button
5.Microphone	11.USB
6.Flashlight	12.Speaker

### SIM/SD card installation

Always ensure that SIM and MicroSD cards are inserted correctly into your phone.

The following figure shows the correct way to insert SIM and MicroSD cards into your phone.









S1 for Nano-SIM S2 micro SD or Nano-SIM

# Turning your phone on

To turn your phone on, press and hold the power button until the screen turns on.

## Turning your phone off

÷.

To power off your phone, press and hold the power button, and then touch



### Health and safety information

Ensure you carefully read the information below and that you follow this information when using your phone. This is to protect you, the people around you, and your phone.

To prevent possible hearing damage, do not listen at high volume levels for long periods.

 Emergency call: In an emergency situation, if the device is on and you are within network range, it can be used to make an emergency call.
However, emergency call numbers may not be reachable in all networks; you should never rely on your device for emergency calls.

 Children: Be very careful. A portable device is not designed for use by children. The phone contains small parts that could be swallowed or cause choking.

 Driving safety: Observe local laws and regulations while using the device. To reduce the risk of accidents, do not use your device while driving.

 Electronic implants and pacemakers: A minimum distance of 15cm between a device and a pacemaker is advised to avoid potential interference with the pacemaker. Hold the device on the opposite side to the implant as precautions when making a call. If you notice that your device is causing interference with a pacemaker, switch it off immediately and contact a doctor for advice on what action to take.

• Fire hazard: Do not leave your device near heat sources. Do not leave your device charging near flammable materials.

 Contact with liquid: Do not expose the device to liquid or touch it with wet hands. Any damage caused by water may be irreparable.

 Batteries: Do not attempt to disassemble the battery by yourself.
Do not destroy the batteries and chargers. It is recommended to recharge the battery at a room between 0°C and 45°C. To optimize battery life, only use the Siragon battery and charger supplied. Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

 Excepting: Observe the local regulations on phone packaging, battery and used phone disposal and bring them to the collection point for proper recycling. Do not dispose of used phones or batteries in a household rubbish bin. Take your used, unwanted lithium batteries to a designated place. Do not dispose of them in a rubbish bin.

 Electric shock: Do not try to dismantle your device as there is a very real risk of electric shock.

· Recharge your phone in a well-ventilated area.

· The socket-outlet should be near the device and easily accessible.

Obey all rules and regulations applicable to devices in hospitals and health care facilities.

· Do not expose your device to areas with flammables and explosives.

Do not crush, throw, or puncture your device. Avoid dropping, squeezing, or bending your device.

 Ideal operating temperatures are 0°C to 35°C. Ideal storage temperatures are 0°C to 45°C.

 To reduce the adverse effects of prolonged radiation exposure, we advise teenagers to hold the phone away from their lower abdomen, and that pregnant women hold the phone at a distance from their stomach.

#### FCC Statement

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: 1) this device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

--Reorient or relocate the receiving antenna.

--Increase the separation between the equipment and receiver.

--Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

--Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

#### **RF Exposure Statement**

SAR tests are conducted using standard operating positions According FCC standards with the device transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the device while operating can be well below the maximum value.

This model product has been tested and meets the FCC RF exposure guidelines with the test distance 0mm for head and 5mm for body worn. The highest SAR1g value is 0.671 W/Kg for head and 0.654 W/Kg for body worn. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with RF exposure requirements, and should be avoiled