


Ambit (Model 8460-05), Frequency: 2412 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.128 mW/g, SAR (1g): 0.0671 mW/g, SAR (10g): 0.0373 mW/g, (Worst-case extrapolation)
Penetration depth: 7.8 (7.0, 9.5) [mm]; Powerdrift: 0.11 dB
Coarse: Dx = 13.0, Dy = 13.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2437 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.127 mW/g, SAR (1g): 0.0659 mW/g, SAR (10g): 0.0358 mW/g, (Worst-case extrapolation)
Penetration depth: 6.9 (6.6, 7.5) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 13.0, Dy = 13.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2462 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.137 mW/g, SAR (1g): 0.0711 mW/g, SAR (10g): 0.0389 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.1, 8.8) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 13.0, Dy = 13.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2462 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.7 (7.1, 9.2) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2412 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.133 mW/g, SAR (1g): 0.0712 mW/g, SAR (10g): 0.0401 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (7.0, 8.1) [mm]; Powerdrift: -0.04 dB
Coarse: Dx = 13.0, Dy = 13.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2437 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.206 mW/g, SAR (1g): 0.108 mW/g, SAR (10g): 0.0585 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.0, 8.5) [mm]; Powerdrift: -0.16 dB
Coarse: Dx = 13.0, Dy = 13.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2437 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.6 (7.0, 9.0) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2462 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.159 mW/g, SAR (1g): 0.0837 mW/g, SAR (10g): 0.0473 mW/g, (Worst-case extrapolation)
Penetration depth: 7.3 (7.0, 8.0) [mm]; Powerdrift: -0.00 dB
Coarse: Dx = 13.0, Dy = 13.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2412 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.782 mW/g, SAR (1g): 0.389 mW/g, SAR (10g): 0.198 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.4, 7.8) [mm]; Powerdrift: -0.03 dB
Coarse: Dx = 14.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2412 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.7 (6.4, 7.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2437 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.623 mW/g, SAR (1g): 0.300 mW/g, SAR (10g): 0.148 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.1, 7.5) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 14.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2462 MHz (802.11b)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: $(90^\circ, 90^\circ)$
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.620 mW/g, SAR (1g): 0.304 mW/g, SAR (10g): 0.148 mW/g, (Worst-case extrapolation)
Penetration depth: 6.4 (6.2, 6.9) [mm]; Powerdrift: 0.15 dB
Coarse: Dx = 14.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2412 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.816 mW/g, SAR (1g): 0.408 mW/g, SAR (10g): 0.208 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.5, 7.6) [mm]; Powerdrift: 0.06 dB
Coarse: Dx = 14.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2437 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.923 mW/g, SAR (1g): 0.447 mW/g, SAR (10g): 0.223 mW/g, (Worst-case extrapolation)
Penetration depth: 6.6 (6.2, 7.7) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 14.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2437 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.8 (6.3, 7.9) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Ambit (Model 8460-05), Frequency: 2462 MHz (802.11g)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.09 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.662 mW/g, SAR (1g): 0.324 mW/g, SAR (10g): 0.163 mW/g, (Worst-case extrapolation)
Penetration depth: 6.4 (6.1, 7.3) [mm]; Powerdrift: 0.16 dB
Coarse: Dx = 14.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0

