

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2450

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25956.00	86.33	-35.84	50.49	74.00	-23.51	peak		
2	*	25956.00	72.05	-35.84	36.21	54.00	-17.79	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2450

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2441

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5190

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25990.00	86.26	-35.80	50.46	74.00	-23.54	peak		
2	*	25990.00	72.11	-35.80	36.31	54.00	-17.69	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2441

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2442

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5190

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25548.00	88.15	-36.34	51.81	74.00	-22.19	peak		Comment
2	*	25548.00	73.72	-36.34	37.38	54.00	-16.62	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2442

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2443

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5230

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25437.50	86.60	-36.48	50.12	74.00	-23.88	peak		
2	*	25437.50	71.90	-36.48	35.42	54.00	-18.58	AVG		


*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2443

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282

Radiated Emission Measurement


Site 3m Chamber #1 Polarization: **Vertical** Temperature: 24 C
 Limit: (RE)FCC PART 15 C Power: AC 120V/60Hz Humidity: 53 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode: 11nHT40 5230
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25786.00	87.70	-36.05	51.65	74.00	-22.35	peak		
2	*	25786.00	72.90	-36.05	36.85	54.00	-17.15	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2444

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2445

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5755

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25752.00	86.32	-36.09	50.23	74.00	-23.77	peak		
2	*	25752.00	71.38	-36.09	35.29	54.00	-18.71	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2445

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2446

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5755

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector cm	degree Comment
1		26270.50	86.44	-35.46	50.98	74.00	-23.02	peak	
2	*	26270.50	71.73	-35.46	36.27	54.00	-17.73	AVG	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2446

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2447

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5795

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		26449.00	87.19	-35.24	51.95	74.00	-22.05	peak		
2	*	26449.00	71.89	-35.24	36.65	54.00	-17.35	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2447

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Wajialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2448

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5795

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25344.00	88.19	-36.59	51.60	74.00	-22.40	peak		
2	*	25344.00	73.13	-36.59	36.54	54.00	-17.46	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2448

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2491

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38744.50	85.53	-34.55	50.98	74.00	-23.02	peak		0
2	*	38744.50	69.12	-34.55	34.57	54.00	-19.43	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUV\Data :#2491

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2492

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38785.00	85.36	-34.46	50.90	74.00	-23.10	peak		0
2	*	38785.00	67.87	-34.46	33.41	54.00	-20.59	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2492

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2493

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38353.00	85.69	-35.45	50.24	74.00	-23.76	peak		0
2	*	38353.00	70.31	-35.45	34.86	54.00	-19.14	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2493

Page: 1

Shenzhen EWTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.enteck.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2494

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		39406.00	86.24	-33.03	53.21	74.00	-20.79	peak		0
2	*	39406.00	71.38	-33.03	38.35	54.00	-15.65	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2494

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2495

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38096.50	87.82	-36.04	51.78	74.00	-22.22	peak		0
2	*	38096.50	72.61	-36.04	36.57	54.00	-17.43	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2495

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2496

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		36935.50	88.18	-37.32	50.86	74.00	-23.14	peak		0
2	*	36935.50	73.53	-37.32	36.21	54.00	-17.79	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2496

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2497

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		39298.00	84.94	-33.28	51.66	74.00	-22.34	peak		0
2	*	39298.00	70.96	-33.28	37.68	54.00	-16.32	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2497

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2498

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		37772.50	88.48	-36.49	51.99	74.00	-22.01	peak		0
2	*	37772.50	72.81	-36.49	36.32	54.00	-17.68	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2498

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2499

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38326.00	86.80	-35.51	51.29	74.00	-22.71	peak		0
2	*	38326.00	72.25	-35.51	36.74	54.00	-17.26	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2499

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2500

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		39217.00	86.01	-33.47	52.54	74.00	-21.46	peak		0
2	*	39217.00	71.68	-33.47	38.21	54.00	-15.79	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2500

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2501

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		39325.00	85.35	-33.22	52.13	74.00	-21.87	peak		0
2	*	39325.00	69.76	-33.22	36.54	54.00	-17.46	AVG		0


*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2501

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282

Radiated Emission Measurement


Site 3m Chamber #1 Polarization: **Vertical** Temperature: 24 C
 Limit: (RE)FCC PART 15C Power: AC 120V/60Hz Humidity: 53 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode: 11a 5825
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		38839.00	85.22	-34.33	50.89	74.00	-23.11	peak	0
2	*	38839.00	68.61	-34.33	34.28	54.00	-19.72	AVG	0

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2502

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2513

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		37988.50	85.99	-36.27	49.72	74.00	-24.28	peak		0
2	*	37988.50	70.48	-36.27	34.21	54.00	-19.79	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2513

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2514

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		35977.00	87.90	-38.24	49.66	74.00	-24.34	peak		0
2	*	35977.00	72.95	-38.24	34.71	54.00	-19.29	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2514

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2511

Date: 2017/04/20

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		35626.00	88.52	-38.11	50.41	74.00	-23.59	peak		0
2	*	35626.00	72.34	-38.11	34.23	54.00	-19.77	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2511

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282



Radiated Emission Measurement

File : TUV

Data : #2512

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode: 11nHT20 5200

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		36962.50	87.42	-37.29	50.13	74.00	-23.87	peak		0
2	*	36962.50	71.56	-37.29	34.27	54.00	-19.73	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File : TUVData : #2512

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2509

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		36274.00	87.92	-37.98	49.94	74.00	-24.06	peak		0
2	*	36274.00	72.26	-37.98	34.28	54.00	-19.72	AVG		0


*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2509

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282

Radiated Emission Measurement


Site 3m Chamber #1 Polarization: **Vertical** Temperature: 24 C
 Limit: (RE)FCC PART 15C Power: AC 120V/60Hz Humidity: 53 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode: 11nHT20 5240
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38704.00	85.66	-34.64	51.02	74.00	-22.98	peak		0
2	*	38704.00	69.50	-34.64	34.86	54.00	-19.14	AVG		0


*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2510

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement


Site 3m Chamber #1 Polarization: **Horizontal** Temperature: 24 C
 Limit: (RE)FCC PART 15C Power: AC 120V/60Hz Humidity: 53 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode: 11nHT20 5745
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		39406.00	84.15	-33.03	51.12	74.00	-22.88	peak		0	
2	*	39406.00	67.99	-33.03	34.96	54.00	-19.04	AVG		0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2507

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2508

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1		38906.50	85.74	-34.18	51.56	74.00	-22.44	peak	0
2	*	38906.50	69.90	-34.18	35.72	54.00	-18.28	AVG	0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2508

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2505

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5785

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		37826.50	88.02	-36.43	51.59	74.00	-22.41	peak		0
2	*	37826.50	73.79	-36.43	37.36	54.00	-16.64	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2505

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2506

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5785

Note:

No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	38623.00	85.87	-34.83	51.04	74.00	-22.96	peak		0
2 *	38623.00	70.06	-34.83	35.23	54.00	-18.77	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2506

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2503

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		37961.50	87.53	-36.30	51.23	74.00	-22.77	peak		0
2	*	37961.50	73.61	-36.30	37.31	54.00	-16.69	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2503

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2504

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT20 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		39703.00	84.46	-32.35	52.11	74.00	-21.89	peak		0
2	*	39703.00	67.99	-32.35	35.64	54.00	-18.36	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2504

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File : TUV

Data : #2515

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode: 11nHT40 5190

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		36517.00	87.75	-37.74	50.01	74.00	-23.99	peak		0
2	*	36517.00	72.50	-37.74	34.76	54.00	-19.24	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File : TUVData : #2515

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2516

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5190

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		35950.00	88.21	-38.23	49.98	74.00	-24.02	peak		0
2	*	35950.00	72.85	-38.23	34.62	54.00	-19.38	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK


File :TUVData :#2516

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
www.emtek.com.cn Tel: +86-755-2695 4283 Fax: +86-755-2695 4282



Radiated Emission Measurement



Site 3m Chamber #1 Polarization: **Horizontal** Temperature: 24 C
Limit: (RE)FCC PART 15C Power: AC 120V/60Hz Humidity: 53 %
EUT: Tablet PC
M/N: MHK003/MID1023
Mode: 11nHT40 5230
Note:

No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	35086.00	88.41	-37.91	50.50	74.00	-23.50	peak		0
2 *	35086.00	72.86	-37.91	34.95	54.00	-19.05	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2517

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2518

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5230

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38920.00	85.64	-34.15	51.49	74.00	-22.51	peak	0	
2	*	38920.00	69.58	-34.15	35.43	54.00	-18.57	AVG	0	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2518

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2519

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5755

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		35950.00	89.24	-38.23	51.01	74.00	-22.99	peak		0
2	*	35950.00	74.47	-38.23	36.24	54.00	-17.76	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2519

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2520

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5755

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		39190.00	85.93	-33.53	52.40	74.00	-21.60	peak		0
2	*	39190.00	70.36	-33.53	36.83	54.00	-17.17	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2520

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2521

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5795

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		36287.50	87.75	-37.96	49.79	74.00	-24.21	peak		0
2	*	36287.50	71.12	-37.96	33.16	54.00	-20.84	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2521

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2522

Date: 2017/04/20

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15C

Power: AC 120V/60Hz

Humidity: 53 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nHT40 5795

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		38839.00	84.98	-34.33	50.65	74.00	-23.35	peak		0
2	*	38839.00	68.96	-34.33	34.63	54.00	-19.37	AVG		0

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2522

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2633

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree
1	*	5149.050	55.57	0.81	56.38	68.23	-11.85	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2633

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2634

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5149.750	53.75	0.82	54.57	68.23	-13.66	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2634

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.entek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2636

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector cm	degree Comment
1	*	5351.600	51.88	1.20	53.08	68.23	-15.15	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2636

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2635

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5353.200	51.13	1.20	52.33	68.23	-15.90	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2635

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2637

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5725.000	64.45	1.92	66.37	122.23	-55.86	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2637

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2638

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5745

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm degree
1	*	5724.375	65.90	1.92	67.82	120.81	-52.99	peak	Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2638

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2639

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector cm	degree Comment
1	*	5850.000	63.61	2.16	65.77	122.23	-56.46	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2639

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement

File :TUV

Data :#2640

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C B4 (Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11a 5825

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5850.000	62.48	2.16	64.64	122.23	-57.59	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2640

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2648

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nH20 5180

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5145.050	56.67	0.80	57.47	68.23	-10.76	peak		Comment


*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2648

Page: 1

Shenzhen ENTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P.R. China
 www.entelek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282


Radiated Emission Measurement


Site 3m Chamber #1 Polarization: **Vertical** Temperature: 22 C
 Limit: (RE)FCC PART 15C(Bandedge)Peak Power: AC 120V/60Hz Humidity: 50 %
 EUT: Tablet PC
 M/N: MHK003/MID1023
 Mode: 11nH20 5180
 Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1	*	5148.650	60.62	0.81	61.43	68.23	-6.80	peak		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUVData: #2647

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File :TUV

Data :#2645

Date: 2017/04/21

Time:



Site 3m Chamber #1

Polarization: **Horizontal**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nH20 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5353.150	51.98	1.20	53.18	68.23	-15.05	peak		Comment

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2645

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282



Radiated Emission Measurement

File :TUV

Data :#2646

Date: 2017/04/21

Time:



Site 3m Chamber #1

 Polarization: **Vertical**

Temperature: 22 C

Limit: (RE)FCC PART 15C(Bandedge)Peak

Power: AC 120V/60Hz

Humidity: 50 %

EUT: Tablet PC

M/N: MHK003/MID1023

Mode:11nH20 5240

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector cm	degree Comment
1	*	5356.550	52.11	1.21	53.32	68.23	-14.91	peak	

*:Maximum data x:Over limit !:over margin

Operator: KK

File :TUVData :#2646

Page: 1