


Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.93	34.72	14.47	49.19	-	-	Vertical	NA
2	8096.64	37.44	0.51	37.95	54.00	16.05	Vertical	PASS
3	11968.43	35.27	5.08	40.35	54.00	13.65	Vertical	PASS
4	17987.73	32.12	13.61	45.73	54.00	8.27	Vertical	PASS
5	5296.38	41.02	14.47	55.49	-	-	Vertical	NA
6	7066.97	50.02	-1.53	48.49	68.20	19.71	Vertical	PASS
7	15081.20	42.48	9.10	51.58	68.20	16.62	Vertical	PASS
8	17885.76	39.16	13.52	52.68	74.00	21.32	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.41	31.77	14.55	46.32	-	-	Horizontal	NA
2	9027.02	36.71	2.42	39.13	54.00	14.87	Horizontal	PASS
3	12647.72	34.43	6.13	40.56	54.00	13.44	Horizontal	PASS
4	17996.55	31.87	13.74	45.61	54.00	8.39	Horizontal	PASS
5	5321.49	37.87	14.55	52.42	-	-	Horizontal	NA
6	9537.63	43.89	2.54	46.43	68.20	21.77	Horizontal	PASS
7	15088.87	40.78	9.07	49.85	68.20	18.35	Horizontal	PASS
8	17980.45	38.77	13.51	52.28	74.00	21.72	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	42.29	14.55	56.84	-	-	Vertical	NA
2	9449.08	36.93	2.07	39.00	54.00	15.00	Vertical	PASS
3	12650.02	34.56	6.18	40.74	54.00	13.26	Vertical	PASS
4	17972.78	32.19	13.40	45.59	54.00	8.41	Vertical	PASS
5	5321.68	47.54	14.55	62.09	-	-	Vertical	NA
6	7093.42	48.39	-1.52	46.87	68.20	21.33	Vertical	PASS
7	14083.74	42.22	8.16	50.38	68.20	17.82	Vertical	PASS
8	17858.93	39.65	13.88	53.53	74.00	20.47	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.98	32.12	14.68	46.80	-	-	Horizontal	NA
2	7333.78	42.01	-1.19	40.82	54.00	13.18	Horizontal	PASS
3	11373.48	35.14	5.20	40.34	54.00	13.66	Horizontal	PASS
4	17986.58	32.30	13.60	45.90	54.00	8.10	Horizontal	PASS
5	5498.60	38.61	14.67	53.28	-	-	Horizontal	NA
6	6331.88	34.93	17.04	51.97	68.20	16.23	Horizontal	PASS
7	13702.31	41.61	9.30	50.91	68.20	17.29	Horizontal	PASS
8	17996.17	39.50	13.73	53.23	74.00	20.77	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.17	39.98	14.68	54.66	-	-	Vertical	NA
2	7333.78	45.42	-1.19	44.23	54.00	9.77	Vertical	PASS
3	11385.75	35.01	5.28	40.29	54.00	13.71	Vertical	PASS
4	17874.26	32.24	13.68	45.92	54.00	8.08	Vertical	PASS
5	5500.98	45.60	14.68	60.28	-	-	Vertical	NA
6	7333.39	48.25	-1.18	47.07	74.00	26.93	Vertical	PASS
7	12086.12	42.62	5.26	47.88	74.00	26.12	Vertical	PASS
8	17359.05	40.44	12.21	52.65	68.20	15.55	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9454.83	37.40	2.14	39.54	54.00	14.46	Horizontal	PASS
2	12089.57	35.32	5.24	40.56	54.00	13.44	Horizontal	PASS
3	17879.63	32.10	13.61	45.71	54.00	8.29	Horizontal	PASS
4	6350.95	34.34	17.22	51.56	68.20	16.64	Horizontal	PASS
5	14044.63	42.11	8.02	50.13	68.20	18.07	Horizontal	PASS
6	17978.92	39.09	13.49	52.58	74.00	21.42	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5585.32	34.82	14.70	49.52	-	-	Vertical	NA
2	7440.35	42.23	-1.37	40.86	54.00	13.14	Vertical	PASS
3	11381.53	35.10	5.26	40.36	54.00	13.64	Vertical	PASS
4	17978.15	32.10	13.47	45.57	54.00	8.43	Vertical	PASS
5	5582.75	40.54	14.70	55.24	-	-	Vertical	NA
6	7439.96	46.68	-1.37	45.31	74.00	28.69	Vertical	PASS
7	15238.37	40.67	9.56	50.23	68.20	17.97	Vertical	PASS
8	17838.61	39.40	13.51	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5705.22	31.44	14.90	46.34	-	-	Horizontal	NA
2	8035.68	36.86	0.30	37.16	54.00	16.84	Horizontal	PASS
3	11402.61	40.20	5.38	45.58	54.00	8.42	Horizontal	PASS
4	17995.02	31.66	13.72	45.38	54.00	8.62	Horizontal	PASS
5	5700.82	37.27	14.89	52.16	-	-	Horizontal	NA
6	11401.08	45.23	5.38	50.61	74.00	23.39	Horizontal	PASS
7	15247.19	39.78	9.85	49.63	68.20	18.57	Horizontal	PASS
8	17847.43	39.80	13.88	53.68	74.00	20.32	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5701.37	38.74	14.89	53.63	-	-	Vertical	NA
2	7600.59	40.26	-0.92	39.34	54.00	14.66	Vertical	PASS
3	11401.46	41.66	5.38	47.04	54.00	6.96	Vertical	PASS
4	17847.04	32.28	13.86	46.14	54.00	7.86	Vertical	PASS
5	5704.67	44.34	14.90	59.24	-	-	Vertical	NA
6	7405.85	43.97	-0.43	43.54	74.00	30.46	Vertical	PASS
7	11403.38	47.08	5.37	52.45	74.00	21.55	Vertical	PASS
8	17998.08	39.00	13.76	52.76	74.00	21.24	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11485.03	38.53	4.88	43.41	54.00	10.59	Horizontal	PASS
2	15904.25	33.27	7.80	41.07	54.00	12.93	Horizontal	PASS
3	17833.63	32.22	13.30	45.52	54.00	8.48	Horizontal	PASS
4	11494.62	45.02	4.84	49.86	74.00	24.14	Horizontal	PASS
5	15068.17	40.41	9.15	49.56	68.20	18.64	Horizontal	PASS
6	17833.24	40.59	13.28	53.87	74.00	20.13	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	149
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5741.71	31.78	15.67	47.45	-	-	Vertical	NA
2	8114.65	37.30	0.61	37.91	54.00	16.09	Vertical	PASS
3	11487.33	40.57	4.87	45.44	54.00	8.56	Vertical	PASS
4	17850.88	32.29	13.98	46.27	54.00	7.73	Vertical	PASS
5	5742.07	38.27	15.67	53.94	-	-	Vertical	NA
6	8340.83	43.62	0.98	44.60	74.00	29.40	Vertical	PASS
7	11490.78	45.71	4.86	50.57	74.00	23.43	Vertical	PASS
8	17858.55	38.86	13.88	52.74	74.00	21.26	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9055.77	36.19	2.26	38.45	54.00	15.55	Horizontal	PASS
2	11578.95	36.75	5.39	42.14	54.00	11.86	Horizontal	PASS
3	17972.78	32.26	13.40	45.66	54.00	8.34	Horizontal	PASS
4	9004.40	43.76	2.55	46.31	74.00	27.69	Horizontal	PASS
5	11570.90	42.52	5.25	47.77	74.00	26.23	Horizontal	PASS
6	17912.98	39.26	13.27	52.53	74.00	21.47	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	157
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5788.09	36.07	15.67	51.74	-	-	Vertical	NA
2	7713.67	40.26	-0.70	39.56	54.00	14.44	Vertical	PASS
3	11568.99	39.83	5.22	45.05	54.00	8.95	Vertical	PASS
4	17991.95	31.81	13.68	45.49	54.00	8.51	Vertical	PASS
5	5787.91	41.52	15.67	57.19	-	-	Vertical	NA
6	11568.60	44.67	5.21	49.88	74.00	24.12	Vertical	PASS
7	15085.42	41.21	9.08	50.29	68.20	17.91	Vertical	PASS
8	17975.85	39.06	13.44	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11648.34	43.86	4.17	48.03	74.00	25.97	Horizontal	PASS
2	15065.49	40.99	9.16	50.15	68.20	18.05	Horizontal	PASS
3	17829.41	39.91	13.11	53.02	74.00	20.98	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	-	Channel	165
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5820.36	37.88	15.66	53.54	-	-	Vertical	NA
2	7397.03	36.55	-0.33	36.22	54.00	17.78	Vertical	PASS
3	11645.65	40.67	4.26	44.93	54.00	9.07	Vertical	PASS
4	17850.11	32.09	13.99	46.08	54.00	7.92	Vertical	PASS
5	5820.91	44.15	15.66	59.81	-	-	Vertical	NA
6	7954.03	43.77	0.07	43.84	68.20	24.36	Vertical	PASS
7	11651.79	46.70	4.15	50.85	74.00	23.15	Vertical	PASS
8	17355.60	40.28	12.23	52.51	68.20	15.69	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8468.87	35.84	1.35	37.19	54.00	16.81	Horizontal	PASS
2	11453.98	35.90	5.05	40.95	54.00	13.05	Horizontal	PASS
3	17983.13	32.25	13.54	45.79	54.00	8.21	Horizontal	PASS
4	6933.56	51.17	-2.03	49.14	68.20	19.06	Horizontal	PASS
5	13707.29	40.82	9.05	49.87	68.20	18.33	Horizontal	PASS
6	17891.51	39.39	13.45	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8102.00	36.99	0.53	37.52	54.00	16.48	Vertical	PASS
2	11376.16	35.26	5.21	40.47	54.00	13.53	Vertical	PASS
3	17888.06	32.81	13.50	46.31	54.00	7.69	Vertical	PASS
4	6933.18	54.85	-2.02	52.83	68.20	15.37	Vertical	PASS
5	13669.72	40.42	9.20	49.62	68.20	18.58	Vertical	PASS
6	17986.97	39.28	13.60	52.88	74.00	21.12	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.86	32.70	14.55	47.25	-	-	Horizontal	NA
2	8101.62	36.95	0.53	37.48	54.00	16.52	Horizontal	PASS
3	12061.20	34.77	5.38	40.15	54.00	13.85	Horizontal	PASS
4	17892.28	31.95	13.44	45.39	54.00	8.61	Horizontal	PASS
5	5321.68	38.09	14.55	52.64	-	-	Horizontal	NA
6	8060.60	43.97	0.42	44.39	74.00	29.61	Horizontal	PASS
7	13483.03	43.15	7.25	50.40	68.20	17.80	Horizontal	PASS
8	17864.30	38.34	13.81	52.15	74.00	21.85	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.31	42.58	14.55	57.13	-	-	Vertical	NA
2	9477.83	37.42	2.45	39.87	54.00	14.13	Vertical	PASS
3	11969.58	35.09	5.08	40.17	54.00	13.83	Vertical	PASS
4	17856.63	31.99	13.90	45.89	54.00	8.11	Vertical	PASS
5	5321.13	47.51	14.55	62.06	-	-	Vertical	NA
6	7093.42	47.39	-1.52	45.87	68.20	22.33	Vertical	PASS
7	14373.93	41.92	8.73	50.65	68.20	17.55	Vertical	PASS
8	17996.17	38.77	13.73	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5503.00	32.30	14.67	46.97	-	-	Horizontal	NA
2	9478.60	36.50	2.45	38.95	54.00	15.05	Horizontal	PASS
3	12055.45	35.01	5.41	40.42	54.00	13.58	Horizontal	PASS
4	17985.43	32.07	13.58	45.65	54.00	8.35	Horizontal	PASS
5	5500.62	38.11	14.68	52.79	-	-	Horizontal	NA
6	7333.39	46.17	-1.18	44.99	74.00	29.01	Horizontal	PASS
7	13448.15	42.29	7.28	49.57	68.20	18.63	Horizontal	PASS
8	17434.95	40.53	11.96	52.49	68.20	15.71	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.17	39.80	14.68	54.48	-	-	Vertical	NA
2	7333.78	45.36	-1.19	44.17	54.00	9.83	Vertical	PASS
3	11378.46	35.00	5.23	40.23	54.00	13.77	Vertical	PASS
4	17989.27	32.16	13.64	45.80	54.00	8.20	Vertical	PASS
5	5500.98	45.44	14.68	60.12	-	-	Vertical	NA
6	7333.39	48.36	-1.18	47.18	74.00	26.82	Vertical	PASS
7	11454.75	42.23	5.05	47.28	74.00	26.72	Vertical	PASS
8	17993.10	39.25	13.69	52.94	74.00	21.06	Vertical	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8087.05	36.74	0.49	37.23	54.00	16.77	Horizontal	PASS
2	11570.14	36.60	5.24	41.84	54.00	12.16	Horizontal	PASS
3	17844.74	31.81	13.77	45.58	54.00	8.42	Horizontal	PASS
4	11576.27	43.09	5.34	48.43	74.00	25.57	Horizontal	PASS
5	13404.06	41.39	6.73	48.12	68.20	20.08	Horizontal	PASS
6	17969.33	39.09	13.35	52.44	74.00	21.56	Horizontal	PASS

Project Information

Mode:	802.11n20	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5790.29	36.00	15.68	51.68	-	-	Vertical	NA
2	7713.67	40.24	-0.70	39.54	54.00	14.46	Vertical	PASS
3	11570.14	39.76	5.24	45.00	54.00	9.00	Vertical	PASS
4	17886.53	32.15	13.51	45.66	54.00	8.34	Vertical	PASS
5	5787.54	41.59	15.68	57.27	-	-	Vertical	NA
6	7713.67	44.54	-0.70	43.84	74.00	30.16	Vertical	PASS
7	11574.35	46.53	5.31	51.84	74.00	22.16	Vertical	PASS
8	17995.02	38.72	13.72	52.44	74.00	21.56	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9014.37	37.01	2.50	39.51	54.00	14.49	Horizontal	PASS
2	12411.58	35.61	6.02	41.63	54.00	12.37	Horizontal	PASS
3	17859.31	32.15	13.87	46.02	54.00	7.98	Horizontal	PASS
4	6973.43	50.79	-1.96	48.83	68.20	19.37	Horizontal	PASS
5	14666.04	41.58	9.50	51.08	68.20	17.12	Horizontal	PASS
6	17972.40	39.53	13.39	52.92	74.00	21.08	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8352.33	37.59	1.09	38.68	54.00	15.32	Vertical	PASS
2	11602.34	35.46	5.68	41.14	54.00	12.86	Vertical	PASS
3	17882.70	33.22	13.57	46.79	54.00	7.21	Vertical	PASS
4	6973.05	55.75	-1.97	53.78	68.20	14.42	Vertical	PASS
5	15250.64	40.82	9.93	50.75	68.20	17.45	Vertical	PASS
6	17991.95	39.38	13.68	53.06	74.00	20.94	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8384.15	37.73	0.98	38.71	54.00	15.29	Horizontal	PASS
2	11404.53	36.04	5.37	41.41	54.00	12.59	Horizontal	PASS
3	17984.67	33.05	13.57	46.62	54.00	7.38	Horizontal	PASS
4	10911.16	43.55	4.86	48.41	74.00	25.59	Horizontal	PASS
5	15127.97	42.11	8.29	50.40	68.20	17.80	Horizontal	PASS
6	17860.08	39.24	13.86	53.10	74.00	20.90	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.31	38.53	14.55	53.08	-	-	Vertical	NA
2	8422.86	37.52	1.03	38.55	54.00	15.45	Vertical	PASS
3	11452.07	36.44	5.06	41.50	54.00	12.50	Vertical	PASS
4	17988.12	32.85	13.62	46.47	54.00	7.53	Vertical	PASS
5	5321.86	44.04	14.55	58.59	-	-	Vertical	NA
6	7080.00	50.19	-1.53	48.66	68.20	19.54	Vertical	PASS
7	13658.61	41.64	9.12	50.76	68.20	17.44	Vertical	PASS
8	17374.38	41.19	12.15	53.34	68.20	14.86	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5682.12	33.35	14.92	48.27	-	-	Horizontal	NA
2	8362.68	37.20	1.06	38.26	54.00	15.74	Horizontal	PASS
3	11381.53	38.59	5.26	43.85	54.00	10.15	Horizontal	PASS
4	17852.41	32.47	13.95	46.42	54.00	7.58	Horizontal	PASS
5	5677.91	38.53	14.92	53.45	-	-	Horizontal	NA
6	11381.15	43.44	5.26	48.70	74.00	25.30	Horizontal	PASS
7	15242.59	41.83	9.70	51.53	68.20	16.67	Horizontal	PASS
8	17981.60	39.60	13.53	53.13	74.00	20.87	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5679.74	38.47	14.92	53.39	-	-	Vertical	NA
2	7587.17	42.79	-0.90	41.89	54.00	12.11	Vertical	PASS
3	11385.36	39.06	5.28	44.34	54.00	9.66	Vertical	PASS
4	17859.70	32.57	13.86	46.43	54.00	7.57	Vertical	PASS
5	5679.37	44.68	14.92	59.60	-	-	Vertical	NA
6	7586.79	46.71	-0.90	45.81	74.00	28.19	Vertical	PASS
7	11379.61	44.95	5.24	50.19	74.00	23.81	Vertical	PASS
8	17355.98	41.21	12.22	53.43	68.20	14.77	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5805.69	30.71	15.68	46.39	-	-	Horizontal	NA
2	8341.59	37.61	1.00	38.61	54.00	15.39	Horizontal	PASS
3	11603.49	36.91	5.63	42.54	54.00	11.46	Horizontal	PASS
4	17977.77	32.56	13.47	46.03	54.00	7.97	Horizontal	PASS
5	5807.34	37.52	15.67	53.19	-	-	Horizontal	NA
6	11588.92	43.08	5.56	48.64	74.00	25.36	Horizontal	PASS
7	13691.19	41.78	9.36	51.14	68.20	17.06	Horizontal	PASS
8	17994.63	39.43	13.71	53.14	74.00	20.86	Horizontal	PASS

Project Information

Mode:	802.11n40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5804.78	37.12	15.68	52.80	-	-	Vertical	NA
2	7727.09	40.40	-0.79	39.61	54.00	14.39	Vertical	PASS
3	11602.72	38.15	5.66	43.81	54.00	10.19	Vertical	PASS
4	17983.90	33.34	13.56	46.90	54.00	7.10	Vertical	PASS
5	5803.86	43.51	15.68	59.19	-	-	Vertical	NA
6	7870.46	44.57	-0.33	44.24	68.20	23.96	Vertical	PASS
7	11602.34	43.94	5.68	49.62	74.00	24.38	Vertical	PASS
8	17878.10	39.14	13.63	52.77	74.00	21.23	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:	P12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8097.40	37.80	0.51	38.31	54.00	15.69	Horizontal	PASS
2	11472.77	36.01	4.95	40.96	54.00	13.04	Horizontal	PASS
3	17973.55	32.26	13.40	45.66	54.00	8.34	Horizontal	PASS
4	8368.43	44.60	1.04	45.64	74.00	28.36	Horizontal	PASS
5	14077.99	41.85	8.14	49.99	68.20	18.21	Horizontal	PASS
6	17973.17	39.43	13.40	52.83	74.00	21.17	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:	P12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8115.80	37.62	0.61	38.23	54.00	15.77	Vertical	PASS
2	12482.50	35.92	5.40	41.32	54.00	12.68	Vertical	PASS
3	17990.03	32.43	13.65	46.08	54.00	7.92	Vertical	PASS
4	8115.04	45.09	0.61	45.70	74.00	28.30	Vertical	PASS
5	13685.06	41.32	9.32	50.64	68.20	17.56	Vertical	PASS
6	17990.42	39.40	13.65	53.05	74.00	20.95	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8429.00	37.33	1.07	38.40	54.00	15.60	Horizontal	PASS
2	12688.36	35.34	5.99	41.33	54.00	12.67	Horizontal	PASS
3	17986.58	33.26	13.60	46.86	54.00	7.14	Horizontal	PASS
4	7053.17	47.88	-1.54	46.34	68.20	21.86	Horizontal	PASS
5	15064.72	42.54	9.17	51.71	68.20	16.49	Horizontal	PASS
6	17995.02	39.07	13.72	52.79	74.00	21.21	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5365.86	38.38	14.64	53.02	-	-	Vertical	NA
2	8316.29	37.45	0.68	38.13	54.00	15.87	Vertical	PASS
3	12375.55	35.54	5.76	41.30	54.00	12.70	Vertical	PASS
4	17888.83	33.04	13.49	46.53	54.00	7.47	Vertical	PASS
5	5356.15	46.23	14.63	60.86	-	-	Vertical	NA
6	7053.17	52.42	-1.54	50.88	68.20	17.32	Vertical	PASS
7	13683.91	41.86	9.30	51.16	68.20	17.04	Vertical	PASS
8	17852.80	39.06	13.96	53.02	74.00	20.98	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7373.65	42.57	-0.76	41.81	54.00	12.19	Horizontal	PASS
2	11374.25	35.56	5.21	40.77	54.00	13.23	Horizontal	PASS
3	17850.50	31.84	13.98	45.82	54.00	8.18	Horizontal	PASS
4	7373.26	45.65	-0.77	44.88	74.00	29.12	Horizontal	PASS
5	15238.37	41.08	9.56	50.64	68.20	17.56	Horizontal	PASS
6	17981.60	39.78	13.53	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8327.79	37.62	0.82	38.44	54.00	15.56	Vertical	PASS
2	11588.15	37.65	5.55	43.20	54.00	10.80	Vertical	PASS
3	17988.88	32.98	13.63	46.61	54.00	7.39	Vertical	PASS
4	8837.26	43.74	2.84	46.58	68.20	21.62	Vertical	PASS
5	11590.45	42.35	5.58	47.93	74.00	26.07	Vertical	PASS
6	17876.18	39.57	13.65	53.22	74.00	20.78	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9140.87	36.25	3.13	39.38	54.00	14.62	Horizontal	PASS
2	12423.08	35.44	5.78	41.22	54.00	12.78	Horizontal	PASS
3	17996.55	32.83	13.74	46.57	54.00	7.43	Horizontal	PASS
4	9283.86	43.55	2.97	46.52	68.20	21.68	Horizontal	PASS
5	14628.09	41.40	9.30	50.70	68.20	17.50	Horizontal	PASS
6	17865.45	39.23	13.79	53.02	74.00	20.98	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7480.22	42.24	-1.37	40.87	54.00	13.13	Vertical	PASS
2	11603.10	35.59	5.65	41.24	54.00	12.76	Vertical	PASS
3	17848.96	32.38	13.95	46.33	54.00	7.67	Vertical	PASS
4	7479.83	46.15	-1.37	44.78	74.00	29.22	Vertical	PASS
5	14667.57	41.32	9.46	50.78	68.20	17.42	Vertical	PASS
6	17998.85	39.32	13.78	53.10	74.00	20.90	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9149.69	36.27	3.36	39.63	54.00	14.37	Horizontal	PASS
2	11587.77	36.56	5.54	42.10	54.00	11.90	Horizontal	PASS
3	17875.03	33.07	13.66	46.73	54.00	7.27	Horizontal	PASS
4	9033.53	43.98	2.39	46.37	74.00	27.63	Horizontal	PASS
5	13712.27	41.95	8.79	50.74	68.20	17.46	Horizontal	PASS
6	17880.40	39.32	13.59	52.91	74.00	21.09	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	866034070236643	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5700.09	41.21	15.81	57.02	-	-	Vertical	NA
2	7700.26	40.62	-0.61	40.01	54.00	13.99	Vertical	PASS
3	11568.99	36.54	5.22	41.76	54.00	12.24	Vertical	PASS
4	17983.13	32.92	13.54	46.46	54.00	7.54	Vertical	PASS
5	5716.96	49.71	15.75	65.46	-	-	Vertical	NA
6	7699.87	44.72	-0.61	44.11	74.00	29.89	Vertical	PASS
7	15224.96	41.56	9.11	50.67	68.20	17.53	Vertical	PASS
8	17982.75	40.10	13.54	53.64	74.00	20.36	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
IMEI:	866034070236585	Engineer:	Shen Zhuang
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.81	31.85	12.39	44.24	54.00	9.76	Horizontal	PASS
2	5146.56	32.00	12.46	44.46	54.00	9.54	Horizontal	PASS
3	5148.83	31.88	12.48	44.36	54.00	9.64	Horizontal	PASS
4	5137.68	43.84	12.39	56.23	74.00	17.77	Horizontal	PASS
5	5146.53	43.56	12.46	56.02	74.00	17.98	Horizontal	PASS
6	5148.83	43.04	12.48	55.52	74.00	18.48	Horizontal	PASS