

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 15.40                        | 1.21        | 16.61                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 15.82                        | 1.21        | 17.03                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 15.75                        | 1.21        | 16.96                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 15.17                        | 1.21        | 16.38                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 15.79                        | 1.21        | 17.00                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 15.50                        | 1.21        | 16.71                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 14.83                        | 1.21        | 16.04                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 14.96                        | 1.21        | 16.17                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 15.00                        | 1.21        | 16.21                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 14.71                        | 1.21        | 15.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 15.39                        | 1.21        | 16.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 15.38                        | 1.21        | 16.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 14.53                        | 1.21        | 15.74                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 15.74                        | 1.21        | 16.95                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 15.08                        | 1.21        | 16.29                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 14.06                        | 1.21        | 15.27                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 14.49                        | 1.21        | 15.70                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 14.37                        | 1.21        | 15.58                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 22.11                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 22.45                        | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 22.40                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 21.85                        | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 22.59                        | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 22.10                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 21.25                        | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 21.54                        | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 21.51                        | 26.98            | 0.50           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 6.64                         | 0.84        | 7.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.40                         | 0.84        | 7.24                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.15                         | 0.84        | 6.99                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.03                         | 0.84        | 9.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.81                         | 0.84        | 9.65                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.02                        | 0.84        | 12.86                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 6.34                         | 0.84        | 7.18                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.01                         | 0.84        | 6.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.89                         | 0.84        | 6.73                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.48                         | 0.84        | 9.32                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.53                         | 0.84        | 9.37                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.50                        | 0.84        | 12.34                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 5.94                         | 0.84        | 6.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.71                         | 0.84        | 6.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.98                         | 0.84        | 6.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.10                         | 0.84        | 8.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.06                         | 0.84        | 8.90                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.36                        | 0.84        | 12.2                                       | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 6.62                         | 0.84        | 7.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.72                         | 0.84        | 7.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.76                         | 0.84        | 7.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.02                         | 0.84        | 9.86                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.95                         | 0.84        | 9.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.47                        | 0.84        | 12.31                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 6.67                         | 0.84        | 7.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.68                         | 0.84        | 7.52                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.58                         | 0.84        | 7.42                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.62                         | 0.84        | 9.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.59                         | 0.84        | 9.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.22                        | 0.84        | 12.06                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 6.64                         | 0.84        | 7.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.55                         | 0.84        | 7.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.59                         | 0.84        | 7.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.43                         | 0.84        | 9.27                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.45                         | 0.84        | 9.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.15                        | 0.84        | 11.99                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 6.20                         | 0.84        | 7.04                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.32                         | 0.84        | 7.16                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.09                         | 0.84        | 6.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.10                         | 0.84        | 9.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.98                         | 0.84        | 9.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.44                        | 0.84        | 13.28                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 6.19                         | 0.84        | 7.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.14                         | 0.84        | 6.98                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.98                         | 0.84        | 6.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.66                         | 0.84        | 9.50                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.53                         | 0.84        | 9.37                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.98                        | 0.84        | 12.82                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 6.06                         | 0.84        | 6.90                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.89                         | 0.84        | 6.73                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.99                         | 0.84        | 6.83                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.64                         | 0.84        | 9.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.47                         | 0.84        | 9.31                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.80                        | 0.84        | 12.64                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 7.11                         | 0.84        | 7.95                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 7.10                         | 0.84        | 7.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 7.06                         | 0.84        | 7.90                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.41                         | 0.84        | 10.25                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 9.31                         | 0.84        | 10.15                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.31                        | 0.84        | 13.15                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 6.92                         | 0.84        | 7.76                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 7.01                         | 0.84        | 7.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.93                         | 0.84        | 7.77                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.78                         | 0.84        | 9.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.79                         | 0.84        | 9.63                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.11                        | 0.84        | 11.95                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 6.56                         | 0.84        | 7.40                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.72                         | 0.84        | 7.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.97                         | 0.84        | 7.81                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.92                         | 0.84        | 9.76                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.94                         | 0.84        | 9.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.78                        | 0.84        | 12.62                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 13.51                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 13.51                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.39                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 16.00                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.88                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.94                        | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 13.40                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 13.34                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.23                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.50                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.47                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.33                        | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 13.17                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 13.10                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.26                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.39                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.35                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.39                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 6.17                         | 1.08        | 7.25                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.90                         | 1.08        | 6.98                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.50                         | 1.08        | 6.58                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.22                         | 1.08        | 10.30                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.60                         | 1.08        | 9.68                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.50                         | 1.08        | 9.58                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.90                        | 1.08        | 13.98                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.13                        | 1.08        | 13.21                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.00                        | 1.08        | 15.08                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 5.39                         | 1.08        | 6.47                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.45                         | 1.08        | 6.53                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.80                         | 1.08        | 6.88                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.99                         | 1.08        | 10.07                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.69                         | 1.08        | 9.77                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.11                         | 1.08        | 9.19                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.01                        | 1.08        | 13.09                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.92                        | 1.08        | 13.00                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.14                        | 1.08        | 13.22                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 6.19                         | 1.08        | 7.27                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.25                         | 1.08        | 7.33                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.83                         | 1.08        | 6.91                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.74                         | 1.08        | 9.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.48                         | 1.08        | 9.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.23                         | 1.08        | 9.31                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.33                        | 1.08        | 13.41                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.47                        | 1.08        | 12.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.03                        | 1.08        | 14.11                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 5.97                         | 1.08        | 7.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.27                         | 1.08        | 7.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 6.09                         | 1.08        | 7.17                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.72                         | 1.08        | 9.80                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.53                         | 1.08        | 9.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.33                         | 1.08        | 9.41                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.69                        | 1.08        | 12.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.74                        | 1.08        | 12.82                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 11.87                        | 1.08        | 12.95                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 6.96                         | 1.08        | 8.04                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.91                         | 1.08        | 7.99                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 6.54                         | 1.08        | 7.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.82                         | 1.08        | 10.90                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 9.35                         | 1.08        | 10.43                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.95                         | 1.08        | 10.03                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.57                        | 1.08        | 14.65                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.57                        | 1.08        | 13.65                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.13                        | 1.08        | 15.21                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 6.27                         | 1.08        | 7.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.52                         | 1.08        | 7.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 6.43                         | 1.08        | 7.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.49                         | 1.08        | 9.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 9.47                         | 1.08        | 10.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.90                         | 1.08        | 9.98                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.60                        | 1.08        | 13.68                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.58                        | 1.08        | 13.66                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.00                        | 1.08        | 14.08                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 6.31                         | 1.08        | 7.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.04                         | 1.08        | 7.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.71                         | 1.08        | 6.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.15                         | 1.08        | 10.23                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.70                         | 1.08        | 9.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.23                         | 1.08        | 9.31                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.94                        | 1.08        | 14.02                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.11                        | 1.08        | 13.19                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.05                        | 1.08        | 15.13                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 5.39                         | 1.08        | 6.47                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.70                         | 1.08        | 6.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.76                         | 1.08        | 5.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.87                         | 1.08        | 9.95                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.36                         | 1.08        | 9.44                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.37                         | 1.08        | 9.45                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.96                        | 1.08        | 13.04                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.06                        | 1.08        | 13.14                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.30                        | 1.08        | 13.38                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 13.52                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.39                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 13.01                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 16.35                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.90                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.59                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 20.06                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 19.19                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.92                        | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 12.87                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.11                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.91                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.87                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.88                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.54                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 19.18                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 19.19                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 19.45                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 9.57                         | 1.21        | 10.78                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 9.17                         | 1.21        | 10.38                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.85                         | 1.21        | 10.06                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.46                        | 1.21        | 14.67                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 12.90                        | 1.21        | 14.11                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.40                        | 1.21        | 13.61                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.34                        | 1.21        | 14.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.44                        | 1.21        | 14.65                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.98                        | 1.21        | 14.19                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 8.69                         | 1.21        | 9.90                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.65                         | 1.21        | 9.86                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.64                         | 1.21        | 9.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.71                        | 1.21        | 13.92                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 12.27                        | 1.21        | 13.48                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.04                        | 1.21        | 13.25                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.57                        | 1.21        | 13.78                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 12.69                        | 1.21        | 13.90                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.32                        | 1.21        | 13.53                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 9.84                         | 1.21        | 11.05                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 9.69                         | 1.21        | 10.9                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.59                         | 1.21        | 10.8                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.76                        | 1.21        | 14.97                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 13.16                        | 1.21        | 14.37                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.78                        | 1.21        | 13.99                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.48                        | 1.21        | 13.69                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.95                        | 1.21        | 15.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.54                        | 1.21        | 14.75                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 9.03                         | 1.21        | 10.24                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.96                         | 1.21        | 10.17                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.36                         | 1.21        | 10.57                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.49                        | 1.21        | 14.70                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 12.80                        | 1.21        | 14.01                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.68                        | 1.21        | 13.89                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.37                        | 1.21        | 14.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.59                        | 1.21        | 14.80                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.09                        | 1.21        | 14.30                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 16.53                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 16.36                        | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 16.35                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 20.60                        | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 20.02                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 19.71                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.19                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 20.67                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 20.23                        | 20.98            | 0.13           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 12.34                        | 1.02        | 13.36                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 13.56                        | 1.02        | 14.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/S64          | 12.37                        | 1.02        | 13.39                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.75                        | 1.02        | 13.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.65                        | 1.02        | 14.67                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/S66          | 12.57                        | 1.02        | 13.59                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.88                        | 1.02        | 13.90                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/S67          | 12.87                        | 1.02        | 13.89                                      | 20.98            | 0.13           | Complies |
|         |                 | 996*2/S68        | 14.56                        | 1.02        | 15.58                                      | 20.98            | 0.13           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.70                        | 1.02        | 12.72                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 13.09                        | 1.02        | 14.11                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/S64          | 12.14                        | 1.02        | 13.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.22                        | 1.02        | 13.24                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.13                        | 1.02        | 14.15                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/S66          | 12.57                        | 1.02        | 13.59                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.47                        | 1.02        | 13.49                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/S67          | 12.67                        | 1.02        | 13.69                                      | 20.98            | 0.13           | Complies |
|         |                 | 996*2/S68        | 14.29                        | 1.02        | 15.31                                      | 20.98            | 0.13           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.52                        | 1.02        | 12.54                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.86                        | 1.02        | 12.88                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/S64          | 10.46                        | 1.02        | 11.48                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 10.89                        | 1.02        | 11.91                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 11.79                        | 1.02        | 12.81                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/S66          | 10.58                        | 1.02        | 11.60                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 11.14                        | 1.02        | 12.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/S67          | 11.17                        | 1.02        | 12.19                                      | 20.98            | 0.13           | Complies |
|         |                 | 996*2/S68        | 12.21                        | 1.02        | 13.23                                      | 20.98            | 0.13           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 4 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.47                        | 1.02        | 12.49                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 13.07                        | 1.02        | 14.09                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/S64          | 12.30                        | 1.02        | 13.32                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 11.92                        | 1.02        | 12.94                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 12.93                        | 1.02        | 13.95                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/S66          | 12.59                        | 1.02        | 13.61                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.29                        | 1.02        | 13.31                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/S67          | 12.77                        | 1.02        | 13.79                                      | 20.98            | 0.13           | Complies |
|         |                 | 996*2/S68        | 14.03                        | 1.02        | 15.05                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 18.81                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 19.98                        | 20.98            | 0.13           | Complies |
|         |                 | 242/S64          | 18.93                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 19.04                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 19.97                        | 20.98            | 0.13           | Complies |
|         |                 | 484/S66          | 19.20                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 19.28                        | 20.98            | 0.13           | Complies |
|         |                 | 996/S67          | 19.46                        | 20.98            | 0.13           | Complies |
|         |                 | 996*2/S68        | 20.91                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.00                         | 0.84        | 5.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.09                         | 0.84        | 5.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.86                         | 0.84        | 5.70                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.50                         | 0.84        | 8.34                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.41                         | 0.84        | 8.25                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.69                        | 0.84        | 11.53                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 5.03                         | 0.84        | 5.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.15                         | 0.84        | 5.99                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.76                         | 0.84        | 5.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.37                         | 0.84        | 8.21                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.24                         | 0.84        | 8.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.51                        | 0.84        | 11.35                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.21                         | 0.84        | 6.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.21                         | 0.84        | 6.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.93                         | 0.84        | 5.77                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.62                         | 0.84        | 8.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.30                         | 0.84        | 8.14                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.31                        | 0.84        | 11.15                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.67                         | 0.84        | 6.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.90                         | 0.84        | 6.74                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.72                         | 0.84        | 6.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.53                         | 0.84        | 8.37                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.62                         | 0.84        | 8.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.32                        | 0.84        | 11.16                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 5.32                         | 0.84        | 6.16                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.68                         | 0.84        | 6.52                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.53                         | 0.84        | 6.37                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.41                         | 0.84        | 8.25                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.50                         | 0.84        | 8.34                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.01                        | 0.84        | 10.85                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.40                         | 0.84        | 6.24                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.29                         | 0.84        | 6.13                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.77                         | 0.84        | 5.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.45                         | 0.84        | 8.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.23                         | 0.84        | 8.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 9.73                         | 0.84        | 10.57                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.94                         | 0.84        | 6.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.24                         | 0.84        | 7.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.99                         | 0.84        | 6.83                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.20                         | 0.84        | 9.04                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.33                         | 0.84        | 9.17                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.50                        | 0.84        | 12.34                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 5.70                         | 0.84        | 6.54                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.94                         | 0.84        | 6.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.98                         | 0.84        | 6.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.02                         | 0.84        | 8.86                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.09                         | 0.84        | 8.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.14                        | 0.84        | 11.98                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.85                         | 0.84        | 6.69                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.67                         | 0.84        | 6.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.42                         | 0.84        | 6.26                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.32                         | 0.84        | 9.16                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.99                         | 0.84        | 8.83                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.94                        | 0.84        | 11.78                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.67                         | 0.84        | 6.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.21                         | 0.84        | 6.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.61                         | 0.84        | 6.45                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.75                         | 0.84        | 8.59                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.81                         | 0.84        | 8.65                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.26                        | 0.84        | 12.10                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 5.28                         | 0.84        | 6.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.54                         | 0.84        | 6.38                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.44                         | 0.84        | 6.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.73                         | 0.84        | 8.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.70                         | 0.84        | 8.54                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.81                        | 0.84        | 11.65                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.43                         | 0.84        | 6.27                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.22                         | 0.84        | 6.06                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.20                         | 0.84        | 6.04                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.71                         | 0.84        | 8.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.65                         | 0.84        | 8.49                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.41                        | 0.84        | 11.25                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 12.44                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 12.50                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.43                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.61                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.67                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 17.83                        | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 12.20                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 12.45                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.31                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.50                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.50                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 17.50                        | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 12.34                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 12.21                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 11.95                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.65                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.41                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 17.23                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 5.06                         | 1.08        | 6.14                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.71                         | 1.08        | 5.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.99                         | 1.08        | 6.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.24                         | 1.08        | 9.32                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.69                         | 1.08        | 8.77                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.70                         | 1.08        | 8.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.50                        | 1.08        | 12.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.84                        | 1.08        | 11.92                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.70                        | 1.08        | 14.78                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 4.99                         | 1.08        | 6.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.89                         | 1.08        | 5.97                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.04                         | 1.08        | 6.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.88                         | 1.08        | 8.96                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.46                         | 1.08        | 8.54                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.71                         | 1.08        | 8.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.10                        | 1.08        | 13.18                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.06                        | 1.08        | 12.14                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.45                        | 1.08        | 14.53                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 5.38                         | 1.08        | 6.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.61                         | 1.08        | 6.69                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.07                         | 1.08        | 6.15                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.03                         | 1.08        | 9.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.18                         | 1.08        | 9.26                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.43                         | 1.08        | 8.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.56                        | 1.08        | 12.64                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.27                        | 1.08        | 11.35                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.70                        | 1.08        | 13.78                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 5.03                         | 1.08        | 6.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.28                         | 1.08        | 6.36                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.14                         | 1.08        | 6.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.04                         | 1.08        | 9.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.79                         | 1.08        | 8.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.83                         | 1.08        | 8.91                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.04                        | 1.08        | 12.12                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.45                        | 1.08        | 11.53                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.03                        | 1.08        | 14.11                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 4.97                         | 1.08        | 6.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.09                         | 1.08        | 6.17                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.22                         | 1.08        | 6.30                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.52                         | 1.08        | 9.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.39                         | 1.08        | 8.47                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.54                         | 1.08        | 8.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.13                        | 1.08        | 12.21                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.47                        | 1.08        | 11.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.79                        | 1.08        | 13.87                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 5.20                         | 1.08        | 6.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.07                         | 1.08        | 6.15                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.76                         | 1.08        | 5.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.59                         | 1.08        | 8.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.47                         | 1.08        | 8.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.10                         | 1.08        | 8.18                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.76                        | 1.08        | 11.84                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 9.39                         | 1.08        | 10.47                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.01                        | 1.08        | 13.09                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 5.66                         | 1.08        | 6.74                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.99                         | 1.08        | 7.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.68                         | 1.08        | 6.76                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.08                         | 1.08        | 10.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.64                         | 1.08        | 9.72                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.55                         | 1.08        | 9.63                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.22                        | 1.08        | 13.30                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.52                        | 1.08        | 12.60                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.21                        | 1.08        | 15.29                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 5.47                         | 1.08        | 6.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.75                         | 1.08        | 6.83                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.84                         | 1.08        | 6.92                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.62                         | 1.08        | 8.70                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.00                         | 1.08        | 9.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.25                         | 1.08        | 9.33                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.27                        | 1.08        | 13.35                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.47                        | 1.08        | 12.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.28                        | 1.08        | 15.36                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 5.84                         | 1.08        | 6.92                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.04                         | 1.08        | 7.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.55                         | 1.08        | 6.63                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.59                         | 1.08        | 9.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.85                         | 1.08        | 9.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.21                         | 1.08        | 9.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.98                        | 1.08        | 13.06                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.76                        | 1.08        | 11.84                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.42                        | 1.08        | 14.50                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 5.12                         | 1.08        | 6.20                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.39                         | 1.08        | 6.47                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.42                         | 1.08        | 6.50                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.60                         | 1.08        | 9.68                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.99                         | 1.08        | 9.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.00                         | 1.08        | 9.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.00                        | 1.08        | 13.08                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.88                        | 1.08        | 11.96                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.19                        | 1.08        | 15.27                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 4.85                         | 1.08        | 5.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.11                         | 1.08        | 6.19                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.30                         | 1.08        | 6.38                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.11                         | 1.08        | 9.19                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.47                         | 1.08        | 8.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.86                         | 1.08        | 8.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.81                        | 1.08        | 12.89                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.85                        | 1.08        | 11.93                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.73                        | 1.08        | 14.81                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 5.15                         | 1.08        | 6.23                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.35                         | 1.08        | 6.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.49                         | 1.08        | 6.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.58                         | 1.08        | 8.66                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.20                         | 1.08        | 9.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.84                         | 1.08        | 8.92                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.23                        | 1.08        | 12.31                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.35                        | 1.08        | 11.43                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.75                        | 1.08        | 13.83                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 12.32                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.47                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.42                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.61                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.14                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.13                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.81                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 18.04                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.91                        | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 12.18                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.32                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.46                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.14                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.69                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 14.95                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.95                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 18.08                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.70                        | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 12.50                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.63                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.33                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.07                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.30                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 14.76                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.51                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 17.32                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 19.85                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 8.34                         | 1.21        | 9.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.34                         | 1.21        | 9.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.56                         | 1.21        | 9.77                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.62                        | 1.21        | 12.83                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.51                        | 1.21        | 12.72                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.64                        | 1.21        | 12.85                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.51                        | 1.21        | 14.72                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.50                        | 1.21        | 14.71                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.30                        | 1.21        | 14.51                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 8.91                         | 1.21        | 10.12                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.58                         | 1.21        | 9.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.43                         | 1.21        | 9.64                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.86                        | 1.21        | 13.07                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.54                        | 1.21        | 12.75                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.28                        | 1.21        | 12.49                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.64                        | 1.21        | 14.85                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.60                        | 1.21        | 14.81                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.68                        | 1.21        | 14.89                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 7.67                         | 1.21        | 8.88                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.60                         | 1.21        | 8.81                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 7.93                         | 1.21        | 9.14                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.24                        | 1.21        | 12.45                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.06                        | 1.21        | 12.27                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.37                        | 1.21        | 12.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.02                        | 1.21        | 14.23                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.05                        | 1.21        | 14.26                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.14                        | 1.21        | 14.35                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 8.23                         | 1.21        | 9.44                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.82                         | 1.21        | 9.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 7.33                         | 1.21        | 8.54                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.34                        | 1.21        | 12.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 10.91                        | 1.21        | 12.12                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 10.95                        | 1.21        | 12.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.11                        | 1.21        | 14.32                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 12.83                        | 1.21        | 14.04                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.03                        | 1.21        | 14.24                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 8.93                         | 1.21        | 10.14                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.73                         | 1.21        | 9.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.31                         | 1.21        | 10.52                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.56                        | 1.21        | 13.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.98                        | 1.21        | 13.19                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.60                        | 1.21        | 13.81                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.37                        | 1.21        | 15.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 14.41                        | 1.21        | 15.62                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 14.30                        | 1.21        | 15.51                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 9.25                         | 1.21        | 10.46                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 9.19                         | 1.21        | 10.40                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.32                         | 1.21        | 10.53                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.45                        | 1.21        | 13.66                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.95                        | 1.21        | 13.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.44                        | 1.21        | 13.65                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.45                        | 1.21        | 15.66                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 14.55                        | 1.21        | 15.76                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 14.52                        | 1.21        | 15.73                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 8.64                         | 1.21        | 9.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.23                         | 1.21        | 9.44                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.33                         | 1.21        | 9.54                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.22                        | 1.21        | 13.43                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.82                        | 1.21        | 13.03                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.89                        | 1.21        | 13.10                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.87                        | 1.21        | 15.08                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.61                        | 1.21        | 14.82                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.79                        | 1.21        | 15.00                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 8.74                         | 1.21        | 9.95                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.37                         | 1.21        | 9.58                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.66                         | 1.21        | 9.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.94                        | 1.21        | 13.15                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.50                        | 1.21        | 12.71                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.83                        | 1.21        | 13.04                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.53                        | 1.21        | 14.74                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.59                        | 1.21        | 14.80                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.58                        | 1.21        | 14.79                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 15.65                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.47                        | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 15.79                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 19.17                        | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 18.83                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 19.13                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.95                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 20.90                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 20.88                        | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 16.03                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.75                        | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 15.72                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 19.14                        | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 18.72                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 18.89                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.94                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 20.91                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 20.96                        | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 19.58                        | 0.84        | 20.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.63                        | 0.84        | 20.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.44                        | 0.84        | 20.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.02                        | 0.84        | 20.86                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.98                        | 0.84        | 20.82                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.50                        | 0.84        | 20.34                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 19.76                        | 0.84        | 20.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.84                        | 0.84        | 20.68                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.45                        | 0.84        | 20.29                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.09                        | 0.84        | 20.93                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.93                        | 0.84        | 20.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.83                        | 0.84        | 20.67                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 19.84                        | 0.84        | 20.68                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.11                        | 0.84        | 20.95                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.82                        | 0.84        | 20.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.04                        | 0.84        | 20.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.79                        | 0.84        | 20.63                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.74                        | 0.84        | 20.58                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 18.78                        | 0.84        | 19.62                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.79                        | 0.84        | 19.63                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.41                        | 0.84        | 19.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.90                        | 0.84        | 19.74                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.72                        | 0.84        | 19.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.44                        | 0.84        | 19.28                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 19.13                        | 0.84        | 19.97                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.04                        | 0.84        | 19.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.41                        | 0.84        | 19.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.08                        | 0.84        | 19.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.79                        | 0.84        | 19.63                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.60                        | 0.84        | 19.44                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 18.94                        | 0.84        | 19.78                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.13                        | 0.84        | 19.97                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.76                        | 0.84        | 19.6                                       | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.89                        | 0.84        | 19.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.80                        | 0.84        | 19.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.76                        | 0.84        | 19.60                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 20.26                        | 0.84        | 21.10                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.41                        | 0.84        | 21.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.78                        | 0.84        | 20.62                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.63                        | 0.84        | 21.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.44                        | 0.84        | 21.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.15                        | 0.84        | 20.99                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 20.53                        | 0.84        | 21.37                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.73                        | 0.84        | 21.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.01                        | 0.84        | 20.85                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.73                        | 0.84        | 21.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.56                        | 0.84        | 21.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.35                        | 0.84        | 21.19                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 20.56                        | 0.84        | 21.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.63                        | 0.84        | 21.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.32                        | 0.84        | 21.16                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.71                        | 0.84        | 21.55                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.42                        | 0.84        | 21.26                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.47                        | 0.84        | 21.31                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 19.68                        | 0.84        | 20.52                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.92                        | 0.84        | 20.76                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.85                        | 0.84        | 20.69                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.20                        | 0.84        | 21.04                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.07                        | 0.84        | 20.91                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.68                        | 0.84        | 20.52                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 19.93                        | 0.84        | 20.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.26                        | 0.84        | 19.10                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.89                        | 0.84        | 20.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.23                        | 0.84        | 21.07                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.22                        | 0.84        | 21.06                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.04                        | 0.84        | 20.88                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 20.08                        | 0.84        | 20.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.35                        | 0.84        | 21.19                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.14                        | 0.84        | 20.98                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.06                        | 0.84        | 20.90                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.19                        | 0.84        | 21.03                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.11                        | 0.84        | 20.95                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 26.47                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 26.59                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.27                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.84                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.71                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.35                        | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 26.73                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 26.43                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.34                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.93                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.78                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.61                        | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 26.75                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 26.95                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.66                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.83                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.70                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.68                        | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 19.48                        | 1.08        | 20.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.62                        | 1.08        | 20.70                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 18.90                        | 1.08        | 19.98                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.44                        | 1.08        | 20.52                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.65                        | 1.08        | 20.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.33                        | 1.08        | 20.41                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.91                        | 1.08        | 20.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.53                        | 1.08        | 20.61                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.31                        | 1.08        | 20.39                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 19.81                        | 1.08        | 20.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.59                        | 1.08        | 20.67                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.17                        | 1.08        | 20.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.76                        | 1.08        | 20.84                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.94                        | 1.08        | 21.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.28                        | 1.08        | 20.36                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.94                        | 1.08        | 21.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.50                        | 1.08        | 20.58                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.40                        | 1.08        | 20.48                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 18.51                        | 1.08        | 19.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.86                        | 1.08        | 19.94                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 18.06                        | 1.08        | 19.14                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.51                        | 1.08        | 19.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.91                        | 1.08        | 19.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.32                        | 1.08        | 19.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.81                        | 1.08        | 19.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 18.58                        | 1.08        | 19.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 18.31                        | 1.08        | 19.39                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 18.99                        | 1.08        | 20.07                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.04                        | 1.08        | 20.12                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 18.52                        | 1.08        | 19.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.81                        | 1.08        | 19.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.86                        | 1.08        | 19.94                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.32                        | 1.08        | 19.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.92                        | 1.08        | 20.00                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 18.41                        | 1.08        | 19.49                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 18.38                        | 1.08        | 19.46                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 20.10                        | 1.08        | 21.18                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.38                        | 1.08        | 21.46                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.84                        | 1.08        | 20.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.34                        | 1.08        | 21.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.64                        | 1.08        | 21.72                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 20.00                        | 1.08        | 21.08                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.58                        | 1.08        | 21.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 20.03                        | 1.08        | 21.11                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 20.02                        | 1.08        | 21.10                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 20.39                        | 1.08        | 21.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.62                        | 1.08        | 21.70                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.92                        | 1.08        | 21.00                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.57                        | 1.08        | 21.65                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.57                        | 1.08        | 21.65                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.86                        | 1.08        | 20.94                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.59                        | 1.08        | 21.67                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 20.07                        | 1.08        | 21.15                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 20.20                        | 1.08        | 21.28                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 19.36                        | 1.08        | 20.44                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.82                        | 1.08        | 20.9                                       | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.60                        | 1.08        | 20.68                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.32                        | 1.08        | 20.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.07                        | 1.08        | 21.15                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.91                        | 1.08        | 20.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.96                        | 1.08        | 21.04                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.91                        | 1.08        | 20.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.58                        | 1.08        | 20.66                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 19.72                        | 1.08        | 20.80                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.06                        | 1.08        | 21.14                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.84                        | 1.08        | 20.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.61                        | 1.08        | 20.69                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.93                        | 1.08        | 21.01                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.93                        | 1.08        | 21.01                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.80                        | 1.08        | 20.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.96                        | 1.08        | 21.04                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.65                        | 1.08        | 20.73                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 26.50                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.80                        | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 26.25                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.55                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.96                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 26.54                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.96                        | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 26.65                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 26.45                        | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 26.86                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.97                        | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 26.50                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.83                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.97                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 26.49                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.95                        | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 26.63                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 26.56                        | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 17.04                        | 1.21        | 18.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 17.88                        | 1.21        | 19.09                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 17.02                        | 1.21        | 18.23                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.70                        | 1.21        | 18.91                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 17.61                        | 1.21        | 18.82                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 17.13                        | 1.21        | 18.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 17.04                        | 1.21        | 18.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 17.10                        | 1.21        | 18.31                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 18.92                        | 1.21        | 20.13                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 18.22                        | 1.21        | 19.43                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.76                        | 1.21        | 19.97                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 16.26                        | 1.21        | 17.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.64                        | 1.21        | 19.85                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 16.73                        | 1.21        | 17.94                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 17.59                        | 1.21        | 18.80                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 18.17                        | 1.21        | 19.38                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 17.68                        | 1.21        | 18.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 19.13                        | 1.21        | 20.34                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 17.80                        | 1.21        | 19.01                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.69                        | 1.21        | 19.90                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 19.07                        | 1.21        | 20.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.51                        | 1.21        | 21.72                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 18.45                        | 1.21        | 19.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 17.95                        | 1.21        | 19.16                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.85                        | 1.21        | 21.06                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 19.35                        | 1.21        | 20.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 21.27                        | 1.21        | 22.48                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 19.00                        | 1.21        | 20.21                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.45                        | 1.21        | 19.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 18.29                        | 1.21        | 19.50                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.43                        | 1.21        | 18.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 17.87                        | 1.21        | 19.08                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 18.24                        | 1.21        | 19.45                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 17.47                        | 1.21        | 18.68                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 17.72                        | 1.21        | 18.93                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 19.13                        | 1.21        | 20.34                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 25.30                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 25.69                        | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 25.02                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 25.98                        | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 24.94                        | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 24.97                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 25.50                        | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 25.28                        | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 26.95                        | 26.98            | 0.50           | Complies |

### Beamforming

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 36      | 5180            | 52/37            | 12.35                        | 0.84        | 13.19                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 11.73                        | 0.84        | 12.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.95                        | 0.84        | 12.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.21                        | 0.84        | 15.05                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.51                        | 0.84        | 15.35                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 14.79                        | 0.84        | 15.63                                      | 26.98            | 0.50           | Complies |
| 40      | 5200            | 52/37            | 12.16                        | 0.84        | 13.00                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.15                        | 0.84        | 12.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.95                        | 0.84        | 12.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.28                        | 0.84        | 15.12                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.56                        | 0.84        | 15.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.31                        | 0.84        | 18.15                                      | 26.98            | 0.50           | Complies |
| 48      | 5240            | 52/37            | 12.12                        | 0.84        | 12.96                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 11.76                        | 0.84        | 12.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.64                        | 0.84        | 12.48                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.50                        | 0.84        | 15.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.40                        | 0.84        | 15.24                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.86                        | 0.84        | 18.70                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 36      | 5180            | 52/37            | 11.86                        | 0.84        | 12.70                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 11.39                        | 0.84        | 12.23                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.63                        | 0.84        | 12.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 13.36                        | 0.84        | 14.2                                       | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 13.65                        | 0.84        | 14.49                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 13.79                        | 0.84        | 14.63                                      | 26.98            | 0.50           | Complies |
| 40      | 5200            | 52/37            | 11.92                        | 0.84        | 12.76                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 11.53                        | 0.84        | 12.37                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.73                        | 0.84        | 12.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 13.56                        | 0.84        | 14.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 13.65                        | 0.84        | 14.49                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 16.50                        | 0.84        | 17.34                                      | 26.98            | 0.50           | Complies |
| 48      | 5240            | 52/37            | 11.90                        | 0.84        | 12.74                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 11.50                        | 0.84        | 12.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.72                        | 0.84        | 12.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 13.63                        | 0.84        | 14.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 13.70                        | 0.84        | 14.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 16.65                        | 0.84        | 17.49                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 36      | 5180            | 52/37            | 13.32                        | 0.84        | 14.16                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.27                        | 0.84        | 13.11                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.70                        | 0.84        | 13.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 15.15                        | 0.84        | 15.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.93                        | 0.84        | 15.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 15.47                        | 0.84        | 16.31                                      | 26.98            | 0.50           | Complies |
| 40      | 5200            | 52/37            | 12.72                        | 0.84        | 13.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.41                        | 0.84        | 13.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.35                        | 0.84        | 13.19                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.83                        | 0.84        | 15.67                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 15.06                        | 0.84        | 15.90                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.37                        | 0.84        | 19.21                                      | 26.98            | 0.50           | Complies |
| 48      | 5240            | 52/37            | 12.98                        | 0.84        | 13.82                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.42                        | 0.84        | 13.26                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.48                        | 0.84        | 13.32                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.68                        | 0.84        | 15.52                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 15.06                        | 0.84        | 15.90                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.32                        | 0.84        | 19.16                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 36      | 5180            | 52/37            | 12.65                        | 0.84        | 13.49                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.11                        | 0.84        | 12.95                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.21                        | 0.84        | 13.05                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.24                        | 0.84        | 15.08                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.49                        | 0.84        | 15.33                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 15.20                        | 0.84        | 16.04                                      | 26.98            | 0.50           | Complies |
| 40      | 5200            | 52/37            | 12.44                        | 0.84        | 13.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.08                        | 0.84        | 12.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.14                        | 0.84        | 12.98                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.36                        | 0.84        | 15.20                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.51                        | 0.84        | 15.35                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.66                        | 0.84        | 18.50                                      | 26.98            | 0.50           | Complies |
| 48      | 5240            | 52/37            | 12.53                        | 0.84        | 13.37                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 12.50                        | 0.84        | 13.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.49                        | 0.84        | 13.33                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.69                        | 0.84        | 15.53                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.46                        | 0.84        | 15.30                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.67                        | 0.84        | 18.51                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX (HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 36      | 5180            | 52/37            | 19.44                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.75                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.00                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 21.15                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 21.28                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 21.72                        | 26.98            | 0.50           | Complies |
| 40      | 5200            | 52/37            | 19.18                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.91                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.91                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 21.14                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 21.33                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 24.37                        | 26.98            | 0.50           | Complies |
| 48      | 5240            | 52/37            | 19.26                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.93                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.96                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 21.26                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 21.29                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 24.53                        | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 38      | 5190            | 52/37            | 11.95                        | 1.08        | 13.03                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.96                        | 1.08        | 13.04                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 11.93                        | 1.08        | 13.01                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.80                        | 1.08        | 15.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.51                        | 1.08        | 15.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.35                        | 1.08        | 15.43                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.33                        | 1.08        | 18.41                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 17.14                        | 1.08        | 18.22                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 15.05                        | 1.08        | 16.13                                      | 26.98            | 0.50           | Complies |
| 46      | 5230            | 52/37            | 12.37                        | 1.08        | 13.45                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.29                        | 1.08        | 13.37                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 12.28                        | 1.08        | 13.36                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 15.47                        | 1.08        | 16.55                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.86                        | 1.08        | 15.94                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.46                        | 1.08        | 15.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.94                        | 1.08        | 19.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 17.59                        | 1.08        | 18.67                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 16.34                        | 1.08        | 17.42                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 38      | 5190            | 52/37            | 11.49                        | 1.08        | 12.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.18                        | 1.08        | 12.26                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 11.48                        | 1.08        | 12.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 13.65                        | 1.08        | 14.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 13.30                        | 1.08        | 14.38                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 13.35                        | 1.08        | 14.43                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 16.01                        | 1.08        | 17.09                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 15.91                        | 1.08        | 16.99                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 13.86                        | 1.08        | 14.94                                      | 26.98            | 0.50           | Complies |
| 46      | 5230            | 52/37            | 11.63                        | 1.08        | 12.71                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 11.65                        | 1.08        | 12.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 11.88                        | 1.08        | 12.96                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.20                        | 1.08        | 15.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.17                        | 1.08        | 15.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 13.69                        | 1.08        | 14.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.02                        | 1.08        | 18.10                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 16.64                        | 1.08        | 17.72                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 15.48                        | 1.08        | 16.56                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 38      | 5190            | 52/37            | 12.22                        | 1.08        | 13.30                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.34                        | 1.08        | 13.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 12.23                        | 1.08        | 13.31                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 15.49                        | 1.08        | 16.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.56                        | 1.08        | 15.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.65                        | 1.08        | 15.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.69                        | 1.08        | 18.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 17.65                        | 1.08        | 18.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 15.40                        | 1.08        | 16.48                                      | 26.98            | 0.50           | Complies |
| 46      | 5230            | 52/37            | 12.62                        | 1.08        | 13.70                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.52                        | 1.08        | 13.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 12.89                        | 1.08        | 13.97                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 15.95                        | 1.08        | 17.03                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 15.47                        | 1.08        | 16.55                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 15.03                        | 1.08        | 16.11                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.49                        | 1.08        | 19.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 18.55                        | 1.08        | 19.63                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 16.44                        | 1.08        | 17.52                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 38      | 5190            | 52/37            | 12.07                        | 1.08        | 13.15                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.03                        | 1.08        | 13.11                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 12.35                        | 1.08        | 13.43                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 14.70                        | 1.08        | 15.78                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 14.31                        | 1.08        | 15.39                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.35                        | 1.08        | 15.43                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.34                        | 1.08        | 18.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 17.32                        | 1.08        | 18.40                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 15.09                        | 1.08        | 16.17                                      | 26.98            | 0.50           | Complies |
| 46      | 5230            | 52/37            | 12.03                        | 1.08        | 13.11                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 12.06                        | 1.08        | 13.14                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 12.67                        | 1.08        | 13.75                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 15.24                        | 1.08        | 16.32                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 15.02                        | 1.08        | 16.10                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.57                        | 1.08        | 15.65                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.51                        | 1.08        | 19.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 18.02                        | 1.08        | 19.10                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 15.92                        | 1.08        | 17.00                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 38      | 5190            | 52/37            | 19.04                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.00                        | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.11                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 21.81                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 21.30                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 21.30                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 24.24                        | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 24.15                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 21.99                        | 26.98            | 0.50           | Complies |
| 46      | 5230            | 52/37            | 19.28                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.24                        | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.55                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 22.36                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 22.00                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 21.56                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 25.13                        | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 24.85                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 23.16                        | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 14.86                        | 1.21        | 16.07                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.70                        | 1.21        | 15.91                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 14.80                        | 1.21        | 16.01                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 14.43                        | 1.21        | 15.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 14.59                        | 1.21        | 15.80                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 14.56                        | 1.21        | 15.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 13.73                        | 1.21        | 14.94                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 13.82                        | 1.21        | 15.03                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 13.89                        | 1.21        | 15.10                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 14.00                        | 1.21        | 15.21                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.07                        | 1.21        | 15.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 13.84                        | 1.21        | 15.05                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 13.72                        | 1.21        | 14.93                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 14.45                        | 1.21        | 15.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 13.68                        | 1.21        | 14.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 12.68                        | 1.21        | 13.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 13.14                        | 1.21        | 14.35                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 13.22                        | 1.21        | 14.43                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 15.14                        | 1.21        | 16.35                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 15.58                        | 1.21        | 16.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 15.55                        | 1.21        | 16.76                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 14.74                        | 1.21        | 15.95                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 15.59                        | 1.21        | 16.80                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 15.27                        | 1.21        | 16.48                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 14.43                        | 1.21        | 15.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 14.71                        | 1.21        | 15.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 14.72                        | 1.21        | 15.93                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 14.43                        | 1.21        | 15.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 14.97                        | 1.21        | 16.18                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 14.95                        | 1.21        | 16.16                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 14.30                        | 1.21        | 15.51                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 15.33                        | 1.21        | 16.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 14.76                        | 1.21        | 15.97                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 13.68                        | 1.21        | 14.89                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 14.16                        | 1.21        | 15.37                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 14.01                        | 1.21        | 15.22                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX (HE80) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 42      | 5210            | 106/53           | 21.86                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 22.09                        | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 22.06                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 21.54                        | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 22.24                        | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 21.83                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 20.90                        | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 21.22                        | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 21.22                        | 26.98            | 0.50           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 6.27                         | 0.84        | 7.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.19                         | 0.84        | 7.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.73                         | 0.84        | 6.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.82                         | 0.84        | 9.66                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.40                         | 0.84        | 9.24                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.73                        | 0.84        | 12.57                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 5.96                         | 0.84        | 6.80                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.61                         | 0.84        | 6.45                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.59                         | 0.84        | 6.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.21                         | 0.84        | 9.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.16                         | 0.84        | 9.00                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.17                        | 0.84        | 12.01                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 5.55                         | 0.84        | 6.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.43                         | 0.84        | 6.27                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.74                         | 0.84        | 6.58                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.89                         | 0.84        | 8.73                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.69                         | 0.84        | 8.53                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.98                        | 0.84        | 11.82                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 6.38                         | 0.84        | 7.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.40                         | 0.84        | 7.24                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.48                         | 0.84        | 7.32                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.62                         | 0.84        | 9.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.51                         | 0.84        | 9.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.21                        | 0.84        | 12.05                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 6.24                         | 0.84        | 7.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.38                         | 0.84        | 7.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.18                         | 0.84        | 7.02                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.38                         | 0.84        | 9.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.22                         | 0.84        | 9.06                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.92                        | 0.84        | 11.76                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 6.44                         | 0.84        | 7.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.26                         | 0.84        | 7.10                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.38                         | 0.84        | 7.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.19                         | 0.84        | 9.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.01                         | 0.84        | 8.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.84                        | 0.84        | 11.68                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 5.77                         | 0.84        | 6.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.10                         | 0.84        | 6.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.67                         | 0.84        | 6.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.76                         | 0.84        | 9.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.76                         | 0.84        | 9.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.11                        | 0.84        | 12.95                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 5.83                         | 0.84        | 6.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.79                         | 0.84        | 6.63                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.63                         | 0.84        | 6.47                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.44                         | 0.84        | 9.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.25                         | 0.84        | 9.09                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.74                        | 0.84        | 12.58                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 5.73                         | 0.84        | 6.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.61                         | 0.84        | 6.45                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.72                         | 0.84        | 6.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.44                         | 0.84        | 9.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.10                         | 0.84        | 8.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.40                        | 0.84        | 12.24                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 6.72                         | 0.84        | 7.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.80                         | 0.84        | 7.64                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.75                         | 0.84        | 7.59                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.09                         | 0.84        | 9.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 9.10                         | 0.84        | 9.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.06                        | 0.84        | 12.90                                      | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 6.71                         | 0.84        | 7.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.78                         | 0.84        | 7.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.49                         | 0.84        | 7.33                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.56                         | 0.84        | 9.40                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.45                         | 0.84        | 9.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.81                        | 0.84        | 11.65                                      | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 6.35                         | 0.84        | 7.19                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.47                         | 0.84        | 7.31                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.54                         | 0.84        | 7.38                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.55                         | 0.84        | 9.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.67                         | 0.84        | 9.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.46                        | 0.84        | 12.30                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 52      | 5260            | 52/37            | 13.16                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 13.24                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.04                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.69                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.56                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.65                        | 20.98            | 0.13           | Complies |
| 60      | 5300            | 52/37            | 13.06                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 13.03                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.85                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.26                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.13                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.04                        | 20.98            | 0.13           | Complies |
| 64      | 5320            | 52/37            | 12.89                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 12.82                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.97                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.14                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.99                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.04                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 5.94                         | 1.08        | 7.02                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.62                         | 1.08        | 6.70                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.14                         | 1.08        | 6.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.00                         | 1.08        | 10.08                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.38                         | 1.08        | 9.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.19                         | 1.08        | 9.27                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.67                        | 1.08        | 13.75                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.78                        | 1.08        | 12.86                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.72                        | 1.08        | 14.80                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 4.99                         | 1.08        | 6.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.03                         | 1.08        | 6.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.44                         | 1.08        | 6.52                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.59                         | 1.08        | 9.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.31                         | 1.08        | 9.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.86                         | 1.08        | 8.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.80                        | 1.08        | 12.88                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.67                        | 1.08        | 12.75                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 11.71                        | 1.08        | 12.79                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 5.79                         | 1.08        | 6.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.86                         | 1.08        | 6.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.48                         | 1.08        | 6.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.53                         | 1.08        | 9.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.06                         | 1.08        | 9.14                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.79                         | 1.08        | 8.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.02                        | 1.08        | 13.10                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.12                        | 1.08        | 12.20                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.65                        | 1.08        | 13.73                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 5.53                         | 1.08        | 6.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.99                         | 1.08        | 7.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.74                         | 1.08        | 6.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.35                         | 1.08        | 9.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.30                         | 1.08        | 9.38                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.01                         | 1.08        | 9.09                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.32                        | 1.08        | 12.40                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.34                        | 1.08        | 12.42                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 11.56                        | 1.08        | 12.64                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 6.65                         | 1.08        | 7.73                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.54                         | 1.08        | 7.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 6.12                         | 1.08        | 7.20                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 9.62                         | 1.08        | 10.70                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 9.15                         | 1.08        | 10.23                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.66                         | 1.08        | 9.74                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.36                        | 1.08        | 14.44                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.21                        | 1.08        | 13.29                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.81                        | 1.08        | 14.89                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 5.95                         | 1.08        | 7.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 6.30                         | 1.08        | 7.38                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 6.05                         | 1.08        | 7.13                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.15                         | 1.08        | 9.23                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 9.05                         | 1.08        | 10.13                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.45                         | 1.08        | 9.53                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.22                        | 1.08        | 13.30                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 12.36                        | 1.08        | 13.44                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.68                        | 1.08        | 13.76                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 5.97                         | 1.08        | 7.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.70                         | 1.08        | 6.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.34                         | 1.08        | 6.42                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.89                         | 1.08        | 9.97                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.27                         | 1.08        | 9.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.84                         | 1.08        | 8.92                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.72                        | 1.08        | 13.80                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.76                        | 1.08        | 12.84                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.65                        | 1.08        | 14.73                                      | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 5.02                         | 1.08        | 6.10                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.34                         | 1.08        | 6.42                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.43                         | 1.08        | 5.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.59                         | 1.08        | 9.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.03                         | 1.08        | 9.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.01                         | 1.08        | 9.09                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.67                        | 1.08        | 12.75                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.82                        | 1.08        | 12.90                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 11.91                        | 1.08        | 12.99                                      | 20.98            | 0.13           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 54      | 5270            | 52/37            | 13.20                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 13.05                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.64                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 16.13                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.58                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.23                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 19.82                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 18.83                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.58                        | 20.98            | 0.13           | Complies |
| 62      | 5310            | 52/37            | 12.49                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.79                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.56                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.52                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 15.54                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.19                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.86                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 18.91                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 19.09                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 9.20                         | 1.21        | 10.41                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.77                         | 1.21        | 9.98                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.40                         | 1.21        | 9.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.11                        | 1.21        | 14.32                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 12.51                        | 1.21        | 13.72                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.19                        | 1.21        | 13.40                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.99                        | 1.21        | 14.20                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.02                        | 1.21        | 14.23                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.54                        | 1.21        | 13.75                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 8.31                         | 1.21        | 9.52                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.28                         | 1.21        | 9.49                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.23                         | 1.21        | 9.44                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.42                        | 1.21        | 13.63                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.84                        | 1.21        | 13.05                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.62                        | 1.21        | 12.83                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.35                        | 1.21        | 13.56                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 12.36                        | 1.21        | 13.57                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 11.97                        | 1.21        | 13.18                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 9.39                         | 1.21        | 10.60                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 9.38                         | 1.21        | 10.59                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.30                         | 1.21        | 10.51                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.48                        | 1.21        | 14.69                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 12.93                        | 1.21        | 14.14                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.37                        | 1.21        | 13.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.14                        | 1.21        | 13.35                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.57                        | 1.21        | 14.78                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.33                        | 1.21        | 14.54                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 8.60                         | 1.21        | 9.81                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.68                         | 1.21        | 9.89                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.13                         | 1.21        | 10.34                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 13.09                        | 1.21        | 14.30                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 12.56                        | 1.21        | 13.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.37                        | 1.21        | 13.58                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.97                        | 1.21        | 14.18                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.36                        | 1.21        | 14.57                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.69                        | 1.21        | 13.90                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2A_TX AX (HE80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 58      | 5290            | 106/53           | 16.12                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 16.02                        | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 16.02                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 20.27                        | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 19.71                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 19.38                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 19.86                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 20.33                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 19.89                        | 20.98            | 0.13           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 1 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.98                        | 1.02        | 13.00                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/64           | 13.17                        | 1.02        | 14.19                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/S64          | 12.13                        | 1.02        | 13.15                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/65           | 12.48                        | 1.02        | 13.50                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/66           | 13.38                        | 1.02        | 14.40                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/S66          | 12.18                        | 1.02        | 13.20                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/67           | 12.54                        | 1.02        | 13.56                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/S67          | 12.58                        | 1.02        | 13.60                                      | 23.00            | 0.20           | Complies |
|         |                 | 996*2/S68        | 14.15                        | 1.02        | 15.17                                      | 23.00            | 0.20           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 2 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.31                        | 1.02        | 12.33                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/64           | 12.75                        | 1.02        | 13.77                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/S64          | 11.72                        | 1.02        | 12.74                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/65           | 11.84                        | 1.02        | 12.86                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/66           | 12.72                        | 1.02        | 13.74                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/S66          | 12.29                        | 1.02        | 13.31                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/67           | 12.25                        | 1.02        | 13.27                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/S67          | 12.32                        | 1.02        | 13.34                                      | 23.00            | 0.20           | Complies |
|         |                 | 996*2/S68        | 14.04                        | 1.02        | 15.06                                      | 23.00            | 0.20           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 3 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.29                        | 1.02        | 12.31                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/64           | 11.64                        | 1.02        | 12.66                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/S64          | 10.22                        | 1.02        | 11.24                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/65           | 10.46                        | 1.02        | 11.48                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/66           | 11.46                        | 1.02        | 12.48                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/S66          | 10.28                        | 1.02        | 11.30                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/67           | 10.80                        | 1.02        | 11.82                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/S67          | 10.74                        | 1.02        | 11.76                                      | 23.00            | 0.20           | Complies |
|         |                 | 996*2/S68        | 11.83                        | 1.02        | 12.85                                      | 23.00            | 0.20           | Complies |

|           |                                   |
|-----------|-----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Ant. 4 |
|-----------|-----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 11.19                        | 1.02        | 12.21                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/64           | 12.85                        | 1.02        | 13.87                                      | 23.00            | 0.20           | Complies |
|         |                 | 242/S64          | 12.09                        | 1.02        | 13.11                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/65           | 11.58                        | 1.02        | 12.60                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/66           | 12.57                        | 1.02        | 13.59                                      | 23.00            | 0.20           | Complies |
|         |                 | 484/S66          | 12.17                        | 1.02        | 13.19                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/67           | 11.99                        | 1.02        | 13.01                                      | 23.00            | 0.20           | Complies |
|         |                 | 996/S67          | 12.47                        | 1.02        | 13.49                                      | 23.00            | 0.20           | Complies |
|         |                 | 996*2/S68        | 13.7                         | 1.02        | 14.72                                      | 23.00            | 0.20           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2A_TX AX (HE160) Mode_Total |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 50      | 5250            | 242/61           | 18.50                        | 24.00            | 0.25           | Complies |
|         |                 | 242/64           | 19.68                        | 24.00            | 0.25           | Complies |
|         |                 | 242/S64          | 18.65                        | 24.00            | 0.25           | Complies |
|         |                 | 484/65           | 18.69                        | 24.00            | 0.25           | Complies |
|         |                 | 484/66           | 19.63                        | 24.00            | 0.25           | Complies |
|         |                 | 484/S66          | 18.85                        | 24.00            | 0.25           | Complies |
|         |                 | 996/67           | 18.99                        | 24.00            | 0.25           | Complies |
|         |                 | 996/S67          | 19.13                        | 24.00            | 0.25           | Complies |
|         |                 | 996*2/S68        | 20.57                        | 24.00            | 0.25           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 4.76                         | 0.84        | 5.60                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 4.64                         | 0.84        | 5.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.56                         | 0.84        | 5.40                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.22                         | 0.84        | 8.06                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.21                         | 0.84        | 8.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.36                        | 0.84        | 11.2                                       | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 4.67                         | 0.84        | 5.51                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 4.91                         | 0.84        | 5.75                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.40                         | 0.84        | 5.24                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 6.96                         | 0.84        | 7.80                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 6.88                         | 0.84        | 7.72                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.23                        | 0.84        | 11.07                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 4.87                         | 0.84        | 5.71                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 4.94                         | 0.84        | 5.78                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.52                         | 0.84        | 5.36                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.31                         | 0.84        | 8.15                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 6.88                         | 0.84        | 7.72                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.01                        | 0.84        | 10.85                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.26                         | 0.84        | 6.10                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.55                         | 0.84        | 6.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.51                         | 0.84        | 6.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.10                         | 0.84        | 7.94                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.33                         | 0.84        | 8.17                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 9.89                         | 0.84        | 10.73                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 5.03                         | 0.84        | 5.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.45                         | 0.84        | 6.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.23                         | 0.84        | 6.07                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.05                         | 0.84        | 7.89                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.27                         | 0.84        | 8.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 9.56                         | 0.84        | 10.40                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.00                         | 0.84        | 5.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 4.89                         | 0.84        | 5.73                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.38                         | 0.84        | 5.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.21                         | 0.84        | 8.05                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 6.80                         | 0.84        | 7.64                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 9.29                         | 0.84        | 10.13                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.56                         | 0.84        | 6.40                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 6.00                         | 0.84        | 6.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.78                         | 0.84        | 6.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.88                         | 0.84        | 8.72                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.01                         | 0.84        | 8.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.15                        | 0.84        | 11.99                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 5.31                         | 0.84        | 6.15                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.68                         | 0.84        | 6.52                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.57                         | 0.84        | 6.41                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.61                         | 0.84        | 8.45                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.82                         | 0.84        | 8.66                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.94                        | 0.84        | 11.78                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.62                         | 0.84        | 6.46                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.25                         | 0.84        | 6.09                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.11                         | 0.84        | 5.95                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.01                         | 0.84        | 8.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.77                         | 0.84        | 8.61                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.61                        | 0.84        | 11.45                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 5.46                         | 0.84        | 6.30                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 4.84                         | 0.84        | 5.68                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.26                         | 0.84        | 6.10                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.38                         | 0.84        | 8.22                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.42                         | 0.84        | 8.26                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.92                        | 0.84        | 11.76                                      | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 4.83                         | 0.84        | 5.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 5.16                         | 0.84        | 6.00                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.24                         | 0.84        | 6.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.43                         | 0.84        | 8.27                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.39                         | 0.84        | 8.23                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.60                        | 0.84        | 11.44                                      | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 5.05                         | 0.84        | 5.89                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 4.84                         | 0.84        | 5.68                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.95                         | 0.84        | 5.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.50                         | 0.84        | 8.34                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.28                         | 0.84        | 8.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.21                        | 0.84        | 11.05                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 100     | 5500            | 52/37            | 12.13                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 12.15                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.16                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.27                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.36                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 17.47                        | 20.98            | 0.13           | Complies |
| 116     | 5580            | 52/37            | 11.83                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 12.17                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 11.99                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.13                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.21                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 17.22                        | 20.98            | 0.13           | Complies |
| 140     | 5700            | 52/37            | 12.01                        | 20.98            | 0.13           | Complies |
|         |                 | 52/38            | 11.84                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 11.61                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.38                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.06                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 16.92                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 4.62                         | 1.08        | 5.70                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.40                         | 1.08        | 5.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.72                         | 1.08        | 5.80                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.85                         | 1.08        | 8.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.27                         | 1.08        | 8.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.31                         | 1.08        | 8.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.08                        | 1.08        | 12.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.56                        | 1.08        | 11.64                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.38                        | 1.08        | 14.46                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 4.63                         | 1.08        | 5.71                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.49                         | 1.08        | 5.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.82                         | 1.08        | 5.90                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.58                         | 1.08        | 8.66                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.04                         | 1.08        | 8.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.48                         | 1.08        | 8.56                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.68                        | 1.08        | 12.76                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.69                        | 1.08        | 11.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.15                        | 1.08        | 14.23                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 5.10                         | 1.08        | 6.18                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.41                         | 1.08        | 6.49                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.63                         | 1.08        | 5.71                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.73                         | 1.08        | 8.81                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.95                         | 1.08        | 9.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.17                         | 1.08        | 8.25                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.14                        | 1.08        | 12.22                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 9.92                         | 1.08        | 11.00                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.42                        | 1.08        | 13.50                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 4.71                         | 1.08        | 5.79                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.95                         | 1.08        | 6.03                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.89                         | 1.08        | 5.97                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.63                         | 1.08        | 8.71                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.50                         | 1.08        | 8.58                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.59                         | 1.08        | 8.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.83                        | 1.08        | 11.91                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.10                        | 1.08        | 11.18                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.62                        | 1.08        | 13.70                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 4.55                         | 1.08        | 5.63                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.74                         | 1.08        | 5.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.00                         | 1.08        | 6.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.24                         | 1.08        | 9.32                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.12                         | 1.08        | 8.20                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.34                         | 1.08        | 8.42                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.87                        | 1.08        | 11.95                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.12                        | 1.08        | 11.20                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.55                        | 1.08        | 13.63                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 4.96                         | 1.08        | 6.04                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.83                         | 1.08        | 5.91                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.35                         | 1.08        | 5.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.29                         | 1.08        | 8.37                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.13                         | 1.08        | 8.21                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 6.89                         | 1.08        | 7.97                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.46                        | 1.08        | 11.54                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 8.94                         | 1.08        | 10.02                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 11.80                        | 1.08        | 12.88                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 5.31                         | 1.08        | 6.39                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.60                         | 1.08        | 6.68                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.40                         | 1.08        | 6.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.77                         | 1.08        | 9.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.27                         | 1.08        | 9.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.24                         | 1.08        | 9.32                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.99                        | 1.08        | 13.07                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.24                        | 1.08        | 12.32                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.83                        | 1.08        | 14.91                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 5.21                         | 1.08        | 6.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.35                         | 1.08        | 6.43                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.57                         | 1.08        | 6.65                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.20                         | 1.08        | 8.28                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.79                         | 1.08        | 8.87                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.85                         | 1.08        | 8.93                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.98                        | 1.08        | 13.06                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 11.22                        | 1.08        | 12.30                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.96                        | 1.08        | 15.04                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 5.40                         | 1.08        | 6.48                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.76                         | 1.08        | 6.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.27                         | 1.08        | 6.35                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.34                         | 1.08        | 9.42                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 8.58                         | 1.08        | 9.66                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.76                         | 1.08        | 8.84                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.66                        | 1.08        | 12.74                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.55                        | 1.08        | 11.63                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.20                        | 1.08        | 14.28                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 4.73                         | 1.08        | 5.81                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 5.00                         | 1.08        | 6.08                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.11                         | 1.08        | 6.19                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 8.30                         | 1.08        | 9.38                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.68                         | 1.08        | 8.76                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.59                         | 1.08        | 8.67                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.71                        | 1.08        | 12.79                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.57                        | 1.08        | 11.65                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.92                        | 1.08        | 15.00                                      | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 4.65                         | 1.08        | 5.73                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.72                         | 1.08        | 5.80                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 4.92                         | 1.08        | 6.00                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.80                         | 1.08        | 8.88                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.03                         | 1.08        | 8.11                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.46                         | 1.08        | 8.54                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.47                        | 1.08        | 12.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.47                        | 1.08        | 11.55                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.43                        | 1.08        | 14.51                                      | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 4.81                         | 1.08        | 5.89                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 4.92                         | 1.08        | 6.00                                       | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 5.10                         | 1.08        | 6.18                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 7.25                         | 1.08        | 8.33                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 7.77                         | 1.08        | 8.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.51                         | 1.08        | 8.59                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.93                        | 1.08        | 12.01                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 10.06                        | 1.08        | 11.14                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.46                        | 1.08        | 13.54                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 102     | 5510            | 52/37            | 11.95                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.11                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.14                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 15.26                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.80                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 14.80                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.53                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 17.74                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.57                        | 20.98            | 0.13           | Complies |
| 110     | 5550            | 52/37            | 11.87                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 11.94                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 12.19                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.82                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.36                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 14.64                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.62                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 17.74                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.40                        | 20.98            | 0.13           | Complies |
| 134     | 5670            | 52/37            | 12.17                        | 20.98            | 0.13           | Complies |
|         |                 | 52/40            | 12.35                        | 20.98            | 0.13           | Complies |
|         |                 | 52/44            | 11.95                        | 20.98            | 0.13           | Complies |
|         |                 | 106/53           | 14.77                        | 20.98            | 0.13           | Complies |
|         |                 | 106/54           | 14.99                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 14.44                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.17                        | 20.98            | 0.13           | Complies |
|         |                 | 242/62           | 17.01                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 19.60                        | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 7.91                         | 1.21        | 9.12                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.08                         | 1.21        | 9.29                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.34                         | 1.21        | 9.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.35                        | 1.21        | 12.56                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.21                        | 1.21        | 12.42                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.25                        | 1.21        | 12.46                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.29                        | 1.21        | 14.50                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.12                        | 1.21        | 14.33                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.03                        | 1.21        | 14.24                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 8.54                         | 1.21        | 9.75                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.16                         | 1.21        | 9.37                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.05                         | 1.21        | 9.26                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.59                        | 1.21        | 12.80                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.15                        | 1.21        | 12.36                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 10.92                        | 1.21        | 12.13                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.29                        | 1.21        | 14.50                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.18                        | 1.21        | 14.39                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.44                        | 1.21        | 14.65                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 7.36                         | 1.21        | 8.57                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.34                         | 1.21        | 8.55                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 7.64                         | 1.21        | 8.85                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.03                        | 1.21        | 12.24                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 10.70                        | 1.21        | 11.91                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.11                        | 1.21        | 12.32                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.81                        | 1.21        | 14.02                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 12.70                        | 1.21        | 13.91                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.73                        | 1.21        | 13.94                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 7.79                         | 1.21        | 9.00                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.55                         | 1.21        | 8.76                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 7.09                         | 1.21        | 8.30                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 10.98                        | 1.21        | 12.19                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 10.57                        | 1.21        | 11.78                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 10.74                        | 1.21        | 11.95                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 12.66                        | 1.21        | 13.87                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 12.56                        | 1.21        | 13.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 12.66                        | 1.21        | 13.87                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 8.61                         | 1.21        | 9.82                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.41                         | 1.21        | 9.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.92                         | 1.21        | 10.13                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.33                        | 1.21        | 13.54                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.62                        | 1.21        | 12.83                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.25                        | 1.21        | 13.46                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.15                        | 1.21        | 15.36                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 14.05                        | 1.21        | 15.26                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 14.06                        | 1.21        | 15.27                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 8.95                         | 1.21        | 10.16                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.98                         | 1.21        | 10.19                                      | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 9.06                         | 1.21        | 10.27                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 12.10                        | 1.21        | 13.31                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.66                        | 1.21        | 12.87                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 12.03                        | 1.21        | 13.24                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 14.17                        | 1.21        | 15.38                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 14.32                        | 1.21        | 15.53                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 14.10                        | 1.21        | 15.31                                      | 20.98            | 0.13           | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 8.41                         | 1.21        | 9.62                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 8.00                         | 1.21        | 9.21                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.09                         | 1.21        | 9.30                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.94                        | 1.21        | 13.15                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.55                        | 1.21        | 12.76                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.68                        | 1.21        | 12.89                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.66                        | 1.21        | 14.87                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.25                        | 1.21        | 14.46                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.44                        | 1.21        | 14.65                                      | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 8.48                         | 1.21        | 9.69                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 7.93                         | 1.21        | 9.14                                       | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 8.38                         | 1.21        | 9.59                                       | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 11.56                        | 1.21        | 12.77                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 11.29                        | 1.21        | 12.50                                      | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 11.49                        | 1.21        | 12.70                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 13.16                        | 1.21        | 14.37                                      | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 13.24                        | 1.21        | 14.45                                      | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 13.22                        | 1.21        | 14.43                                      | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 106     | 5530            | 106/53           | 15.33                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.20                        | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 15.50                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.92                        | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 18.51                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 18.82                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.73                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 20.54                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 20.57                        | 20.98            | 0.13           | Complies |
| 122     | 5610            | 106/53           | 15.69                        | 20.98            | 0.13           | Complies |
|         |                 | 106/56           | 15.41                        | 20.98            | 0.13           | Complies |
|         |                 | 106/60           | 15.43                        | 20.98            | 0.13           | Complies |
|         |                 | 242/61           | 18.80                        | 20.98            | 0.13           | Complies |
|         |                 | 242/63           | 18.41                        | 20.98            | 0.13           | Complies |
|         |                 | 242/64           | 18.55                        | 20.98            | 0.13           | Complies |
|         |                 | 484/65           | 20.58                        | 20.98            | 0.13           | Complies |
|         |                 | 484/66           | 20.60                        | 20.98            | 0.13           | Complies |
|         |                 | 996/67           | 20.61                        | 20.98            | 0.13           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 19.29                        | 0.84        | 20.13                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.27                        | 0.84        | 20.11                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.20                        | 0.84        | 20.04                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.67                        | 0.84        | 20.51                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.57                        | 0.84        | 20.41                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.18                        | 0.84        | 20.02                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 19.38                        | 0.84        | 20.22                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.59                        | 0.84        | 20.43                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.02                        | 0.84        | 19.86                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.78                        | 0.84        | 20.62                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.53                        | 0.84        | 20.37                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.44                        | 0.84        | 20.28                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 19.63                        | 0.84        | 20.47                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.76                        | 0.84        | 20.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.40                        | 0.84        | 20.24                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.74                        | 0.84        | 20.58                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.39                        | 0.84        | 20.23                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.35                        | 0.84        | 20.19                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 18.41                        | 0.84        | 19.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.45                        | 0.84        | 19.29                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.06                        | 0.84        | 18.90                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.50                        | 0.84        | 19.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.48                        | 0.84        | 19.32                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.05                        | 0.84        | 18.89                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 18.91                        | 0.84        | 19.75                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.78                        | 0.84        | 19.62                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 17.96                        | 0.84        | 18.80                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.74                        | 0.84        | 19.58                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.45                        | 0.84        | 19.29                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.24                        | 0.84        | 19.08                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 18.62                        | 0.84        | 19.46                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 18.83                        | 0.84        | 19.67                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.46                        | 0.84        | 19.30                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.58                        | 0.84        | 19.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.36                        | 0.84        | 19.20                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.35                        | 0.84        | 19.19                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 19.90                        | 0.84        | 20.74                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.14                        | 0.84        | 20.98                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.55                        | 0.84        | 20.39                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.28                        | 0.84        | 21.12                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.07                        | 0.84        | 20.91                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.74                        | 0.84        | 20.58                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 20.24                        | 0.84        | 21.08                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.43                        | 0.84        | 21.27                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.66                        | 0.84        | 20.50                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.36                        | 0.84        | 21.20                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.25                        | 0.84        | 21.09                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.95                        | 0.84        | 20.79                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 20.36                        | 0.84        | 21.20                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 20.18                        | 0.84        | 21.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.00                        | 0.84        | 20.84                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.34                        | 0.84        | 21.18                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.99                        | 0.84        | 20.83                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.16                        | 0.84        | 21.00                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 19.25                        | 0.84        | 20.09                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.65                        | 0.84        | 20.49                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.49                        | 0.84        | 20.33                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.99                        | 0.84        | 20.83                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.86                        | 0.84        | 20.70                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.37                        | 0.84        | 20.21                                      | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 19.70                        | 0.84        | 20.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 17.93                        | 0.84        | 18.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.57                        | 0.84        | 20.41                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.88                        | 0.84        | 20.72                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.95                        | 0.84        | 20.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.73                        | 0.84        | 20.57                                      | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 19.85                        | 0.84        | 20.69                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 19.93                        | 0.84        | 20.77                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.82                        | 0.84        | 20.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.66                        | 0.84        | 20.50                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.80                        | 0.84        | 20.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.83                        | 0.84        | 20.67                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 149     | 5745            | 52/37            | 26.10                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 26.28                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 25.98                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.52                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.40                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 25.99                        | 26.98            | 0.50           | Complies |
| 157     | 5785            | 52/37            | 26.44                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 26.14                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 25.96                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.59                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.46                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.25                        | 26.98            | 0.50           | Complies |
| 165     | 5825            | 52/37            | 26.52                        | 26.98            | 0.50           | Complies |
|         |                 | 52/38            | 26.56                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.32                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.49                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.29                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.33                        | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 19.22                        | 1.08        | 20.30                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.17                        | 1.08        | 20.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 18.46                        | 1.08        | 19.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.10                        | 1.08        | 20.18                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.38                        | 1.08        | 20.46                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.06                        | 1.08        | 20.14                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.51                        | 1.08        | 20.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.27                        | 1.08        | 20.35                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.08                        | 1.08        | 20.16                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 19.36                        | 1.08        | 20.44                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.24                        | 1.08        | 20.32                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 18.72                        | 1.08        | 19.80                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.40                        | 1.08        | 20.48                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.65                        | 1.08        | 20.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.84                        | 1.08        | 19.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.63                        | 1.08        | 20.71                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.12                        | 1.08        | 20.20                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.14                        | 1.08        | 20.22                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 18.23                        | 1.08        | 19.31                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.52                        | 1.08        | 19.60                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 17.80                        | 1.08        | 18.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.20                        | 1.08        | 19.28                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.48                        | 1.08        | 19.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.01                        | 1.08        | 19.09                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.46                        | 1.08        | 19.54                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 18.26                        | 1.08        | 19.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 17.90                        | 1.08        | 18.98                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 18.78                        | 1.08        | 19.86                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 18.83                        | 1.08        | 19.91                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 18.25                        | 1.08        | 19.33                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.48                        | 1.08        | 19.56                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 18.60                        | 1.08        | 19.68                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.00                        | 1.08        | 19.08                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.66                        | 1.08        | 19.74                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 18.14                        | 1.08        | 19.22                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 18.13                        | 1.08        | 19.21                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 19.68                        | 1.08        | 20.76                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.08                        | 1.08        | 21.16                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.53                        | 1.08        | 20.61                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.92                        | 1.08        | 21.00                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.30                        | 1.08        | 21.38                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.76                        | 1.08        | 20.84                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.19                        | 1.08        | 21.27                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.71                        | 1.08        | 20.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.66                        | 1.08        | 20.74                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 19.94                        | 1.08        | 21.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 20.31                        | 1.08        | 21.39                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.50                        | 1.08        | 20.58                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 20.14                        | 1.08        | 21.22                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 20.34                        | 1.08        | 21.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.65                        | 1.08        | 20.73                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.31                        | 1.08        | 21.39                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.78                        | 1.08        | 20.86                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.78                        | 1.08        | 20.86                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 19.15                        | 1.08        | 20.23                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.50                        | 1.08        | 20.58                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.17                        | 1.08        | 20.25                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 18.98                        | 1.08        | 20.06                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.76                        | 1.08        | 20.84                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.53                        | 1.08        | 20.61                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.64                        | 1.08        | 20.72                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.50                        | 1.08        | 20.58                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.13                        | 1.08        | 20.21                                      | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 19.38                        | 1.08        | 20.46                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 19.71                        | 1.08        | 20.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 19.54                        | 1.08        | 20.62                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 19.33                        | 1.08        | 20.41                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 19.70                        | 1.08        | 20.78                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 19.63                        | 1.08        | 20.71                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 19.47                        | 1.08        | 20.55                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 19.67                        | 1.08        | 20.75                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.33                        | 1.08        | 20.41                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 151     | 5755            | 52/37            | 26.20                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.45                        | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 25.89                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.19                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.63                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 26.24                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.59                        | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 26.32                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 26.09                        | 26.98            | 0.50           | Complies |
| 159     | 5795            | 52/37            | 26.48                        | 26.98            | 0.50           | Complies |
|         |                 | 52/40            | 26.66                        | 26.98            | 0.50           | Complies |
|         |                 | 52/44            | 26.14                        | 26.98            | 0.50           | Complies |
|         |                 | 106/53           | 26.48                        | 26.98            | 0.50           | Complies |
|         |                 | 106/54           | 26.72                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 26.18                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 26.66                        | 26.98            | 0.50           | Complies |
|         |                 | 242/62           | 26.32                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 26.24                        | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 16.67                        | 1.21        | 17.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 17.67                        | 1.21        | 18.88                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 16.75                        | 1.21        | 17.96                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.29                        | 1.21        | 18.50                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 17.17                        | 1.21        | 18.38                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 16.89                        | 1.21        | 18.10                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 16.76                        | 1.21        | 17.97                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 16.71                        | 1.21        | 17.92                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 18.60                        | 1.21        | 19.81                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 18.01                        | 1.21        | 19.22                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.43                        | 1.21        | 19.64                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 15.81                        | 1.21        | 17.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 18.38                        | 1.21        | 19.59                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 16.36                        | 1.21        | 17.57                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 17.30                        | 1.21        | 18.51                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 17.92                        | 1.21        | 19.13                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 17.47                        | 1.21        | 18.68                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 18.75                        | 1.21        | 19.96                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 17.45                        | 1.21        | 18.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.34                        | 1.21        | 19.55                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 18.81                        | 1.21        | 20.02                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 20.29                        | 1.21        | 21.50                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 18.15                        | 1.21        | 19.36                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 17.72                        | 1.21        | 18.93                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 19.58                        | 1.21        | 20.79                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 19.15                        | 1.21        | 20.36                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 21.06                        | 1.21        | 22.27                                      | 26.98            | 0.50           | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 18.64                        | 1.21        | 19.85                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 18.02                        | 1.21        | 19.23                                      | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 17.92                        | 1.21        | 19.13                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 17.21                        | 1.21        | 18.42                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 17.45                        | 1.21        | 18.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 17.87                        | 1.21        | 19.08                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 17.13                        | 1.21        | 18.34                                      | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 17.45                        | 1.21        | 18.66                                      | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 18.93                        | 1.21        | 20.14                                      | 26.98            | 0.50           | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | RU configuration | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|------------------|------------------------------|------------------|----------------|----------|
| 155     | 5775            | 106/53           | 24.98                        | 26.98            | 0.50           | Complies |
|         |                 | 106/56           | 25.35                        | 26.98            | 0.50           | Complies |
|         |                 | 106/60           | 24.70                        | 26.98            | 0.50           | Complies |
|         |                 | 242/61           | 25.71                        | 26.98            | 0.50           | Complies |
|         |                 | 242/63           | 24.56                        | 26.98            | 0.50           | Complies |
|         |                 | 242/64           | 24.69                        | 26.98            | 0.50           | Complies |
|         |                 | 484/65           | 25.22                        | 26.98            | 0.50           | Complies |
|         |                 | 484/66           | 25.02                        | 26.98            | 0.50           | Complies |
|         |                 | 996/67           | 26.69                        | 26.98            | 0.50           | Complies |

## **APPENDIX F - POWER SPECTRAL DENSITY**

## Non-Beamforming


|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 52/37 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.54                             | 0.84        | 8.38                                           | 13.98                | Complies |
| 40      | 5200            | 7.29                             | 0.84        | 8.13                                           | 13.98                | Complies |
| 48      | 5240            | 7.41                             | 0.84        | 8.25                                           | 13.98                | Complies |




|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 52/37 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.39                             | 0.84        | 8.23                                           | 13.98                | Complies |
| 40      | 5200            | 6.98                             | 0.84        | 7.82                                           | 13.98                | Complies |
| 48      | 5240            | 7.22                             | 0.84        | 8.06                                           | 13.98                | Complies |




|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 52/37 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.70                             | 0.84        | 6.54                                           | 13.98                | Complies |
| 40      | 5200            | 5.43                             | 0.84        | 6.27                                           | 13.98                | Complies |
| 48      | 5240            | 5.59                             | 0.84        | 6.43                                           | 13.98                | Complies |



|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 52/37 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.39                             | 0.84        | 8.23                                           | 13.98                | Complies |
| 40      | 5200            | 7.24                             | 0.84        | 8.08                                           | 13.98                | Complies |
| 48      | 5240            | 7.41                             | 0.84        | 8.25                                           | 13.98                | Complies |




|           |                                 |                  |       |
|-----------|---------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Total | RU configuration | 52/37 |
|-----------|---------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 13.93                            | 13.98                | Complies |
| 40      | 5200            | 13.66                            | 13.98                | Complies |
| 48      | 5240            | 13.83                            | 13.98                | Complies |


|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 106/54 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.56                             | 0.84        | 8.40                                           | 13.98                | Complies |
| 40      | 5200            | 7.17                             | 0.84        | 8.01                                           | 13.98                | Complies |
| 48      | 5240            | 7.58                             | 0.84        | 8.42                                           | 13.98                | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 106/54 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.14                             | 0.84        | 7.98                                           | 13.98                | Complies |
| 40      | 5200            | 6.82                             | 0.84        | 7.66                                           | 13.98                | Complies |
| 48      | 5240            | 6.99                             | 0.84        | 7.83                                           | 13.98                | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 106/54 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.67                             | 0.84        | 6.51                                           | 13.98                | Complies |
| 40      | 5200            | 5.40                             | 0.84        | 6.24                                           | 13.98                | Complies |
| 48      | 5240            | 5.49                             | 0.84        | 6.33                                           | 13.98                | Complies |



|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 106/54 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.04                             | 0.84        | 7.88                                           | 13.98                | Complies |
| 40      | 5200            | 6.70                             | 0.84        | 7.54                                           | 13.98                | Complies |
| 48      | 5240            | 7.27                             | 0.84        | 8.11                                           | 13.98                | Complies |




|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Total | RU configuration | 106/54 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 13.77                            | 13.98                | Complies |
| 40      | 5200            | 13.43                            | 13.98                | Complies |
| 48      | 5240            | 13.76                            | 13.98                | Complies |


|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.66                             | 0.84        | 8.50                                           | 13.98                | Complies |
| 40      | 5200            | 7.41                             | 0.84        | 8.25                                           | 13.98                | Complies |
| 48      | 5240            | 7.47                             | 0.84        | 8.31                                           | 13.98                | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.07                             | 0.84        | 7.91                                           | 13.98                | Complies |
| 40      | 5200            | 7.07                             | 0.84        | 7.91                                           | 13.98                | Complies |
| 48      | 5240            | 7.19                             | 0.84        | 8.03                                           | 13.98                | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.70                             | 0.84        | 6.54                                           | 13.98                | Complies |
| 40      | 5200            | 5.43                             | 0.84        | 6.27                                           | 13.98                | Complies |
| 48      | 5240            | 5.64                             | 0.84        | 6.48                                           | 13.98                | Complies |



|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.34                             | 0.84        | 8.18                                           | 13.98                | Complies |
| 40      | 5200            | 7.13                             | 0.84        | 7.97                                           | 13.98                | Complies |
| 48      | 5240            | 7.35                             | 0.84        | 8.19                                           | 13.98                | Complies |




|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Total | RU configuration | 242/61 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 13.86                            | 13.98                | Complies |
| 40      | 5200            | 13.69                            | 13.98                | Complies |
| 48      | 5240            | 13.83                            | 13.98                | Complies |


|           |                                 |                  |       |
|-----------|---------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 1 | RU configuration | 52/44 |
|-----------|---------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 7.19                             | 1.08        | 8.27                                           | 13.98                | Complies |
| 46      | 5230            | 5.18                             | 1.08        | 6.26                                           | 13.98                | Complies |




|           |                                 |                  |       |
|-----------|---------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 2 | RU configuration | 52/44 |
|-----------|---------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 7.00                             | 1.08        | 8.08                                           | 13.98                | Complies |
| 46      | 5230            | 4.84                             | 1.08        | 5.92                                           | 13.98                | Complies |




|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 52/44 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.36                             | 1.08        | 6.44                                           | 13.98                | Complies |
| 46      | 5230            | 5.51                             | 1.08        | 6.59                                           | 13.98                | Complies |



|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 52/44 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.97                             | 1.08        | 8.05                                           | 13.98                | Complies |
| 46      | 5230            | 5.55                             | 1.08        | 6.63                                           | 13.98                | Complies |




|           |                                 |                  |       |
|-----------|---------------------------------|------------------|-------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 52/44 |
|-----------|---------------------------------|------------------|-------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 13.79                            | 13.98                | Complies |
| 46      | 5230            | 12.38                            | 13.98                | Complies |

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 7.70                             | 1.08        | 8.78                                           | 13.98                | Complies |
| 46      | 5230            | 7.35                             | 1.08        | 8.43                                           | 13.98                | Complies |




Date: 12.MAR.2020 21:27:37




Date: 12.MAR.2020 21:37:54

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.93                             | 1.08        | 8.01                                           | 13.98                | Complies |
| 46      | 5230            | 6.86                             | 1.08        | 7.94                                           | 13.98                | Complies |




Date: 12.MAR.2020 21:28:59



Date: 12.MAR.2020 21:37:14


|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.34                             | 1.08        | 6.42                                           | 13.98                | Complies |
| 46      | 5230            | 5.53                             | 1.08        | 6.61                                           | 13.98                | Complies |



|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.74                             | 1.08        | 7.82                                           | 13.98                | Complies |
| 46      | 5230            | 6.75                             | 1.08        | 7.83                                           | 13.98                | Complies |




|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 106/53 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 13.86                            | 13.98                | Complies |
| 46      | 5230            | 13.77                            | 13.98                | Complies |


|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 1 | RU configuration | 242/61 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.59                             | 1.08        | 7.67                                           | 13.98                | Complies |
| 46      | 5230            | 7.40                             | 1.08        | 8.48                                           | 13.98                | Complies |




|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 2 | RU configuration | 242/61 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.88                             | 1.08        | 6.96                                           | 13.98                | Complies |
| 46      | 5230            | 7.04                             | 1.08        | 8.12                                           | 13.98                | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.49                             | 1.08        | 5.57                                           | 13.98                | Complies |
| 46      | 5230            | 5.52                             | 1.08        | 6.60                                           | 13.98                | Complies |



|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.38                             | 1.08        | 7.46                                           | 13.98                | Complies |
| 46      | 5230            | 6.97                             | 1.08        | 8.05                                           | 13.98                | Complies |




|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 242/61 |
|-----------|---------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 13.01                            | 13.98                | Complies |
| 46      | 5230            | 13.89                            | 13.98                | Complies |

|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 1 | RU configuration | 484/65 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 0.15                             | 1.08        | 1.23                                           | 13.98                | Complies |
| 46      | 5230            | 4.22                             | 1.08        | 5.3                                            | 13.98                | Complies |




Date: 12.MAR.2020 17:29:54




Date: 12.MAR.2020 17:33:16

|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_Ant. 2 | RU configuration | 484/65 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 0.01                             | 1.08        | 1.09                                           | 13.98                | Complies |
| 46      | 5230            | 3.70                             | 1.08        | 4.78                                           | 13.98                | Complies |




Date: 12.MAR.2020 17:30:35



Date: 12.MAR.2020 18:07:18


|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 484/65 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -1.98                            | 1.08        | -0.9                                           | 13.98                | Complies |
| 46      | 5230            | 1.61                             | 1.08        | 2.69                                           | 13.98                | Complies |



|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 484/65 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | -0.37                            | 1.08        | 0.71                                           | 13.98                | Complies |
| 46      | 5230            | 3.35                             | 1.08        | 4.43                                           | 13.98                | Complies |




|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 484/65 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 6.63                             | 13.98                | Complies |
| 46      | 5230            | 10.42                            | 13.98                | Complies |

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 106/56 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 7.20                             | 1.21        | 8.41                                           | 13.98                | Complies |



Date: 12.MAR.2020 15:57:17

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 106/56 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 6.74                             | 1.21        | 7.95                                           | 13.98                | Complies |



Date: 12.MAR.2020 15:58:36

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 106/56 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 4.81                             | 1.21        | 6.02                                           | 13.98                | Complies |



Date: 12.MAR.2020 15:59:01

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 106/56 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 6.58                             | 1.21        | 7.79                                           | 13.98                | Complies |




Date: 12.MAR.2020 15:59:29

|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 106/56 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 13.65                            | 13.98                | Complies |

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 242/63 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.38                             | 1.21        | 2.59                                           | 13.98                | Complies |



Date: 23.MAR.2020 11:04:25

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 242/63 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 0.38                             | 1.21        | 1.59                                           | 13.98                | Complies |



Date: 23.MAR.2020 11:03:47

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 242/63 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.70                             | 1.21        | 2.91                                           | 13.98                | Complies |



Date: 23\_MAR.2020 11:02:49

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 242/63 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.42                             | 1.21        | 2.63                                           | 13.98                | Complies |




Date: 23\_MAR.2020 11:03:55

|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 242/63 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 8.48                             | 13.98                | Complies |

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 484/66 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.86                            | 1.21        | -1.65                                          | 13.98                | Complies |



Date: 23.MAR.2020 11:17:41

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 484/66 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -3.53                            | 1.21        | -2.32                                          | 13.98                | Complies |



Date: 23.MAR.2020 11:16:46

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 484/66 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.64                            | 1.21        | -0.43                                          | 13.98                | Complies |



Date: 23\_MAR.2020 11:14:40

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 484/66 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.52                            | 1.21        | -1.31                                          | 13.98                | Complies |




Date: 23\_MAR.2020 11:13:59

|           |                                 |                  |        |
|-----------|---------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 484/66 |
|-----------|---------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 4.64                             | 13.98                | Complies |

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 996/67 |
|-----------|----------------------------------|------------------|--------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.62                            | 1.21        | -0.41                                          | 13.98                | Complies |



Date: 13.MAR.2020 20:03:31

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 996/67 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.08                            | 1.21        | -0.87                                          | 13.98                | Complies |



Date: 13.MAR.2020 20:03:01

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -3.73                            | 1.21        | -2.52                                          | 13.98                | Complies |




| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.92                            | 1.21        | -0.71                                          | 13.98                | Complies |



| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 4.96                             | 13.98                | Complies |


|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.19                             | 0.84        | 2.03                                           | 7.98                 | Complies |
| 60      | 5300            | 1.06                             | 0.84        | 1.90                                           | 7.98                 | Complies |
| 64      | 5320            | 1.08                             | 0.84        | 1.92                                           | 7.98                 | Complies |




|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.46                             | 0.84        | 2.30                                           | 7.98                 | Complies |
| 60      | 5300            | 1.62                             | 0.84        | 2.46                                           | 7.98                 | Complies |
| 64      | 5320            | 1.69                             | 0.84        | 2.53                                           | 7.98                 | Complies |




|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.17                            | 0.84        | 0.67                                           | 7.98                 | Complies |
| 60      | 5300            | -0.24                            | 0.84        | 0.60                                           | 7.98                 | Complies |
| 64      | 5320            | -0.27                            | 0.84        | 0.57                                           | 7.98                 | Complies |



|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.87                             | 0.84        | 1.71                                           | 7.98                 | Complies |
| 60      | 5300            | 1.15                             | 0.84        | 1.99                                           | 7.98                 | Complies |
| 64      | 5320            | 1.19                             | 0.84        | 2.03                                           | 7.98                 | Complies |




|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Total | RU configuration | 52/37 |
|-----------|----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 7.74                             | 7.98                 | Complies |
| 60      | 5300            | 7.81                             | 7.98                 | Complies |
| 64      | 5320            | 7.84                             | 7.98                 | Complies |


|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 106/53 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.31                             | 0.84        | 2.15                                           | 7.98                 | Complies |
| 60      | 5300            | 1.03                             | 0.84        | 1.87                                           | 7.98                 | Complies |
| 64      | 5320            | 0.90                             | 0.84        | 1.74                                           | 7.98                 | Complies |




|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 106/53 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.60                             | 0.84        | 2.44                                           | 7.98                 | Complies |
| 60      | 5300            | 1.39                             | 0.84        | 2.23                                           | 7.98                 | Complies |
| 64      | 5320            | 1.39                             | 0.84        | 2.23                                           | 7.98                 | Complies |




|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 106/53 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.04                            | 0.84        | 0.80                                           | 7.98                 | Complies |
| 60      | 5300            | -0.25                            | 0.84        | 0.59                                           | 7.98                 | Complies |
| 64      | 5320            | -0.36                            | 0.84        | 0.48                                           | 7.98                 | Complies |



|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 106/53 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.07                             | 0.84        | 1.91                                           | 7.98                 | Complies |
| 60      | 5300            | 0.89                             | 0.84        | 1.73                                           | 7.98                 | Complies |
| 64      | 5320            | 0.90                             | 0.84        | 1.74                                           | 7.98                 | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Total | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 7.89                             | 7.98                 | Complies |
| 60      | 5300            | 7.67                             | 7.98                 | Complies |
| 64      | 5320            | 7.61                             | 7.98                 | Complies |


|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 242/61 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.40                             | 0.84        | 2.24                                           | 7.98                 | Complies |
| 60      | 5300            | 1.27                             | 0.84        | 2.11                                           | 7.98                 | Complies |
| 64      | 5320            | 1.04                             | 0.84        | 1.88                                           | 7.98                 | Complies |




|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 242/61 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.29                             | 0.84        | 2.13                                           | 7.98                 | Complies |
| 60      | 5300            | 1.23                             | 0.84        | 2.07                                           | 7.98                 | Complies |
| 64      | 5320            | 1.44                             | 0.84        | 2.28                                           | 7.98                 | Complies |




|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 242/61 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.17                            | 0.84        | 0.67                                           | 7.98                 | Complies |
| 60      | 5300            | -0.04                            | 0.84        | 0.80                                           | 7.98                 | Complies |
| 64      | 5320            | -0.29                            | 0.84        | 0.55                                           | 7.98                 | Complies |



|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 242/61 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.91                             | 0.84        | 1.75                                           | 7.98                 | Complies |
| 60      | 5300            | 0.96                             | 0.84        | 1.80                                           | 7.98                 | Complies |
| 64      | 5320            | 0.99                             | 0.84        | 1.83                                           | 7.98                 | Complies |




|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Total | RU configuration | 242/61 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 7.76                             | 7.98                 | Complies |
| 60      | 5300            | 7.75                             | 7.98                 | Complies |
| 64      | 5320            | 7.70                             | 7.98                 | Complies |

|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 1.40                             | 1.08        | 2.48                                           | 7.98                 | Complies |
| 62      | 5310            | 1.07                             | 1.08        | 2.15                                           | 7.98                 | Complies |




Date: 13.MAR.2020 15:56:36

Date: 13.MAR.2020 16:05:31

|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 1.11                             | 1.08        | 2.19                                           | 7.98                 | Complies |
| 62      | 5310            | 0.83                             | 1.08        | 1.91                                           | 7.98                 | Complies |




Date: 13.MAR.2020 15:58:05

Date: 13.MAR.2020 16:05:58


|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -0.14                            | 1.08        | 0.94                                           | 7.98                 | Complies |
| 62      | 5310            | -0.39                            | 1.08        | 0.69                                           | 7.98                 | Complies |



|           |                                   |                  |       |
|-----------|-----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 52/37 |
|-----------|-----------------------------------|------------------|-------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 0.75                             | 1.08        | 1.83                                           | 7.98                 | Complies |
| 62      | 5310            | 0.60                             | 1.08        | 1.68                                           | 7.98                 | Complies |




|           |                                  |                  |       |
|-----------|----------------------------------|------------------|-------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Total | RU configuration | 52/37 |
|-----------|----------------------------------|------------------|-------|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 7.92                             | 7.98                 | Complies |
| 62      | 5310            | 7.66                             | 7.98                 | Complies |

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 1 | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 1.89                             | 1.08        | 2.97                                           | 7.98                 | Complies |
| 62      | 5310            | 1.74                             | 1.08        | 2.82                                           | 7.98                 | Complies |




Date: 12.MAR.2020 21:45:12




Date: 13.MAR.2020 09:43:45

|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_Ant. 2 | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 0.89                             | 1.08        | 1.97                                           | 7.98                 | Complies |
| 62      | 5310            | 1.18                             | 1.08        | 2.26                                           | 7.98                 | Complies |




Date: 12.MAR.2020 21:45:44



Date: 13.MAR.2020 09:44:15


|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 106/53 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | -0.38                            | 1.08        | 0.70                                           | 7.98                 | Complies |
| 62      | 5310            | -0.30                            | 1.08        | 0.78                                           | 7.98                 | Complies |



|           |                                   |                  |        |
|-----------|-----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 106/53 |
|-----------|-----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 54      | 5270            | 0.67                             | 1.08        | 1.75                                           | 7.98                 | Complies |
| 62      | 5310            | 0.46                             | 1.08        | 1.54                                           | 7.98                 | Complies |



|           |                                  |                  |        |
|-----------|----------------------------------|------------------|--------|
| Test Mode | UNII-2A_TX AX (HE40) Mode_ Total | RU configuration | 106/53 |
|-----------|----------------------------------|------------------|--------|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 54      | 5270            | 7.94                             | 7.98                 | Complies |
| 62      | 5310            | 7.94                             | 7.98                 | Complies |