

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					20	-14.39	-0.00553	PASS
					30	-13.23	-0.00509	PASS
					40	-17.74	-0.00682	PASS
					50	-15.32	-0.00589	PASS
			HCH	VN	-30	-11.99	-0.00452	PASS
					-20	-14.66	-0.00553	PASS
					-10	-12.87	-0.00486	PASS
					0	-17.24	-0.00651	PASS
					10	-17.50	-0.0066	PASS
					20	-14.46	-0.00546	PASS
					30	-13.28	-0.00501	PASS
					40	-16.45	-0.00621	PASS
					50	-12.47	-0.00471	PASS
		15	LCH	VN	-30	-15.19	-0.00595	PASS
					-20	-16.39	-0.00642	PASS
					-10	-18.25	-0.00715	PASS
					0	-17.80	-0.00697	PASS
					10	-18.94	-0.00742	PASS
					20	-20.17	-0.0079	PASS
					30	-19.13	-0.00749	PASS
					40	-20.26	-0.00794	PASS
					50	-19.74	-0.00773	PASS
			MCH	VN	-30	-13.86	-0.00533	PASS
					-20	-14.55	-0.0056	PASS
					-10	-15.09	-0.0058	PASS
					0	-13.10	-0.00504	PASS
					10	-15.15	-0.00583	PASS
					20	-13.19	-0.00507	PASS
					30	-14.78	-0.00568	PASS
					40	-15.11	-0.00581	PASS
					50	-13.73	-0.00528	PASS
			HCH	VN	-30	-12.02	-0.00454	PASS
					-20	-14.52	-0.00548	PASS
					-10	-14.78	-0.00558	PASS
					0	-16.31	-0.00616	PASS
					10	-13.88	-0.00524	PASS
					20	-15.44	-0.00583	PASS
					30	-15.29	-0.00578	PASS
					40	-16.87	-0.00637	PASS

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					50	-16.97	-0.00641	PASS
		20	LCH	VN	-30	-39.48	-0.01545	PASS
					-20	-36.45	-0.01427	PASS
					-10	-39.07	-0.01529	PASS
					0	-33.97	-0.0133	PASS
					10	-34.16	-0.01337	PASS
					20	-30.40	-0.0119	PASS
					30	-29.24	-0.01144	PASS
					40	-29.75	-0.01164	PASS
					50	-28.51	-0.01116	PASS
			MCH	VN	-30	-19.33	-0.00743	PASS
					-20	-20.84	-0.00802	PASS
					-10	-18.24	-0.00702	PASS
					0	-16.55	-0.00637	PASS
					10	-18.98	-0.0073	PASS
					20	-18.74	-0.00721	PASS
					30	-17.47	-0.00672	PASS
					40	-18.81	-0.00723	PASS
					50	-17.65	-0.00679	PASS
			HCH	VN	-30	-14.49	-0.00548	PASS
					-20	-16.15	-0.00611	PASS
					-10	-18.02	-0.00681	PASS
					0	-15.92	-0.00602	PASS
					10	-14.99	-0.00567	PASS
					20	-16.45	-0.00622	PASS
					30	-18.54	-0.00701	PASS
					40	-15.91	-0.00602	PASS
					50	-17.22	-0.00651	PASS

END