



ITEM NO.	PART NUMBER	REV.	DESCRIPTION	QTY.
1	168-00023	1.0	Label Stock, Polyester, White, 11.5mm x 19.5mm x R1.5mm	1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
1.0	Initial release	Feb 10, 2023	AC




- Notes:
- 1.Material: Polyester, White
 - 2.Unit: mm
 - 3.Tolerance: $\pm 0.1\text{mm}$
 - 4.Font: Arial
- Label info:
- 1.Model name
 - 2.Part number
 - 3.Revision of Product: Refer to the PO
 - 4.Contains FCC ID
 - 5.Contains IC
 - 6.Date code:SSYYWWD
 - SS: manufacturer number
 - YY: last two numbers of the year
 - WW: Week number of the year
 - D: Sun=1,Mon=2,Tue=3,Wed=4,Thu=5, Fri=6,Sat=7
 - 7.MIC Logo and ID, logo min size 3mm
 - 8.RCM Logo, logo min size 3mm
 - 9.CE Logo
 - 10.UKCA Logo
 - 11.KC logo




UNLESS OTHERWISE NOTED, THIS DOCUMENT CONTAINS LAIRD CONNECTIVITY INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LAIRD CONNECTIVITY. LAIRD CONNECTIVITY RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPYRIGHT, LAIRD CONNECTIVITY 2020, ALL RIGHTS RESERVED.

UNIT: mm

UNLESS OTHERWISE SPECIFIED:		CAD FILE: 160-02388		TITLE:	
DIMENSIONS ARE IN MILLIMETERS				Label, Lyra 24P USB Adapter, 11.5mm x 19.5mm	
TOLERANCES:		DATE		SIZE	DWG. NO.
ANGULAR: $\pm .5$		Feb 10, 2023		B	160-02388
X.X $\pm .2$		SHEET 1 OF 1			REV
X.XX $\pm .1$		SCALE: 8:1			1.0
INTERPRET GEOMETRIC TOLERANCING PER: ASME 14.5M					








Laird Connectivity

P/N: 453-00148
Model: LYRA 24P
FCC ID: SQG-LYRA24P
IC: 3147A-LYRA24P
KC ID: R-C-L8C-LYRA24P



YYWWTTTTTT



[R] 201-220774



R-NZ