

Page: 1 of 305

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT





Applicant: Qualcomm Technologies, Inc.

5775 Morehouse Drive, San Diego, CA 92121-1714, United

States

Manufacturer: Qualcomm Technologies, Inc.

5775 Morehouse Drive, San Diego, CA 92121-1714, United

States

Product Name: Tri-Radio LGA Module for IoT applications

Brand Name: Qualcomm

Model No.: QCC744M-0

Report Number: TERF2411003343E2

FCC ID J9C-QCC744M0

Date of EUT Received: Nov. 06, 2024

Nov. 07, 2024~Nov. 29, 2024 Date of Test:

Issue Date: Dec. 13, 2024

Approved By

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2020 and the energy emitted by the sample EUT comply with FCC rule part §15.247.

The results of this report relate only to the sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 2 of 305

Revision History					
Report Number	Revision	Description	Issue Date	Revised By	Remark
TERF2411003343E2	00	Original	Dec. 09, 2024	Yami Kuo	
TERF2411003343E2	01	Revise address	Dec. 13, 2024	Yami Kuo	*

Note:

1 • The remark "*" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之降具色素,同味他接具做是2000年。未想生主概未从司事而连可,无可如必指制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 3 of 305

Table of Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULTS	10
4	DESCRIPTION OF TEST MODES	11
5	MEASUREMENT UNCERTAINTY	14
6	MEASUREMENT EQUIPMENT USED	15
7	CONDUCTED EMISSION TEST	17
8	PEAK OUTPUT POWER MEASUREMENT	21
9	EMISSION BANDWIDTH MEASUREMENT	33
10	CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT	48
11	BANDEDGE AND SPURIOUS EMISSION MEASUREMENT	83
12	POWER SPECTRAL DENSITY	290
13	ANTENNA REQUIREMENT	305

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果的影子操具有意,同时此锋里度反应的手,才就是土硬于八司事而统可,不可如以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 4 of 305

GENERAL INFORMATION

1.1 **Product Description**

Product Name:	Tri-Radio LGA Module for IoT applications
Brand Name:	Qualcomm
Model No.:	QCC744M-0
HW SKU:	QCC744M-0U, QCC744M-0B, QCC748M-0U, QCC748M-0B
Hardware Version:	N/A
Firmware Version:	N/A
EUT Series No.:	02B221846S00C8
Power Supply:	3.3Vdc
Test Software (Name/Version)	Qconn_RCT v1.8.9

1.2 **RF Specification**

WLAN 2.4GHz

Wi-Fi	Frequency	Channels Rated Power (dBm) Modu		Modulation	
V V I - I I	Range	Chariners	Peak	Avg.	Technology
802.11b	2412~2472	13	23.87	21.68	DSSS
802.11g	2412~2472	13	26.61	20.79	OFDM
802.11n_HT20	2412~2472	13	26.60	20.49	OFDM
802.11n_HT40	2422~2462	9	24.66	15.95	OFDM
802.11ax_HE20	2412~2472	13	27.66	20.48	OFDMA
802.11ax_HE40	2422~2462	9	26.62	16.02	OFDMA
		CCK, DQPSK, DBPSK for DSSS in 802.11b			
Modulation type:		64QAM, 16QAM, QPSK, BPSK for OFDM in 802.11g,11n			
		1024QAM, 256QAM, 64QAM, 16QAM, QPSK, BPSK for OFDMA in 802.11ax			SK, BPSK for
		802.11b: 1/2/5	.5/11 Mbps		
		802.11g: 6/9/12/18/24/36/48/54 Mbps			
Data Rate:		802.11n_HT20:up to 72.2Mbps			
		802.11n_HT40:up to 150Mbps			
		802.11ax_HE20:up to 143.4Mbps			
		802.11ax_HE4	0:up to 286.8N	1bps	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 5 of 305

HW SKU Difference Table:

HW SKU	Antenna Type	Impedance	Chip design
QCC744M-0U	3 types: PIFA, Monopole, Dipole	C21=1.86pF,	Does not support USB
QCC/44IVI-00	o types: 1 ii 7t, Menopele, Bipele	C20=1.89pF	pinout
0007441400	4.1 DOD	C21=1.52pF,	Does not support USB
QCC744M-0B	1 type: PCB	C20=2.05pF	pinout
00074014 011	O. DIEA M Di	C21=1.86pF,	Cuppert LICE pipeut
QCC748M-0U	3 types: PIFA, Monopole, Dipole	C20=1.89pF	Support USB pinout
0007401400	4.4 505	C21=1.52pF,	Cuppert LICE pipeut
QCC748M-0B	1 type: PCB	C20=2.05pF	Support USB pinout

1.4 **Antenna Designation**

Antenna Type	Antenna Model No.	Freq. (MHz)	Peak Antenna Gain (dBi)
PCB Antenna	RFIQM0744010NB001		2.52
PIFA Antenna	RFPCA441010EMABY01	0.4011-	3.19
Dipole Antenna	RFPCA521010EMABY01	2.4GHz	3.37
Monopole Antenna	RFPCA501010EMABY01		3.12

Note:

- Pre-scanned was done on the above antennas, measurements were demonstrated by using the antenna with the highest gain as the worst case scenarios.
- 2. Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 6 of 305

1.5 Test Methodology of Applied Standards

FCC Part 15, Subpart C §15.247 FCC KDB 558074 D01 15.247 Meas Guidance v05r02 ANSI C63.10:2020

1.6 Test Facility

Laboratory	Test Site Address	Test Site Name	FCC Designa- tion number	IC CAB
		SAC 1		
		SAC 2		
		SAC 3		
	No.134, Wu Kung Road, New Taipei	Conduction 1		
		Conducted 1	TIA/0.007	
	Industrial Park, Wuku District, New	Conducted 2	TW0027	
	Taipei City, Taiwan.	Conducted 3		
	-	Conducted 4		
		Conducted 5		
SGS Taiwan Ltd.		Conducted 6		
Central RF Lab.		Conduction C		TW3702
		SAC C		
(TAF code 3702)		SAC D		
		SAC G		
	No 2 Kaji 1et Bd. Cujehan Dietriet	Conducted A	TW0028	
	No.2, Keji 1st Rd., Guishan District,	Conducted B		
	Taoyuan City, Taiwan 333	Conducted C		
		Conducted D		
		Conducted E		
		Conducted F		
		Conducted G		

Note: Test site name is remarked on the equipment list in each section of this report as an indication where measurements occurred in specific test site and address.

1.7 Special Accessories

There are no special accessories used while test was conducted.

1.8 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果的影子操具有意,同时此锋里度反应的手,才就是土硬于八司事而统可,不可如以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 7 of 305

2 SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

JOJ Talwari Etd.



Page: 8 of 305

2.4 Measurement Results Explanation Example

2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz


Radiated emission below 30MHz is measured in a 9m*6m*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

2.5 Test Configuration





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果的影子操具有意,同时此锋里度反应的手,才就是土硬于八司事而统可,不可如以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

/an Ltd. │ No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Page: 9 of 305

Control Unit(s)

	· ,				
AC Power-Line Conducted Emission Test Site: Conduction C					
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	T470	P0001293	N/A	N/A
Adapter	Lenovo	ADLX65YLC3D	N/A	N/A	N/A
QCC74X Module Development Kit Board	Walsin	QCC744-DVK	N/A	N/A	N/A
USB Cable	Fong Hua	USB-C18	128342	N/A	N/A
	(Conducted Emission T	est Site: Conducted	С	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL. (mm/dd/yyyy)	CAL DUE. (mm/dd/yyyy)
Notebook	Lenovo	T14	P0003332	N/A	N/A
USB Cable	Mcdodo	CA-6390	N/A	N/A	N/A
QCC74X Module Development Kit Board	Walsin	QCC744-DVK	N/A	N/A	N/A
		Radiated Emissio	n Test Site: SAC D		
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Notebook	Lenovo	T470	P0001293	N/A	N/A
QCC74X Module Development Kit Board	Walsin	QCC744-DVK	N/A	N/A	N/A
USB Cable	Fong Hua	USB-C18	128342	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 10 of 305

3 SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§15.207(a)	AC Power Line Conducted Emission	Compliant
§15.247(b) (3)	Peak Output Power	Compliant
§15.247(a)(2)	Emission Bandwidth	Compliant
§15.209	Conducted Band Edge	Camanliand
§15.247(d)	and Spurious Emission	Compliant
§15.209 §15.247(d)	Radiated Spurious Emission	Compliant
§15.205	Restricted Bands	Compliant
§15.247(e)	Power Spectral Density	Compliant
§15.203	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有铅明,此就是红用摄影测述之样只有含,同时此样只属是例如于。大规集工模大从司事而实可,不可如以推测。



Page: 11 of 305

DESCRIPTION OF TEST MODES

4.1 **Operating Frequencies**

2400~2483.5 MHz		
20MHz		
СН	Freq. (MHz)	
1	2412	
2	2417	
3	2422	
4	2427	
5	2432	
6	2437	
7	2442	
8	2447	
9	2452	
10	2457	
11	2462	
12	2467	
13	2472	

40N	1Hz
СН	Freq. (MHz)
3	2422
4	2427
5	2432
6	2437
7	2442
8	2447
9	2452
10	2457
11	2462

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 12 of 305

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

The given UE is pre-scanned among below modes.

Modulation	Transmission Chain	Single Transmission Spatial	Multiple Transmission Spatial
⊠ 802.11 b	□ Ch0 □ Ch1 □ Ch2 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	h3 ⊠ 1TX	□ 2TX
⊠ 802.11 g	□ Ch0 □ Ch1 □ Ch2 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	h3 ⊠ 1TX	□ 2TX
⊠ 802.11 n	□ Ch0 □ Ch1 □ Ch2 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	h3 ⊠ 1TX	□ 2TX
⊠ 802.11 ax	☑ Ch0 ☐ Ch1 ☐ Ch2 ☐	h3 ⊠ 1TX	□ 2TX

4. Therefore, below summary is the modes of test configuration that yield the highest reading and generate the highest emission chosen to carry out the relevantly mandatory test items.

	CONDUCTED TEST								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT				
802.11b	1 to 13	1,6,11,12,13	DSSS	1	ch0				
802.11g	1 to 13	1,2,3,4,5,6,7,8,9,10 ,11,12,13	OFDM	6	ch0				
802.11n_HT20	1 to 13	1,2,3,4,5,6,7,8,9,10 ,11,12,13	OFDM	MCS0	ch0				
802.11n_HT40	3 to 11	3,4,5,6,7,8,9,10,11	OFDM	MCS0	ch0				
802.11ax_HE20	1 to 13	1,2,3,4,5,6,7,8,9,10	OFDM	MCS0	ch0				
802.11ax_HE40	3 to 11	3,4,5,6,7,8,9,10,11	OFDM	MCS0	ch0				

CONDUCTED TEST								
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT		
802.11ax_HE20	1 to 13	1,2,3,4,5,6,7,8,9,1 0,11,12,13	OFDMA	242 26/0,26/8 52/37,52/40 106/53,106/54	MCS0	ch0		
802.11ax_HE40	3 to 11	3,4,5,6,7,8,9,10,11	OFDMA	484 242/61,242/62	MCS0	ch0		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果的影子操具有意,同时此锋里度反应的手,才就是土硬于八司事而统可,不可如以海刺。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號

www.sqs.com.tw



Page: 13 of 305

		TRANSM	MIT EMISSION TES	T (BELOW 1 GHz)		
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)		ANTENNA PORT
802.11g	1 to 13	6	OFDM	6		ch0
		TRANS	MIT EMISSION TES	T (ABOVE 1 GHz)		
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)		ANTENNA PORT
802.11b	1 to 13	1,6,11,12,13	DSSS	1		ch0
802.11g	1 to 13	1,6,11,12,13	OFDM	6		ch0
802.11n_HT20	1 to 13	1,6,11,12,13	OFDM	MCS0		ch0
802.11n_HT40	3 to 11	3,6,9,10,11	OFDM	MCS0		ch0
802.11ax_HE20	1 to 13	1,6,11,12,13	OFDM	MCS0		ch0
802.11ax_HE40	3 to 11	3,6,9,10,11	OFDM	MCS0		ch0
		TRANS	AIT EMISSION TES	T (ABOVE 1 GHz)		
MODE	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	RU CONFIGURATION	DATA RATE (Mbps)	ANTENNA PORT
802.11ax_HE20	1 to 13	1,6,11,12,13	OFDMA	26/0,26/8 52/37,52/40 106/53,106/54	MCS0	ch0
802.11ax_HE40	3 to 11	3,6,9,10,11	OFDMA	242/61,242/62	MCS0	ch0

NOTE:

2.Radiated test was done with 50ohm terminator on antenna port

Note:

The field strength of radiated emission was measured as the EUT positioned in different orthogonal planes (E1/E2/H) based on actual usage of the EUT to pre-scan the emissions for determining the worst case scenario.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

^{1.} The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for channel Low, Mid and High, the worst case position was reported.



Page: 14 of 305

MEASUREMENT UNCERTAINTY

Test Items	Un	certain	ty
AC Power Line Conducted Emission	+/-	1.54	dB
Output Power measurement	+/-	0.97	dB
Emission Bandwidth	+/-	1.38	Hz
Conducted emission measurement	+/-	0.77	dB
Peak Power Density	+/-	0.61	dB
Temperature	+/-	0.6	Ŝ
Humidity	+/-	3	%
DC / AC Power Source	+/-	1	%

Radiated Spurious Emission Measurement Uncertainty							
	+/-	1.89	dB	9kHz~30MHz			
Polarization: Vertical	+/-	4.15	dB	30MHz - 1000MHz			
Polarization. Vertical	+/-	3.43	dB	1GHz - 18GHz			
	+/- 3.86 dB +/- 1.89 dB	18GHz - 40GHz					
	+/-	1.89	dB	9kHz~30MHz			
Polarization: Horizontal	+/-	4.02	dB	30MHz - 1000MHz			
Polarization. Horizontal	+/-	3.43	dB	1GHz - 18GHz			
	+/-	3.86	dB	18GHz - 40GHz			
	+/-	2	dB	33GHz-50GHz			
	+/-	1.59	dB	50GHz-60GHz			
Radiated Spurious Emission	+/-	1.7	dB	60GHz-90GHz			
	+/-	1.64	dB	90GHz-140GHz			
	+/-	3.83	dB	140GHz-220GHz			

Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 15 of 305

6 MEASUREMENT EQUIPMENT USED

6.1 Emission from AC power line

	AC Power-Line Conducted Emission Test Site: Conduction C									
EQUIPMENT TYPE MFR		MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Coaxial Cable	EC Lab	RF-HY-CAB-250	RF-HY-CAB-250-01	03/27/2024	03/26/2025					
EMI Test Receiver	R&S	ESCI	101342	04/29/2024	04/28/2025					
LISN	SCHWARZBECK Mess-Elektronik	NSLK8127	973	04/22/2024	04/21/2025					
Pulse Limiter	EC Lab	VTSD 9561F-N	485	03/27/2024	03/26/2025					
TEMPERATURE	N/A	EC-RFHY-05	N/A	05/22/2024	05/21/2025					
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R					

6.2 Condcuted Measurement

Conducted Emission Test Site: Conducted C								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
EQUIPIVIENT TYPE	IVIFK	INIODEL NOIVIBER	SERIAL NUIVIBER	(mm/dd/yyyy)	(mm/dd/yyyy)			
Attenuator	Woken	WATT-218FS-10	RF19	11/15/2023	11/14/2024			
Attenuator	Woken	WATT-218FS-10	RF19	11/14/2024	11/13/2025			
DC Block	DC Block PASTERNACK		RF155	11/15/2023	11/14/2024			
DC Block	PASTERNACK	PE8210	RF155	11/14/2024	11/13/2025			
Power Meter	Anritsu	ML2496A	1804002	04/26/2024	04/25/2025			
Power Sensor	Anritsu	MA2411B	1726105	04/26/2024	04/25/2025			
Power Sensor	Anritsu	MA2411B	1726106	04/26/2024	04/25/2025			
Spectrum Analyzer	KEYSIGHT	N9010B	MY59071570	06/25/2024	06/24/2025			
Test Software	SGS Taiwan	Radio Test Software	Ver.21	N.C.R	N.C.R			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 16 of 305

Radiated Measurement

	Radiated Emission Test Site: SAC D								
EQUIPMENT TYPE MFR		MODEL NUMBER SERIAL NUMBER		LAST CAL.	CAL DUE.				
3m Site NSA	SGS	966 chamber D	N/A	04/30/2024	04/29/2025				
Active Loop Antenna	COM-POWER	AL-130R	10160105	12/04/2023	12/03/2024				
Attenuator	Woken	WATT-218FS-10	RF17	11/14/2024	11/13/2025				
Band Rejection Filter	Micro-Tronics	G008	RF205	11/14/2024	11/13/2025				
Broadband Antenna	SCHWARZBECK	VULB 9168	9168-617	12/14/2023	12/13/2024				
Coaxial Cable	Huber+Suhner	EMC106-SM-SM- 7200	150703	11/14/2024	11/13/2025				
Coaxial Cable	Huber+Suhner	RG 214/U	W21.01	11/14/2024	11/13/2025				
Highpass Filter	R&S	F13 HPF 3GHz	RF175	11/14/2024	11/13/2025				
Horn Antenna	Schwarzbeck	BBHA9120D	1341	05/30/2024	05/29/2025				
Horn Antenna	Schwarzbeck	BBHA9170	184	12/28/2023	12/27/2024				
Lowpass Filter	Woken	EWT-56-0019	RF173	11/14/2024	11/13/2025				
Pre-Amplifier	EMC Instruments	EMC12630SE	980273	11/14/2024	11/13/2025				
Pre-Amplifier	EMC Instruments	EMC9135	980234	11/14/2024	11/13/2025				
Spectrum Analyzer	KEYSIGHT	N9010A	MY57120200	04/03/2024	04/02/2025				
SMA Termination	RF Microwave WOKEN	WTER-18S2	N/A	N/A	N/A				
Test Software	audix	e3	E3 20923 SGS Ver.9 (C)	N.C.R	N.C.R				

NOTE: N.C.R refers to Not Calibrated Required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 17 of 305

7 CONDUCTED EMISSION TEST

7.1 Standard Applicable

Frequency range within 150kHz to 30MHz shall not exceed the Limit table as below.

Frequency range	Limits (dBuV)				
MHz	Quasi-peak	Average			
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			


Note

- 1. The lower limit shall apply at the transition frequencies
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

7.2 EUT Setup:

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2020.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

7.3 Test Setup



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度外侧经少量,同时此类早度规则的工作,不可如心海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 18 of 305

Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed

7.5 **Measurement Result**

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closest to the limit.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 19 of 305

AC POWER LINE CONDUCTED EMISSION TEST DATA

Report Number :TERF2411003343E2 **Test Site** :Conduction C Test Mode :802.11b **Test Date** :2024-11-18 :21.5°C/62% :120V/60Hz Power Temp./Humi. Probe :L1 Engineer :Pony Chen



_	D ()	6 1			,	
Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS		
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.153	Peak	41.35	10.65	52.00	65.82	-13.82
0.183	Peak	36.31	10.65	46.96	64.33	-17.37
0.502	Peak	24.96	10.62	35.58	56.00	-20.42
1.848	Peak	10.85	10.76	21.62	56.00	-34.38
7.646	Peak	14.74	10.96	25.69	60.00	-34.31
11.317	Peak	14.32	11.00	25.32	60.00	-34.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 20 of 305

Report Number :TERF2411003343E2 Test Site :Conduction C

 Test Mode
 :802.11b
 Test Date
 :2024-11-18

 Power
 :120V/60Hz
 Temp./Humi.
 :21.5°C/62%

 Probe
 :N
 Engineer
 :Pony Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS		
MHz	PK/QP/AV	dΒμV	dB	dΒμV	dΒμV	dB
0.150	Peak	39.70	10.66	50.36	66.00	-15.64
0.182	Peak	36.11	10.65	46.76	64.42	-17.66
0.502	Peak	25.31	10.60	35.91	56.00	-20.09
5.867	Peak	16.16	10.94	27.10	60.00	-32.90
16.573	Peak	32.10	11.10	43.20	60.00	-16.80
21.147	Peak	19.05	11.19	30.24	60.00	-29.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔是四句子。木都些主领大八司事而验可,不可如以推测。



Page: 21 of 305

8 PEAK OUTPUT POWER MEASUREMENT

8.1 Standard Applicable

8.1.1 Duty Cycle

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

8.1.2 FCC

For systems using digital modulation in the 2400-2483.5 MHz bands, the limit for peak output power is 1Watt.

If the transmitting antenna of directional gain greater than 6dBi are used the peak output power form the intentional radiator shall be reduced below the above stated value by the amount in dB that the directional gain of the Antenna exceeds 6dBi.


In case of point-to-point operation, the limit has to be reduced by 1dB for every 3dB that the directional gain of Antenna exceeds 6dBi.

Note:


When the antenna gain is greater than 6 dBi, the power limit attenuated accordingly.

8.2 Test Setup

8.2.1 Duty Cycle



8.2.2 Output Power:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除北只方的时,此起先处田居卧御建了梯口色書,同時此業日居内向の子。太祝先上领大八司書吊选司,太司如以海卿。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 22 of 305

Measurement Procedure

8.3.1 **Duty Cycle:**

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

8.3.2 **Output Power**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter.

Power Meter:

It is used as the auxiliary test equipment to conduct the output power measurement.

4. Record the max. Reading as observed from Spectrum or Power Meter.

* Note: The duty cycle factor and below is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 23 of 305

8.4 **Measurement Result**

8.4.1 **Duty Cycle:**

Mc	ode	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)
802	.11b	99.21	0.03	1.00
802	.11g	98.44	0.07	1.98
802.1	1n_20	98.46	0.07	1.94
802.1	1n_40	97.10	0.13	3.68
Mode	RU Config	Duty Cycle (%) = Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)
	Full	99.70	0.01	0.26
	26 RU	97.56	0.11	0.23
802.11ax_20	52 RU	98.09	0.08	0.19
	106 RU	97.65	0.10	0.23
	242	96.13	0.17	0.39
	Full	99.54	0.02	0.51
802.11ax_40	242 RU	96.09	0.17	0.39
	484	91.75	0.37	0.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 24 of 305

Duty Cycle test plots 8.4.2


802.11b 20MHz Chain0 2412MHz




802.11q_20MHz_Chain0_2412MHz



802.11n 20MHz Chain0 2412MHz




802.11n_40MHz_Chain0_2422MHz



802.11ax_20MHz_Chain0_2412MHz



802.11ax 20MHz Chain0 2412MHz RU26 0




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 25 of 305

802.11ax_20MHz_Chain0_2412MHz_RU52_37




802.11ax_20MHz_Chain0_2412MHz_RU106_53



802.11ax_20MHz_Chain0_2412MHz_RU242



802.11ax_40MHz_Chain0_2422MHz



802.11ax_40MHz_Chain0_2422MHz_RU242_61



802.11ax_40MHz_Chain0_2422MHz_RU484



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 26 of 305

Output Power 8.4.3

000 1	802.11b Ch0							
8U2. I	ID CNU		I I			<u> </u>		
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT	
1	2412	1	22	220.29	23.43	30.00	PASS	
6	2437	1	22	243.78	23.87	30.00	PASS	
11	2462	1	22	225.94	23.54	30.00	PASS	
12	2467	1	15	48.64	16.87	30.00	PASS	
13	2472	1	10	15.63	11.94	30.00	PASS	
802.1	1b Ch0							
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT	
1	2412	1	22	129.55	21.12	30.00	PASS	
6	2437	1	22	147.38	21.68	30.00	PASS	
11	2462	1	22	134.10	21.27	30.00	PASS	
12	2467	1	15	28.74	14.58	30.00	PASS	
13	2472	1	10	9.26	9.66	30.00	PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 27 of 305

802.1	1g Ch0						
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	16	299.92	24.77	30.00	PASS
2	2417	6	18	368.13	25.66	30.00	PASS
3	2422	6	19	398.11	26.00	30.00	PASS
4	2427	6	20	419.76	26.23	30.00	PASS
5	2432	6	21	438.53	26.42	30.00	PASS
6	2437	6	22	458.14	26.61	30.00	PASS
7	2442	6	21	438.53	26.42	30.00	PASS
8	2447	6	20	414.95	26.18	30.00	PASS
9	2452	6	19	393.55	25.95	30.00	PASS
10	2457	6	18	363.08	25.60	30.00	PASS
11	2462	6	16	293.09	24.67	30.00	PASS
12	2467	6	13	177.42	22.49	30.00	PASS
13	2472	6	11	112.98	20.53	30.00	PASS
802.1	1g Ch0						
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	6	16	33.48	15.25	30.00	PASS
2	2417	6	18	51.86	17.15	30.00	PASS
3	2422	6	19	64.84	18.12	30.00	PASS
4	2427	6	20	80.14	19.04	30.00	PASS
5	2432	6	21	99.27	19.97	30.00	PASS
6	2437	6	22	119.90	20.79	30.00	PASS
7	2442	6	21	99.50	19.98	30.00	PASS
8	2447	6	20	81.06	19.09	30.00	PASS
9	2452	6	19	66.65	18.24	30.00	PASS
10	2457	6	18	53.93	17.32	30.00	PASS
11	2462	6	16	34.66	15.40	30.00	PASS
12	2467	6	13	18.36	12.64	30.00	PASS
13	2472	6	11	11.88	10.75	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 28 of 305

802.1	1n_HT_:	20M Ch0				T	
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	16	333.43	25.23	30.00	PASS
2	2417	MCS0	17	360.58	25.57	30.00	PASS
3	2422	MCS0	19	410.20	26.13	30.00	PASS
4	2427	MCS0	20	428.55	26.32	30.00	PASS
5	2432	MCS0	21	443.61	26.47	30.00	PASS
6	2437	MCS0	22	457.09	26.60	30.00	PASS
7	2442	MCS0	21	437.52	26.41	30.00	PASS
8	2447	MCS0	20	419.76	26.23	30.00	PASS
9	2452	MCS0	19	401.79	26.04	30.00	PASS
10	2457	MCS0	18	377.57	25.77	30.00	PASS
11	2462	MCS0	16	325.09	25.12	30.00	PASS
12	2467	MCS0	13	210.86	23.24	30.00	PASS
13	2472	MCS0	11	136.14	21.34	30.00	PASS
802.1	1n_HT_:	20M Ch0					
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
1	2412	MCS0	16	32.79	15.16	30.00	PASS
2	2417	MCS0	17	40.62	16.09	30.00	PASS
3	2422	MCS0	19	63.35	18.02	30.00	PASS
4	2427	MCS0	20	78.12	18.93	30.00	PASS
5	2432	MCS0	21	96.99	19.87	30.00	PASS
6	2437	MCS0	22	111.88	20.49	30.00	PASS
7	2442	MCS0	21	96.33	19.84	30.00	PASS
8	2447	MCS0	20	78.66	18.96	30.00	PASS
9	2452	MCS0	19	64.53	18.10	30.00	PASS
10	2457	MCS0	18	52.33	17.19	30.00	PASS
11	2462	MCS0	16	33.71	15.28	30.00	PASS
12	2467	MCS0	13	17.85	12.52	30.00	PASS
13	2472	MCS0	11	11.58	10.64	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 29 of 305

000.1	802.11n_HT_40M Ch0							
802.1	In_HI_	40M Chu				1		
СН	Freq. (MHz)	Data Rate	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT	
3	2422	MCS0	14	165.58	22.19	30.00	PASS	
4	2427	MCS0	15	203.70	23.09	30.00	PASS	
5	2432	MCS0	16	257.63	24.11	30.00	PASS	
6	2437	MCS0	17	292.42	24.66	30.00	PASS	
8	2447	MCS0	16	246.60	23.92	30.00	PASS	
9	2452	MCS0	15	216.27	23.35	30.00	PASS	
10	2457	MCS0	14	171.40	22.34	30.00	PASS	
11	2462	MCS0	13	133.05	21.24	30.00	PASS	
802.1	1n_HT_4	40M Ch0						
СН	Freq. (MHz)	Data Rate	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT	
3	2422	MCS0	14	20.50	13.12	30.00	PASS	
4	2427	MCS0	15	25.75	14.11	30.00	PASS	
5	2432	MCS0	16	32.05	15.06	30.00	PASS	
6	2437	MCS0	17	39.34	15.95	30.00	PASS	
8	2447	MCS0	16	32.42	15.11	30.00	PASS	
9	2452	MCS0	15	26.35	14.21	30.00	PASS	
10	2457	MCS0	14	21.08	13.24	30.00	PASS	
11	2462	MCS0	13	16.74	12.24	30.00	PASS	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 30 of 305

СН	Freq.	Data		Power	Peak Output	Peak Output	Limit	
	(MHz)	Rate	RU Config	Setting	Power (mW)	Power (dBm)	(dBm)	RESUL
			6.11	45	, ,		20.00	DAGG
		-	full 26/0	15 16	257.04	24.10	30.00	PASS
1	2412	MCS0	52/37	16	376.70 386.37	25.76 25.87	30.00 30.00	PASS PASS
'	2412	IVICSU	106/53	15	319.89	25.05	30.00	PASS
			242	15	334.97	25.25	30.00	PASS
			full	17	334.97	25.25	30.00	PASS
			26/0	15	319.89	25.05	30.00	PAS:
2	2417	MCS0	52/37	15	413.05	26.16	30.00	PASS
		<u> </u>	106/53	18	464.52	26.67	30.00	PAS:
_			242	17	435.51	26.39	30.00	PAS:
		-	full	18	368.98	25.67	30.00	PAS:
3	2422	MCS0	26/0 52/37	16 17	376.70	25.76	30.00	PAS:
3	2422	IVICSU	106/53	19	414.95 479.73	26.18 26.81	30.00 30.00	PASS PASS
		H	242	18	479.73	26.73	30.00	PAS:
			full	19	399.94	26.02	30.00	PASS
			26/0	15	324.34	25.11	30.00	PASS
4	2427	MCS0	52/37	17	408.32	26.11	30.00	PAS:
			106/53	20	501.19	27.00	30.00	PAS:
			242	20	529.66	27.24	30.00	PAS:
		L	full	20	420.73	26.24	30.00	PAS:
_	0.400	14000	26/0	15	325.09	25.12	30.00	PAS:
5	2432	MCS0	52/37	21	527.23	27.22	30.00	PAS:
		-	106/53 242	22	530.88 540.75	27.25 27.33	30.00 30.00	PAS:
			full	21	437.52	26.41	30.00	PAS:
		H	26/0	22	564.94	27.52	30.00	PAS:
		l †	52/37	22	583.45	27.66	30.00	PAS:
,	0407	MCCO	106/53	22	557.19	27.46	30.00	PASS
6	2437	MCS0 -	26/8	22	540.75	27.33	30.00	PAS:
			52/40	22	563.64	27.51	30.00	PAS:
		<u> </u>	106/54	21	576.77	27.61	30.00	PAS:
			242	21	548.28	27.39	30.00	PAS:
			full	20	416.87	26.20	30.00	PAS:
7	2442	MCS0	26/8	15	327.34	25.15	30.00	PAS:
1	2442	IVICSU	52/40 106/54	19 21	445.66 545.76	26.49 27.37	30.00 30.00	PAS:
		H	242	21	544.50	27.36	30.00	PAS:
			full	19	385.48	25.86	30.00	PAS
			26/8	15	334.97	25.25	30.00	PASS
8	2447	MCS0	52/40	16	365.59	25.63	30.00	PAS:
			106/54	21	543.25	27.35	30.00	PAS:
			242	20	521.19	27.17	30.00	PAS:
			full	18	358.92	25.55	30.00	PAS:
9	2452	MCCO	26/8	15	327.34	25.15	30.00	PAS:
7	2452	MCS0	52/40	16	368.98	25.67	30.00	PAS:
		-	106/54 242	19 19	486.41 490.91	26.87 26.91	30.00 30.00	PAS:
_			full	17	322.11	25.08	30.00	PAS:
		-	26/8	14	276.06	24.41	30.00	PASS
10	2457	MCS0	52/40	16	363.92	25.61	30.00	PAS:
			106/54	17	415.91	26.19	30.00	PAS:
			242	18	469.89	26.72	30.00	PAS:
T		T	full	15	258.23	24.12	30.00	PAS:
	0410		26/8	15	310.46	24.92	30.00	PAS:
11	2462	MCS0	52/40	15	321.37	25.07	30.00	PAS:
		-	106/54 242	16	377.57	25.77	30.00 30.00	PAS:
_			full	16 13	398.11 179.06	26.00 22.53	30.00	PAS:
		-	26/8	10	108.89	20.37	30.00	PAS:
12	2467	MCS0	52/40	11	135.52	21.32	30.00	PASS
			106/54	10	111.69	20.48	30.00	PAS:
			242	10	114.29	20.58	30.00	PASS
			full	11	109.90	20.41	30.00	PAS:
			26/8	6	43.15	16.35	30.00	PAS:
13	2472	MCS0	26/8 52/40	6	43.15 43.25	16.35 16.36	30.00 30.00	PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 31 of 305

				1 1				1
СН	Freq. (MHz)	Data Rate	RU Config	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESUL
			full	15	26.08	14.16	30.00	PASS
			26/0	16	28.89	14.61	30.00	PASS
1	2412	MCS0	52/37	16	30.30	14.81	30.00	PASS
			106/53	15	25.37	14.04	30.00	PASS
			242	15	26.49	14.23	30.00	PASS
			full	17	40.21	16.04	30.00	PASS
0	0.447	14000	26/0	15	23.27	13.67	30.00	PASS
2	2417	MCS0	52/37	15	36.51	15.62	30.00	PASS
			106/53 242	18 17	49.13 41.70	16.91 16.20	30.00 30.00	PAS:
			full	18	51.09	17.08	30.00	PAS:
			26/0	16	29.49	14.70	30.00	PASS
3	2422	MCS0	52/37	17	37.70	15.76	30.00	PASS
			106/53	19	62.56	17.96	30.00	PASS
			242	18	54.72	17.38	30.00	PASS
			full	19	64.17	18.07	30.00	PASS
		l	26/0	15	24.08	13.82	30.00	PASS
4	2427	MCS0	52/37	17	38.32	15.83	30.00	PASS
		-	106/53 242	20	79.13 83.59	18.98 19.22	30.00	PASS PASS
			242 full	20	78.76	19.22	30.00 30.00	PAS:
			26/0	15	24.36	13.87	30.00	PAS:
5	2432	MCS0	52/37	21	94.71	19.76	30.00	PASS
0	2 102	10000	106/53	22	110.24	20.42	30.00	PAS:
			242	21	107.93	20.33	30.00	PAS:
			full	21	97.34	19.88	30.00	PAS:
			26/0	22	110.59	20.44	30.00	PAS:
			52/37	22	111.78	20.48	30.00	PAS:
6	2437	MCS0	106/53	22	104.79	20.20	30.00	PAS:
U	2437	IVICOU	26/8	22	110.34	20.43	30.00	PAS:
			52/40	22	109.49	20.39	30.00	PAS:
			106/54	21	104.79	20.20	30.00	PAS:
			242	21	105.23	20.22	30.00	PASS
			full 26/8	20 15	79.12 25.69	18.98 14.10	30.00 30.00	PASS PASS
7	2442	MCS0	52/40	19	63.44	18.02	30.00	PAS:
,	2112	10000	106/54	21	103.59	20.15	30.00	PASS
			242	21	108.43	20.35	30.00	PAS:
			full	19	65.36	18.15	30.00	PAS:
			26/8	15	25.87	14.13	30.00	PAS:
8	2447	MCS0	52/40	16	33.14	15.20	30.00	PAS:
			106/54	21	103.35	20.14	30.00	PAS:
			242	20	84.75	19.28	30.00	PASS
			full	18	53.00	17.24	30.00	PASS
9	2452	MCS0	26/8	15	25.81	14.12	30.00	PASS
7	Z40Z	IVICOU	52/40 106/54	16 19	33.22	15.21 18.28	30.00	PASS PASS
		-	242	19	67.35 68.89	18.38	30.00 30.00	PAS:
			full	17	42.39	16.27	30.00	PAS:
		-	26/8	14	20.40	13.10	30.00	PAS:
10	2457	MCS0	52/40	16	33.91	15.30	30.00	PASS
			106/54	17	42.69	16.30	30.00	PAS:
			242	18	56.25	17.50	30.00	PAS:
			full	15	27.12	14.33	30.00	PAS:
		l L	26/8	15	24.59	13.91	30.00	PAS:
11	2462	MCS0	52/40	15	25.20	14.01	30.00	PAS:
		-	106/54	16	33.06	15.19	30.00	PAS:
			242 full	16	34.53	15.38	30.00	PASS
		-	full 26/8	13 10	17.67 8.05	12.47 9.06	30.00	PASS
12	2467	MCS0	52/40	10	10.46	9.06	30.00 30.00	PASS PASS
14	_TU/	141030	106/54	10	8.74	9.41	30.00	PAS:
			242	10	8.92	9.50	30.00	PASS
			full	11	11.44	10.58	30.00	PAS:
			26/8	6	3.15	4.99	30.00	PASS
13	2472	MCS0	52/40	6	3.23	5.09	30.00	PASS
		l [106/54	6	3.43	5.35	30.00	PASS
	1	ı F	242	6	3.57	5.53	30.00	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 32 of 305

СН	Freq. (MHz)	Data Rate	RU Config	Power Setting	Peak Output Power (mW)	Peak Output Power (dBm)	Limit (dBm)	RESULT
			full	15	287.08	24.58	30.00	PASS
3	2422	MCS0	242/61	15	386.37	25.87	30.00	PASS
			484	13	374.11	25.73	30.00	PASS
			full	16	314.05	24.97	30.00	PASS
4	2427	MCS0	242/61	15	378.44	25.78	30.00	PASS
			484	14	411.15	26.14	30.00	PASS
			full	17	346.74	25.40	30.00	PASS
5	2432	MCS0	242/61	15	385.48	25.86	30.00	PASS
			484	16	459.20	26.62	30.00	PASS
			full	17	345.14	25.38	30.00	PASS
6	2437	MCS0	242/61	15	389.94	25.91	30.00	PASS
	2.0.		242/62	15	403.65	26.06	30.00	PASS
			484	15	444.63	26.48	30.00	PASS
_	0440		full	16	303.39	24.82	30.00	PASS
7	2442	MCS0	242/62	14	347.54	25.41	30.00	PASS
			484	13	368.13	25.66	30.00	PASS
0	04.47	MCS0	full	15	281.84	24.50	30.00	PASS
8	2447	IVL50	242/62	14	347.54	25.41	30.00	PASS
			484	12	323.59	25.10	30.00	PASS
9	2452	MCS0	full	15	283.14	24.52	30.00	PASS
9	2402	IVLSU	242/62	14	350.75	25.45	30.00	PASS
			484	12	324.34 242.10	25.11	30.00 30.00	PASS
10	2457	MCS0	full	14	304.09	23.84		PASS
10	2431	IVICOU	242/62 484	11	271.02	24.83 24.33	30.00	PASS PASS
			full	12			30.00	
11	2462	MCS0	242/62	6	169.82 55.72	22.30 17.46	30.00 30.00	PASS PASS
	2402	IVICOU	242/02	0	30.12	17.40	30.00	FASS
			494	9	163.31	22 13	30.00	PASS
302.11	1ax_HE_4	10M Ch0	484	9	163.31	22.13	30.00	PASS
					Avg. Output	Avg. Output		
802.11 CH	freq.	10M Ch0 Data Rate	484 RU Config	9 Power Setting			30.00 Limit (dBm)	PASS RESULT
	Freq.	Data	RU Config	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm)	Limit (dBm)	RESULT
	Freq.	Data Rate	RU Config	Power Setting	Avg. Output Power (mW)	Avg. Output Power (dBm) 14.06	Limit (dBm)	RESULT PASS
СН	Freq. (MHz)	Data	RU Config	Power Setting	Avg. Output Power (mW) 25.47 25.20	Avg. Output Power (dBm) 14.06 14.01	Limit (dBm) 30.00 30.00	RESUL1 PASS PASS
СН	Freq. (MHz)	Data Rate	RU Config full 242/61 484	Power Setting 15 15 13	Avg. Output Power (mW) 25.47 25.20 16.76	Avg. Output Power (dBm) 14.06 14.01 12.24	Limit (dBm) 30.00 30.00 30.00	PASS PASS PASS
СН	Freq. (MHz)	Data Rate	full 242/61 484 full	Power Setting 15 15 13 16	Avg. Output Power (mW) 25.47 25.20 16.76 31.92	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04	Limit (dBm) 30.00 30.00 30.00 30.00	PASS PASS PASS PASS
CH 3	Freq. (MHz)	Data Rate	Full 242/61 484 full 242/61	Power Setting 15 15 13 16 15	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS
CH 3	Freq. (MHz)	Data Rate	FU Config full 242/61 484 full 242/61 484	Power Setting 15 15 13 16 15 14	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS
CH 3	Freq. (MHz)	Data Rate	FU Config full 242/61 484 full 242/61 484 full	Power Setting 15 15 13 16 15 14 17	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99	30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3	Freq. (MHz) 2422 2427	Data Rate MCS0	FU Config full 242/61 484 full 242/61 484	Power Setting 15 15 13 16 15 14	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS
CH 3	Freq. (MHz) 2422 2427	Data Rate MCS0	full 242/61 484 full 242/61 484 full 242/61	Power Setting 15 15 13 16 15 14 17 15 16	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28	30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484	Power Setting 15 15 13 16 15 14 17 15	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00	30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3	Freq. (MHz) 2422 2427	Data Rate MCS0	RU Config full 242/61 484 full 242/61 484 full 242/61 484 full	Power Setting 15 15 13 16 17 15 16 17	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02	30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61	Power Setting 15 15 13 16 15 14 17 15 16 17	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 full 242/61	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5	Freq. (MHz) 2422 2427 2432	Data Rate MCS0 MCS0	FU Config full 242/61 484	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5 6	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 242/62 484 full	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17 15 16 17 15 16 16	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5 6	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0	RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 full 242/66 484 full 242/66 484 full 242/62	Power Setting	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5 6	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17 15 16 17 15 16 17 15 18 18 18 18 18 18 18 18 18 18 18 18 18	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43	Limit (dBm) 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5 6 7	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62 484 full	Power Setting 15	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5 6 7	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62 484 full 242/62	Power Setting	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
3 4 5 6 7	Freq. (MHz) 2422 2427 2432 2437	Data Rate MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62 484 full	Power Setting 15 15 13 16 17 15 16 17 15 16 17 15 16 17 15 15 16 14 13 15 16 14 13	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69 13.29	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36 11.23	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6 7	Freq. (MHz) 2422 2427 2432 2437 2442 2447	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484 full 242/62 484 full 242/62 484 full	Power Setting 15 15 13 16 17 15 16 17 15 16 17 15 16 17 15 15 16 14 13 15 16 14 13 15 16 14 13 15 16 14 13 15 16 14 13 15 16 14 13 15 16 16 17 17 15 16 16 17 17 15 16 17 15 16 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 15 16 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69 13.29 26.55	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36 11.23 14.24	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6 7 8	Freq. (MHz) 2422 2427 2432 2437 2442 2447	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	RU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/61 242/62 484 full 242/62 484 full 242/62 484 full 242/62 484 full 242/62	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17 15 15 16 14 13 15 16 14 14 13 15 14 14 13 15 14	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69 13.29 26.55 21.30	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36 11.23 14.24 13.28	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6 7	Freq. (MHz) 2422 2427 2432 2437 2442 2447	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 242/62 484 full 242/62	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17 15 16 14 13 15 14 12 15 14 12 14 13	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69 13.29 26.55 21.30 14.17	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36 11.23 14.24 13.28 11.51	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6 7 8	Freq. (MHz) 2422 2427 2432 2437 2442 2447	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62 484	Power Setting	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69 13.29 26.55 21.30 14.17 21.33 17.07	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36 11.23 14.24 13.36 11.23 14.24 13.328 11.51 13.29 12.32 10.51	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS
CH 3 4 5 6 7 8	Freq. (MHz) 2422 2427 2432 2437 2442 2447	Data Rate MCS0 MCS0 MCS0 MCS0 MCS0 MCS0 MCS0	FU Config full 242/61 484 full 242/61 484 full 242/61 484 full 242/62	Power Setting 15 15 13 16 15 14 17 15 16 17 15 16 17 15 16 14 13 15 14 12 15 14 12 14 13	Avg. Output Power (mW) 25.47 25.20 16.76 31.92 26.02 21.06 39.72 25.14 33.76 39.99 26.20 27.12 27.19 32.89 21.00 17.51 26.55 21.69 13.29 26.55 21.30 14.17 21.33 17.07	Avg. Output Power (dBm) 14.06 14.01 12.24 15.04 14.15 13.23 15.99 14.00 15.28 16.02 14.18 14.33 14.34 15.17 13.22 12.43 14.24 13.36 11.23 14.24 13.28 11.51 13.29 12.32	Limit (dBm) 30.00	PASS PASS PASS PASS PASS PASS PASS PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 33 of 305

EMISSION BANDWIDTH MEASUREMENT

9.1 Standard Applicable

The minimum 6 dB bandwidth shall be at least 500 kHz.

9.2 **Test Setup**



9.3 **Measurement Procedure:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.

9.3.1 6dB BW measurements

- 1. The testing follows the Measurement Procedure of the KDB 558074 D01.
- 2. Set the spectrum analyzer as

RBW= 100 kHz,

VBW = 3 X RBW

Span= 2 to 5 times of the OBW,

Sweep=auto, Detector = Peak, and Max hold.

- 3. Mark the upper and lower frequencies of -6dB.
- 4. Repeat above procedures until all test default channel is completed.

99% BW measurements 9.3.2

- 1. The testing follows the Measurement Procedure of the RSS-Gen section 6.7.
- 2. Set the spectrum analyzer as

RBW= 1 % to 5% of 99%,

VBW ≥ 3 X RBW.

Span= large enough to capture all products of the modulation process Sweep=auto, Detector = Peak, and Max hold.

- 3. Mark the upper and lower frequencies of 99%.
- 4. Repeat above procedures until all test default channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 34 of 305

9.4 **Measurement Result:**

9.4.1 6dB BW measurements

802 11h Ch0

002.110 010			
Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result
2412	9155.00	≥ 500	PASS
2437	9179.00	≥ 500	PASS
2462	9161.00	≥ 500	PASS
2467	9183.00	≥ 500	PASS
2472	9182.00	≥ 500	PASS

802.11a Ch0

0021119 0110			
Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Result
2412	16330.00	≥ 500	PASS
2437	16100.00	≥ 500	PASS
2462	16310.00	≥ 500	PASS
2467	16300.00	≥ 500	PASS
2472	16130.00	≥ 500	PASS

802.11n_HT_20M Ch0

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Resuit
2412	16820.00	≥ 500	PASS
2437	16790.00	≥ 500	PASS
2462	16810.00	≥ 500	PASS
2467	16810.00	≥ 500	PASS
2472	16820.00	≥ 500	PASS

802.11n HT 40M Ch0

Freq.	6dB BW	Limit	Result
(MHz)	(kHz)	(kHz)	Resuit
2422	35210.00	≥ 500	PASS
2437	35210.00	≥ 500	PASS
2452	35210.00	≥ 500	PASS
2457	35210.00	≥ 500	PASS
2462	35210.00	≥ 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 35 of 305

802.11ax HE 20M Ch0

		-		
Freq.	RU	6dB BW	Limit	Result
(MHz)	Config	(kHz)	(kHz)	Result
2412	full	18850.00	≥ 500	PASS
2437	full	18900.00	≥ 500	PASS
2462	full	18940.00	≥ 500	PASS
2467	full	18870.00	≥ 500	PASS
2472	full	18900.00	≥ 500	PASS

802.11ax HE 40M Ch0


Freq.	RU	6dB BW	Limit	Result
(MHz)	Config	(kHz)	(kHz)	Kesuii
2422	full	37850.00	≥ 500	PASS
2437	full	37930.00	≥ 500	PASS
2452	full	37820.00	≥ 500	PASS
2457	full	37560.00	≥ 500	PASS
2462	full	37730.00	≥ 500	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 36 of 305


802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz




802.11b_20MHz_Chain0_2467MHz



802.11b_20MHz_Chain0_2472MHz



802.11g_20MHz_Chain0_2412MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 37 of 305


802.11g_20MHz_Chain0_2437MHz




802.11g_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2467MHz




802.11g_20MHz_Chain0_2472MHz



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 38 of 305


802.11n_20MHz_Chain0_2462MHz




802.11n_20MHz_Chain0_2467MHz




802.11n_20MHz_Chain0_2472MHz




802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 39 of 305


802.11n_40MHz_Chain0_2457MHz




802.11n_40MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2412MHz




802.11ax_20MHz_Chain0_2437MHz



802.11ax_20MHz_Chain0_2462MHz



802.11ax_20MHz_Chain0_2467MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業只屬是例の子。木都學生之權大公司書面對可,不可可以推翻。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 40 of 305


802.11ax_20MHz_Chain0_2472MHz




802.11ax_40MHz_Chain0_2422MHz




802.11ax_40MHz_Chain0_2437MHz




802.11ax_40MHz_Chain0_2452MHz



802.11ax_40MHz_Chain0_2457MHz



802.11ax_40MHz_Chain0_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 41 of 305

802 11h Ch0

802.110 CHU	
Freq.	99% BW
(MHz)	(MHz)
2412	13.294
2437	13.455
2462	13.318
2467	13.375
2472	13.374

802.11q Ch0

Freq.	99% BW
(MHz)	(MHz)
2412	16.518
2437	16.982
2462	16.517
2467	16.515
2472	16.518

802.11n HT20M Ch0

Freq.	99% BW
(MHz)	(MHz)
2412	17.503
2437	17.872
2462	17.51
2467	17.503
2472	17.5

802.11n HT40M Ch0

00211111_111110101 0110	
Freq.	99% BW
(MHz)	(MHz)
2422	35.709
2437	35.698
2452	35.711
2457	35.681
2462	35.695

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 42 of 305

802.11ax HF20M Ch0

30E11101E11E20111 3110		
Freq. (MHz)	RU Config	99% BW (MHz)
2412	full	18.9
2437	full	19.007
2462	full	18.892
2467	full	18.905
2472	full	18.896

802.11ax_HE40M Ch0

Freq.	RU	99% BW
	_	
(MHz)	Config	(MHz)
2422	full	37.714
2437	full	37.713
2452	full	37.723
2457	full	37.706
2462	full	37.733


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 43 of 305


802.11b_20MHz_Chain0_2412MHz




802.11b_20MHz_Chain0_2437MHz




802.11b_20MHz_Chain0_2462MHz




802.11b_20MHz_Chain0_2467MHz



802.11b_20MHz_Chain0_2472MHz



802.11g_20MHz_Chain0_2412MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 44 of 305

802.11g_20MHz_Chain0_2437MHz




802.11g_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2467MHz




802.11g_20MHz_Chain0_2472MHz



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司




Page: 45 of 305


802.11n_20MHz_Chain0_2462MHz



802.11n_20MHz_Chain0_2467MHz




802.11n_20MHz_Chain0_2472MHz




802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. [李北只有的时,他想生在用席料调建了梯口名表,同时他第二届月间的工作,不可可以推测。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 46 of 305


802.11n_40MHz_Chain0_2457MHz




802.11n_40MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2412MHz



802.11ax_20MHz_Chain0_2437MHz



802.11ax_20MHz_Chain0_2462MHz



802.11ax_20MHz_Chain0_2467MHz




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page: 47 of 305


802.11ax_20MHz_Chain0_2472MHz




802.11ax_40MHz_Chain0_2422MHz




802.11ax_40MHz_Chain0_2437MHz




802.11ax_40MHz_Chain0_2452MHz



802.11ax_40MHz_Chain0_2457MHz



802.11ax_40MHz_Chain0_2462MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的时,他都是好用魔影测验之样只有害,同时他接见魔是四句子。木都些主领大八司事而验可,不可如以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司




Page: 48 of 305

10 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT

10.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

10.2 Test Setup



10.3 Measurement Procedure

10.3.1 Reference Level of Emission Limit:

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guidance .
- 3. Set the span to 1.5 times the DTS channel bandwidth.
- 4. Set the RBW = 100kHz & VBW = 300 kHz.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除此只有验明,此就是结果既是为键与合善,同时此键与原况如何工,才就是主领于八司事而统可,不可如以推制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 $134 \,$ 號

www.sgs.com.tw



Page: 49 of 305

Conducted Band Edge: 10.3.2

In any 100 kHz bandwidth outside the frequency band

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set start to edge frequency, and stop frequency of spectrum analyzer so as to encompass the spectrum to be examined.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Detector = Peak, Sweep = auto
- 6. Mark the highest reading of the emission as the reference level measurement.
- 7. Set DL as the limit = reading on marker of reference level measurement -20 dBm.
- 8. Mark the highest readings of the emissions outside of 2400MHz~2483.5MHz.
- 9. Repeat above procedures until all default test channel (low, middle, and high) was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

> No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sqs.com.tw



Page: 50 of 305

Conducted Spurious Emission:

- To connect Antenna Port of EUT to Spectrum
- 2. The testing follows the Measurement Procedure of FCC KDB 558074 D01 DTS Meas. Guid-
- 3. Set RBW = 100 kHz & VBW= 300 kHz, Detector = Peak, Sweep = Auto.
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

10.4 **Measurement Result**

802.11b Ch0

Reference Level of Limit		
Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)
2412	11.04	-8.96
2437	12.23	-7.77
2462	11.06	-8.94
2467	4.20	-15.80
2472	-0.92	-20.92

802.11g Ch0

Reference Level of Limit		
Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)
2412	4.15	-15.85
2437	9.96	-10.04
2462	4.13	-15.87
2467	1.22	-18.78
2472	-0.92	-20.92

802.11n_HT_20M Ch0

Reference Level of Limit			
Freq.	PSD	Reference Level of Limit	
(MHz)	(dBm)	(dBm)	
2412	4.00	-16.00	
2437	9.98	-10.02	
2462	3.92	-16.08	
2467	1.11	-18.89	
2472	-0.23	-20.23	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 51 of 305

802.11n HT 40M Ch0

Reference Level of Limit		
Freq.	PSD	Reference Level of Limit
(MHz)	(dBm)	(dBm)
2422	-1.11	-21.11
2437	1.89	-18.11
2452	-0.02	-20.02
2457	-1.06	-21.06
2462	-2.09	-22.09

802.11ax HE 20M Ch0

Reference Level of Limit			
Freq.		PSD	Reference Level of Limit
(MHz)		(dBm)	(dBm)
	full	3.78	-16.22
	26/0	9.93	-10.07
2412	52/37	7.95	-12.05
	106/53	4.34	-15.66
	242	2.47	-17.53
	full	8.21	-11.79
	26/0	16.54	-3.46
	52/37	14.51	-5.49
2437	106/53	12.27	-7.73
2437	26/8	16.50	-3.50
	52/40	13.86	-6.14
	106/54	11.28	-8.72
	242	8.26	-11.74
	full	2.73	-17.27
	26/8	9.37	-10.63
2462	52/40	7.04	-12.96
	106/54	6.37	-13.63
	242	3.45	-16.55
	full	0.93	-19.07
0.4.7	26/8	4.99	-15.01
2467	52/40	3.28	-16.72
	106/54	-0.27	-20.27
	242	-2.35	-22.35
2472	full	-1.03	-21.03
	26/8	0.66	-19.34
2472	52/40	-2.14	-22.14
	106/54	-4.38	-24.38
	242	-7.03	-27.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

台灣檢驗科技股份有限公司



Page: 52 of 305

802.11ax HF 40M Ch0

002. ΓΙαλ_ΓΙΕ_40ΙΝΙ ΟΠΟ			
Reference Level of Limit			
Fre	eq.	PSD	Reference Level of Limit
(MI	Hz)	(dBm)	(dBm)
	full	-0.37	-20.37
2422	242/61	2.56	-17.44
	484	-2.58	-22.58
	full	1.61	-18.39
2437	242/61	2.55	-17.45
2437	242/62	2.59	-17.41
	484	-0.40	-20.40
	full	-0.07	-20.07
2452	242/62	1.69	-18.31
	484	-3.43	-23.43
	full	-1.32	-21.32
2457	242/62	0.67	-19.33
	484	-4.54	-24.54
	full	-3.36	-23.36
2462	242/62	-6.58	-26.58
	484	-6.71	-26.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page: 53 of 305

802.11b_20MHz_Chain0_2412MHz


802.11b_20MHz_Chain0_2467MHz






802.11b_20MHz_Chain0_2437MHz


802.11b_20MHz_Chain0_2472MHz






802.11b_20MHz_Chain0_2462MHz

802.11g_20MHz_Chain0_2412MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有的用,他都是结果做新测验之样具色素,同时他接具做是例如于。木型生产概太小司事而统可,不可如心填制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 54 of 305

802.11g_20MHz_Chain0_2437MHz

802.11g_20MHz_Chain0_2472MHz





802.11g_20MHz_Chain0_2462MHz


802.11n_20MHz_Chain0_2412MHz





802.11g_20MHz_Chain0_2467MHz

802.11n_20MHz_Chain0_2437MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 55 of 305

802.11n_20MHz_Chain0_2462MHz


802.11n_40MHz_Chain0_2422MHz





802.11n_20MHz_Chain0_2467MHz


802.11n_40MHz_Chain0_2437MHz






802.11n_20MHz_Chain0_2472MHz

802.11n_40MHz_Chain0_2452MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488


Member of SGS Group




Page: 56 of 305

802.11n_40MHz_Chain0_2457MHz


802.11ax_20MHz_Chain0_2412MHz_RU26_0






802.11n_40MHz_Chain0_2462MHz


802.11ax_20MHz_Chain0_2412MHz_RU52_37





802.11ax_20MHz_Chain0_2412MHz

802.11ax_20MHz_Chain0_2412MHz_RU106_53





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


台灣檢驗科技股份有限公司



Page: 57 of 305

802.11ax_20MHz_Chain0_2412MHz_RU242


802.11ax_20MHz_Chain0_2437MHz_RU26_8






802.11ax_20MHz_Chain0_2437MHz


802.11ax_20MHz_Chain0_2437MHz_RU52_37





802.11ax_20MHz_Chain0_2437MHz_RU26_0

802.11ax_20MHz_Chain0_2437MHz_RU52_40





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


www.sqs.com.tw



Page: 58 of 305

802.11ax 20MHz Chain0 2437MHz RU106 53


802.11ax_20MHz_Chain0_2462MHz






802.11ax_20MHz_Chain0_2437MHz_RU106_54


802.11ax_20MHz_Chain0_2462MHz_RU26_8






802.11ax_20MHz_Chain0_2437MHz_RU242

802.11ax_20MHz_Chain0_2462MHz_RU52_40





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


台灣檢驗科技股份有限公司



Page: 59 of 305

802.11ax 20MHz Chain0 2462MHz RU106 54


802.11ax_20MHz_Chain0_2467MHz_RU26_8






802.11ax_20MHz_Chain0_2462MHz_RU242

802.11ax_20MHz_Chain0_2467MHz_RU52_40





802.11ax_20MHz_Chain0_2467MHz

802.11ax 20MHz Chain0 2467MHz RU106 54





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度外侧经少量,同时此类早度规则的工作,不可如心海侧。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd.




Page: 60 of 305

802.11ax_20MHz_Chain0_2467MHz_RU242


802.11ax 20MHz Chain0 2472MHz RU52 40






802.11ax_20MHz_Chain0_2472MHz


802.11ax_20MHz_Chain0_2472MHz_RU106_54






802.11ax_20MHz_Chain0_2472MHz_RU26_8

802.11ax_20MHz_Chain0_2472MHz_RU242





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 61 of 305

802.11ax_40MHz_Chain0_2422MHz


802.11ax_40MHz_Chain0_2437MHz






802.11ax_40MHz_Chain0_2422MHz_RU242_61


802.11ax_40MHz_Chain0_2437MHz_RU242_61






802.11ax_40MHz_Chain0_2422MHz_RU484

802.11ax_40MHz_Chain0_2437MHz_RU242_62





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


台灣檢驗科技股份有限公司




Page: 62 of 305

802.11ax_40MHz_Chain0_2437MHz_RU484


802.11ax_40MHz_Chain0_2452MHz_RU484






802.11ax_40MHz_Chain0_2452MHz


802.11ax_40MHz_Chain0_2457MHz






802.11ax_40MHz_Chain0_2452MHz_RU242_62

802.11ax_40MHz_Chain0_2457MHz_RU242_62





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page: 63 of 305


802.11ax_40MHz_Chain0_2457MHz_RU484

802.11ax_40MHz_Chain0_2462MHz_RU484






802.11ax_40MHz_Chain0_2462MHz



802.11ax_40MHz_Chain0_2462MHz_RU242_62



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 64 of 305

802.11b 20MHz Chain0 2412MHz


802.11b 20MHz Chain0 2472MHz






802.11b_20MHz_Chain0_2462MHz


802.11g_20MHz_Chain0_2412MHz






802.11b_20MHz_Chain0_2467MHz

802.11g_20MHz_Chain0_2462MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


台灣檢驗科技股份有限公司




Page: 65 of 305

802.11g_20MHz_Chain0_2467MHz


802.11n_20MHz_Chain0_2462MHz






802.11g_20MHz_Chain0_2472MHz


802.11n_20MHz_Chain0_2467MHz






802.11n_20MHz_Chain0_2412MHz

802.11n_20MHz_Chain0_2472MHz





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 66 of 305

802.11n_40MHz_Chain0_2422MHz


802.11n_40MHz_Chain0_2462MHz






802.11n_40MHz_Chain0_2452MHz

802.11ax_20MHz_Chain0_2412MHz






802.11n_40MHz_Chain0_2457MHz

802.11ax_20MHz_Chain0_2412MHz_RU106_53





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 67 of 305

802.11ax_20MHz_Chain0_2412MHz_RU242

802.11ax_20MHz_Chain0_2462MHz



ø KEYSIGHT Input R 2.483 5 GHz Ref Lvl Offset 10.80 dB Ref Level 30.00 dBm Swept Span
Zero Span 01 Stop Freq 2.533500000 GHz AUTO TUNE 2,464 5 GHz 2.271 dBn 2,483 5 GHz -43.88 dBn Freq Offset 0 Hz X Axis So 1 5 C 1 ? Nov 25, 2024 0 .: N X

802.11ax_20MHz_Chain0_2412MHz_RU26_0

802.11ax_20MHz_Chain0_2462MHz_RU106_54





802.11ax_20MHz_Chain0_2412MHz_RU52_37

802.11ax_20MHz_Chain0_2462MHz_RU242.





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 68 of 305

802.11ax_20MHz_Chain0_2462MHz_RU26_8


802.11ax_20MHz_Chain0_2467MHz_RU106_54





802.11ax_20MHz_Chain0_2462MHz_RU52_40


802.11ax_20MHz_Chain0_2467MHz_RU242.





802.11ax_20MHz_Chain0_2467MHz

802.11ax_20MHz_Chain0_2467MHz_RU26_8





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司




Page: 69 of 305

802.11ax 20MHz Chain0 2467MHz RU52 40


802.11ax_20MHz_Chain0_2472MHz_RU242





802.11ax_20MHz_Chain0_2472MHz


802.11ax_20MHz_Chain0_2472MHz_RU26_8






802.11ax_20MHz_Chain0_2472MHz_RU106_54

802.11ax_20MHz_Chain0_2472MHz_RU52_40





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 70 of 305


802.11ax_40MHz_Chain0_2422MHz

802.11ax_40MHz_Chain0_2452MHz



802.11ax_40MHz_Chain0_2422MHz_RU242_61


802.11ax_40MHz_Chain0_2452MHz_RU242_62





802.11ax_40MHz_Chain0_2422MHz_RU484

802.11ax_40MHz_Chain0_2452MHz_RU484





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想些结果做新测验之缘具负责,同时此模具做是例如于。木型生主领水公司事面纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


www.sqs.com.tw



Page: 71 of 305

802.11ax_40MHz_Chain0_2457MHz


802.11ax_40MHz_Chain0_2462MHz






802.11ax_40MHz_Chain0_2457MHz_RU242_62


802.11ax_40MHz_Chain0_2462MHz_RU242_62






802.11ax_40MHz_Chain0_2457MHz_RU484

802.11ax_40MHz_Chain0_2462MHz_RU484






Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 72 of 305


802.11b_20MHz_Chain0_2412MHz



802.11b 20MHz Chain0 2437MHz



802.11b_20MHz_Chain0_2462MHz



802.11b_20MHz_Chain0_2467MHz



802.11b_20MHz_Chain0_2472MHz



802.11g_20MHz_Chain0_2412MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除业只有约明,此程生处用度外侧经少量,同时此类早度规则的工作,不可如心海侧。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 73 of 305


802.11g_20MHz_Chain0_2437MHz



802.11g_20MHz_Chain0_2462MHz




802.11g_20MHz_Chain0_2467MHz



802.11g_20MHz_Chain0_2472MHz



802.11n_20MHz_Chain0_2412MHz



802.11n_20MHz_Chain0_2437MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

台灣檢驗科技股份有限公司



Page: 74 of 305

802.11n_20MHz_Chain0_2462MHz



802.11n_20MHz_Chain0_2467MHz




802.11n_20MHz_Chain0_2472MHz



802.11n_40MHz_Chain0_2422MHz



802.11n_40MHz_Chain0_2437MHz



802.11n_40MHz_Chain0_2452MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非只有說明,此報生來用屬對個對文學具有書,同時此業只屬是例の子。木都學生之權大公司書面對可,不可可以推翻。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


f (886-2) 2298-0488

SGS Taiwan Ltd.



Page: 75 of 305

802.11n_40MHz_Chain0_2457MHz




802.11n_40MHz_Chain0_2462MHz




802.11ax_20MHz_Chain0_2412MHz




802.11ax_20MHz_Chain0_2412MHz_RU26_0



802.11ax_20MHz_Chain0_2412MHz_RU52_37



802.11ax_20MHz_Chain0_2412MHz_RU106_53



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. [李北只有的时,他想生在用席料调建了梯口名表,同时他第二届月间的工作,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 76 of 305


802.11ax_20MHz_Chain0_2412MHzz_RU242




802.11ax_20MHz_Chain0_2437MHz



802.11ax_20MHz_Chain0_2437MHz_RU26_0




802.11ax_20MHz_Chain0_2437MHz_RU26_8-1



802.11ax_20MHz_Chain0_2437MHz_RU52_37



802.11ax_20MHz_Chain0_2437MHz_RU52_40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page: 77 of 305


802.11ax_20MHz_Chain0_2437MHz_RU106_53-1



802.11ax_20MHz_Chain0_2437MHz_RU106_54




802.11ax_20MHz_Chain0_2437MHz_RU242




802.11ax_20MHz_Chain0_2462MHz



802.11ax_20MHz_Chain0_2462MHz_RU26_8



802.11ax_20MHz_Chain0_2462MHz_RU52_40



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law