




11AX20MIMO_Ant2_2462_26Tone_RU0




11AX20MIMO_Ant2_2462_26Tone_RU4




11AX20MIMO_Ant2_2462_26Tone_RU8




11AX20MIMO_Ant2_2462_52Tone_RU37




11AX20MIMO_Ant2_2462_52Tone_RU38




11AX20MIMO_Ant2_2462_52Tone_RU39



11AX20MIMO_Ant2_2462_52Tone_RU40




11AX20MIMO_Ant2_2462_106Tone_RU53




11AX20MIMO_Ant2_2462_106Tone_RU54




11AX40MIMO_Ant1_2422_26Tone_RU0




11AX40MIMO_Ant1_2422_26Tone_RU8




11AX40MIMO_Ant1_2422_242Tone_RU61




11AX40MIMO_Ant1_2422_242Tone_RU62




11AX40MIMO_Ant2_2422_242Tone_RU61




11AX40MIMO_Ant2_2422_242Tone_RU62




11AX40MIMO_Ant1_2437_242Tone_RU61




11AX40MIMO_Ant1_2437_242Tone_RU62




11AX40MIMO_Ant2_2437_242Tone_RU61




11AX40MIMO_Ant2_2437_242Tone_RU62




11AX40MIMO_Ant1_2452_242Tone_RU61




11AX40MIMO_Ant1_2452_242Tone_RU62



11AX40MIMO_Ant2_2452_242Tone_RU61



11AX40MIMO_Ant2_2452_242Tone_RU62



5. Conducted Peak Output Power

5.1. Block diagram of test setup

Same as section 4.1

5.2. Limits

For systems using digital modulation in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt. If transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

5.3. Test procedure

Connect each EUT's antenna output to power sensor by RF cable and attenuator
Measure the PK output power of each antenna port by power meter.

5.4. Test result

Test Mode	Antenna	Frequency [MHz]	Peak Power [dBm]	Conducted Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11B	Ant1	2412	15.80	≤30.00	18.71	≤36.00	PASS
	Ant2	2412	16.02	≤30.00	18.38	≤36.00	PASS
	Ant1	2437	15.72	≤30.00	18.63	≤36.00	PASS
	Ant2	2437	16.00	≤30.00	18.36	≤36.00	PASS
	Ant1	2462	16.04	≤30.00	18.95	≤36.00	PASS
	Ant2	2462	16.38	≤30.00	18.74	≤36.00	PASS
11G	Ant1	2412	14.11	≤30.00	17.02	≤36.00	PASS
	Ant2	2412	14.16	≤30.00	16.52	≤36.00	PASS
	Ant1	2437	14.02	≤30.00	16.93	≤36.00	PASS
	Ant2	2437	14.21	≤30.00	16.57	≤36.00	PASS
	Ant1	2462	13.92	≤30.00	16.83	≤36.00	PASS
	Ant2	2462	14.22	≤30.00	16.58	≤36.00	PASS
11N20MIMO	Ant1	2412	14.06	≤30.00	16.97	≤36.00	PASS
	Ant2	2412	14.07	≤30.00	16.43	≤36.00	PASS
	total	2412	17.08	≤30.00	19.72	≤36.00	PASS
	Ant1	2437	13.89	≤30.00	16.80	≤36.00	PASS
	Ant2	2437	14.10	≤30.00	16.46	≤36.00	PASS
	total	2437	17.01	≤30.00	19.65	≤36.00	PASS
	Ant1	2462	13.85	≤30.00	16.76	≤36.00	PASS
	Ant2	2462	14.13	≤30.00	16.49	≤36.00	PASS
	total	2462	17.00	≤30.00	19.64	≤36.00	PASS
11N40MIMO	Ant1	2422	11.78	≤30.00	14.69	≤36.00	PASS
	Ant2	2422	11.54	≤30.00	13.90	≤36.00	PASS
	total	2422	14.67	≤30.00	17.31	≤36.00	PASS

	Ant1	2437	11.50	≤30.00	14.41	≤36.00	PASS
	Ant2	2437	11.80	≤30.00	14.16	≤36.00	PASS
	total	2437	14.66	≤30.00	17.30	≤36.00	PASS
	Ant1	2452	11.51	≤30.00	14.42	≤36.00	PASS
	Ant2	2452	11.64	≤30.00	14.00	≤36.00	PASS
	total	2452	14.59	≤30.00	17.23	≤36.00	PASS
11AX20MIMO	Ant1	2412	12.93	≤30.00	15.84	≤36.00	PASS
	Ant2	2412	13.44	≤30.00	15.80	≤36.00	PASS
	total	2412	16.20	≤30.00	18.83	≤36.00	PASS
	Ant1	2437	12.97	≤30.00	15.88	≤36.00	PASS
	Ant2	2437	13.47	≤30.00	15.83	≤36.00	PASS
	total	2437	16.24	≤30.00	18.87	≤36.00	PASS
	Ant1	2462	12.86	≤30.00	15.77	≤36.00	PASS
	Ant2	2462	13.79	≤30.00	16.15	≤36.00	PASS
	total	2462	16.36	≤30.00	18.97	≤36.00	PASS
11AX40MIMO	Ant1	2422	13.88	≤30.00	16.79	≤36.00	PASS
	Ant2	2422	13.91	≤30.00	16.27	≤36.00	PASS
	total	2422	16.91	≤30.00	19.55	≤36.00	PASS
	Ant1	2437	13.82	≤30.00	16.73	≤36.00	PASS
	Ant2	2437	14.17	≤30.00	16.53	≤36.00	PASS
	total	2437	17.01	≤30.00	19.65	≤36.00	PASS
	Ant1	2452	14.16	≤30.00	17.07	≤36.00	PASS
	Ant2	2452	14.02	≤30.00	16.38	≤36.00	PASS
	total	2452	17.10	≤30.00	19.74	≤36.00	PASS

Test Mode	Antenna	Frequency [MHz]	Ru Size	Ru Index	Peak Power [dBm]	Conducted Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20 MIMO	Ant1	2412	26Tone	RU0	10.43	≤30.00	13.34	≤36.00	PASS
				RU4	10.77	≤30.00	13.68	≤36.00	PASS
				RU8	10.55	≤30.00	13.46	≤36.00	PASS
			52Tone	RU37	8.68	≤30.00	11.59	≤36.00	PASS
				RU38	9.1	≤30.00	12.01	≤36.00	PASS
				RU39	9.98	≤30.00	12.89	≤36.00	PASS
			106Tone	RU40	10.36	≤30.00	13.27	≤36.00	PASS
				RU53	11.41	≤30.00	14.32	≤36.00	PASS
				RU54	11.02	≤30.00	13.93	≤36.00	PASS
	Ant2	2412	26Tone	RU0	11.04	≤30.00	13.40	≤36.00	PASS
				RU4	11.08	≤30.00	13.44	≤36.00	PASS
				RU8	10.91	≤30.00	13.27	≤36.00	PASS
			52Tone	RU37	8.95	≤30.00	11.31	≤36.00	PASS
				RU38	9.48	≤30.00	11.84	≤36.00	PASS
				RU39	10.6	≤30.00	12.96	≤36.00	PASS
			106Tone	RU40	10.95	≤30.00	13.31	≤36.00	PASS
				RU53	11.85	≤30.00	14.21	≤36.00	PASS
				RU54	11.19	≤30.00	13.55	≤36.00	PASS
	total	2412	26Tone	RU0	13.76	≤30.00	16.40	≤36.00	PASS
				RU4	13.94	≤30.00	16.58	≤36.00	PASS
				RU8	13.74	≤30.00	16.38	≤36.00	PASS
			52Tone	RU37	11.83	≤30.00	14.47	≤36.00	PASS
				RU38	12.3	≤30.00	14.94	≤36.00	PASS

			106Tone	RU39	13.31	≤30.00	15.95	≤36.00	PASS
				RU40	13.68	≤30.00	16.32	≤36.00	PASS
				RU53	14.65	≤30.00	17.29	≤36.00	PASS
				RU54	14.12	≤30.00	16.76	≤36.00	PASS
Ant1	2437	26Tone		RU0	10.52	≤30.00	13.43	≤36.00	PASS
				RU4	10.89	≤30.00	13.80	≤36.00	PASS
				RU8	10.7	≤30.00	13.61	≤36.00	PASS
		52Tone		RU37	10	≤30.00	12.91	≤36.00	PASS
				RU38	10.03	≤30.00	12.94	≤36.00	PASS
				RU39	10.06	≤30.00	12.97	≤36.00	PASS
		106Tone		RU40	10.08	≤30.00	12.99	≤36.00	PASS
				RU53	10.36	≤30.00	13.27	≤36.00	PASS
				RU54	10.42	≤30.00	13.33	≤36.00	PASS
Ant2	2437	26Tone		RU0	10.51	≤30.00	12.87	≤36.00	PASS
				RU4	10.68	≤30.00	13.04	≤36.00	PASS
				RU8	10.41	≤30.00	12.77	≤36.00	PASS
		52Tone		RU37	9.92	≤30.00	12.28	≤36.00	PASS
				RU38	9.96	≤30.00	12.32	≤36.00	PASS
				RU39	9.93	≤30.00	12.29	≤36.00	PASS
		106Tone		RU40	9.79	≤30.00	12.15	≤36.00	PASS
				RU53	10.48	≤30.00	12.84	≤36.00	PASS
				RU54	10.25	≤30.00	12.61	≤36.00	PASS
total	2437	26Tone		RU0	13.53	≤30.00	16.17	≤36.00	PASS
				RU4	13.8	≤30.00	16.44	≤36.00	PASS
				RU8	13.57	≤30.00	16.21	≤36.00	PASS
		52Tone		RU37	12.97	≤30.00	15.61	≤36.00	PASS
				RU38	13.01	≤30.00	15.65	≤36.00	PASS
				RU39	13.01	≤30.00	15.65	≤36.00	PASS
		106Tone		RU40	12.95	≤30.00	15.59	≤36.00	PASS
				RU53	13.43	≤30.00	16.07	≤36.00	PASS
				RU54	13.35	≤30.00	15.99	≤36.00	PASS
Ant1	2462	26Tone		RU0	10.55	≤30.00	13.46	≤36.00	PASS
				RU4	10.85	≤30.00	13.76	≤36.00	PASS
				RU8	10.64	≤30.00	13.55	≤36.00	PASS
		52Tone		RU37	10.04	≤30.00	12.95	≤36.00	PASS
				RU38	10.02	≤30.00	12.93	≤36.00	PASS
				RU39	10.29	≤30.00	13.20	≤36.00	PASS
		106Tone		RU40	10.36	≤30.00	13.27	≤36.00	PASS
				RU53	10.83	≤30.00	13.74	≤36.00	PASS
				RU54	10.96	≤30.00	13.87	≤36.00	PASS
Ant2	2462	26Tone		RU0	10.33	≤30.00	12.69	≤36.00	PASS
				RU4	10.62	≤30.00	12.98	≤36.00	PASS
				RU8	10.32	≤30.00	12.68	≤36.00	PASS
		52Tone		RU37	9.83	≤30.00	12.19	≤36.00	PASS
				RU38	9.86	≤30.00	12.22	≤36.00	PASS
				RU39	9.89	≤30.00	12.25	≤36.00	PASS
		106Tone		RU40	9.84	≤30.00	12.20	≤36.00	PASS
				RU53	10.33	≤30.00	12.69	≤36.00	PASS
				RU54	10.42	≤30.00	12.78	≤36.00	PASS
total	2462	26Tone		RU0	13.45	≤30.00	16.09	≤36.00	PASS
				RU4	13.75	≤30.00	16.39	≤36.00	PASS

			52Tone	RU8	13.49	≤30.00	16.13	≤36.00	PASS
				RU37	12.95	≤30.00	15.59	≤36.00	PASS
				RU38	12.95	≤30.00	15.59	≤36.00	PASS
				RU39	13.1	≤30.00	15.74	≤36.00	PASS
				RU40	13.12	≤30.00	15.76	≤36.00	PASS
			106Tone	RU53	13.6	≤30.00	16.24	≤36.00	PASS
				RU54	13.71	≤30.00	16.35	≤36.00	PASS
	11AX40MIMO	Ant1	242Tone	RU61	10.88	≤30.00	13.79	≤36.00	PASS
				RU62	10.7	≤30.00	13.61	≤36.00	PASS
		Ant2	242Tone	RU61	10.63	≤30.00	12.99	≤36.00	PASS
				RU62	10.72	≤30.00	13.08	≤36.00	PASS
		total	242Tone	RU61	13.77	≤30.00	16.41	≤36.00	PASS
				RU62	13.72	≤30.00	16.36	≤36.00	PASS
		Ant1	242Tone	RU61	10.94	≤30.00	13.85	≤36.00	PASS
				RU62	10.79	≤30.00	13.70	≤36.00	PASS
		Ant2	242Tone	RU61	10.88	≤30.00	13.24	≤36.00	PASS
				RU62	11.07	≤30.00	13.43	≤36.00	PASS
		total	242Tone	RU61	13.92	≤30.00	16.56	≤36.00	PASS
				RU62	13.94	≤30.00	16.58	≤36.00	PASS
		Ant1	242Tone	RU61	10.76	≤30.00	13.67	≤36.00	PASS
				RU62	11.13	≤30.00	14.04	≤36.00	PASS
		Ant2	242Tone	RU61	10.77	≤30.00	13.13	≤36.00	PASS
				RU62	11.15	≤30.00	13.51	≤36.00	PASS
		total	242Tone	RU61	13.78	≤30.00	16.42	≤36.00	PASS
				RU62	14.15	≤30.00	16.79	≤36.00	PASS

Note 1: EIRP (dBm)=Conducted Output Power (dBm)+ Antenna Gain (dBi)

Note 2: HE20 SU represents HE20 242Tone, and HE40 SU represents HE40 484Tone, so for these Tones test performed with SU mode.

6. Power Spectral Density

6.1. Block diagram of test setup

Same as section 4.1

6.2. Limits

For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission.

6.3. Test procedure

(1) Connect EUT's antenna output to spectrum analyzer by RF cable.

(2) Set the spectrum analyzer as follows:

Center frequency	DTS Channel center frequency
RBW:	$3 \text{ kHz} \leq \text{RBW} \leq 100 \text{ kHz}$
VBW:	$\geq 3\text{RBW}$
Span	1.5 times the DTS bandwidth
Detector Mode:	RMS
Sweep time:	auto
Trace mode	Max hold

(3) Allow the trace to stabilize, use the peak marker function to determine the maximum amplitude level within the RBW.

(4) If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.


6.4. Test result


Test Mode	Antenna	Frequency [MHz]	Result [dBm/3-100kHz]	Limit [dBm/3kHz]	Verdict
11B	Ant1	2412	-15.85	≤8.00	PASS
	Ant2	2412	-15.15	≤8.00	PASS
	Ant1	2437	-15.54	≤8.00	PASS
	Ant2	2437	-15.71	≤8.00	PASS
	Ant1	2462	-16.04	≤8.00	PASS
	Ant2	2462	-15.63	≤8.00	PASS
11G	Ant1	2412	-17.13	≤8.00	PASS
	Ant2	2412	-16.93	≤8.00	PASS
	Ant1	2437	-17.49	≤8.00	PASS
	Ant2	2437	-17.27	≤8.00	PASS
	Ant1	2462	-17.65	≤8.00	PASS
	Ant2	2462	-17.41	≤8.00	PASS
11N20MIMO	Ant1	2412	-17.35	≤8.00	PASS
	Ant2	2412	-17.94	≤8.00	PASS
	total	2412	-14.62	≤8.00	PASS
	Ant1	2437	-18.29	≤8.00	PASS
	Ant2	2437	-18.22	≤8.00	PASS
	total	2437	-15.24	≤8.00	PASS
	Ant1	2462	-18.39	≤8.00	PASS
	Ant2	2462	-18.02	≤8.00	PASS
	total	2462	-15.19	≤8.00	PASS
11N40MIMO	Ant1	2422	-21.04	≤8.00	PASS
	Ant2	2422	-21.55	≤8.00	PASS
	total	2422	-18.28	≤8.00	PASS
	Ant1	2437	-21.88	≤8.00	PASS
	Ant2	2437	-21.12	≤8.00	PASS
	total	2437	-18.47	≤8.00	PASS
	Ant1	2452	-21.84	≤8.00	PASS
	Ant2	2452	-21.42	≤8.00	PASS
	total	2452	-18.61	≤8.00	PASS
11AX20MIMO	Ant1	2412	-20.29	≤8.00	PASS
	Ant2	2412	-19.83	≤8.00	PASS
	total	2412	-17.04	≤8.00	PASS
	Ant1	2437	-19.81	≤8.00	PASS
	Ant2	2437	-18.99	≤8.00	PASS
	total	2437	-16.37	≤8.00	PASS
	Ant1	2462	-20.42	≤8.00	PASS
	Ant2	2462	-19.55	≤8.00	PASS
	total	2462	-16.95	≤8.00	PASS
11AX40MIMO	Ant1	2422	-20.6	≤8.00	PASS
	Ant2	2422	-21.85	≤8.00	PASS
	total	2422	-18.17	≤8.00	PASS
	Ant1	2437	-20.98	≤8.00	PASS
	Ant2	2437	-21.26	≤8.00	PASS
	total	2437	-18.11	≤8.00	PASS
	Ant1	2452	-21.52	≤8.00	PASS
	Ant2	2452	-20.65	≤8.00	PASS
	total	2452	-18.05	≤8.00	PASS

Test Mode	Antenna	Frequency [MHz]	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant1	2412	26Tone	RU0	-8.48	≤8.00	PASS
				RU4	-9.65	≤8.00	PASS
				RU8	-10.84	≤8.00	PASS
			52Tone	RU37	-11.53	≤8.00	PASS
				RU38	-11.49	≤8.00	PASS
				RU39	-12.59	≤8.00	PASS
				RU40	-13.24	≤8.00	PASS
			106Tone	RU53	-12.45	≤8.00	PASS
				RU54	-13.44	≤8.00	PASS
	Ant2	2412	26Tone	RU0	-9.3	≤8.00	PASS
				RU4	-9.35	≤8.00	PASS
				RU8	-10.51	≤8.00	PASS
			52Tone	RU37	-12.2	≤8.00	PASS
				RU38	-11.46	≤8.00	PASS
				RU39	-13.37	≤8.00	PASS
				RU40	-12.24	≤8.00	PASS
			106Tone	RU53	-12.54	≤8.00	PASS
				RU54	-14.42	≤8.00	PASS
	total	2412	26Tone	RU0	-5.86	≤8.00	PASS
				RU4	-6.49	≤8.00	PASS
				RU8	-7.66	≤8.00	PASS
			52Tone	RU37	-8.84	≤8.00	PASS
				RU38	-8.46	≤8.00	PASS
				RU39	-9.95	≤8.00	PASS
				RU40	-9.70	≤8.00	PASS
			106Tone	RU53	-9.48	≤8.00	PASS
				RU54	-10.89	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-9.26	≤8.00	PASS
				RU4	-9.74	≤8.00	PASS
				RU8	-9.25	≤8.00	PASS
			52Tone	RU37	-11.43	≤8.00	PASS
				RU38	-12.16	≤8.00	PASS
				RU39	-11.68	≤8.00	PASS
				RU40	-11.57	≤8.00	PASS
			106Tone	RU53	-13.35	≤8.00	PASS
				RU54	-13.74	≤8.00	PASS
	Ant2	2437	26Tone	RU0	-10.21	≤8.00	PASS
				RU4	-10.03	≤8.00	PASS
				RU8	-10.06	≤8.00	PASS
			52Tone	RU37	-12.04	≤8.00	PASS
				RU38	-11.51	≤8.00	PASS
				RU39	-12.73	≤8.00	PASS
				RU40	-11.81	≤8.00	PASS
			106Tone	RU53	-13.67	≤8.00	PASS
				RU54	-12.91	≤8.00	PASS
	total	2437	26Tone	RU0	-6.70	≤8.00	PASS
				RU4	-6.87	≤8.00	PASS
				RU8	-6.63	≤8.00	PASS
			52Tone	RU37	-8.71	≤8.00	PASS
				RU38	-8.81	≤8.00	PASS
				RU39	-9.16	≤8.00	PASS
				RU40	-8.68	≤8.00	PASS
			106Tone	RU53	-10.50	≤8.00	PASS
				RU54	-10.29	≤8.00	PASS
	Ant1	2462	26Tone	RU0	-9.86	≤8.00	PASS
				RU4	-9.02	≤8.00	PASS
				RU8	-8.8	≤8.00	PASS
			52Tone	RU37	-11.31	≤8.00	PASS
				RU38	-12.44	≤8.00	PASS
				RU39	-12.48	≤8.00	PASS
				RU40	-10.95	≤8.00	PASS
			106Tone	RU53	-14.21	≤8.00	PASS


	Ant2	2462	26Tone	RU54	-13.18	≤8.00	PASS
				RU0	-10.16	≤8.00	PASS
				RU4	-9.57	≤8.00	PASS
				RU8	-10.59	≤8.00	PASS
			52Tone	RU37	-12.26	≤8.00	PASS
				RU38	-11.32	≤8.00	PASS
				RU39	-13.43	≤8.00	PASS
				RU40	-12.03	≤8.00	PASS
			106Tone	RU53	-14.75	≤8.00	PASS
				RU54	-13.02	≤8.00	PASS
	total	2462	26Tone	RU0	-7.00	≤8.00	PASS
				RU4	-6.28	≤8.00	PASS
				RU8	-6.59	≤8.00	PASS
				RU37	-8.75	≤8.00	PASS
			52Tone	RU38	-8.83	≤8.00	PASS
				RU39	-9.92	≤8.00	PASS
				RU40	-8.45	≤8.00	PASS
				RU53	-11.46	≤8.00	PASS
11AX40MIMO	Ant1	2422	242Tone	RU61	-11.96	≤8.00	PASS
	Ant2	2422		RU62	-12.26	≤8.00	PASS
	total	2422	242Tone	RU61	-11.99	≤8.00	PASS
				RU62	-12.63	≤8.00	PASS
	Ant1	2437	242Tone	RU61	-8.96	≤8.00	PASS
	Ant2	2437		RU62	-9.43	≤8.00	PASS
	total	2437	242Tone	RU61	-11.53	≤8.00	PASS
				RU62	-11.72	≤8.00	PASS
	Ant1	2452	242Tone	RU61	-13.3	≤8.00	PASS
	Ant2	2452		RU62	-13.19	≤8.00	PASS
	total	2452	242Tone	RU61	-9.32	≤8.00	PASS
				RU62	-9.38	≤8.00	PASS
	Ant1	2452	242Tone	RU61	-12.54	≤8.00	PASS
	Ant2	2452		RU62	-12.03	≤8.00	PASS
	total	2452	242Tone	RU61	-13.71	≤8.00	PASS
				RU62	-13.09	≤8.00	PASS
	Ant1	2452	242Tone	RU61	-10.08	≤8.00	PASS
	Ant2	2452		RU62	-9.52	≤8.00	PASS

6.5. Original test data







11B Ant1 2437




11B Ant2 2437




11B Ant1 2462




11B_Ant2_2462




11G_Ant1_2412




11G_Ant2_2412




11G_Ant1_2437




11G_Ant2_2437




11G_Ant1_2462




11G Ant2 2462




11N20MIMO Ant1 2412




11N20MIMO Ant2 2412




11N20MIMO Ant1 2437




11N20MIMO Ant2 2437




11N20MIMO Ant1 2462




11N20MIMO Ant2 2462




11N40MIMO Ant1 2422




11N40MIMO Ant2 2422




11N40MIMO Ant1 2437




11N40MIMO Ant2 2437




11N40MIMO Ant1 2452




11N40MIMO Ant2 2452




11AX20MIMO Ant1 2412




11AX20MIMO Ant2 2412




11AX20MIMO_Ant1_2437




11AX20MIMO_Ant2_2437




11AX20MIMO_Ant1_2462




11AX20MIMO Ant2 2462




11AX40MIMO Ant1 2422




11AX40MIMO Ant2 2422




11AX40MIMO_Ant1_2437




11AX40MIMO_Ant2_2437




11AX40MIMO_Ant1_2452




11AX20MIMO_Ant1_2412_26Tone_RU0




11AX20MIMO_Ant1_2412_26Tone_RU4




11AX20MIMO_Ant1_2412_26Tone_RU8



11AX20MIMO Ant1 2412 52Tone RU37



11AX20MIMO Ant1 2412 52Tone RU38



11AX20MIMO Ant1 2412 52Tone RU39