

APPENDIX F: SAR SYSTEM VALIDATION

Per FCC KDB Publication 865664 D02v01r02, SAR system validation status should be documented to confirm measurement accuracy. The SAR systems (including SAR probes, system components and software versions) used for this device were validated against its performance specifications prior to the SAR measurements. Reference dipoles were used with the required tissue- equivalent media for system validation, according to the procedures outlined in FCC KDB Publication 865664 D01v01r04 and IEEE 1528-2013. Since SAR probe calibrations are frequency dependent, each probe calibration point was validated at a frequency within the valid frequency range of the probe calibration point, using the system that normally operates with the probe for routine SAR measurements and according to the required tissue-equivalent media.

A tabulated summary of the system validation status including the validation date(s), measurement frequencies, SAR probes and tissue dielectric parameters has been included.

Table F-1
SAR System Validation Summary

SAR System	Freq. (MHz)	Date	Probe SN	DAE	Probe Cal Point		Cond. (σ)	Perm. (ϵ_r)	CW VALIDATION			MOD. VALIDATION		
									SENSITIVITY	PROBE LINEARITY	PROBE ISOTROPY	MOD. TYPE	DUTY FACTOR	PAR
G	13	02/28/2023	7417	665	13	Head	0.745	55.517	PASS	PASS	PASS	N/A	N/A	N/A
P	750	08/01/2022	7409	1334	750	Head	0.896	42.583	PASS	PASS	PASS	N/A	N/A	N/A
P	835	08/08/2022	7409	1334	835	Head	0.919	42.655	PASS	PASS	PASS	GMSK	PASS	N/A
C	835	08/09/2022	7406	1677	835	Head	0.943	41.102	PASS	PASS	PASS	GMSK	PASS	N/A
AM4	835	01/04/2023	7490	1644	835	Head	0.906	41.696	PASS	PASS	PASS	GMSK	PASS	N/A
AM5	1750	12/21/2022	7639	1646	1750	Head	1.350	40.100	PASS	PASS	PASS	N/A	N/A	PASS
AM4	1750	01/04/2023	7490	1644	1750	Head	1.369	39.742	PASS	PASS	PASS	N/A	N/A	PASS
P	1900	08/17/2022	7409	1334	1900	Head	1.385	38.998	PASS	PASS	PASS	GMSK	PASS	PASS
C	2450	08/11/2022	7406	1677	2450	Head	1.801	37.877	PASS	PASS	PASS	OFDM/TDD	PASS	PASS
AM1	2450	11/09/2022	7420	1333	2450	Head	1.820	38.300	PASS	PASS	PASS	OFDM/TDD	PASS	N/A
AM1	2600	11/09/2022	7420	1333	2600	Head	1.940	38.000	PASS	PASS	PASS	TDD	PASS	N/A
O	5250	02/16/2023	7570	1558	5250	Head	4.531	35.226	PASS	PASS	PASS	OFDM	N/A	N/A
O	5600	02/16/2023	7570	1558	5600	Head	4.926	34.639	PASS	PASS	PASS	OFDM	N/A	PASS
O	5750	02/16/2023	7570	1558	5750	Head	5.077	34.397	PASS	PASS	PASS	OFDM	N/A	PASS
O	750	02/03/2023	7570	1558	750	Body	0.922	55.235	PASS	PASS	PASS	N/A	N/A	PASS
C	835	08/15/2022	7406	1677	835	Body	0.978	54.692	PASS	PASS	PASS	GMSK	PASS	N/A
AM4	835	01/12/2023	7490	1644	835	Body	0.996	53.661	PASS	PASS	PASS	GMSK	PASS	N/A
C	1750	08/16/2022	7406	1677	1750	Body	1.460	53.454	PASS	PASS	PASS	N/A	N/A	PASS
AM5	1750	01/18/2023	7639	1646	1750	Body	1.449	52.795	PASS	PASS	PASS	N/A	N/A	N/A
P	1900	08/16/2022	7409	1334	1900	Body	1.521	53.285	PASS	PASS	PASS	GMSK	PASS	N/A
AM5	1900	01/16/2023	7639	1646	1900	Body	1.449	52.514	PASS	PASS	PASS	GMSK	PASS	N/A
AM1	2450	01/09/2023	7420	1333	2450	Body	2.024	51.852	PASS	PASS	PASS	OFDM/TDD	PASS	PASS
AM1	2600	01/09/2023	7420	1333	2600	Body	2.168	51.636	PASS	PASS	PASS	TDD	PASS	N/A
K	5250	05/03/2022	7659	1407	5250	Body	5.389	47.450	PASS	PASS	PASS	OFDM	N/A	N/A
K	5250	05/03/2022	7659	1407	5250	Body	5.389	47.450	PASS	PASS	PASS	OFDM	N/A	PASS
K	5600	05/03/2022	7659	1407	5600	Body	5.891	46.819	PASS	PASS	PASS	OFDM	N/A	PASS
K	5750	05/03/2022	7659	1407	5750	Body	6.105	46.554	PASS	PASS	PASS	OFDM	N/A	PASS

NOTE: The probes have been calibrated for both CW and modulated signals. Modulations in the table above represent test configurations for which the measurement system has been validated per FCC KDB Publication 865664 D01v01r04 for scenarios when CW probe calibrations are used with other signal types. SAR systems were validated for modulated signals with a periodic duty cycle, such as GMSK, or with a high peak to average ratio (>5 dB), such as OFDM according to FCC KDB Publication 865664 D01v01r04.

FCC ID: PY7-25682R	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX F: Page 1 of 1