

Brand / Model : MR18-HV(V(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH149 PWS : 19.5 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03

Time : 18:34:21

Approved by:


Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HW(Radio 1)
Remark : 2TX 11N HT40 MCS0 CH151 PWS : 17 , Z-AXIS
Sample No. : C151005-022-006-002
Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/20


Time : 20:00:51

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HW(Radio 1)
Remark : 2TX 11N HT40 MCS0 CH151 PWS : 17 , Z-AXIS
Sample No. : C151005-022-006-002
Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/20

Time : 20:12:35

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HW(Radio 1)
Remark : 2TX 11N HT40 MCS0 CH159 PWS : 22 , Z-AXIS
Sample No. : C151005-022-006-002
Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/20


Time : 20:24:24

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT40 MCS0 CH159 PWS: 22 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/20

Time : 20:36:01

Approved by:


Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH149 PWS : 21 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03

Time : 16:17:04

Approved by:


Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark: 2TX 11A 6M CH149 PWS: 21, Z-AXIS

Sample No.: C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03

Time : 16:29:46

Approved by:


Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)
Remark : 2TX 11A 6M CH157 PWS : 21.5 , Z-AXIS
Sample No. : C151005-022-006-002
Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03


Time : 16:50:51

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH157 PWS : 21.5 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03

Time : 16:39:48

Approved by:


Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(V(Radio 1)

Remark : 2TX 11A 6M CH165 PWS : 21.5 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03


Time : 17:16:06

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)
Remark : 2TX 11A 6M CH165 PWS : 21.5 , Z-AXIS
Sample No. : C151005-022-006-002
Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03


Time : 17:04:07

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark: 2TX 11N HT20 MCS8 CH157 PWS : 21.5 , Z-AXIS

Sample No.: C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/11/03

Time : 17:42:05

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw-bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark: 2TX 11N HT20 MCS8 CH157 PWS : 21.5 , Z-AXIS

Sample No.: C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/11/03

Time : 17:30:31

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH165 PWS : 21.5 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/11/03

Time : 18:07:55

Approved by:


Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(V(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH165 PWS : 21.5 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/11/03

Time : 17:55:36

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark: 2TX 11N HT20 MCS8 CH149 PWS : 19.5 , Z-AXIS

Sample No.: C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/11/03

Time : 18:20:07

Approved by:

Temperature (C): 18.0

Humidity (%): 70

Polarity : **Horizontal**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT40 MCS8 CH46 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 22:45:35

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH36 Power Set : 20 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 20:00:25

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH36 Power Set : 20 , Z-AXIS

Sample No.: C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 20:11:49

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH40 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 20:22:01

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH40 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 20:33:33

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH48 Power Set : 23 , Z-AXIS

Sample No.: C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 20:44:21

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11A 6M CH48 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 20:55:50

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(V(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH36 Power Set : 19 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 21:06:32

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH36 Power Set : 19 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13

Time : 21:17:18

Approved by:


Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

Level (dBuV/m)

FCC PART15E Class B



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH40 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 21:28:07

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH40 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 21:39:12

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH48 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 21:50:53

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT20 MCS8 CH48 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2


Date : 2015/10/13

Time : 22:01:54

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**

This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]

Brand / Model : MR18-HV(Radio 1)

Remark : 2TX 11N HT40 MCS8 CH38 Power Set : 15 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 22:12:08

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(V(Radio 1)

Remark : 2TX 11N HT40 MCS8 CH38 Power Set: 15 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 22:23:10

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Vertical**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.
If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauventas.com

[illegible]

Brand / Model : MR18-HV(V(Radio 1)

Remark : 2TX 11N HT40 MCS8 CH46 Power Set : 23 , Z-AXIS

Sample No. : C151005-022-006-002

Tested By : Nick Hsu

Location : 966 CHAMBER. 2

Date : 2015/10/13


Time : 22:34:18

Approved by:

Temperature (C) : 21.0

Humidity (%): 70

Polarity : **Horizontal**



This data is for evaluation purposes only. It cannot be used for BMC approvals unless it contains the approved signature.

If you have any questions regarding the test data, please contact with us or through mail: service.adt@tw.bureauveritas.com

[illegible]