Vermeer



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

Request for Modular/Limited Modular Approval

Date: February 11, 2022

Subject: Manufacturer's Declaration for □ - Modular Approval ☐ - Split Modular Approval □ - Limited Modular Approval ☐ - Limited Split Modular Approval Confidentiality Request for: 2AXF5-VERMEER2 8 Basic Requirements - FCC Part 15.212(a)(1) For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the **Following Pages** Modular Approval Requirement Requirement Met 1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to \boxtimes - \Box prevent coupling between the RF circuitry of the module and any wires YES NO(*) or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i) Details: The module contains a metal shield which covers all RF components and circuitry. The shield is located on the top of the board next to antenna connector. 2. The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC \boxtimes - \Box requirements under conditions of excessive data rates or over-YES NO(*) modulation. 15.212(a)(1)(ii) Details: Data to the modulation circuit is buffered as described in the operational description provided with the application. 3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with \boxtimes -FCC requirements regardless of the design of the power supplying YES NO(*) circuitry in the device into which the module is installed. 15.212(a)(1)(iii) Details: The module contains its own power supply regulation. Please refer to schematic filed with this application. 4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or \boxtimes -employ a "unique" antenna coupler (at all connections between the YES NO(*) module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b).

Vermeer^{*}



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

this application.

	15.212(a)(1)(iv)		
	Details: The module connects to its antenna using an UFL connector whinon-standard connector. A list of antennas tested and approved with the found in users manual provided with the application.		
5.	The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)	⊠ - YES	□ - NO(*)
	Detaile: The module was tested stand-alone as shown in test setup photo	oaranhe fil	od with

Vermeer^{*}



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

	Modular Approval Requirement	Require	ment Met
6.	Modular Approval Requirement The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and	Require	ment Met ☐ - NO(*)
	visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi) Details: There is a label on the module as shown in the labeling exhibit application. Host specific labeling instructions are shown in the installed with this application.		
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The module complies with FCC Part 15C requirements. Instructions installer are provided in the installation manual filed with this applicat		OEM
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices	⊠ - YES	□ - NO(*)





1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)

ry,

Details: The module meets Portable exclusion levels as shown in the RF exposure information filed with this application.

Vermeer'



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

Limited Module Description - When Applicable

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: N/A

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)		
Requirement		
For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	⊠ - Provided in Separate Cover Letter	□ - N/A
Details: The firmware of the device can not be modified or ac described in a separate cover letter filed with this application		as
For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	☐ - Provided in Separate Cover Letter	⊠ - N/A
Details: N/A		

Split Modular Requirements		
Requirement	Requirement Provided in Manual	
1. For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.	☐ - Provided in Separate Cover Letter	⊠ - N/A
Details: N/A		

Vermeer'



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

OEM Integration Manual Guidance - KDB 996369 D03 Section 2

Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures for third-parties to use and/or integrate the module into a host device.

for third-parties to use and/or integrate the module into a host device.			
Requirement			
Is this module intended for sale to third parties?	□ - YES	☐ - No. If No, and LMA applies, optionally choose to not detailed info public. He needs to be basic integrate a users manual and the must still be included it description. If the application info confidential, to separate statement coverage that integration instructions.	the applicant can make the following owever there still ation instructions for information below in the operational eant wishes to keep this will require a er letter explaining to third parties and tions are internal
Items required to be in the manual – See KDB 996369 D03, Section 2 As of May 1, 2019, the FCC requires ALL the following information to be in the installation manual. Modular transmitter applicants should include information in their instructions for all these items indicating clearly when they are not applicable. For example information on trace antenna design could indicate "Not Applicable". Also if a module is limited to only a grantees own products and not intended for sale to third parties, the user instructions may not need to be detailed and the following items can be placed in the operational description, but this should include a cover letter as cited above.			
1. List of applicable FCC ru			
	ules related to the transm		
power for info	s such as limits on antenn point to point systems, pr	as, cable loss, reduction of rofessional installation	☑ - All Items shown to the left are provided in the Modular
host meet b. When RF will be ma	alternative means that the s the necessary limiting co	grantee uses to verify the onditions cessary, state how control	Integration Guide (or UM) for Full Modular Approval (MA) or LMA.
4. Trace antenna designs.	KDB 996369 D03, Section		applies and is
a. Layout of isolation productio confident	trace design, parts list, an requirements, tests for des n test procedures for ensuial, the method used to kee and information provided on.	tenna, connectors, sign verification, and aring compliance. If ep confidential must be	approved ONLY for use by the grantee in their own products, and not intended for sale to 3 rd parties as provided in a
5. RF exposure considerat		ction 2.6	separate cover
a. Clearly ar manufact are neces condition additiona host prod	d explicitly state condition urers to use the module. T sary: first to the host many s (mobile, portable – xx cn l text needed to be provide uct manuals.	ns that allow host I'wo types of instructions ufacturer to define n from body) and second	letter. Therefore the information shown to the left is found in the theory of operation.
6. Antennas. KDB 996369		n u 1 n 21 22	
	ennas included in the app nal installer instructions w	lication and all applicable when applicable. The	

Vermeer^{*}



1210 VERMEER ROAD EAST P.O. BOX 200 PELLA, IA 50219 USA

PHONE: (888) VERMEER

antenna list shall also identify the antenna types (monopole,
PIFA, dipole, etc – note that "omni-directional" is not
considered a type)

- 7. Label and compliance information. KDB 996369 D03, Section 2.8
 - a. Advice to host integrators that they need to provide a physical or e-label stating "Contains FCC ID: " with their finished product
- 8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9
 - Test modes that should be taken into consideration by host integrators including clarifications necessary for stand-alone and simultaneous configurations.
 - b. Provide information on how to configure test modes for evaluation
- 9. Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10

Sincerely,

By: Daniel Huitink

Title: Deputy General Counsel

(Signature)