

Report No.: XEWM2309000447RG03

Rev.: 01 Page: 1 of 89

TEST REPORT

Application No.: XEWM2309000447RG

Applicant: Lenovo (Shanghai) Electronics Technology Co., Ltd.

Address of Applicant: Section 304-305, Building No. 4, # 222, Meiyue Road, China (Shanghai) Pilot

Free Trade Zone

Manufacturer: Lenovo PC HK Limited

Address of Manufacturer: 23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong,

China

EUT Description: Portable Tablet Computer

Model No.: TB330XU

Trade Mark: Lenovo

FCC ID: O57TB330XU

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2023/09/02

Date of Test: 2023/09/08 to 2023/09/13

Date of Issue: 2023/09/27

Test Result : PASS *

Authorized Signature:

Peter Tan Regulatory Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Temms-and-Conditions.spx. and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanginong Orange Soence Park, No.137, Keyuan 3rd Road, Fengotong New Tourn, Xilan, Sheamai, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885

^{*} In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 2 of 89

1 Version

Revision Record							
Version Chapter Date Modifier Remark							
01		2023/09/27		Original			

Prepared By	(Leah Chen) / Test Engineer
Checked By	(Andy Yao) /Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 3 of 89

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10-2020 Section 6.2	Clause 4.2	PASS
Duty cycle		ANSI C63.10-2020 Section 11.6	Clause 4.3	For Report Purpose
Conducted Output Power	15.247 (b)(3)	ANSI C63.10-2020 Section11.9.1.2	Clause 4.4	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	15.247 (a)(2)	ANSI C63.10-2020 Section 11.8 Option 2 / 6.9.3	Clause 4.5	PASS
Power Spectral Density	15.247 (e)	ANSI C63.10-2020 Section 11.10.2	Clause 4.6	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.7	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10-2020 Section 11.11	Clause 4.8	PASS
Radiated Spurious Emissions	15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.9	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.205/15.209	ANSI C63.10-2020 Section 11.12	Clause 4.10	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 4 of 89

Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	8
	3.6	Description of Support Units	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	10
	4.3	Duty Cycle	14
	4.4	Conducted Output Power	15
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	16
	4.6	Power Spectral Density	17
	4.7	Band-edge for RF Conducted Emissions	18
	4.8	RF Conducted Spurious Emissions	19
	4.9	Radiated Spurious Emissions	20
	4.10	Restricted bands around fundamental frequency	23
5	Measu	rement Uncertainty (95% confidence levels, k=2)	25
6	Equipr	ment List	26
7	Photog	graphs - Setup Photos	28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 5 of 89

3 General Information

3.1 Details of Client

Applicant:	Lenovo (Shanghai) Electronics Technology Co., Ltd.
Address of Applicant:	Section 304-305, Building No. 4, # 222, Meiyue Road, China (Shanghai) Pilot Free Trade Zone
Manufacturer:	Lenovo PC HK Limited
Address of Manufacturer:	23/F, Lincoln House, Taikoo Place 979 King's Road, Quarry Bay, Hong Kong, China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd.
Address:	1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi' an, Shaanxi China
Post code:	710086
Test engineer:	Qiang Zhang, Jacky Xue

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

•A2LA (Certificate No. 4854.01)

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0095.

IC#: 25613.

• FCC -Designation Number: CN1337

SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. has been recognized as an accredited testing

laboratory.

Designation Number: CN1337.

Test Firm Registration Number: 917410



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic formst documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.ttention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (rigery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seults shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 6 of 89

3.4 General Description of EUT

EUT Description:	Portable Tablet Computer					
Model No.:	TB330XU					
Trade Mark:	Lenovo	Lenovo				
Hardware Version:	TB330XU					
Software Version:	Lenovo ZUI 15.1.027					
Power Supply:	3.91V					
IMEL	RF Conducted 865823060003570					
IMEI:	RSE & AC power line	865823060002457				
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.					
Bluetooth version:	Bluetooth V5.1					
Modulation Type:	GFSK					
Number of Channel:	40					
Potos Typo*:	⊠Provided by client					
Rates Type*:	1M PHY 2M PHY					
Antenna Type:	PIFA Antenna					
	-1.64dBi					
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.					
RF Cable:	1.2dB					
Remark:						



suitability, reliability or/and integrity of the information.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy,

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 7 of 89

	Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency	
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz	
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz	
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz	
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz	
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz	
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz	
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz	
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz	
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz	
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz	

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency			
BLE 1	IM:			
The Lowest channel(CH0)	2402MHz			
The Middle channel(CH19)	2440MHz			
The Highest channel(CH39)	2480MHz			
BLE 2	PM:			
The Lowest channel(CH1)	2404MHz			
The Middle channel(CH19)	2440MHz			
The Highest channel(CH38)	2478MHz			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sag.com/en/Terms_and-Conditions_apy and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sag.com/en/Terms-and-Conditions/Terms-e-Document.aspy Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 8 of 89

3.5 Test Environment

Environment Parameter	96.0~101.0 kPa Selected Values During Tests				
Relative Humidity	40-60 % RH Ambient				
Value	Temperature(°C) Voltage(V)				
NTNV 22~25 3.91					

Remark:

NV: Normal Voltage NT: Normal Temperature

3.6 Description of Support Units

The EUT has been tested as an independent unit.



nless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printeverleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asp, and, for electronic format documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lient's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ansaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduces except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content o ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the isults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01 Page: 9 of 89

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is PIFA Antenna and no consideration of replacement.

The best case gain of the antenna is -1.64dBi.*

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 10 of 89

4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Sectio	n 15.207					
Test Method:	ANSI C63.10-2020 Section 6.2						
Test Frequency Range:	150kHz to 30MHz						
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz					
Limit:	Fraguenay range (MIII)	Limit (d	BuV)				
	Frequency range(MHz)	Quasi-peak	Average				
	0.15-0.5	66 to 56*	56 to 46*				
	0.5-5	56	46				
	5-30	60	50				
	* Decreases with the log	arithm of the frequency.					
Test Procedure:	room. 2) The EUT was connect Impedance Stabilizat impedance. The power connected to a second plane in the same was multiple socket outlet single LISN provided. 3) The tabletop EUT was ground reference plane placed on the horizor. 4) The test was performed the EUT shall be 0.4 vertical ground reference plane. The unit under test and be mounted on top of the closest points of and associated equip. 5) In order to find the mand all of the interface.	sturbance voltage test was contend to AC power source through ion Network) which provides are cables of all other units of and LISN 2, which was bonded by as the LISN 1 for the unit by a strip was used to connect must the rating of the LISN was not a placed upon a non-metallic me. And for floor-standing arrantal ground reference plane. The work of the vertical ground reference plane was bonded to the LISN 1 was placed 0.8 m from the LISN 1 was placed 0.8 m from the LISN 1 and the EUT. All coment was at least 0.8 m from aximum emission, the relative ce cables must be changed an conducted measurement.	gh a LISN 1 (Line a 50Ω/50μH + 5Ω linear the EUT were to the ground reference eing measured. A ultiple power cables to a ot exceeded. table 0.8m above the angement, the EUT was rence plane. The rear of ference plane. The horizontal ground m the boundary of the plane for LISNs is distance was between other units of the EUT in the LISN 2.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.


1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 11 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03


Rev.: 01

Page: 12 of 89

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data I	Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2367	9.87	33.02	42.89	62.21	19.32	19.93	29.80	52.21	22.41	PASS
2	0.7021	9.95	38.94	48.89	56.00	7.11	25.09	35.04	46.00	10.96	PASS
3	1.2260	9.84	33.99	43.83	56.00	12.17	18.36	28.20	46.00	17.80	PASS
4	4.6418	9.90	35.24	45.14	56.00	10.86	17.74	27.64	46.00	18.36	PASS
5	5.9858	9.90	35.01	44.91	60.00	15.09	19.39	29.29	50.00	20.71	PASS
6	12.0117	10.04	41.22	51.26	60.00	8.74	25.96	36.00	50.00	14.00	PASS

Remark

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con


1/F, Unit D, Bulding 1, Kanginong Orange Science Park, No.137, Keyuan 3rd Road, Fengotong New Toum, Xi'an, Sheami, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.:

13 of 89 Page:



Data l	Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2387	9.82	32.09	41.91	62.14	20.23	18.14	27.96	52.14	24.18	PASS
2	0.7046	9.84	33.68	43.52	56.00	12.48	20.85	30.69	46.00	15.31	PASS
3	3.2063	9.97	26.96	36.93	56.00	19.07	14.45	24.42	46.00	21.58	PASS
4	6.0589	10.01	29.65	39.66	60.00	20.34	16.60	26.61	50.00	23.39	PASS
5	12.0120	10.16	35.76	45.92	60.00	14.08	19.69	29.85	50.00	20.15	PASS
6	16.9824	10.29	29.96	40.25	60.00	19.75	18.30	28.59	50.00	21.41	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dB μ V] + Factor(Lisn factor[dB] + cable loss[dB]). 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanoi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 14 of 89

4.3 Duty Cycle





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 15 of 89

4.4 Conducted Output Power





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic formal documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 16 of 89

4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 17 of 89

4.6 Power Spectral Density





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 18 of 89

4.7 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10-2020 Section 11.11
Test Setup:	PC Spectrum Analyzer O O O O O O O O O
Instruments Used:	Refer to section 6 for details
Test Mode:	Transmitting with GFSK modulation.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass
The detailed test data see: A	ppendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 19 of 89

4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03


Rev.: 01

Page: 20 of 89

4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10-2020 Sect	ion 11.12						
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber))				
Test Frequency:	9kHz ~ 25GHz							
Limit:	Frequency Field strength Limit Remark Measurement (dBuV/m) Remark distance (m)							
	0.009MHz-0.490MHz 2400/F(kHz) 30							
	0.490MHz-1.705MHz 24000/F(kHz)							
	1.705MHz-30MHz 30 30							
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz 500 54.0 Average 3							
Remark: 15.35(b),Unless otherwise specified, the limit on peak radio freque emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total pemission level radiated by the device.								

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 21 of 89




	Figure 3. Above 1 GHz
Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
	(Distance from antenna to EUT is 1m for measurements >18GHz).
	 The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	 The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the Z axis positioning which it is worse case.
	i. Repeat above procedures until all frequencies measured was complete.
	j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
	k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
	 At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.
Test Configuration:	Measurements below 30MHz
	• RBW = 10 kHz
	• VBW = 30 kHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 22 of 89

	Detector = Peak & Average & Quasi-peak
	Trace mode = max hold
	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	VBW = 10 Hz, when duty cycle is no less than 98 percent.
	• VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test	Transmitting with GFSK modulation.
Mode:	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan all channels, but only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03


Rev.: 01

Page: 23 of 89

4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10-2020 Section	11.12				
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)			
Limit:	Frequency Limit (dBuV/m) Remark					
	30MHz-88MHz	40.0	Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Above 1GHz	54.0	Average Value			
	Above IGHZ	74.0	Peak Value			

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.and, for electronic Document as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authernicity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 24 of 89

	 Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the Z axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz • RBW = 120 kHz • VBW = 300 kHz • Detector = Quasi-peak • Trace mode = max hold Peak Measurements Above 1000 MHz • RBW = 1 MHz • VBW ≥ 3 MHz • Detector = Peak • Sweep time = auto • Trace mode = max hold Average Measurements Above 1000MHz • RBW = 1 MHz • VBW ≥ 1 MHz • VBW = 10 Hz, when duty cycle is no less than 98 percent. • VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Exploratory Test Mode:	Transmitting with GFSK modulation. Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation. Pretest the EUT at Charge + Transmitting mode. Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	e: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 25 of 89

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	± 7.25 x 10 ⁻⁸ GHz
2	Duty cycle	± 0.37%
3	Occupied Bandwidth	± 0.2%
4	RF conducted power	± 0.21dB
5	RF power density	± 2.84dB
6	Conducted Spurious emissions	± 0.75dB
7	Conduction Emission	± 3.0dB (150kHz to 30MHz)
		± 4.6dB (9kHz to 30MHz)
		± 4.9dB (30MHz to 1GHz)
8	Radiated Emission	± 4.9dB (1GHz to 6GHz)
		± 4.7dB (6GHz to 18GHz)
		± 5.26dB (Above 18GHz)

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 26 of 89

6 Equipment List

RF Test System								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
MXA signal analyzer	Agilent	N9020A	XAW01-06-07	2023/02/16	2024/02/15			
MXG vector signal Generator	Agilent	N5182B	XAW01-07-16	2023/02/16	2024/02/15			
Measurement Software	Tonscend	JS1120-3 (3.2.18)	XAW02-14-01	NCR	NCR			
RF control unit	Tonscend	JS0806-2	XAW03-37-01	NCR	NCR			
Power Meter	Anritsu	ML2495A	XAW01-25-03	2023/02/16	2024/02/15			
Power Supply	Agilent	66311B	XAW01-17-01	2023/02/16	2024/02/15			
Temperature and humidity meter	MingGao	T809	XAW01-01-16	2023/09/04	2024/09/03			

CE Test System								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)			
Shielding Room	Brilliant-emc	N/A	XAW04-03-01	N/A	N/A			
Test receiver	ROHDE&SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29			
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-01	2023/06/30	2024/06/29			
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/08/30	2024/08/29			
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-07-01	NCR	NCR			
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15			
Artificial network	ROHDE&SCHWARZ	ENV216	XAW01-04-02	2023/06/30	2024/06/29			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 27 of 89

RSE Test System								
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/d d)	Cal.Due date (yyyy/mm/d d)			
Semi-Anechoic Chamber	Brilliant-emc	N/A	XAW03-35-01	2021/09/09	2024/09/08			
MXA signal analyzer	Keysight	N9020A	XAW01-06-01	2023/02/16	2024/02/15			
Spectrum Analyzer	ROHDE &SCHWARZ	FSV3044	XAW01-13-05	2023/05/15	2024/05/14			
Test receiver	ROHDE &SCHWARZ	ESR	XAW01-08-01	2023/08/30	2024/08/29			
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	XAW01-09-01	2022/07/28	2024/07/27			
Receiving antenna(1GHz~18GH z)	Schwarzbeck	BBHA 9120D	XAW01-09-02	2022/07/28	2024/07/27			
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	XAW01-09-03	2022/07/23	2024/07/22			
Directional antenna rack controller	Max-Full	MF-7802BS	XAW03-03-01	NCR	NCR			
High-speed antenna rack controller	Max-Full	MF-7802	XAW03-04-01	NCR	NCR			
Filter bank	Tonscend	JS0806-F	XAW03-05-01	NCR	NCR			
Filter bank	Tonscend	JS0806s	XAW03-05-02	NCR	NCR			
Amplifier	Tonscend	TAP9K3G32	XAW01-41-01	2023/05/15	2024/05/14			
Amplifier	Tonscend	TAP01018048	XAW01-41-02	2023/08/30	2024/08/29			
Amplifier	Tonscend	TAP18040048	XAW01-41-03	2023/08/30	2024/08/29			
Amplifier	Shanghai Steed	YX28980930	XAW01-41-06	2023/08/30	2024/08/29			
Temperature and humidity meter	MingGao	TH101B	XAW01-01-02	2023/09/04	2024/09/03			
Radio communication analyzer	ROHDE&SCH WARZ	CMW 500	XAW01-03-02	2023/02/16	2024/02/15			
Measurement Software	Tonscend	TS+ V4.0.0.0	XAW02-05-01	NCR	NCR			
Loop Antenna	Schwarzbeck	FMZB 1519B	XAW01-48-02	2022/05/26	2024/05/25			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 28 of 89

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content; cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.:

29 of 89 Page:

Appendix



1/F, Unit D, Building 1, Kanghong Orange Science Park, No.137, Keyuan 3rd Road, Fengdong New Town, Xi'an, Shaanoi, China 710086 中国·西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 30 of 89

DTS Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.712	2401.644	2402.356	0.5	PASS
BLE_1M	Ant1	2440	0.696	2439.652	2440.348	0.5	PASS
		2480	0.676	2479.660	2480.336	0.5	PASS
		2404	1.144	2403.444	2404.588	0.5	PASS
BLE_2M	Ant1	2440	1.144	2439.416	2440.560	0.5	PASS
		2478	1.336	2477.324	2478.660	0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 31 of 89

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 32 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 33 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

Attention:One the Reauthericity of testing (inspection report & cartificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 34 of 89

99% Occupied Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Verdict
BLE_1M	Ant1	2402	1.0449	2401.4836	2402.5285	For Report Purpose
		2440	1.0458	2439.4818	2440.5276	
		2480	1.0474	2479.4852	2480.5326	
BLE_2M	Ant1	2404	2.1020	2402.9754	2405.0774	
		2440	2.0870	2438.9703	2441.0573	
		2478	2.1015	2476.9702	2479.0717	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 35 of 89

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is dorawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerte parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; rogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this lest report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

**Attention: To check the authernicity of testing inspection report & cartificate, please cannot us at telephone: (86-755) 8307 1443.

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sg t (86–29) 6282 7885 sgs.chi



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 36 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 37 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 38 of 89

Maximum conducted output power Test Result Peak

TestMode	Antenna	Frequency[MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
		2402	-2.32	≤30	PASS
BLE_1M	Ant1	2440	-1.49	≤30	PASS
		2480	-1.52	≤30	PASS
		2404	-2.21	≤30	PASS
BLE_2M	Ant1	2440	-1.45	≤30	PASS
		2478	-1.38	≤30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 39 of 89

Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
		2402	-18.21	≤8.00	PASS
BLE_1M	Ant1	2440	-16.86	≤8.00	PASS
		2480	-17.18	≤8.00	PASS
		2404	-20.42	≤8.00	PASS
BLE_2M	Ant1	2440	-19.25	≤8.00	PASS
		2478	-19.22	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 40 of 89

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 v t (86-29) 6282 7885 s



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 41 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 42 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 43 of 89

Band edge measurements Test Result

TestMode	Antenna	Channel	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE 1M	Ant1	Low	2402	-2.84	-49.56	≤-22.84	PASS
DLE_TIVI	Anti	High	2480	-1.82	-49.39	≤-21.82	PASS
BLE 2M	Ant1	Low	2404	-4.47	-50.16	≤-24.47	PASS
DLE_ZIVI	Anti	High	2478	-1.94	-49.42	≤-21.94	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Kepsan 3rd Road, Fengotong New Town, Xian, Sheanvi, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 44 of 89

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 45 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 46 of 89

Conducted Spurious Emission Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
			Reference	-2.13	-2.13		PASS
		2402	30~1000	-2.13	-59.85	≤-22.13	PASS
	BLE_1M Ant1 2440		1000~26500	-2.13	-45.24	≤-22.13	PASS
			Reference	-2.64	-2.64		PASS
BLE_1M		2440	30~1000	-2.64	-59.35	≤-22.64	PASS
_			1000~26500	-2.64	-45.46	≤-22.64	PASS
			Reference	-2.09	-2.09		PASS
		2480	30~1000	-2.09	-58.56	≤-22.09	PASS
			1000~26500	-2.09	-45.59	≤-22.09	PASS
			Reference	-5.06	-5.06		PASS
		2404	30~1000	-5.06	-59.69	≤-25.06	PASS
			1000~26500	-5.06	-45.4	≤-25.06	PASS
			Reference	-5.32	-5.32		PASS
BLE_2M	2M Ant1 2440	2440	30~1000	-5.32	-60.25	≤-25.32	PASS
_			1000~26500	-5.32	-45.1	≤-25.32	PASS
		2478	Reference	-4.57	-4.57		PASS
			30~1000	-4.57	-59.56	≤-24.57	PASS
			1000~26500	-4.57	-45.25	≤-24.57	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx, and, for electronic format documents, as well as the conditions of the conditions of

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 47 of 89

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 48 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 49 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 50 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding T, Kanghong Drange Science Park, No.137, Keyan 3rd Road, Feroptong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮第: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 51 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Staemal, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 52 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding T, Kanghong Drange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Sheand, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86–29) 6282 7885 www.sgs t (86–29) 6282 7885 sgs.chin



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 53 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 54 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 55 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 56 of 89

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time	Period	Duty Cycle	Duty Cycle
restivioue	Antenna	rrequency[winz]	[ms]	[ms]	[%]	Factor[dB]
		2402	2.13	2.50	85.20	0.70
BLE_1M	Ant1	2440	2.12	2.50	84.80	0.72
		2480	2.12	2.50	84.80	0.72
		2404	1.07	1.87	57.22	2.42
BLE_2M	Ant1	2440	1.07	1.87	57.22	2.42
		2478	1.07	1.87	57.22	2.42

Note:

Radiated Emission Average VBW = 1 / T

TestMode	T[ms]	Period[ms]	Duty Cycle[%]	1/T[kHz]	VBW Setting
BLE_1M	2.13	2.50	85.20	0.46948	0.51KHz
BLE 2M	1.07	1.87	57.22	0.93458	1KHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 57 of 89

Test Graphs





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 58 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testered and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

1/F, Unit D, Bulding 1, Kanghong Orange Science Park, No.137, Keysan 3rd Road, Fengotong New Town, Xian, Stazend, China 710086 中国 - 西安 - 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 59 of 89





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 60 of 89

Radiated Spurious Emissions Radiated emission below 1GHz

Worst case Mode: BLE 2M_Channel 1



Data Lis	Data List											
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBμV]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity				
1	63.4817	12.00	-27.75	35.4	19.65	40.00	20.35	Horizontal				
2	79.4947	7.15	-27.24	47.32	27.23	40.00	12.77	Horizontal				
3	161.0155	8.50	-26.40	51.01	33.11	43.50	10.39	Horizontal				
4	269.7099	12.59	-26.06	36.71	23.24	46.00	22.76	Horizontal				
5	638.4942	19.23	-24.58	29.32	23.97	46.00	22.03	Horizontal				
6	998.059	22.30	-23.83	28.9	27.37	54.00	26.63	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appy and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086


t (86-29) 6282 7885 t (86-29) 6282 7885



Report No.: XEWM2309000447RG03

Rev.: 01

Page: 61 of 89



Data Lis	st							
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading[dBμV]	QP Value [dBµV/m]	QP Limit [dΒμV/m]	QP Margin [dB]	Polarity
1	35.8229	11.73	-27.99	42.68	26.42	40.00	13.58	Vertical
2	60.085	12.39	-27.96	38.05	22.48	40.00	17.52	Vertical
3	139.1796	7.57	-26.45	46.64	27.76	43.50	15.74	Vertical
4	172.6613	9.17	-26.50	44.72	27.39	43.50	16.11	Vertical
5	445.3677	16.12	-25.26	30.4	21.26	46.00	24.74	Vertical
6	973.3117	22.17	-23.43	29.26	28.00	54.00	26.00	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading(dB μ V) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



nless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printeverleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.asp, and, for electronic format documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of lient's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ansaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduces except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content o ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the isults shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Toum, Xian, Shaami, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 62 of 89

Transmitter emission Above 1GHz BLE1M_Channel 0



Data L	Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	4804	53.22	30.78	-42.95	41.05	74.00	32.95	Horizontal				
2	7206	50.54	36.56	-38.71	48.39	74.00	25.61	Horizontal				
3	9608	48.94	37.85	-35.70	51.09	74.00	22.91	Horizontal				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 63 of 89

BLE1M_Channel 0



Data L	Data List											
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity				
1	4804	53.92	30.78	-42.95	41.75	74.00	32.25	Vertical				
2	7206	51.51	36.56	-38.71	49.36	74.00	24.64	Vertical				
3	9608	49.31	37.85	-35.70	51.46	74.00	22.54	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 64 of 89

BLE1M_Channel 19



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	52.55	30.78	-42.89	40.44	74.00	33.56	Horizontal			
2	7320	51.31	36.44	-38.76	48.99	74.00	25.01	Horizontal			
3	9760	47.72	38.34	-35.97	50.09	74.00	23.91	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 65 of 89

BLE1M_Channel 19



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4880	52.08	30.78	-42.89	39.97	74.00	34.03	Vertical			
2	7320	50.44	36.44	-38.76	48.12	74.00	25.88	Vertical			
3	9760	47.31	38.34	-35.97	49.68	74.00	24.32	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 66 of 89

BLE1M_Channel 39



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	4960	52.97	31.04	-42.78	41.23	74.00	32.77	Horizontal	
2	7440	49.97	36.78	-38.28	48.47	74.00	25.53	Horizontal	
3	9920	48.17	38.62	-35.49	51.30	74.00	22.70	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 67 of 89

BLE1M_Channel 39



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	4960	52.61	31.04	-42.78	40.87	74.00	33.13	Vertical	
2	7440	49.50	36.78	-38.28	48.00	74.00	26.00	Vertical	
3	9920	48.52	38.62	-35.49	51.65	74.00	22.35	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 68 of 89

BLE 2M_Channel 1



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4808	52.40	30.77	-42.94	40.23	74.00	33.77	Horizontal		
2	7212	50.19	36.53	-38.72	48.00	74.00	26.00	Horizontal		
3	9616	49.97	37.90	-35.75	52.12	74.00	21.88	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 69 of 89

BLE 2M_Channel 1



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4808	52.96	30.77	-42.94	40.79	74.00	33.21	Vertical		
2	7212	49.24	36.53	-38.72	47.05	74.00	26.95	Vertical		
3	9616	50.97	37.90	-35.75	53.12	74.00	20.88	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 70 of 89

BLE 2M_Channel 19



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	4880	51.91	30.78	-42.89	39.80	74.00	34.20	Horizontal		
2	7320	50.22	36.44	-38.76	47.90	74.00	26.10	Horizontal		
3	9760	48.56	38.34	-35.97	50.93	74.00	23.07	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 71 of 89

BLE 2M_Channel 19



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	4880	52.20	30.78	-42.89	40.09	74.00	33.91	Vertical	
2	7320	49.27	36.44	-38.76	46.95	74.00	27.05	Vertical	
3	9760	46.83	38.34	-35.97	49.20	74.00	24.80	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 72 of 89

BLE 2M_Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	4956	52.97	31.02	-42.79	41.20	74.00	32.80	Horizontal	
2	7434	49.88	36.77	-38.28	48.37	74.00	25.63	Horizontal	
3	9912	49.34	38.61	-35.28	52.67	74.00	21.33	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feropoong New Town, Xian, Shaenui, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 73 of 89

BLE 2M_Channel 38



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBμV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4956	51.91	31.02	-42.79	40.14	74.00	33.86	Vertical			
2	7434	50.50	36.77	-38.28	48.99	74.00	25.01	Vertical			
3	9912	47.56	38.61	-35.28	50.89	74.00	23.11	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

- 2) All channels have been tested, but only the worst case data displayed in this report.
- 3) Both peak and average measured complies with the limit line, so test result is "PASS"



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx, and, for electronic formst documents ubject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.ttention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration (rigery or falsification of the content or ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the seults shown in this test report refer only to the sample(s) test each and such sample(s) are retained for 30 days only.

1/F, Unit D, Bulding 1, Kanghong Change Science Park, No.137, Keyuan 3rd Road, Fengotong New Town, Xian, Shazarui, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 74 of 89

Restricted bands around fundamental frequency BLE1M_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2379.0345	38.77	27.48	-23.03	43.22	74.00	30.78	Horizontal			
2	2387.8139	39.40	27.45	-23.02	43.83	74.00	30.17	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086

t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 75 of 89

BLE1M_Channel 0



Data Li	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2379.4097	25.83	27.48	-23.03	30.28	54.00	23.72	Horizontal			
2	2388.5643	25.80	27.45	-23.02	30.23	54.00	23.77	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 76 of 89

BLE1M_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2382.8614	39.59	27.47	-23.03	44.03	74.00	29.97	Vertical			
2	2387.7389	39.11	27.45	-23.02	43.54	74.00	30.46	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F. Unit D. Bulding I. Kanghong Orange Science Park, No. 137, Keyuan 3rd Road, Fengdong New Town, Xira, Shaand, Chira 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 77 of 89

BLE1M_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2378.5843	25.89	27.49	-23.03	30.35	54.00	23.65	Vertical			
2	2385.7129	25.81	27.46	-23.02	30.25	54.00	23.75	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 78 of 89

BLE1M_Channel 39



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2486.1431	38.40	27.74	-23.12	43.02	74.00	30.98	Horizontal		
2	2491.4957	37.54	27.77	-23.13	42.18	74.00	31.82	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 79 of 89

BLE1M_Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2485.943	25.92	27.74	-23.12	30.54	54.00	23.46	Horizontal			
2	2489.8449	26.00	27.76	-23.13	30.63	54.00	23.37	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 80 of 89

BLE1M_Channel 39



Data Li	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2484.8424	37.89	27.74	-23.12	42.51	74.00	31.49	Vertical		
2	2489.7449	38.62	27.76	-23.13	43.25	74.00	30.75	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 81 of 89

BLE1M_Channel 39



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2483.8919	25.80	27.74	-23.12	30.42	54.00	23.58	Vertical		
2	2488.5943	25.87	27.75	-23.12	30.50	54.00	23.50	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 82 of 89

BLE 2M_Channel 1



Data Li	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2375.8829	38.90	27.50	-23.04	43.36	74.00	30.64	Horizontal		
2	2385.3377	38.93	27.46	-23.02	43.37	74.00	30.63	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86–29) 6282 7885 ww t (86–29) 6282 7885 sgs




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 83 of 89

BLE 2M_Channel 1



Data Li	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2376.9335	26.33	27.49	-23.04	30.78	54.00	23.22	Horizontal		
2	2388.7894	26.13	27.44	-23.02	30.55	54.00	23.45	Horizontal		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 84 of 89

BLE 2M_Channel 1



Data L	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity		
1	2381.2856	39.93	27.47	-23.03	44.37	74.00	29.63	Vertical		
2	2386.9885	39.32	27.45	-23.02	43.75	74.00	30.25	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 85 of 89

BLE 2M_Channel 1



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2383.0115	26.25	27.47	-23.03	30.69	54.00	23.31	Vertical	
2	2387.8889	26.07	27.45	-23.02	30.50	54.00	23.50	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 86 of 89

BLE 2M_Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2484.042	38.94	27.74	-23.12	43.56	74.00	30.44	Horizontal	
2	2489.1946	39.72	27.76	-23.12	44.36	74.00	29.64	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F. Unit D. Building I. Kanghong Crange Science Park, No. 137, Keyuan 3rd Road, Feroptong New Town, Xian, Shaend, China 710086 中国•西安·沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 87 of 89

BLE 2M_Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2483.7419	26.27	27.73	-23.12	30.88	54.00	23.12	Horizontal	
2	2487.8439	26.35	27.75	-23.12	30.98	54.00	23.02	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 88 of 89

BLE 2M_Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2484.2421	39.88	27.74	-23.12	44.50	74.00	29.50	Vertical	
2	2489.4947	39.02	27.76	-23.13	43.65	74.00	30.35	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

1/F, Unit D, Building T, Kanghong Change Science Park, No. 137, Keyuan 3rd Road, Fengotong New Town, Xian, Shasnoi, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885




Report No.: XEWM2309000447RG03

Rev.: 01

Page: 89 of 89

BLE 2M_Channel 38



Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	
1	2485.4427	26.39	27.74	-23.12	31.01	54.00	22.99	Vertical	
2	2492.8464	26.75	27.77	-23.13	31.39	54.00	22.61	Vertical	

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

2) Both peak and average measured complies with the limit line, so test result is "PASS"

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/ferms-and-Conditions.aspx and, for electronic Documents at <a href="http://www.sps.com/en/ferms-and-Conditions-and-Conditions-and-Conditions-And-Con

1/F, Unit D, Bulding 1, Kanginong Orange Soence Park, No.137, Keyuan 3rd Road, Fengotong New Tourn, Xilan, Sheamai, China 710086 中国 • 西安 • 沣东新城科源三路137号康鸿橙方科技园1号楼D单元1层 邮编: 710086 t (86-29) 6282 7885 t (86-29) 6282 7885