







Date: 8.APR.2025 11:55:29




Date: 8.APR.2025 11:58:22




Date: 8.APR.2025 11:58:26




Date: 8.APR.2025 12:14:04




Date: 8.APR.2025 12:14:07





Date: 8.APR.2025 12:16:20




Date: 8.APR.2025 12:16:23




Date: 8.APR.2025 12:18:14







Date: 8.APR.2025 12:21:36




Date: 8.APR.2025 12:24:33




Date: 8.APR.2025 12:24:37




Date: 8.APR.2025 12:32:46




Date: 8.APR.2025 12:32:49




Date: 8.APR.2025 12:39:19




Date: 8.APR.2025 12:39:22




Date: 8.APR.2025 14:03:21




Date: 8.APR.2025 14:03:24




Date: 8.APR.2025 14:07:25




Date: 8.APR.2025 14:07:28




Date: 8.APR.2025 17:44:17




Date: 8.APR.2025 17:44:20




Date: 8.APR.2025 17:49:42




Date: 8.APR.2025 17:49:46




Date: 8.APR.2025 18:11:47




Date: 8.APR.2025 18:11:50





Date: 8.APR.2025 18:14:28




Date: 8.APR.2025 18:14:31




Date: 8.APR.2025 18:17:24







Date: 8.APR.2025 18:20:11




Date: 8.APR.2025 18:24:37




Date: 8.APR.2025 18:24:40




Date: 7.APR.2025 18:09:40




Date: 7. APR.2025 18:09:44




Date: 7. APR.2025 18:12:08




Date: 7.APR.2025 18:12:12




Date: 7.APR.2025 18:14:39




Date: 7.APR.2025 18:14:42




Date: 7.APR.2025 18:16:37




Date: 7. APR.2025 18:16:40




Date: 7. APR.2025 18:18:44




Date: 7.APR.2025 18:18:48




Date: 7.APR.2025 18:22:42




Date: 7. APR.2025 18:22:45




Date: 7. APR.2025 18:24:45




Date: 7.APR.2025 18:24:48




Date: 7.APR.2025 18:26:58




Date: 7.APR.2025 18:27:01




Date: 7.APR.2025 18:28:48




Date: 7. APR.2025 18:28:51




Date: 7. APR.2025 18:30:43




Date: 7. APR. 2025 18:30:47




Date: 7. APR. 2025 18:32:33




Date: 7. APR.2025 18:32:36




Date: 7. APR.2025 18:34:17




Date: 7.APR.2025 18:34:20




Date: 8.APR.2025 10:56:42




Date: 8.APR.2025 10:56:46




Date: 8.APR.2025 10:59:15




Date: 8.APR.2025 10:59:18




Date: 8.APR.2025 11:01:44




Date: 8.APR.2025 11:01:47




Date: 8.APR.2025 11:05:13




Date: 8.APR.2025 11:05:16




Date: 8.APR.2025 11:08:32




Date: 8.APR.2025 11:08:35




Date: 8.APR.2025 11:13:50




Date: 8.APR.2025 11:13:53




Date: 8.APR.2025 11:15:46




Date: 8.APR.2025 11:15:49




Date: 8.APR.2025 11:19:35



Date: 8.APR.2025 11:19:38



Date: 8.APR.2025 11:22:39



Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 102V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 120V	a	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 138V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
-20C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
-10C 120V	a	5180	Ant1	5180	0	0	25	Pass
0C 120V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
10C 120V	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
30C 120V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
40C 120V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
50C 120V	a	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 102V	a	5200	Ant1	5200.02	20000	3.85	25	Pass
20C 120V	a	5200	Ant1	5200	0	0	25	Pass
20C 138V	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-20C 120V	a	5200	Ant1	5200.02	20000	3.85	25	Pass
-10C 120V	a	5200	Ant1	5200	0	0	25	Pass
0C 120V	a	5200	Ant1	5199.98	-20000	-3.85	25	Pass
10C 120V	a	5200	Ant1	5200	0	0	25	Pass
30C 120V	a	5200	Ant1	5200	0	0	25	Pass
40C 120V	a	5200	Ant1	5200	0	0	25	Pass
50C 120V	a	5200	Ant1	5200.02	20000	3.85	25	Pass
20C 102V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 120V	a	5240	Ant1	5240	0	0	25	Pass
20C 138V	a	5240	Ant1	5240	0	0	25	Pass
-20C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-10C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
0C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
10C 120V	a	5240	Ant1	5240	0	0	25	Pass
30C 120V	a	5240	Ant1	5240	0	0	25	Pass
40C 120V	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
50C 120V	a	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 102V	a	5260	Ant1	5260	0	0	25	Pass
20C 120V	a	5260	Ant1	5260	0	0	25	Pass
20C 138V	a	5260	Ant1	5260	0	0	25	Pass
-20C 120V	a	5260	Ant1	5260	0	0	25	Pass
-10C 120V	a	5260	Ant1	5260	0	0	25	Pass
0C 120V	a	5260	Ant1	5260.02	20000	3.8	25	Pass
10C 120V	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass

30C 120V	a	5260	Ant1	5260	0	0	25	Pass
40C 120V	a	5260	Ant1	5260.02	20000	3.8	25	Pass
50C 120V	a	5260	Ant1	5260	0	0	25	Pass
20C 102V	a	5280	Ant1	5280	0	0	25	Pass
20C 120V	a	5280	Ant1	5280.02	20000	3.79	25	Pass
20C 138V	a	5280	Ant1	5280	0	0	25	Pass
-20C 120V	a	5280	Ant1	5280	0	0	25	Pass
-10C 120V	a	5280	Ant1	5280	0	0	25	Pass
0C 120V	a	5280	Ant1	5280	0	0	25	Pass
10C 120V	a	5280	Ant1	5279.98	-20000	-3.79	25	Pass
30C 120V	a	5280	Ant1	5280.02	20000	3.79	25	Pass
40C 120V	a	5280	Ant1	5280	0	0	25	Pass
50C 120V	a	5280	Ant1	5280	0	0	25	Pass
20C 102V	a	5320	Ant1	5320.02	20000	3.76	25	Pass
20C 120V	a	5320	Ant1	5320	0	0	25	Pass
20C 138V	a	5320	Ant1	5320	0	0	25	Pass
-20C 120V	a	5320	Ant1	5320	0	0	25	Pass
-10C 120V	a	5320	Ant1	5320	0	0	25	Pass
0C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
10C 120V	a	5320	Ant1	5320.02	20000	3.76	25	Pass
30C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
40C 120V	a	5320	Ant1	5320	0	0	25	Pass
50C 120V	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 102V	a	5500	Ant1	5500	0	0	25	Pass
20C 120V	a	5500	Ant1	5500.02	20000	3.64	25	Pass
20C 138V	a	5500	Ant1	5500	0	0	25	Pass
-20C 120V	a	5500	Ant1	5500	0	0	25	Pass
-10C 120V	a	5500	Ant1	5500.02	20000	3.64	25	Pass
0C 120V	a	5500	Ant1	5499.98	-20000	-3.64	25	Pass
10C 120V	a	5500	Ant1	5500	0	0	25	Pass
30C 120V	a	5500	Ant1	5500	0	0	25	Pass
40C 120V	a	5500	Ant1	5499.98	-20000	-3.64	25	Pass
50C 120V	a	5500	Ant1	5500.02	20000	3.64	25	Pass
20C 102V	a	5600	Ant1	5600	0	0	25	Pass
20C 120V	a	5600	Ant1	5600	0	0	25	Pass
20C 138V	a	5600	Ant1	5600	0	0	25	Pass
-20C 120V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
-10C 120V	a	5600	Ant1	5600	0	0	25	Pass
0C 120V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
10C 120V	a	5600	Ant1	5599.98	-20000	-3.57	25	Pass
30C 120V	a	5600	Ant1	5600	0	0	25	Pass
40C 120V	a	5600	Ant1	5600.02	20000	3.57	25	Pass

50C 120V	a	5600	Ant1	5600.02	20000	3.57	25	Pass
20C 102V	a	5700	Ant1	5700	0	0	25	Pass
20C 120V	a	5700	Ant1	5700	0	0	25	Pass
20C 138V	a	5700	Ant1	5700	0	0	25	Pass
-20C 120V	a	5700	Ant1	5700.04	40000	7.02	25	Pass
-10C 120V	a	5700	Ant1	5700	0	0	25	Pass
0C 120V	a	5700	Ant1	5699.96	-40000	-7.02	25	Pass
10C 120V	a	5700	Ant1	5700.02	20000	3.51	25	Pass
30C 120V	a	5700	Ant1	5700	0	0	25	Pass
40C 120V	a	5700	Ant1	5700	0	0	25	Pass
50C 120V	a	5700	Ant1	5700	0	0	25	Pass
20C 102V	a	5745	Ant1	5745	0	0	25	Pass
20C 120V	a	5745	Ant1	5745	0	0	25	Pass
20C 138V	a	5745	Ant1	5745	0	0	25	Pass
-20C 120V	a	5745	Ant1	5745	0	0	25	Pass
-10C 120V	a	5745	Ant1	5745	0	0	25	Pass
0C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
10C 120V	a	5745	Ant1	5745	0	0	25	Pass
30C 120V	a	5745	Ant1	5745	0	0	25	Pass
40C 120V	a	5745	Ant1	5745	0	0	25	Pass
50C 120V	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
20C 102V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 120V	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
20C 138V	a	5785	Ant1	5785	0	0	25	Pass
-20C 120V	a	5785	Ant1	5785	0	0	25	Pass
-10C 120V	a	5785	Ant1	5785	0	0	25	Pass
0C 120V	a	5785	Ant1	5785.02	20000	3.46	25	Pass
10C 120V	a	5785	Ant1	5785.02	20000	3.46	25	Pass
30C 120V	a	5785	Ant1	5785	0	0	25	Pass
40C 120V	a	5785	Ant1	5785	0	0	25	Pass
50C 120V	a	5785	Ant1	5785	0	0	25	Pass
20C 102V	a	5825	Ant1	5825	0	0	25	Pass
20C 120V	a	5825	Ant1	5825.02	20000	3.43	25	Pass
20C 138V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-20C 120V	a	5825	Ant1	5824.98	-20000	-3.43	25	Pass
-10C 120V	a	5825	Ant1	5825	0	0	25	Pass
0C 120V	a	5825	Ant1	5825	0	0	25	Pass
10C 120V	a	5825	Ant1	5825	0	0	25	Pass
30C 120V	a	5825	Ant1	5825	0	0	25	Pass
40C 120V	a	5825	Ant1	5825	0	0	25	Pass
50C 120V	a	5825	Ant1	5825	0	0	25	Pass
20C 102V	a	5180	Ant2	5180	0	0	25	Pass

20C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 138V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
-20C 120V	a	5180	Ant2	5180	0	0	25	Pass
-10C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
0C 120V	a	5180	Ant2	5180	0	0	25	Pass
10C 120V	a	5180	Ant2	5180	0	0	25	Pass
30C 120V	a	5180	Ant2	5180	0	0	25	Pass
40C 120V	a	5180	Ant2	5180	0	0	25	Pass
50C 120V	a	5180	Ant2	5179.98	-20000	-3.86	25	Pass
20C 102V	a	5200	Ant2	5200.02	20000	3.85	25	Pass
20C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
20C 138V	a	5200	Ant2	5200.02	20000	3.85	25	Pass
-20C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
-10C 120V	a	5200	Ant2	5200	0	0	25	Pass
0C 120V	a	5200	Ant2	5200.02	20000	3.85	25	Pass
10C 120V	a	5200	Ant2	5199.98	-20000	-3.85	25	Pass
30C 120V	a	5200	Ant2	5200	0	0	25	Pass
40C 120V	a	5200	Ant2	5200	0	0	25	Pass
50C 120V	a	5200	Ant2	5200	0	0	25	Pass
20C 102V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 120V	a	5240	Ant2	5240.02	20000	3.82	25	Pass
20C 138V	a	5240	Ant2	5240	0	0	25	Pass
-20C 120V	a	5240	Ant2	5240	0	0	25	Pass
-10C 120V	a	5240	Ant2	5240.02	20000	3.82	25	Pass
0C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
10C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
30C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
40C 120V	a	5240	Ant2	5240	0	0	25	Pass
50C 120V	a	5240	Ant2	5239.98	-20000	-3.82	25	Pass
20C 102V	a	5260	Ant2	5260	0	0	25	Pass
20C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
20C 138V	a	5260	Ant2	5260.02	20000	3.8	25	Pass
-20C 120V	a	5260	Ant2	5260	0	0	25	Pass
-10C 120V	a	5260	Ant2	5260	0	0	25	Pass
0C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
10C 120V	a	5260	Ant2	5260.02	20000	3.8	25	Pass
30C 120V	a	5260	Ant2	5259.98	-20000	-3.8	25	Pass
40C 120V	a	5260	Ant2	5260.02	20000	3.8	25	Pass
50C 120V	a	5260	Ant2	5260	0	0	25	Pass
20C 102V	a	5280	Ant2	5280	0	0	25	Pass
20C 120V	a	5280	Ant2	5279.98	-20000	-3.79	25	Pass
20C 138V	a	5280	Ant2	5280.02	20000	3.79	25	Pass

-20C 120V	a	5280	Ant2	5280	0	0	25	Pass
-10C 120V	a	5280	Ant2	5280.02	20000	3.79	25	Pass
0C 120V	a	5280	Ant2	5280	0	0	25	Pass
10C 120V	a	5280	Ant2	5280	0	0	25	Pass
30C 120V	a	5280	Ant2	5280	0	0	25	Pass
40C 120V	a	5280	Ant2	5280	0	0	25	Pass
50C 120V	a	5280	Ant2	5279.98	-20000	-3.79	25	Pass
20C 102V	a	5320	Ant2	5320	0	0	25	Pass
20C 120V	a	5320	Ant2	5320.02	20000	3.76	25	Pass
20C 138V	a	5320	Ant2	5320	0	0	25	Pass
-20C 120V	a	5320	Ant2	5320.02	20000	3.76	25	Pass
-10C 120V	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
0C 120V	a	5320	Ant2	5320.02	20000	3.76	25	Pass
10C 120V	a	5320	Ant2	5319.98	-20000	-3.76	25	Pass
30C 120V	a	5320	Ant2	5320	0	0	25	Pass
40C 120V	a	5320	Ant2	5320	0	0	25	Pass
50C 120V	a	5320	Ant2	5320	0	0	25	Pass
20C 102V	a	5500	Ant2	5500.02	20000	3.64	25	Pass
20C 120V	a	5500	Ant2	5500.02	20000	3.64	25	Pass
20C 138V	a	5500	Ant2	5499.96	-40000	-7.27	25	Pass
-20C 120V	a	5500	Ant2	5500.02	20000	3.64	25	Pass
-10C 120V	a	5500	Ant2	5500	0	0	25	Pass
0C 120V	a	5500	Ant2	5500	0	0	25	Pass
10C 120V	a	5500	Ant2	5499.98	-20000	-3.64	25	Pass
30C 120V	a	5500	Ant2	5500	0	0	25	Pass
40C 120V	a	5500	Ant2	5500.02	20000	3.64	25	Pass
50C 120V	a	5500	Ant2	5500.02	20000	3.64	25	Pass
20C 102V	a	5600	Ant2	5600.02	20000	3.57	25	Pass
20C 120V	a	5600	Ant2	5600.02	20000	3.57	25	Pass
20C 138V	a	5600	Ant2	5599.98	-20000	-3.57	25	Pass
-20C 120V	a	5600	Ant2	5600	0	0	25	Pass
-10C 120V	a	5600	Ant2	5600.02	20000	3.57	25	Pass
0C 120V	a	5600	Ant2	5600	0	0	25	Pass
10C 120V	a	5600	Ant2	5600	0	0	25	Pass
30C 120V	a	5600	Ant2	5600	0	0	25	Pass
40C 120V	a	5600	Ant2	5600.02	20000	3.57	25	Pass
50C 120V	a	5600	Ant2	5600.02	20000	3.57	25	Pass
20C 102V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
20C 120V	a	5700	Ant2	5700.02	20000	3.51	25	Pass
20C 138V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
-20C 120V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
-10C 120V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass

0C 120V	a	5700	Ant2	5699.98	-20000	-3.51	25	Pass
10C 120V	a	5700	Ant2	5700	0	0	25	Pass
30C 120V	a	5700	Ant2	5700.02	20000	3.51	25	Pass
40C 120V	a	5700	Ant2	5700	0	0	25	Pass
50C 120V	a	5700	Ant2	5700.02	20000	3.51	25	Pass
20C 102V	a	5745	Ant2	5745	0	0	25	Pass
20C 120V	a	5745	Ant2	5745.02	20000	3.48	25	Pass
20C 138V	a	5745	Ant2	5745	0	0	25	Pass
-20C 120V	a	5745	Ant2	5744.98	-20000	-3.48	25	Pass
-10C 120V	a	5745	Ant2	5745	0	0	25	Pass
0C 120V	a	5745	Ant2	5745	0	0	25	Pass
10C 120V	a	5745	Ant2	5745	0	0	25	Pass
30C 120V	a	5745	Ant2	5745	0	0	25	Pass
40C 120V	a	5745	Ant2	5745	0	0	25	Pass
50C 120V	a	5745	Ant2	5745	0	0	25	Pass
20C 102V	a	5785	Ant2	5784.98	-20000	-3.46	25	Pass
20C 120V	a	5785	Ant2	5785.02	20000	3.46	25	Pass
20C 138V	a	5785	Ant2	5784.98	-20000	-3.46	25	Pass
-20C 120V	a	5785	Ant2	5785	0	0	25	Pass
-10C 120V	a	5785	Ant2	5785	0	0	25	Pass
0C 120V	a	5785	Ant2	5785	0	0	25	Pass
10C 120V	a	5785	Ant2	5785	0	0	25	Pass
30C 120V	a	5785	Ant2	5785	0	0	25	Pass
40C 120V	a	5785	Ant2	5785	0	0	25	Pass
50C 120V	a	5785	Ant2	5784.98	-20000	-3.46	25	Pass
20C 102V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
20C 138V	a	5825	Ant2	5824.96	-40000	-6.87	25	Pass
-20C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
-10C 120V	a	5825	Ant2	5825	0	0	25	Pass
0C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
10C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
30C 120V	a	5825	Ant2	5825	0	0	25	Pass
40C 120V	a	5825	Ant2	5824.98	-20000	-3.43	25	Pass
50C 120V	a	5825	Ant2	5825.04	40000	6.87	25	Pass
20C 102V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
20C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
20C 138V	AC20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
-20C 120V	AC20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
-10C 120V	AC20MIMO	5180	Ant1	5179.98	-20000	-3.86	25	Pass
0C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
10C 120V	AC20MIMO	5180	Ant1	5179.96	-40000	-7.72	25	Pass

30C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
40C 120V	AC20MIMO	5180	Ant1	5180	0	0	25	Pass
50C 120V	AC20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 102V	AC20MIMO	5200	Ant1	5200.02	20000	3.85	25	Pass
20C 120V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
20C 138V	AC20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
-20C 120V	AC20MIMO	5200	Ant1	5200	0	0	25	Pass
-10C 120V	AC20MIMO	5200	Ant1	5200	0	0	25	Pass
0C 120V	AC20MIMO	5200	Ant1	5199.96	-40000	-7.69	25	Pass
10C 120V	AC20MIMO	5200	Ant1	5200	0	0	25	Pass
30C 120V	AC20MIMO	5200	Ant1	5200	0	0	25	Pass
40C 120V	AC20MIMO	5200	Ant1	5200	0	0	25	Pass
50C 120V	AC20MIMO	5200	Ant1	5200	0	0	25	Pass
20C 102V	AC20MIMO	5240	Ant1	5240	0	0	25	Pass
20C 120V	AC20MIMO	5240	Ant1	5239.96	-40000	-7.63	25	Pass
20C 138V	AC20MIMO	5240	Ant1	5240	0	0	25	Pass
-20C 120V	AC20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
-10C 120V	AC20MIMO	5240	Ant1	5240	0	0	25	Pass
0C 120V	AC20MIMO	5240	Ant1	5240	0	0	25	Pass
10C 120V	AC20MIMO	5240	Ant1	5240	0	0	25	Pass
30C 120V	AC20MIMO	5240	Ant1	5240.02	20000	3.82	25	Pass
40C 120V	AC20MIMO	5240	Ant1	5240	0	0	25	Pass
50C 120V	AC20MIMO	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 102V	AC20MIMO	5260	Ant1	5260	0	0	25	Pass
20C 120V	AC20MIMO	5260	Ant1	5259.98	-20000	-3.8	25	Pass
20C 138V	AC20MIMO	5260	Ant1	5260	0	0	25	Pass
-20C 120V	AC20MIMO	5260	Ant1	5260	0	0	25	Pass
-10C 120V	AC20MIMO	5260	Ant1	5260	0	0	25	Pass
0C 120V	AC20MIMO	5260	Ant1	5260	0	0	25	Pass
10C 120V	AC20MIMO	5260	Ant1	5259.98	-20000	-3.8	25	Pass
30C 120V	AC20MIMO	5260	Ant1	5259.98	-20000	-3.8	25	Pass
40C 120V	AC20MIMO	5260	Ant1	5260.02	20000	3.8	25	Pass
50C 120V	AC20MIMO	5260	Ant1	5260.02	20000	3.8	25	Pass
20C 102V	AC20MIMO	5280	Ant1	5280	0	0	25	Pass
20C 120V	AC20MIMO	5280	Ant1	5280.02	20000	3.79	25	Pass
20C 138V	AC20MIMO	5280	Ant1	5280.02	20000	3.79	25	Pass
-20C 120V	AC20MIMO	5280	Ant1	5280	0	0	25	Pass
-10C 120V	AC20MIMO	5280	Ant1	5280	0	0	25	Pass
0C 120V	AC20MIMO	5280	Ant1	5279.98	-20000	-3.79	25	Pass
10C 120V	AC20MIMO	5280	Ant1	5279.98	-20000	-3.79	25	Pass
30C 120V	AC20MIMO	5280	Ant1	5280	0	0	25	Pass
40C 120V	AC20MIMO	5280	Ant1	5280	0	0	25	Pass

50C 120V	AC20MIMO	5280	Ant1	5279.98	-20000	-3.79	25	Pass
20C 102V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
20C 120V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
20C 138V	AC20MIMO	5320	Ant1	5319.98	-20000	-3.76	25	Pass
-20C 120V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
-10C 120V	AC20MIMO	5320	Ant1	5320.02	20000	3.76	25	Pass
0C 120V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
10C 120V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
30C 120V	AC20MIMO	5320	Ant1	5319.98	-20000	-3.76	25	Pass
40C 120V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
50C 120V	AC20MIMO	5320	Ant1	5320	0	0	25	Pass
20C 102V	AC20MIMO	5500	Ant1	5500	0	0	25	Pass
20C 120V	AC20MIMO	5500	Ant1	5499.98	-20000	-3.64	25	Pass
20C 138V	AC20MIMO	5500	Ant1	5500.02	20000	3.64	25	Pass
-20C 120V	AC20MIMO	5500	Ant1	5500.02	20000	3.64	25	Pass
-10C 120V	AC20MIMO	5500	Ant1	5499.98	-20000	-3.64	25	Pass
0C 120V	AC20MIMO	5500	Ant1	5500	0	0	25	Pass
10C 120V	AC20MIMO	5500	Ant1	5500	0	0	25	Pass
30C 120V	AC20MIMO	5500	Ant1	5500.02	20000	3.64	25	Pass
40C 120V	AC20MIMO	5500	Ant1	5499.98	-20000	-3.64	25	Pass
50C 120V	AC20MIMO	5500	Ant1	5500.02	20000	3.64	25	Pass
20C 102V	AC20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
20C 120V	AC20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
20C 138V	AC20MIMO	5600	Ant1	5600	0	0	25	Pass
-20C 120V	AC20MIMO	5600	Ant1	5600.04	40000	7.14	25	Pass
-10C 120V	AC20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
0C 120V	AC20MIMO	5600	Ant1	5600	0	0	25	Pass
10C 120V	AC20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
30C 120V	AC20MIMO	5600	Ant1	5600	0	0	25	Pass
40C 120V	AC20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
50C 120V	AC20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
20C 102V	AC20MIMO	5700	Ant1	5700	0	0	25	Pass
20C 120V	AC20MIMO	5700	Ant1	5700	0	0	25	Pass
20C 138V	AC20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
-20C 120V	AC20MIMO	5700	Ant1	5700.04	40000	7.02	25	Pass
-10C 120V	AC20MIMO	5700	Ant1	5699.98	-20000	-3.51	25	Pass
0C 120V	AC20MIMO	5700	Ant1	5699.98	-20000	-3.51	25	Pass
10C 120V	AC20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
30C 120V	AC20MIMO	5700	Ant1	5699.98	-20000	-3.51	25	Pass
40C 120V	AC20MIMO	5700	Ant1	5700	0	0	25	Pass
50C 120V	AC20MIMO	5700	Ant1	5699.98	-20000	-3.51	25	Pass
20C 102V	AC20MIMO	5745	Ant1	5744.96	-40000	-6.96	25	Pass

20C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
20C 138V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
-20C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
-10C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
0C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
10C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
30C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
40C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
50C 120V	AC20MIMO	5745	Ant1	5745	0	0	25	Pass
20C 102V	AC20MIMO	5785	Ant1	5785	0	0	25	Pass
20C 120V	AC20MIMO	5785	Ant1	5785	0	0	25	Pass
20C 138V	AC20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
-20C 120V	AC20MIMO	5785	Ant1	5784.98	-20000	-3.46	25	Pass
-10C 120V	AC20MIMO	5785	Ant1	5784.98	-20000	-3.46	25	Pass
0C 120V	AC20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
10C 120V	AC20MIMO	5785	Ant1	5784.98	-20000	-3.46	25	Pass
30C 120V	AC20MIMO	5785	Ant1	5785	0	0	25	Pass
40C 120V	AC20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
50C 120V	AC20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
20C 102V	AC20MIMO	5825	Ant1	5824.98	-20000	-3.43	25	Pass
20C 120V	AC20MIMO	5825	Ant1	5825	0	0	25	Pass
20C 138V	AC20MIMO	5825	Ant1	5825	0	0	25	Pass
-20C 120V	AC20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
-10C 120V	AC20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
0C 120V	AC20MIMO	5825	Ant1	5825	0	0	25	Pass
10C 120V	AC20MIMO	5825	Ant1	5825.04	40000	6.87	25	Pass
30C 120V	AC20MIMO	5825	Ant1	5824.98	-20000	-3.43	25	Pass
40C 120V	AC20MIMO	5825	Ant1	5825	0	0	25	Pass
50C 120V	AC20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
20C 102V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
20C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
20C 138V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
-20C 120V	AC40MIMO	5190	Ant1	5189.96	-40000	-7.71	25	Pass
-10C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
0C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
10C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
30C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
40C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
50C 120V	AC40MIMO	5190	Ant1	5190	0	0	25	Pass
20C 102V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
20C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
20C 138V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass

-20C 120V	AC40MIMO	5230	Ant1	5230.04	40000	7.65	25	Pass
-10C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
0C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
10C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
30C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
40C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
50C 120V	AC40MIMO	5230	Ant1	5230	0	0	25	Pass
20C 102V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
20C 120V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
20C 138V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
-20C 120V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
-10C 120V	AC40MIMO	5270	Ant1	5270.04	40000	7.59	25	Pass
0C 120V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
10C 120V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
30C 120V	AC40MIMO	5270	Ant1	5269.96	-40000	-7.59	25	Pass
40C 120V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
50C 120V	AC40MIMO	5270	Ant1	5270	0	0	25	Pass
20C 102V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
20C 120V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
20C 138V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
-20C 120V	AC40MIMO	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-10C 120V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
0C 120V	AC40MIMO	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C 120V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
30C 120V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
40C 120V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
50C 120V	AC40MIMO	5310	Ant1	5310	0	0	25	Pass
20C 102V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
20C 120V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
20C 138V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
-20C 120V	AC40MIMO	5510	Ant1	5510.04	40000	7.26	25	Pass
-10C 120V	AC40MIMO	5510	Ant1	5509.96	-40000	-7.26	25	Pass
0C 120V	AC40MIMO	5510	Ant1	5510.04	40000	7.26	25	Pass
10C 120V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
30C 120V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
40C 120V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
50C 120V	AC40MIMO	5510	Ant1	5510	0	0	25	Pass
20C 102V	AC40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
20C 120V	AC40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
20C 138V	AC40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
-20C 120V	AC40MIMO	5550	Ant1	5550	0	0	25	Pass
-10C 120V	AC40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass

0C 120V	AC40MIMO	5550	Ant1	5550	0	0	25	Pass
10C 120V	AC40MIMO	5550	Ant1	5550	0	0	25	Pass
30C 120V	AC40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
40C 120V	AC40MIMO	5550	Ant1	5550	0	0	25	Pass
50C 120V	AC40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
20C 102V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
20C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
20C 138V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
-20C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
-10C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
0C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
10C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
30C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
40C 120V	AC40MIMO	5670	Ant1	5669.96	-40000	-7.05	25	Pass
50C 120V	AC40MIMO	5670	Ant1	5670	0	0	25	Pass
20C 102V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
20C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
20C 138V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
-20C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
-10C 120V	AC40MIMO	5755	Ant1	5754.96	-40000	-6.95	25	Pass
0C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
10C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
30C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
40C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
50C 120V	AC40MIMO	5755	Ant1	5755	0	0	25	Pass
20C 102V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
20C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
20C 138V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
-20C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
-10C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
0C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
10C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
30C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
40C 120V	AC40MIMO	5795	Ant1	5795	0	0	25	Pass
50C 120V	AC40MIMO	5795	Ant1	5795.04	40000	6.9	25	Pass
20C 102V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
20C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
20C 138V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
-20C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
-10C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
0C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
10C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass

30C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
40C 120V	AC80MIMO	5210	Ant1	5210	0	0	25	Pass
50C 120V	AC80MIMO	5210	Ant1	5209.92	-80000	-15.36	25	Pass
20C 102V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
20C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
20C 138V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
-20C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
-10C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
0C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
10C 120V	AC80MIMO	5290	Ant1	5289.92	-80000	-15.12	25	Pass
30C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
40C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
50C 120V	AC80MIMO	5290	Ant1	5290	0	0	25	Pass
20C 102V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
20C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
20C 138V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
-20C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
-10C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
0C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
10C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
30C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
40C 120V	AC80MIMO	5530	Ant1	5530	0	0	25	Pass
50C 120V	AC80MIMO	5530	Ant1	5530.08	80000	14.47	25	Pass
20C 102V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
20C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
20C 138V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
-20C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
-10C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
0C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
10C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
30C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
40C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
50C 120V	AC80MIMO	5775	Ant1	5775	0	0	25	Pass
20C 102V	N20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 120V	N20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
20C 138V	N20MIMO	5180	Ant1	5180	0	0	25	Pass
-20C 120V	N20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
-10C 120V	N20MIMO	5180	Ant1	5180	0	0	25	Pass
0C 120V	N20MIMO	5180	Ant1	5180.02	20000	3.86	25	Pass
10C 120V	N20MIMO	5180	Ant1	5180.04	40000	7.72	25	Pass
30C 120V	N20MIMO	5180	Ant1	5180	0	0	25	Pass
40C 120V	N20MIMO	5180	Ant1	5180	0	0	25	Pass

50C 120V	N20MIMO	5180	Ant1	5180.04	40000	7.72	25	Pass
20C 102V	N20MIMO	5200	Ant1	5200.04	40000	7.69	25	Pass
20C 120V	N20MIMO	5200	Ant1	5200.02	20000	3.85	25	Pass
20C 138V	N20MIMO	5200	Ant1	5200	0	0	25	Pass
-20C 120V	N20MIMO	5200	Ant1	5200	0	0	25	Pass
-10C 120V	N20MIMO	5200	Ant1	5199.98	-20000	-3.85	25	Pass
0C 120V	N20MIMO	5200	Ant1	5200.02	20000	3.85	25	Pass
10C 120V	N20MIMO	5200	Ant1	5200.02	20000	3.85	25	Pass
30C 120V	N20MIMO	5200	Ant1	5200.02	20000	3.85	25	Pass
40C 120V	N20MIMO	5200	Ant1	5200	0	0	25	Pass
50C 120V	N20MIMO	5200	Ant1	5200.02	20000	3.85	25	Pass
20C 102V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
20C 120V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
20C 138V	N20MIMO	5240	Ant1	5240.04	40000	7.63	25	Pass
-20C 120V	N20MIMO	5240	Ant1	5240.02	20000	3.82	25	Pass
-10C 120V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
0C 120V	N20MIMO	5240	Ant1	5240	0	0	25	Pass
10C 120V	N20MIMO	5240	Ant1	5239.98	-20000	-3.82	25	Pass
30C 120V	N20MIMO	5240	Ant1	5240.02	20000	3.82	25	Pass
40C 120V	N20MIMO	5240	Ant1	5240.02	20000	3.82	25	Pass
50C 120V	N20MIMO	5240	Ant1	5240.02	20000	3.82	25	Pass
20C 102V	N20MIMO	5260	Ant1	5260	0	0	25	Pass
20C 120V	N20MIMO	5260	Ant1	5260	0	0	25	Pass
20C 138V	N20MIMO	5260	Ant1	5260	0	0	25	Pass
-20C 120V	N20MIMO	5260	Ant1	5260.02	20000	3.8	25	Pass
-10C 120V	N20MIMO	5260	Ant1	5260.02	20000	3.8	25	Pass
0C 120V	N20MIMO	5260	Ant1	5259.96	-40000	-7.6	25	Pass
10C 120V	N20MIMO	5260	Ant1	5260.04	40000	7.6	25	Pass
30C 120V	N20MIMO	5260	Ant1	5260	0	0	25	Pass
40C 120V	N20MIMO	5260	Ant1	5260	0	0	25	Pass
50C 120V	N20MIMO	5260	Ant1	5260	0	0	25	Pass
20C 102V	N20MIMO	5280	Ant1	5280	0	0	25	Pass
20C 120V	N20MIMO	5280	Ant1	5280	0	0	25	Pass
20C 138V	N20MIMO	5280	Ant1	5280.02	20000	3.79	25	Pass
-20C 120V	N20MIMO	5280	Ant1	5280.04	40000	7.58	25	Pass
-10C 120V	N20MIMO	5280	Ant1	5280.02	20000	3.79	25	Pass
0C 120V	N20MIMO	5280	Ant1	5280.04	40000	7.58	25	Pass
10C 120V	N20MIMO	5280	Ant1	5279.98	-20000	-3.79	25	Pass
30C 120V	N20MIMO	5280	Ant1	5280.02	20000	3.79	25	Pass
40C 120V	N20MIMO	5280	Ant1	5279.98	-20000	-3.79	25	Pass
50C 120V	N20MIMO	5280	Ant1	5280	0	0	25	Pass
20C 102V	N20MIMO	5320	Ant1	5320	0	0	25	Pass

20C 120V	N20MIMO	5320	Ant1	5319.98	-20000	-3.76	25	Pass
20C 138V	N20MIMO	5320	Ant1	5320.02	20000	3.76	25	Pass
-20C 120V	N20MIMO	5320	Ant1	5320.02	20000	3.76	25	Pass
-10C 120V	N20MIMO	5320	Ant1	5320	0	0	25	Pass
0C 120V	N20MIMO	5320	Ant1	5320	0	0	25	Pass
10C 120V	N20MIMO	5320	Ant1	5320	0	0	25	Pass
30C 120V	N20MIMO	5320	Ant1	5320.02	20000	3.76	25	Pass
40C 120V	N20MIMO	5320	Ant1	5320.02	20000	3.76	25	Pass
50C 120V	N20MIMO	5320	Ant1	5320.02	20000	3.76	25	Pass
20C 102V	N20MIMO	5500	Ant1	5500.04	40000	7.27	25	Pass
20C 120V	N20MIMO	5500	Ant1	5500.04	40000	7.27	25	Pass
20C 138V	N20MIMO	5500	Ant1	5500	0	0	25	Pass
-20C 120V	N20MIMO	5500	Ant1	5500	0	0	25	Pass
-10C 120V	N20MIMO	5500	Ant1	5500.04	40000	7.27	25	Pass
0C 120V	N20MIMO	5500	Ant1	5500	0	0	25	Pass
10C 120V	N20MIMO	5500	Ant1	5500.04	40000	7.27	25	Pass
30C 120V	N20MIMO	5500	Ant1	5499.98	-20000	-3.64	25	Pass
40C 120V	N20MIMO	5500	Ant1	5500.02	20000	3.64	25	Pass
50C 120V	N20MIMO	5500	Ant1	5500	0	0	25	Pass
20C 102V	N20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
20C 120V	N20MIMO	5600	Ant1	5600.04	40000	7.14	25	Pass
20C 138V	N20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
-20C 120V	N20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
-10C 120V	N20MIMO	5600	Ant1	5600	0	0	25	Pass
0C 120V	N20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
10C 120V	N20MIMO	5600	Ant1	5600.04	40000	7.14	25	Pass
30C 120V	N20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
40C 120V	N20MIMO	5600	Ant1	5600.04	40000	7.14	25	Pass
50C 120V	N20MIMO	5600	Ant1	5600.02	20000	3.57	25	Pass
20C 102V	N20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
20C 120V	N20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
20C 138V	N20MIMO	5700	Ant1	5700.04	40000	7.02	25	Pass
-20C 120V	N20MIMO	5700	Ant1	5700.04	40000	7.02	25	Pass
-10C 120V	N20MIMO	5700	Ant1	5700.04	40000	7.02	25	Pass
0C 120V	N20MIMO	5700	Ant1	5700.06	60000	10.53	25	Pass
10C 120V	N20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
30C 120V	N20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
40C 120V	N20MIMO	5700	Ant1	5700.04	40000	7.02	25	Pass
50C 120V	N20MIMO	5700	Ant1	5700.02	20000	3.51	25	Pass
20C 102V	N20MIMO	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 120V	N20MIMO	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 138V	N20MIMO	5745	Ant1	5745.02	20000	3.48	25	Pass


-20C 120V	N20MIMO	5745	Ant1	5745.02	20000	3.48	25	Pass
-10C 120V	N20MIMO	5745	Ant1	5745	0	0	25	Pass
0C 120V	N20MIMO	5745	Ant1	5745.04	40000	6.96	25	Pass
10C 120V	N20MIMO	5745	Ant1	5745.02	20000	3.48	25	Pass
30C 120V	N20MIMO	5745	Ant1	5745	0	0	25	Pass
40C 120V	N20MIMO	5745	Ant1	5745.04	40000	6.96	25	Pass
50C 120V	N20MIMO	5745	Ant1	5745.02	20000	3.48	25	Pass
20C 102V	N20MIMO	5785	Ant1	5785	0	0	25	Pass
20C 120V	N20MIMO	5785	Ant1	5785.04	40000	6.91	25	Pass
20C 138V	N20MIMO	5785	Ant1	5785.04	40000	6.91	25	Pass
-20C 120V	N20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
-10C 120V	N20MIMO	5785	Ant1	5785	0	0	25	Pass
0C 120V	N20MIMO	5785	Ant1	5785.04	40000	6.91	25	Pass
10C 120V	N20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
30C 120V	N20MIMO	5785	Ant1	5785	0	0	25	Pass
40C 120V	N20MIMO	5785	Ant1	5785	0	0	25	Pass
50C 120V	N20MIMO	5785	Ant1	5785.02	20000	3.46	25	Pass
20C 102V	N20MIMO	5825	Ant1	5825.04	40000	6.87	25	Pass
20C 120V	N20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
20C 138V	N20MIMO	5825	Ant1	5825	0	0	25	Pass
-20C 120V	N20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
-10C 120V	N20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
0C 120V	N20MIMO	5825	Ant1	5825.04	40000	6.87	25	Pass
10C 120V	N20MIMO	5825	Ant1	5825.04	40000	6.87	25	Pass
30C 120V	N20MIMO	5825	Ant1	5825.02	20000	3.43	25	Pass
40C 120V	N20MIMO	5825	Ant1	5825	0	0	25	Pass
50C 120V	N20MIMO	5825	Ant1	5825.04	40000	6.87	25	Pass
20C 102V	N40MIMO	5190	Ant1	5190	0	0	25	Pass
20C 120V	N40MIMO	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 138V	N40MIMO	5190	Ant1	5190.04	40000	7.71	25	Pass
-20C 120V	N40MIMO	5190	Ant1	5190	0	0	25	Pass
-10C 120V	N40MIMO	5190	Ant1	5190.04	40000	7.71	25	Pass
0C 120V	N40MIMO	5190	Ant1	5190	0	0	25	Pass
10C 120V	N40MIMO	5190	Ant1	5190.04	40000	7.71	25	Pass
30C 120V	N40MIMO	5190	Ant1	5190	0	0	25	Pass
40C 120V	N40MIMO	5190	Ant1	5190	0	0	25	Pass
50C 120V	N40MIMO	5190	Ant1	5190.04	40000	7.71	25	Pass
20C 102V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
20C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
20C 138V	N40MIMO	5230	Ant1	5230.04	40000	7.65	25	Pass
-20C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
-10C 120V	N40MIMO	5230	Ant1	5230.04	40000	7.65	25	Pass

0C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
10C 120V	N40MIMO	5230	Ant1	5230.04	40000	7.65	25	Pass
30C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
40C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
50C 120V	N40MIMO	5230	Ant1	5230	0	0	25	Pass
20C 102V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
20C 120V	N40MIMO	5270	Ant1	5270.04	40000	7.59	25	Pass
20C 138V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
-20C 120V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
-10C 120V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
0C 120V	N40MIMO	5270	Ant1	5269.96	-40000	-7.59	25	Pass
10C 120V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
30C 120V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
40C 120V	N40MIMO	5270	Ant1	5270.04	40000	7.59	25	Pass
50C 120V	N40MIMO	5270	Ant1	5270	0	0	25	Pass
20C 102V	N40MIMO	5310	Ant1	5310	0	0	25	Pass
20C 120V	N40MIMO	5310	Ant1	5310	0	0	25	Pass
20C 138V	N40MIMO	5310	Ant1	5309.96	-40000	-7.53	25	Pass
-20C 120V	N40MIMO	5310	Ant1	5310	0	0	25	Pass
-10C 120V	N40MIMO	5310	Ant1	5310	0	0	25	Pass
0C 120V	N40MIMO	5310	Ant1	5309.96	-40000	-7.53	25	Pass
10C 120V	N40MIMO	5310	Ant1	5309.96	-40000	-7.53	25	Pass
30C 120V	N40MIMO	5310	Ant1	5310	0	0	25	Pass
40C 120V	N40MIMO	5310	Ant1	5309.96	-40000	-7.53	25	Pass
50C 120V	N40MIMO	5310	Ant1	5310	0	0	25	Pass
20C 102V	N40MIMO	5510	Ant1	5510	0	0	25	Pass
20C 120V	N40MIMO	5510	Ant1	5510.04	40000	7.26	25	Pass
20C 138V	N40MIMO	5510	Ant1	5510	0	0	25	Pass
-20C 120V	N40MIMO	5510	Ant1	5510	0	0	25	Pass
-10C 120V	N40MIMO	5510	Ant1	5510.04	40000	7.26	25	Pass
0C 120V	N40MIMO	5510	Ant1	5510.04	40000	7.26	25	Pass
10C 120V	N40MIMO	5510	Ant1	5510	0	0	25	Pass
30C 120V	N40MIMO	5510	Ant1	5510.04	40000	7.26	25	Pass
40C 120V	N40MIMO	5510	Ant1	5510	0	0	25	Pass
50C 120V	N40MIMO	5510	Ant1	5510	0	0	25	Pass
20C 102V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
20C 120V	N40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
20C 138V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
-20C 120V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
-10C 120V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
0C 120V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
10C 120V	N40MIMO	5550	Ant1	5550	0	0	25	Pass


30C 120V	N40MIMO	5550	Ant1	5550.04	40000	7.21	25	Pass
40C 120V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
50C 120V	N40MIMO	5550	Ant1	5550	0	0	25	Pass
20C 102V	N40MIMO	5670	Ant1	5670	0	0	25	Pass
20C 120V	N40MIMO	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 138V	N40MIMO	5670	Ant1	5670.04	40000	7.05	25	Pass
-20C 120V	N40MIMO	5670	Ant1	5670	0	0	25	Pass
-10C 120V	N40MIMO	5670	Ant1	5670	0	0	25	Pass
0C 120V	N40MIMO	5670	Ant1	5670	0	0	25	Pass
10C 120V	N40MIMO	5670	Ant1	5670	0	0	25	Pass
30C 120V	N40MIMO	5670	Ant1	5670	0	0	25	Pass
40C 120V	N40MIMO	5670	Ant1	5670.04	40000	7.05	25	Pass
50C 120V	N40MIMO	5670	Ant1	5670.04	40000	7.05	25	Pass
20C 102V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
20C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
20C 138V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
-20C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
-10C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
0C 120V	N40MIMO	5755	Ant1	5755.04	40000	6.95	25	Pass
10C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
30C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
40C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
50C 120V	N40MIMO	5755	Ant1	5755	0	0	25	Pass
20C 102V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
20C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
20C 138V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
-20C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
-10C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
0C 120V	N40MIMO	5795	Ant1	5795.04	40000	6.9	25	Pass
10C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
30C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
40C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass
50C 120V	N40MIMO	5795	Ant1	5795	0	0	25	Pass

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.284	0.5	Pass
NVNT	a	5785	Ant1	16.278	0.5	Pass
NVNT	a	5825	Ant1	16.305	0.5	Pass
NVNT	a	5745	Ant2	16.29	0.5	Pass
NVNT	a	5785	Ant2	16.296	0.5	Pass
NVNT	a	5825	Ant2	16.284	0.5	Pass
NVNT	AC20MIMO	5745	Ant1	17.544	0.5	Pass
NVNT	AC20MIMO	5745	Ant2	17.502	0.5	Pass
NVNT	AC20MIMO	5785	Ant1	17.295	0.5	Pass
NVNT	AC20MIMO	5785	Ant2	17.532	0.5	Pass
NVNT	AC20MIMO	5825	Ant1	17.28	0.5	Pass
NVNT	AC20MIMO	5825	Ant2	17.517	0.5	Pass
NVNT	AC40MIMO	5755	Ant1	35.46	0.5	Pass
NVNT	AC40MIMO	5755	Ant2	36.276	0.5	Pass
NVNT	AC40MIMO	5795	Ant1	35.724	0.5	Pass
NVNT	AC40MIMO	5795	Ant2	35.808	0.5	Pass
NVNT	AC80MIMO	5775	Ant1	75.384	0.5	Pass
NVNT	AC80MIMO	5775	Ant2	75.756	0.5	Pass
NVNT	N20MIMO	5745	Ant1	16.908	0.5	Pass
NVNT	N20MIMO	5745	Ant2	17.538	0.5	Pass
NVNT	N20MIMO	5785	Ant1	17.31	0.5	Pass
NVNT	N20MIMO	5785	Ant2	17.547	0.5	Pass
NVNT	N20MIMO	5825	Ant1	17.106	0.5	Pass
NVNT	N20MIMO	5825	Ant2	16.911	0.5	Pass
NVNT	N40MIMO	5755	Ant1	35.418	0.5	Pass
NVNT	N40MIMO	5755	Ant2	36.288	0.5	Pass
NVNT	N40MIMO	5795	Ant1	35.922	0.5	Pass
NVNT	N40MIMO	5795	Ant2	35.904	0.5	Pass




Date: 8.APR.2025 18:44:27




Date: 8.APR.2025 18:46:35




Date: 8.APR.2025 18:48:06




Date: 8.APR.2025 19:52:42




Date: 8.APR.2025 19:54:14




Date: 8.APR.2025 19:56:12




Date: 8.APR.2025 12:13:54




Date: 8.APR.2025 12:13:59




Date: 8.APR.2025 12:16:10




Date: 8.APR.2025 12:16:16




Date: 8.APR.2025 12:18:05




Date: 8.APR.2025 12:18:09




Date: 8.APR.2025 17:49:34




Date: 8.APR.2025 17:49:38




Date: 8.APR.2025 18:11:38




Date: 8.APR.2025 18:11:42




Date: 8.APR.2025 18:24:28




Date: 8.APR.2025 18:24:32




Date: 7.APR.2025 18:30:34




Date: 7.APR.2025 18:30:39




Date: 7.APR.2025 18:32:24




Date: 7.APR.2025 18:32:29




Date: 7.APR.2025 18:34:08




Date: 7.APR.2025 18:34:12




Date: 8.APR.2025 11:19:26



Date: 8.APR.2025 11:19:30



Date: 8.APR.2025 11:22:30



Date: 8.APR.2025 11:22:34

*** End of Report ***