

Out of band Emission Test (5725-5850 MHz):


Note:

1. Corrected Factor = Antenna factor (RX) + Cable Loss – Amplifier Factor
2. Corrected Amplitude = Corrected Factor + Reading
3. Margin = Limit - Corrected. Amplitude

802.11a Mode:**Common Information**

Project No.:	RSHA240717001
Test Mode:	Transmitting in 802.11a mode 5745 channel
Standard:	FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Engineer:	Klein Zhu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5641.250000	54.91	---	68.20	13.29	H	9.0
5666.500000	55.92	---	80.41	24.49	H	8.9
5712.750000	65.04	---	108.77	43.73	H	8.9
5722.650000	68.80	---	116.84	48.05	H	8.9

Common Information

Project No.: RSHA240717001
Test Mode: Transmitting in 802.11a mode 5825 channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Engineer: Klein Zhu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5851.900000	58.43	---	117.87	59.43	H	8.7
5867.050000	55.40	---	107.43	52.03	H	8.7
5906.050000	57.06	---	82.22	25.16	H	8.7
5933.800000	54.00	---	68.20	14.20	V	8.7

802.11n20 Mode:**Common Information**

Project No.: RSHA240717001
Test Mode: Transmitting in 802.11n20 mode 5745 channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Engineer: Klein Zhu

Full Spectrum


**Critical_Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5621.500000	56.39	---	68.20	11.81	V	9.0
5669.950000	56.48	---	82.96	26.49	H	8.9
5710.250000	62.69	---	108.07	45.38	H	8.9
5722.000000	68.80	---	115.36	46.56	H	8.9

Common Information

Project No.: RSHA240717001
Test Mode: Transmitting in 802.11n20 mode 5825 channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Engineer: Klein Zhu

Full Spectrum




Critical_Freqs

Frequency (MHz)	MaxPeak (dB µ V/m)	Average (dB µ V/m)	Limit (dB µ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5851.150000	64.65	---	119.58	54.92	H	8.7
5864.300000	57.04	---	108.20	51.16	H	8.7
5908.750000	54.96	---	80.22	25.27	V	8.7
5942.750000	56.00	---	68.20	12.20	V	8.6

802.11n40 Mode:**Common Information**

Project No.: RSHA240717001
Test Mode: Transmitting in 802.11n40 mode 5755 channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Engineer: Klein Zhu

Full Spectrum


**Critical Freqs**

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5640.600000	55.21	---	68.20	12.99	H	9.0
5677.700000	58.21	---	88.70	30.49	H	8.9
5710.200000	65.97	---	108.06	42.08	H	8.9
5721.850000	71.55	---	115.02	43.46	H	8.9

Common Information

Project No.: RSHA240717001
Test Mode: Transmitting in 802.11n40 mode 5795 channel
Standard: FCC Part 15.407& FCC Part 15.205& FCC Part 15.209
Test Engineer: Klein Zhu

Full Spectrum



Critical Freqs

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Pol	Corr. (dB/m)
5852.450000	55.37	---	116.61	61.25	H	8.7
5872.300000	55.34	---	105.96	50.61	H	8.7
5904.300000	54.98	---	83.52	28.54	H	8.7
5933.700000	54.74	---	68.20	13.46	H	8.7

EMISSION BANDWIDTH**Test Result:** Compliant*5150-5250 MHz:*

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5180	28.652	16.900
	Middle	5200	30.142	16.850
	High	5240	27.760	16.950
802.11 n20	Low	5180	22.119	18
	Middle	5200	42.755	18.400
	High	5240	42.161	18.400
802.11 n40	Low	5190	40.600	36.600
	High	5230	43.400	36.600

Note: the 99% Occupied Bandwidth have not fall into the band 5250-5350MHz.

5250-5350 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5260	27.595	16.850
	Middle	5280	27.586	16.750
	High	5320	27.550	16.750
802.11 n20	Low	5260	29.220	18.200
	Middle	5280	40.950	18.200
	High	5320	24.070	18.050
802.11 n40	Low	5270	65.895	37
	High	5310	40.200	36.500

5470-5725 MHz:

Test mode	Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5500	24.798	16.700
	Middle	5580	24.800	16.750
	High	5700	27.890	16.750
802.11 n20	Low	5500	28.017	18.100
	Middle	5580	28.649	18.150
	High	5700	28.675	18.150
802.11 n40	Low	5510	40.300	36.500
	Middle	5550	72.594	37
	High	5670	79.861	37.100

5725-5850MHz:

Test mode	Channel	Frequency (MHz)	99% Bandwidth (MHz)
802.11 a	Low	5745	16.900
	Middle	5785	17
	High	5825	17
802.11 n20	Low	5745	18.400
	Middle	5785	18.550
	High	5825	18.600
802.11 n40	Low	5755	37.400
	High	5795	38.200


Note: the 99% Occupied Bandwidth have not fall into the band 5470-5725MHz.

Test mode	Channel	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)
802.11 a	Low	5745	16.150	0.5
	Middle	5785	16.150	
	High	5825	15.800	
802.11 n20	Low	5745	17.750	
	Middle	5785	17.800	
	High	5825	17.700	
802.11 n40	Low	5755	36.300	
	High	5795	36.600	

6dB Bandwidth


5725-5850 MHz Band

802.11a mode, 5745MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:42:22

802.11a mode, 5785MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:46:35

802.11a mode, 5825MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:52:27

802.11n-HT20 mode, 5745MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:57:04

802.11n-HT20 mode, 5785MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:02:02

802.11n-HT20 mode, 5825MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:06:11

802.11n-HT40 mode, 5755MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:13:40


802.11n-HT40 mode, 5795MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:19:44


26dB Bandwidth
5150-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:15:48

802.11a mode, 5200MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:23:08

802.11a mode, 5240MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:31:31

802.11n-HT20 mode, 5180MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:26:13

802.11n-HT20 mode, 5200MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:47:52

802.11n-HT20 mode, 5240MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:56:16

802.11n-HT40 mode, 5190MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:01:58


802.11n-HT40 mode, 5230MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:08:53


5250-5350 MHz Band:

802.11a mode, 5260MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:16:14

802.11a mode, 5280MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:21:37

802.11a mode, 5320MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:44:06

802.11n-HT20 mode, 5260MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:24:39

802.11n-HT20 mode, 5280MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:33:29

802.11n-HT20 mode, 5320MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:38:44

802.11n-HT40 mode, 5270MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:50:47


802.11n-HT40 mode, 5310MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:00:10


5470-5725 MHz Band:

802.11a mode, 5500MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:11:58

802.11a mode, 5580MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:26:27

802.11a mode, 5700MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:34:11

802.11n-HT20 mode, 5500MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:45:24

802.11n-HT20 mode, 5580MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:55:02

802.11n-HT20 mode, 5700MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:03:56

802.11n-HT40 mode, 5510MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:12:12

802.11n-HT40 mode, 5550MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:21:06


802.11n-HT40 mode, 5670MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:29:35

99% Occupied Bandwidth**5150-5250 MHz Band:****802.11a mode, 5180MHz**


ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:12:56

802.11a mode, 5200MHz


ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:19:16

802.11a mode, 5240MHz


ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:26:13

802.11n-HT20 mode, 5180MHz

ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:23:15


802.11n-HT20 mode, 5200MHz

ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:44:28

802.11n-HT20 mode, 5240MHz


ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:53:27

802.11n-HT40 mode, 5190MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:59:16


802.11n-HT40 mode, 5230MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:05:11


5250-5350 MHz Band:

802.11a mode, 5260MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:13:14

802.11a mode, 5280MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:18:38

802.11a mode, 5320MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:38:56

802.11n-HT20 mode, 5260MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:21:27

802.11n-HT20 mode, 5320MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:35:50

802.11n-HT40 mode, 5310MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:57:30

802.11a mode, 5500MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:23:32

802.11a mode, 5700MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:31:13

802.11n-HT20 mode, 5500MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:42:34

802.11n-HT20 mode, 5580MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:52:14

802.11n-HT20 mode, 5700MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:00:42

802.11n-HT40 mode, 5510MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:09:13

802.11n-HT40 mode, 5550MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:16:47


802.11n-HT40 mode, 5670MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:25:17


5725-5850 MHz Band

802.11a mode, 5745MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:40:13

802.11a mode, 5785MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:44:34

802.11a mode, 5825MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:50:37

802.11n-HT20 mode, 5745MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:55:03

802.11n-HT20 mode, 5825MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:04:19

802.11n-HT40 mode, 5795MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:16:38

Conducted Transmitter Output Power*Test Mode: Transmitting*

Band	Mode	Frequency (MHz)	Conducted average power (dBm)	Limit (dBm)
5150-5250 MHz	802.11 a	5180	11.05	24
		5200	10.73	
		5240	10.45	
	802.11 n20	5180	8.99	
		5200	10.9	
		5240	10.53	
	802.11 n40	5190	8.53	
		5230	7.95	

Note: The EUT is client devices

Band	Mode	Frequency (MHz)	Conducted average power (dBm)	Limit (dBm)
5250-5350 MHz	802.11 a	5260	10.68	24
		5280	11.21	
		5320	10.97	
	802.11 n20	5260	10.54	
		5280	11.1	
		5320	10.07	
	802.11 n40	5270	10.9	
		5310	6.96	

Band	Mode	Frequency (MHz)	Conducted average power (dBm)	Limit (dBm)
5470-5725 MHz	802.11 a	5500	8.58	24
		5580	6.61	
		5700	8.62	
	802.11 n20	5500	8.69	
		5580	6.64	
		5700	8.87	
	802.11 n40	5510	5.56	
		5550	8.13	
		5670	7.61	

Band	Mode	Channel	Frequency (MHz)	Conducted average power (dBm)	Limit (dBm)
5725-5850 MHz	802.11 a	Low	5745	10.32	30
		Middle	5785	8.82	
		High	5825	8.13	
	802.11 n20	Low	5745	10.35	
		Middle	5785	8.79	
		High	5825	8.18	
	802.11 n40	Low	5755	10.13	
		High	5795	8.64	

Power Spectral Density*Test Mode: Transmitting*

Band	Mode	Channel	Frequency (MHz)	Result (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)
5150-5250 MHz	802.11 a	Low	5180	-0.29	0.57	0.28	11
		Middle	5200	-0.71	0.57	-0.14	
		High	5240	-1.06	0.57	-0.49	
	802.11 n20	Low	5180	-2.92	0.56	-2.36	
		Middle	5200	-0.87	0.56	-0.31	
		High	5240	-1.34	0.56	-0.78	
	802.11 n40	Low	5190	-6.49	0.91	-5.58	
		High	5230	-7.03	0.91	-6.12	

Band	Mode	Channel	Frequency (MHz)	Result (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)
5250-5350 MHz	802.11 a	Low	5260	-0.74	0.52	-0.22	11
		Middle	5280	-0.24	0.52	0.28	
		High	5320	-0.43	0.52	0.09	
	802.11 n20	Low	5260	-1.29	0.59	-0.7	
		Middle	5280	-0.74	0.59	-0.15	
		High	5320	-1.60	0.59	-1.01	
	802.11 n40	Low	5270	-4.04	0.91	-3.13	
		High	5310	-7.82	0.91	-6.91	


Band	Mode	Channel	Frequency (MHz)	Result (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)
5470-5725 MHz	802.11 a	Low	5500	-2.92	0.55	-2.37	11
		Middle	5580	-4.62	0.55	-4.07	
		High	5700	-3.01	0.55	-2.46	
	802.11 n20	Low	5500	-3.21	0.56	-2.65	
		Middle	5580	-5.05	0.56	-4.49	
		High	5700	-3.21	0.56	-2.65	
	802.11 n40	Low	5510	-9.54	0.91	-8.63	
		Middle	5550	-6.55	0.91	-5.64	
		High	5670	-7.23	0.91	-6.32	

Band	Mode	Channel	Frequency (MHz)	Result (dBm/500kHz)	Duty Cycle Factor (dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)
5725-5850 MHz	802.11 a	Low	5745	-3.90	0.55	-3.35	30
		Middle	5785	-5.11	0.55	-4.56	
		High	5825	-6.06	0.55	-5.51	
	802.11 n20	Low	5745	-3.98	0.56	-3.42	
		Middle	5785	-5.47	0.56	-4.91	
		High	5825	-6.19	0.56	-5.63	
	802.11 n40	Low	5755	-6.88	0.94	-5.94	
		High	5795	-8.26	0.94	-7.32	

Note: PSD= Result+duty cycle factor


5150MHz-5250 MHz Band:

802.11a mode, 5180MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:16:19

802.11a mode, 5200MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:23:40

802.11a mode, 5240MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:32:03

802.11n-HT20 mode, 5180MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:26:47

802.11n-HT20 mode, 5200MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:48:25

802.11n-HT20 mode, 5240MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 10:56:49

802.11n-HT40 mode, 5190MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:02:32


802.11n-HT40 mode, 5230MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:09:25


5250-5350 MHz Band:

802.11a mode, 5260MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:16:47

802.11a mode, 5280MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:34:58

802.11a mode, 5320MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 11:44:37

802.11n-HT20 mode, 5260MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:25:11

802.11n-HT20 mode, 5280MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:34:01

802.11n-HT20 mode, 5320MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:39:16

802.11n-HT40 mode, 5270MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 13:51:23


802.11n-HT40 mode, 5310MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:00:42


5470-5725 MHz Band:

802.11a mode, 5500MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:12:30

802.11a mode, 5580MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:26:59

802.11a mode, 5700MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou

802.11n-HT20 mode, 5500MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:45:57

802.11n-HT20 mode, 5580MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 14:55:35

802.11n-HT20 mode, 5700MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:04:51

802.11n-HT40 mode, 5510MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:12:46

802.11n-HT40 mode, 5550MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:12:44

802.11n-HT40 mode, 5670MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:30:13

5725MHz-5850 MHz Band:
802.11a mode, 5745MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:42:58

802.11a mode, 5785MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:47:11

802.11a mode, 5825MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:53:04

802.11n-HT20 mode, 5745MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 15:57:40

802.11n-HT20 mode, 5785MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:02:39

802.11n-HT20 mode, 5825MHz




ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:06:50

802.11n-HT40 mode, 5755MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:14:19

802.11n-HT40 mode, 5795MHz



ProjectNo.:RSHA240717001 Tester:Neil Zhou
Date: 31.AUG.2024 16:20:24

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

*******END OF REPORT*******