


Test Mode: TX Mode_Adapter: BYD


Ant 0°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.2481	25.40	17.06	42.46	99.71	-57.25	AVG	
2	*	2.2486	27.30	16.96	44.26	69.54	-25.28	QP	
3		6.8776	22.10	14.86	36.96	69.54	-32.58	QP	

Test Mode: TX Mode_Adapter: BYD


Ant 90°



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.0138	36.30	20.89	57.19	124.81	-67.62	AVG	
2	*	0.0303	31.10	19.85	50.95	117.98	-67.03	AVG	
3		0.0850	22.40	18.79	41.19	109.02	-67.83	AVG	

Test Mode: TX Mode_Adapter: BYD

Ant 90°




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		0.1894	28.50	17.17	45.67	102.06	-56.39	AVG	
2	*	2.1783	23.40	17.00	40.40	69.54	-29.14	QP	
3		3.8603	22.30	15.86	38.16	69.54	-31.38	QP	

APPENDIX E - RADIATED EMISSION (30MHZ TO 1GHZ)

Test Mode: WCDMA Band IV _TX CH1413

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		35.820	-64.11	-5.38	-69.49	-13.00	-56.49	peak	
2	*	54.735	-59.99	-5.39	-65.38	-13.00	-52.38	peak	
3		155.130	-75.35	-1.44	-76.79	-13.00	-63.79	peak	
4		721.610	-77.19	6.28	-70.91	-13.00	-57.91	peak	
5		784.175	-75.19	7.59	-67.60	-13.00	-54.60	peak	
6		941.800	-76.76	10.66	-66.10	-13.00	-53.10	peak	

Test Mode: WCDMA Band IV _TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		157.555	-73.74	-1.23	-74.97	-13.00	-61.97	peak	
2		314.695	-74.18	-0.99	-75.17	-13.00	-62.17	peak	
3		703.665	-77.02	6.75	-70.27	-13.00	-57.27	peak	
4		788.055	-76.68	7.84	-68.84	-13.00	-55.84	peak	
5		832.675	-76.70	8.04	-68.66	-13.00	-55.66	peak	
6	*	941.800	-76.98	10.66	-66.32	-13.00	-53.32	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		37.275	-62.62	-5.19	-67.81	-13.00	-54.81	peak	
2		57.645	-64.10	-5.75	-69.85	-13.00	-56.85	peak	
3		470.380	-76.42	1.73	-74.69	-13.00	-61.69	peak	
4		556.225	-77.23	4.03	-73.20	-13.00	-60.20	peak	
5		701.725	-77.01	6.81	-70.20	-13.00	-57.20	peak	
6	*	943.255	-76.87	10.73	-66.14	-13.00	-53.14	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		156.100	-71.81	-1.35	-73.16	-13.00	-60.16	peak	
2		240.975	-67.17	-5.05	-72.22	-13.00	-59.22	peak	
3		555.255	-77.59	4.04	-73.55	-13.00	-60.55	peak	
4		810.365	-77.23	8.39	-68.84	-13.00	-55.84	peak	
5		894.270	-76.17	8.86	-67.31	-13.00	-54.31	peak	
6	*	947.620	-77.06	10.91	-66.15	-13.00	-53.15	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-64.11	-5.35	-69.46	-13.00	-56.46	peak	
2		59.100	-71.25	-5.96	-77.21	-13.00	-64.21	peak	
3		695.905	-76.77	6.64	-70.13	-13.00	-57.13	peak	
4		843.345	-77.07	7.88	-69.19	-13.00	-56.19	peak	
5		907.850	-74.37	9.31	-65.06	-13.00	-52.06	peak	
6	*	982.540	-74.97	10.23	-64.74	-13.00	-51.74	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		216.240	-68.26	-5.39	-73.65	-13.00	-60.65	peak	
2		240.975	-67.81	-5.05	-72.86	-13.00	-59.86	peak	
3		552.830	-77.09	4.07	-73.02	-13.00	-60.02	peak	
4		698.815	-77.03	6.79	-70.24	-13.00	-57.24	peak	
5		826.855	-76.53	8.13	-68.40	-13.00	-55.40	peak	
6	*	952.955	-76.44	10.93	-65.51	-13.00	-52.51	peak	

Test Mode: LTE Band 4_TX CH20175_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		36.305	-65.30	-5.34	-70.64	-13.00	-57.64	peak	
2		55.220	-64.63	-5.41	-70.04	-13.00	-57.04	peak	
3		470.380	-75.22	1.73	-73.49	-13.00	-60.49	peak	
4		694.935	-77.18	6.60	-70.58	-13.00	-57.58	peak	
5	*	832.675	-72.43	8.04	-64.39	-13.00	-51.39	peak	
6		943.255	-76.51	10.73	-65.78	-13.00	-52.78	peak	

Test Mode: LTE Band 4_TX CH20175_20M

Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	219.150	-68.03	-5.29	-73.32	-13.00	-60.32	peak	
2	236.610	-69.05	-5.18	-74.23	-13.00	-61.23	peak	
3	542.160	-77.21	3.65	-73.56	-13.00	-60.56	peak	
4	702.210	-77.50	6.79	-70.71	-13.00	-57.71	peak	
5	803.575	-76.81	8.49	-68.32	-13.00	-55.32	peak	
6 *	907.850	-75.05	9.31	-65.74	-13.00	-52.74	peak	

Test Mode: LTE Band 7_TX CH21100_5M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		36.305	-62.26	-5.34	-67.60	-25.00	-42.60	peak	
2		55.705	-63.53	-5.43	-68.96	-25.00	-43.96	peak	
3		171.135	-76.91	-1.79	-78.70	-25.00	-53.70	peak	
4		557.195	-78.06	4.00	-74.06	-25.00	-49.06	peak	
5		704.150	-77.75	6.75	-71.00	-25.00	-46.00	peak	
6	*	958.290	-77.59	10.81	-66.78	-25.00	-41.78	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		37.760	-73.48	-5.12	-78.60	-25.00	-53.60	peak	
2		155.130	-76.29	-1.44	-77.73	-25.00	-52.73	peak	
3		239.520	-73.24	-5.10	-78.34	-25.00	-53.34	peak	
4		699.300	-76.97	6.81	-70.16	-25.00	-45.16	peak	
5	*	784.175	-72.65	7.59	-65.06	-25.00	-40.06	peak	
6		953.925	-77.90	10.90	-67.00	-25.00	-42.00	peak	

Test Mode: LTE Band 7_TX CH21100_20M

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-64.32	-5.23	-69.55	-25.00	-44.55	peak	
2		140.095	-72.02	-2.50	-74.52	-25.00	-49.52	peak	
3		731.795	-76.30	6.03	-70.27	-25.00	-45.27	peak	
4		818.125	-77.39	8.27	-69.12	-25.00	-44.12	peak	
5	*	907.850	-74.24	9.31	-64.93	-25.00	-39.93	peak	
6		943.255	-76.67	10.73	-65.94	-25.00	-40.94	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		229.335	-69.15	-5.36	-74.51	-25.00	-49.51	peak	
2		304.510	-76.26	-0.84	-77.10	-25.00	-52.10	peak	
3		582.900	-77.13	3.57	-73.56	-25.00	-48.56	peak	
4		694.935	-77.23	6.60	-70.63	-25.00	-45.63	peak	
5		784.175	-74.74	7.59	-67.15	-25.00	-42.15	peak	
6	*	941.800	-76.20	10.66	-65.54	-25.00	-40.54	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.220	-69.84	4.59	-65.25	-13.00	-52.25	peak	
2		476.200	-76.37	11.59	-64.78	-13.00	-51.78	peak	
3		564.470	-77.22	13.89	-63.33	-13.00	-50.33	peak	
4		803.575	-75.90	18.49	-57.41	-13.00	-44.41	peak	
5		911.730	-77.60	19.46	-58.14	-13.00	-45.14	peak	
6	*	949.560	-78.17	20.98	-57.19	-13.00	-44.19	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.645	-73.06	4.25	-68.81	-13.00	-55.81	peak	
2		240.975	-73.20	4.95	-68.25	-13.00	-55.25	peak	
3		446.130	-77.65	12.04	-65.61	-13.00	-52.61	peak	
4		540.220	-76.57	13.52	-63.05	-13.00	-50.05	peak	
5		871.475	-76.52	18.30	-58.22	-13.00	-45.22	peak	
6	*	938.890	-77.20	20.55	-56.65	-13.00	-43.65	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		37.275	-71.83	4.81	-67.02	-13.00	-54.02	peak	
2		55.705	-68.96	4.57	-64.39	-13.00	-51.39	peak	
3		165.800	-77.62	8.64	-68.98	-13.00	-55.98	peak	
4		548.950	-77.11	14.06	-63.05	-13.00	-50.05	peak	
5		833.160	-76.46	18.03	-58.43	-13.00	-45.43	peak	
6	*	943.255	-77.01	20.73	-56.28	-13.00	-43.28	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		219.150	-73.72	4.71	-69.01	-13.00	-56.01	peak	
2		467.470	-76.35	11.79	-64.56	-13.00	-51.56	peak	
3		541.190	-76.86	13.58	-63.28	-13.00	-50.28	peak	
4		822.005	-77.41	18.22	-59.19	-13.00	-46.19	peak	
5		896.695	-76.51	18.91	-57.60	-13.00	-44.60	peak	
6	*	943.255	-77.01	20.73	-56.28	-13.00	-43.28	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-69.87	4.52	-65.35	-13.00	-52.35	peak	
2		462.620	-77.30	11.90	-65.40	-13.00	-52.40	peak	
3		546.040	-77.97	13.88	-64.09	-13.00	-51.09	peak	
4		590.660	-77.40	13.45	-63.95	-13.00	-50.95	peak	
5		801.150	-77.03	18.52	-58.51	-13.00	-45.51	peak	
6	*	942.770	-77.10	20.71	-56.39	-13.00	-43.39	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Horizontal



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	210.420	-73.16	4.38	-68.78	-13.00	-55.78	peak	
2	456.800	-77.67	12.04	-65.63	-13.00	-52.63	peak	
3	548.950	-76.95	14.06	-62.89	-13.00	-49.89	peak	
4	668.260	-77.44	15.30	-62.14	-13.00	-49.14	peak	
5	813.760	-77.35	18.33	-59.02	-13.00	-46.02	peak	
6 *	936.950	-76.59	20.48	-56.11	-13.00	-43.11	peak	

Test Mode: LTE Band 17_TX CH23790_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.675	-69.29	4.43	-64.86	-13.00	-51.86	peak	
2		454.375	-77.33	12.08	-65.25	-13.00	-52.25	peak	
3		551.860	-77.19	14.10	-63.09	-13.00	-50.09	peak	
4		682.810	-77.35	16.01	-61.34	-13.00	-48.34	peak	
5		796.785	-77.00	18.36	-58.64	-13.00	-45.64	peak	
6	*	944.225	-76.95	20.76	-56.19	-13.00	-43.19	peak	

Test Mode: LTE Band 17_TX CH23790_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		203.145	-72.97	4.38	-68.59	-13.00	-55.59	peak	
2		445.160	-77.11	11.99	-65.12	-13.00	-52.12	peak	
3		535.370	-77.14	13.23	-63.91	-13.00	-50.91	peak	
4		590.660	-77.08	13.45	-63.63	-13.00	-50.63	peak	
5		860.320	-77.19	18.03	-59.16	-13.00	-46.16	peak	
6	*	936.950	-76.63	20.48	-56.15	-13.00	-43.15	peak	

Test Mode: LTE Band 17_TX CH23790_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		57.160	-69.24	4.34	-64.90	-13.00	-51.90	peak	
2		471.350	-76.60	11.70	-64.90	-13.00	-51.90	peak	
3		549.920	-77.95	14.13	-63.82	-13.00	-50.82	peak	
4		615.395	-76.93	13.64	-63.29	-13.00	-50.29	peak	
5		805.030	-77.14	18.47	-58.67	-13.00	-45.67	peak	
6	*	959.745	-77.41	20.77	-56.64	-13.00	-43.64	peak	

Test Mode: LTE Band 17_TX CH23790_10M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		168.225	-77.48	8.49	-68.99	-13.00	-55.99	peak	
2		463.105	-76.64	11.89	-64.75	-13.00	-51.75	peak	
3		564.470	-76.35	13.89	-62.46	-13.00	-49.46	peak	
4		807.940	-75.96	18.43	-57.53	-13.00	-44.53	peak	
5	*	896.695	-75.29	18.91	-56.38	-13.00	-43.38	peak	
6		952.955	-77.45	20.93	-56.52	-13.00	-43.52	peak	

APPENDIX F - RADIATED EMISSION (ABOVE 1GHZ)

Test Mode: WCDMA Band IV _TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2979.000	-54.30	10.23	-44.07	-13.00	-31.07	peak	

Test Mode: WCDMA Band IV _TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2985.000	-54.39	10.27	-44.12	-13.00	-31.12	peak	

Test Mode: WCDMA Band IV _TX CH1413


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17962.500	-59.84	17.65	-42.19	-13.00	-29.19	peak	

Test Mode: WCDMA Band IV _TX CH1413


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17970.000	-59.40	17.68	-41.72	-13.00	-28.72	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2994.000	-66.24	22.12	-44.12	-13.00	-31.12	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2940.000	-65.97	21.78	-44.19	-13.00	-31.19	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.000	-70.82	30.87	-39.95	-13.00	-26.95	peak	

Test Mode: LTE Band 4_TX CH20175_1.4M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	17932.500	-70.89	30.80	-40.09	-13.00	-27.09	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2934.000	-65.57	21.75	-43.82	-13.00	-30.82	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2983.000	-66.28	22.04	-44.24	-13.00	-31.24	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17865.000	-71.10	30.60	-40.50	-13.00	-27.50	peak	

Test Mode: LTE Band 4_TX CH20175_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17955.000	-70.76	30.87	-39.89	-13.00	-26.89	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2984.000	-65.40	22.05	-43.35	-13.00	-30.35	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2978.000	-66.53	22.02	-44.51	-13.00	-31.51	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17805.000	-69.94	30.42	-39.52	-13.00	-26.52	peak	

Test Mode: LTE Band 4_TX CH20175_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17722.500	-70.16	30.17	-39.99	-13.00	-26.99	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2932.000	-66.25	21.74	-44.51	-25.00	-19.51	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2945.000	-66.54	21.81	-44.73	-25.00	-19.73	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17985.000	-71.27	30.97	-40.30	-25.00	-15.30	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17992.500	-71.07	30.98	-40.09	-25.00	-15.09	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	25433.250	-67.25	23.01	-44.24	-25.00	-19.24	peak	

Test Mode: LTE Band 7_TX CH21100_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25590.500	-66.93	22.94	-43.99	-25.00	-18.99	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2979.000	-66.30	22.02	-44.28	-25.00	-19.28	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2978.000	-66.10	22.02	-44.08	-25.00	-19.08	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17947.500	-71.35	30.84	-40.51	-25.00	-15.51	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17925.000	-70.99	30.78	-40.21	-25.00	-15.21	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	25573.500	-67.67	22.96	-44.71	-25.00	-19.71	peak	

Test Mode: LTE Band 7_TX CH21100_20M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	25556.500	-68.25	22.98	-45.27	-25.00	-20.27	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2827.500	-51.86	11.09	-40.77	-13.00	-27.77	peak	
2	*	17940.500	-70.55	30.83	-39.72	-13.00	-26.72	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2827.500	-46.57	11.09	-35.48	-13.00	-22.48	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2827.500	-57.82	11.09	-46.73	-13.00	-33.73	peak	
2	*	17787.500	-70.31	30.37	-39.94	-13.00	-26.94	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2827.500	-48.74	11.09	-37.65	-13.00	-24.65	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17966.000	-70.57	30.91	-39.66	-13.00	-26.66	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2827.500	-50.94	11.09	-39.85	-13.00	-26.85	peak	

Test Mode: LTE Band 17_TX CH23790_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2139.000	-53.67	9.33	-44.34	-13.00	-31.34	peak	
2		2836.000	-55.15	11.14	-44.01	-13.00	-31.01	peak	
3	*	17736.500	-70.55	30.21	-40.34	-13.00	-27.34	peak	

Test Mode: LTE Band 17_TX CH23790_5M


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	17983.000	-70.81	30.96	-39.85	-13.00	-26.85	peak	

Test Mode: LTE Band 17_TX CH23790_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		2130.500	-59.94	9.33	-50.61	-13.00	-37.61	peak	
2		2836.000	-55.69	11.14	-44.55	-13.00	-31.55	peak	
3	*	17983.000	-71.13	30.96	-40.17	-13.00	-27.17	peak	

Test Mode: LTE Band 17_TX CH23790_10M


Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2836.000	-49.02	11.14	-37.88	-13.00	-24.88	peak	

APPENDIX G - BAND EDGE


WCDMA Band IV _WCDMA



WCDMA Band IV _HSDPA



WCDMA Band IV _HSUPA



LTE Band 4_1.4M

1RB0



1RB5

Channel

19957

Channel

20393





6RB0

Channel


19957

Channel

20393





LTE Band 4_3M



15RB0









LTE Band 4_15M


1RB0		1RB74	
Channel	20025	Channel	20325



75RB0

20025		20325	
Channel	20025	Channel	20325





LTE Band 7_5M

1RB0


1RB24

Channel

20775

Channel

21425




25RB0


Channel

20775

Channel

21425





LTE Band 7_15M																																																																																																			
1RB0		1RB74																																																																																																	
Channel	20825	Channel	21375																																																																																																
Keyight Spectrum Analyzer - Spurious Emissions Center Freq 22.005000000 GHz Trig: Free Run Radio Std: None Radio Device: BTS IF Gain: Low Ref Offset 5.9 dB Ref 30.00 dBm Start 2.475 GHz Stop 2.515 GHz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Δ Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>2.4750 GHz</td><td>2.4850 GHz</td><td>1.000 MHz</td><td>2.4811500000 GHz</td><td>-41.54 dBm</td><td>-16.54 dB</td></tr><tr><td>2</td><td>2</td><td>2.4850 GHz</td><td>2.4950 GHz</td><td>1.000 MHz</td><td>2.4943333333 GHz</td><td>-35.58 dBm</td><td>-22.58 dB</td></tr><tr><td>3</td><td>3</td><td>2.4950 GHz</td><td>2.4990 GHz</td><td>1.000 MHz</td><td>2.498266667 GHz</td><td>-30.71 dBm</td><td>-20.71 dB</td></tr><tr><td>4</td><td>4</td><td>2.4990 GHz</td><td>2.5000 GHz</td><td>300.0 kHz</td><td>2.4999000000 GHz</td><td>-14.88 dBm</td><td>-4.883 dB</td></tr><tr><td>5</td><td>5</td><td>2.5000 GHz</td><td>2.5150 GHz</td><td>100.0 MHz</td><td>2.5009250000 GHz</td><td>-17.37 dBm</td><td>-12.63 dB</td></tr></tbody></table>		Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.4750 GHz	2.4850 GHz	1.000 MHz	2.4811500000 GHz	-41.54 dBm	-16.54 dB	2	2	2.4850 GHz	2.4950 GHz	1.000 MHz	2.4943333333 GHz	-35.58 dBm	-22.58 dB	3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.498266667 GHz	-30.71 dBm	-20.71 dB	4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.4999000000 GHz	-14.88 dBm	-4.883 dB	5	5	2.5000 GHz	2.5150 GHz	100.0 MHz	2.5009250000 GHz	-17.37 dBm	-12.63 dB	Keyight Spectrum Analyzer - Spurious Emissions Center Freq 22.005000000 GHz Trig: Free Run Radio Std: None Radio Device: BTS IF Gain: Low Ref Offset 5.9 dB Ref 30.00 dBm Start 2.555 GHz Stop 2.595 GHz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Δ Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>2.5550 GHz</td><td>2.5700 GHz</td><td>100.0 kHz</td><td>2.5691500000 GHz</td><td>-20.19 dBm</td><td>-9.809 dB</td></tr><tr><td>2</td><td>2</td><td>2.5700 GHz</td><td>2.5710 GHz</td><td>300.0 kHz</td><td>2.5702633333 GHz</td><td>-13.43 dBm</td><td>-3.433 dB</td></tr><tr><td>3</td><td>3</td><td>2.5710 GHz</td><td>2.5750 GHz</td><td>1.000 MHz</td><td>2.571106667 GHz</td><td>-21.91 dBm</td><td>-11.91 dB</td></tr><tr><td>4</td><td>4</td><td>2.5750 GHz</td><td>2.5850 GHz</td><td>1.000 MHz</td><td>2.576016667 GHz</td><td>-26.71 dBm</td><td>-13.71 dB</td></tr><tr><td>5</td><td>5</td><td>2.5850 GHz</td><td>2.5950 GHz</td><td>1.000 MHz</td><td>2.5858333333 GHz</td><td>-41.44 dBm</td><td>-16.44 dB</td></tr></tbody></table>		Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.5691500000 GHz	-20.19 dBm	-9.809 dB	2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.5702633333 GHz	-13.43 dBm	-3.433 dB	3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571106667 GHz	-21.91 dBm	-11.91 dB	4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.576016667 GHz	-26.71 dBm	-13.71 dB	5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.5858333333 GHz	-41.44 dBm	-16.44 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																												
1	1	2.4750 GHz	2.4850 GHz	1.000 MHz	2.4811500000 GHz	-41.54 dBm	-16.54 dB																																																																																												
2	2	2.4850 GHz	2.4950 GHz	1.000 MHz	2.4943333333 GHz	-35.58 dBm	-22.58 dB																																																																																												
3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.498266667 GHz	-30.71 dBm	-20.71 dB																																																																																												
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.4999000000 GHz	-14.88 dBm	-4.883 dB																																																																																												
5	5	2.5000 GHz	2.5150 GHz	100.0 MHz	2.5009250000 GHz	-17.37 dBm	-12.63 dB																																																																																												
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																												
1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.5691500000 GHz	-20.19 dBm	-9.809 dB																																																																																												
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.5702633333 GHz	-13.43 dBm	-3.433 dB																																																																																												
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571106667 GHz	-21.91 dBm	-11.91 dB																																																																																												
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.576016667 GHz	-26.71 dBm	-13.71 dB																																																																																												
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.5858333333 GHz	-41.44 dBm	-16.44 dB																																																																																												
75RB0																																																																																																			
Channel	20825	Channel	21375																																																																																																
Keyight Spectrum Analyzer - Spurious Emissions Center Freq 22.005000000 GHz Trig: Free Run Radio Std: None Radio Device: BTS IF Gain: Low Ref Offset 5.9 dB Ref 30.00 dBm Start 2.475 GHz Stop 2.515 GHz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Δ Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>2.4750 GHz</td><td>2.4850 GHz</td><td>1.000 MHz</td><td>2.4800000000 GHz</td><td>-39.56 dBm</td><td>-14.56 dB</td></tr><tr><td>2</td><td>2</td><td>2.4850 GHz</td><td>2.4950 GHz</td><td>1.000 MHz</td><td>2.4893333333 GHz</td><td>-35.17 dBm</td><td>-22.17 dB</td></tr><tr><td>3</td><td>3</td><td>2.4950 GHz</td><td>2.4990 GHz</td><td>1.000 MHz</td><td>2.4973133333 GHz</td><td>-32.74 dBm</td><td>-22.74 dB</td></tr><tr><td>4</td><td>4</td><td>2.4990 GHz</td><td>2.5000 GHz</td><td>300.0 kHz</td><td>2.499976667 GHz</td><td>-26.27 dBm</td><td>-16.27 dB</td></tr><tr><td>5</td><td>5</td><td>2.5000 GHz</td><td>2.5150 GHz</td><td>100.0 MHz</td><td>2.5106500000 GHz</td><td>-3.43 dBm</td><td>-26.57 dB</td></tr></tbody></table>		Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.4750 GHz	2.4850 GHz	1.000 MHz	2.4800000000 GHz	-39.56 dBm	-14.56 dB	2	2	2.4850 GHz	2.4950 GHz	1.000 MHz	2.4893333333 GHz	-35.17 dBm	-22.17 dB	3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.4973133333 GHz	-32.74 dBm	-22.74 dB	4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499976667 GHz	-26.27 dBm	-16.27 dB	5	5	2.5000 GHz	2.5150 GHz	100.0 MHz	2.5106500000 GHz	-3.43 dBm	-26.57 dB	Keyight Spectrum Analyzer - Spurious Emissions Center Freq 22.005000000 GHz Trig: Free Run Radio Std: None Radio Device: BTS IF Gain: Low Ref Offset 5.9 dB Ref 30.00 dBm Start 2.555 GHz Stop 2.595 GHz <table><thead><tr><th>Spur</th><th>Range</th><th>Start Freq</th><th>Stop Freq</th><th>RBW</th><th>Frequency</th><th>Amplitude</th><th>Δ Limit</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>2.5550 GHz</td><td>2.5700 GHz</td><td>100.0 kHz</td><td>2.5635500000 GHz</td><td>-3.263 dBm</td><td>-26.75 dB</td></tr><tr><td>2</td><td>2</td><td>2.5700 GHz</td><td>2.5710 GHz</td><td>300.0 kHz</td><td>2.5702200000 GHz</td><td>-20.75 dBm</td><td>-10.75 dB</td></tr><tr><td>3</td><td>3</td><td>2.5710 GHz</td><td>2.5750 GHz</td><td>1.000 MHz</td><td>2.5732333333 GHz</td><td>-26.60 dBm</td><td>-16.60 dB</td></tr><tr><td>4</td><td>4</td><td>2.5750 GHz</td><td>2.5850 GHz</td><td>1.000 MHz</td><td>2.5756000000 GHz</td><td>-30.63 dBm</td><td>-17.63 dB</td></tr><tr><td>5</td><td>5</td><td>2.5850 GHz</td><td>2.5950 GHz</td><td>1.000 MHz</td><td>2.585816667 GHz</td><td>-42.32 dBm</td><td>-17.32 dB</td></tr></tbody></table>		Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit	1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.5635500000 GHz	-3.263 dBm	-26.75 dB	2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.5702200000 GHz	-20.75 dBm	-10.75 dB	3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.5732333333 GHz	-26.60 dBm	-16.60 dB	4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.5756000000 GHz	-30.63 dBm	-17.63 dB	5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.585816667 GHz	-42.32 dBm	-17.32 dB
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																												
1	1	2.4750 GHz	2.4850 GHz	1.000 MHz	2.4800000000 GHz	-39.56 dBm	-14.56 dB																																																																																												
2	2	2.4850 GHz	2.4950 GHz	1.000 MHz	2.4893333333 GHz	-35.17 dBm	-22.17 dB																																																																																												
3	3	2.4950 GHz	2.4990 GHz	1.000 MHz	2.4973133333 GHz	-32.74 dBm	-22.74 dB																																																																																												
4	4	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499976667 GHz	-26.27 dBm	-16.27 dB																																																																																												
5	5	2.5000 GHz	2.5150 GHz	100.0 MHz	2.5106500000 GHz	-3.43 dBm	-26.57 dB																																																																																												
Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit																																																																																												
1	1	2.5550 GHz	2.5700 GHz	100.0 kHz	2.5635500000 GHz	-3.263 dBm	-26.75 dB																																																																																												
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.5702200000 GHz	-20.75 dBm	-10.75 dB																																																																																												
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.5732333333 GHz	-26.60 dBm	-16.60 dB																																																																																												
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.5756000000 GHz	-30.63 dBm	-17.63 dB																																																																																												
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.585816667 GHz	-42.32 dBm	-17.32 dB																																																																																												