# WD-290B manual



- 1. Qi2 MPP charging position for iPhone12/13/14/15 serials;
- 2. TWS charging area for AirPods/TWS;
- 3. USB C input port.

# **Key Features**

- Foldable stand design
- iPhone and TWS charging simultaneously
- Fast charge
- Mini size design, lighter and more portable

### How to use

1.Use a USB C cable connect a PD source and the USBC port;

2.Put the iPhone on the Qi2 charging area, put the AirPods on the TWS charging area;

Manufacturer: SHENZHEN DNS INDUSTRIES CO., LTD. Address: 23/F Building A, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian, Shenzhen, China



# Specification:

Input: 5V DC/3A, 9V DC/3A Output1: 5W/7.5W/15W(for iPhone) Output2: 5W(for AirPods) Dimension: 70mm\*70mm\*78.8mm.

# Compatible with

- iPhone 15 Pro Max
- iPhone 15 Pro
- iPhone 15 Plus
- iPhone 15
- iPhone 14 Pro Max
- iPhone 14 Pro
- iPhone 14 Plus
- iPhone 14
- iPhone SE (3rd generation)
- iPhone 13 Pro Max
- iPhone 13 Pro
- iPhone 13
- iPhone 13 mini
- iPhone 12 Pro Max
- iPhone 12 Pro
- iPhone 12
- iPhone 12 mini

### Note:

Use the Wireless charger in the environment with the temperature between -10°C and 40°C, otherwise, it may damage your wireless charger. It can be operating under 2000m.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

### FCC Warning & Statement

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

 Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and

(2) this device must accept any interference received, including interference that may cause undesired operation. CE Hereby, SHENZHEN DNS INDUSTRIES CO., LTD. declares that the Radio equipment is in compliance with Directive 2014/53/EU requirements, the full text of the declaration of conformity are available at the following internet address: https://www.fnschina.com



Cannel Dispose of the protect this relating indexine that this postate straid not be depend with other touching index transformers. The EUT To prevent possible name to the environment or turnan health from uncommoded washs deposed, require it responding to provide the substantiable wave of material measurement. To intern your used devices planes use the relating and collection systems or contact the tetaling where the product was planchesed. They can take this product the encommoded soft servicing.

### Working Frequency

Wireless charger for output 1: 360KHz-365KHz at 15W output, 110KHz-205KHz below 15W output; Wireless charger for output 2: 110KHz – 205kHz;

#### Max Output Power

WPT 1: 110KHz-205KHz, H-field: 0.047 dBuA/m@10m; 360kHz-365kHz, H-field: 0.044 dBuA/m@10m WPT 2: 110KHz-205KHz, H-field: 0.044 dBuA/m@10m