


802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1012G	52.78	74.00	-21.22	38.30	3	Vertical	316	2.29	-	38.70	7.74	31.96
AV	11.099G	40.24	54.00	-13.76	25.76	3	Vertical	316	2.29	-	38.70	7.74	31.96
PK	16.65148G	57.57	68.20	-10.63	38.50	3	Vertical	240	1.28	-	39.50	10.33	30.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 91
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09843G	53.90	74.00	-20.10	39.42	3	Horizontal	39	2.84	-	38.70	7.74	31.96
AV	11.10193G	40.57	54.00	-13.43	26.09	3	Horizontal	39	2.84	-	38.70	7.74	31.96
PK	16.64772G	57.73	68.20	-10.47	38.68	3	Horizontal	101	2.92	-	39.50	10.32	30.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 72
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66G	114.80	Inf	-Inf	106.22	3	Vertical	234	2.69	-	33.82	5.60	30.84
AV	5.6648G	103.26	Inf	-Inf	94.68	3	Vertical	234	2.69	-	33.83	5.60	30.85
PK	5.7252G	63.18	68.20	-5.02	54.62	3	Vertical	234	2.69	-	33.85	5.60	30.89

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 72
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.656G	115.15	Inf	-Inf	106.58	3	Horizontal	306	1.90	-	33.81	5.60	30.84
AV	5.6712G	103.45	Inf	-Inf	94.86	3	Horizontal	306	1.90	-	33.84	5.60	30.85
PK	5.726G	67.93	68.20	-0.27	59.37	3	Horizontal	306	1.90	-	33.85	5.60	30.89

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 72
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34248G	52.55	74.00	-21.45	37.97	3	Vertical	16	2.37	-	38.80	7.84	32.06
AV	11.33825G	39.87	54.00	-14.13	25.29	3	Vertical	16	2.37	-	38.80	7.84	32.06
PK	17.0091G	60.41	68.20	-7.79	39.13	3	Vertical	110	2.26	-	41.04	10.50	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 72
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33771G	53.08	74.00	-20.92	38.50	3	Horizontal	120	1.77	-	38.80	7.84	32.06
AV	11.34033G	39.90	54.00	-14.10	25.32	3	Horizontal	120	1.77	-	38.80	7.84	32.06
PK	17.01103G	60.15	68.20	-8.05	38.86	3	Horizontal	18	1.91	-	41.04	10.51	30.26

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	119.82	Inf	-Inf	111.20	3	Vertical	293	1.80	-	33.89	5.60	30.87
AV	5.7228G	109.21	Inf	-Inf	100.65	3	Vertical	293	1.80	-	33.85	5.60	30.89
PK	5.8532G	66.29	68.20	-1.91	57.81	3	Vertical	293	1.80	-	33.82	5.65	30.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	122.42	Inf	-Inf	113.79	3	Horizontal	304	1.79	-	33.90	5.60	30.87
AV	5.706G	111.28	Inf	-Inf	102.67	3	Horizontal	304	1.79	-	33.89	5.60	30.88
PK	5.8516G	67.93	68.20	-0.27	59.46	3	Horizontal	304	1.79	-	33.81	5.65	30.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4208G	52.71	74.00	-21.29	38.09	3	Vertical	359	2.99	-	38.84	7.87	32.09
AV	11.41936G	40.79	54.00	-13.21	26.17	3	Vertical	359	2.99	-	38.84	7.87	32.09
PK	17.13119G	60.65	68.20	-7.55	38.74	3	Vertical	0	1.22	-	41.59	10.57	30.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz_TnomVnom




EUT_Z_4TX
Setting 108
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42219G	53.27	74.00	-20.73	38.65	3	Horizontal	43	1.81	-	38.84	7.87	32.09
AV	11.42188G	40.89	54.00	-13.11	26.27	3	Horizontal	43	1.81	-	38.84	7.87	32.09
PK	17.12768G	61.65	68.20	-6.55	39.77	3	Horizontal	0	2.15	-	41.57	10.56	30.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Y_4TX
Setting 72
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	59.70	74.00	-14.30	54.91	3	Vertical	97	1.63	-	32.91	5.05	33.17
AV	5.1444G	48.57	54.00	-5.43	43.78	3	Vertical	97	1.63	-	32.92	5.04	33.17
PK	5.2756G	112.99	Inf	-Inf	108.01	3	Vertical	97	1.63	-	33.05	5.10	33.17
AV	5.2604G	101.25	Inf	-Inf	96.30	3	Vertical	97	1.63	-	33.02	5.10	33.17
PK	5.3556G	67.59	74.00	-6.41	62.53	3	Vertical	97	1.63	-	33.13	5.10	33.17
AV	5.3508G	53.15	54.00	-0.85	48.12	3	Vertical	97	1.63	-	33.10	5.10	33.17
PK	5.4628G	58.66	68.20	-9.54	52.85	3	Vertical	97	1.63	-	33.83	5.16	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 72
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.55	74.00	-15.45	53.76	3	Horizontal	62	2.39	-	32.91	5.05	33.17
AV	5.1444G	46.63	54.00	-7.37	41.84	3	Horizontal	62	2.39	-	32.92	5.04	33.17
PK	5.2748G	108.45	Inf	-Inf	103.47	3	Horizontal	62	2.39	-	33.05	5.10	33.17
AV	5.2748G	95.64	Inf	-Inf	90.66	3	Horizontal	62	2.39	-	33.05	5.10	33.17
PK	5.3548G	63.99	74.00	-10.01	58.93	3	Horizontal	62	2.39	-	33.13	5.10	33.17
AV	5.35G	49.94	54.00	-4.06	44.91	3	Horizontal	62	2.39	-	33.10	5.10	33.17
PK	5.466G	58.21	68.20	-9.99	52.39	3	Horizontal	62	2.39	-	33.83	5.17	33.18

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 72
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5848G	54.49	68.20	-13.71	41.47	3	Vertical	61	2.03	-	39.20	8.01	34.19
PK	15.86958G	57.08	74.00	-16.92	44.32	3	Vertical	44	1.52	-	38.84	9.07	35.15
AV	15.87036G	44.56	54.00	-9.44	31.80	3	Vertical	44	1.52	-	38.84	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 72
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58138G	54.86	68.20	-13.34	41.83	3	Horizontal	102	1.54	-	39.20	8.01	34.18
PK	15.87212G	56.86	74.00	-17.14	44.10	3	Horizontal	302	2.24	-	38.84	9.07	35.15
AV	15.86952G	44.72	54.00	-9.28	31.96	3	Horizontal	302	2.24	-	38.84	9.07	35.15

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3404G	57.39	68.20	-10.81	48.86	3	Vertical	235	2.78	-	33.88	5.37	30.72
PK	5.4596G	63.10	74.00	-10.90	54.36	3	Vertical	235	2.78	-	34.00	5.46	30.72
AV	5.4596G	50.07	54.00	-3.93	41.33	3	Vertical	235	2.78	-	34.00	5.46	30.72
PK	5.4644G	65.14	68.20	-3.06	56.40	3	Vertical	235	2.78	-	34.00	5.46	30.72
PK	5.5452G	111.86	Inf	-Inf	103.06	3	Vertical	235	2.78	-	34.00	5.55	30.75
AV	5.5452G	99.93	Inf	-Inf	91.13	3	Vertical	235	2.78	-	34.00	5.55	30.75
PK	5.7252G	57.68	68.20	-10.52	49.12	3	Vertical	235	2.78	-	33.85	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 71
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3364G	58.01	68.20	-10.19	49.49	3	Horizontal	340	1.63	-	33.87	5.37	30.72
PK	5.4548G	62.42	74.00	-11.58	53.69	3	Horizontal	340	1.63	-	34.00	5.45	30.72
AV	5.4556G	49.56	54.00	-4.44	40.82	3	Horizontal	340	1.63	-	34.00	5.46	30.72
PK	5.466G	67.80	68.20	-0.40	59.05	3	Horizontal	340	1.63	-	34.00	5.47	30.72
PK	5.5612G	111.35	Inf	-Inf	102.58	3	Horizontal	340	1.63	-	33.98	5.56	30.77
AV	5.5412G	100.54	Inf	-Inf	91.75	3	Horizontal	340	1.63	-	34.00	5.54	30.75
PK	5.7284G	58.45	68.20	-9.75	49.90	3	Horizontal	340	1.63	-	33.84	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05875G	52.77	74.00	-21.23	38.33	3	Vertical	350	2.93	-	38.66	7.72	31.94
AV	11.05955G	40.16	54.00	-13.84	25.72	3	Vertical	350	2.93	-	38.66	7.72	31.94
PK	16.58831G	57.73	68.20	-10.47	38.93	3	Vertical	47	2.93	-	39.36	10.29	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 71
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05753G	52.39	74.00	-21.61	37.95	3	Horizontal	225	2.02	-	38.66	7.72	31.94
AV	11.05857G	40.12	54.00	-13.88	25.68	3	Horizontal	225	2.02	-	38.66	7.72	31.94
PK	16.58909G	58.44	68.20	-9.76	39.63	3	Horizontal	201	1.67	-	39.37	10.29	30.85

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 80
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4164G	59.02	74.00	-14.98	50.32	3	Vertical	322	3.00	-	34.00	5.42	30.72
PK	5.47G	58.73	68.20	-9.47	49.98	3	Vertical	322	3.00	-	34.00	5.47	30.72
AV	5.4572G	47.41	54.00	-6.59	38.67	3	Vertical	322	3.00	-	34.00	5.46	30.72
PK	5.5956G	111.92	Inf	-Inf	103.20	3	Vertical	322	3.00	-	33.91	5.60	30.79
AV	5.5956G	100.17	Inf	-Inf	91.45	3	Vertical	322	3.00	-	33.91	5.60	30.79
PK	5.7316G	64.53	68.20	-3.67	55.99	3	Vertical	322	3.00	-	33.84	5.60	30.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 80
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.54	74.00	-13.46	51.80	3	Horizontal	339	1.80	-	34.00	5.46	30.72
AV	5.4588G	48.53	54.00	-5.47	39.79	3	Horizontal	339	1.80	-	34.00	5.46	30.72
PK	5.47G	60.95	68.20	-7.25	52.20	3	Horizontal	339	1.80	-	34.00	5.47	30.72
PK	5.6204G	113.80	Inf	-Inf	105.15	3	Horizontal	339	1.80	-	33.86	5.60	30.81
AV	5.6212G	102.47	Inf	-Inf	93.82	3	Horizontal	339	1.80	-	33.86	5.60	30.81
PK	5.726G	67.37	68.20	-0.83	58.81	3	Horizontal	339	1.80	-	33.85	5.60	30.89

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 80
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21965G	53.14	74.00	-20.86	38.56	3	Vertical	309	2.20	-	38.80	7.79	32.01	
AV	11.22004G	40.33	54.00	-13.67	25.75	3	Vertical	309	2.20	-	38.80	7.79	32.01	
PK	16.83022G	59.18	68.20	-9.02	38.77	3	Vertical	53	2.12	-	40.49	10.42	30.50	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 80
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21919G	52.69	74.00	-21.31	38.11	3	Horizontal	94	2.79	-	38.80	7.79	32.01
AV	11.21928G	40.14	54.00	-13.86	25.56	3	Horizontal	94	2.79	-	38.80	7.79	32.01
PK	16.82863G	58.96	68.20	-9.24	38.57	3	Horizontal	284	1.44	-	40.49	10.41	30.51

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 93
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6524G	115.49	Inf	-Inf	106.93	3	Vertical	294	1.74	-	33.80	5.60	30.84	
AV	5.658G	103.47	Inf	-Inf	94.89	3	Vertical	294	1.74	-	33.82	5.60	30.84	
PK	5.8564G	66.08	68.20	-2.12	57.57	3	Vertical	294	1.74	-	33.84	5.66	30.99	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 93
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6908G	117.02	Inf	-Inf	108.41	3	Horizontal	306	1.79	-	33.88	5.60	30.87
AV	5.7012G	105.45	Inf	-Inf	96.82	3	Horizontal	306	1.79	-	33.90	5.60	30.87
PK	5.8564G	67.76	68.20	-0.44	59.25	3	Horizontal	306	1.79	-	33.84	5.66	30.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT_Z_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.38115G	52.82	74.00	-21.18	38.24	3	Vertical	89	2.05	-	38.80	7.85	32.07	
AV	11.37846G	40.12	54.00	-13.88	25.54	3	Vertical	89	2.05	-	38.80	7.85	32.07	
PK	17.06928G	60.38	68.20	-7.82	38.82	3	Vertical	220	1.48	-	41.28	10.53	30.25	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz_TnomVnom




EUT_Z_4TX
Setting 93
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37836G	52.44	74.00	-21.56	37.86	3	Horizontal	274	2.70	-	38.80	7.85	32.07
AV	11.38191G	40.08	54.00	-13.92	25.50	3	Horizontal	274	2.70	-	38.80	7.85	32.07
PK	17.06893G	60.44	68.20	-7.76	38.88	3	Horizontal	103	2.21	-	41.28	10.53	30.25

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 57
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	63.90	74.00	-10.10	59.09	3	Vertical	94	1.56	-	32.94	5.04	33.17
AV	5.1316G	53.82	54.00	-0.18	48.99	3	Vertical	94	1.56	-	32.97	5.03	33.17
PK	5.2852G	106.32	Inf	-Inf	101.32	3	Vertical	94	1.56	-	33.07	5.10	33.17
AV	5.2452G	95.43	Inf	-Inf	90.50	3	Vertical	94	1.56	-	33.00	5.10	33.17
PK	5.3732G	60.94	74.00	-13.06	55.77	3	Vertical	94	1.56	-	33.24	5.10	33.17
AV	5.3716G	51.83	54.00	-2.17	46.67	3	Vertical	94	1.56	-	33.23	5.10	33.17
PK	5.5556G	59.26	68.20	-8.94	53.11	3	Vertical	94	1.56	-	34.09	5.26	33.20

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_Y_4TX
Setting 57
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	62.06	74.00	-11.94	57.24	3	Horizontal	61	2.40	-	32.95	5.04	33.17
AV	5.1364G	52.00	54.00	-2.00	47.18	3	Horizontal	61	2.40	-	32.95	5.04	33.17
PK	5.2244G	101.03	Inf	-Inf	96.10	3	Horizontal	61	2.40	-	33.00	5.10	33.17
AV	5.2804G	90.34	Inf	-Inf	85.35	3	Horizontal	61	2.40	-	33.06	5.10	33.17
PK	5.45G	58.86	74.00	-15.14	53.09	3	Horizontal	61	2.40	-	33.80	5.15	33.18
AV	5.3764G	49.96	54.00	-4.04	44.78	3	Horizontal	61	2.40	-	33.26	5.10	33.18
PK	5.6452G	58.42	68.20	-9.78	52.09	3	Horizontal	61	2.40	-	34.27	5.30	33.24

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 57
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50354G	55.23	68.20	-12.97	42.20	3	Vertical	72	1.24	-	39.20	7.95	34.12
PK	15.74784G	57.13	74.00	-16.87	44.74	3	Vertical	67	1.81	-	38.49	9.04	35.14
AV	15.7542G	46.40	54.00	-7.60	33.99	3	Vertical	67	1.81	-	38.52	9.04	35.15

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz_TnomVnom




EUT Y_4TX
Setting 57
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49592G	54.72	68.20	-13.48	41.70	3	Horizontal	27	2.57	-	39.19	7.95	34.12
PK	15.74878G	57.00	74.00	-17.00	44.60	3	Horizontal	49	2.52	-	38.50	9.04	35.14
AV	15.75132G	46.20	54.00	-7.80	33.80	3	Horizontal	49	2.52	-	38.51	9.04	35.15

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	58.21	68.20	-9.99	49.71	3	Vertical	322	3.00	-	33.86	5.36	30.72
PK	5.4596G	61.38	74.00	-12.62	52.64	3	Vertical	322	3.00	-	34.00	5.46	30.72
AV	5.4596G	51.25	54.00	-2.75	42.51	3	Vertical	322	3.00	-	34.00	5.46	30.72
PK	5.4692G	61.69	68.20	-6.51	52.94	3	Vertical	322	3.00	-	34.00	5.47	30.72
PK	5.6004G	105.54	Inf	-Inf	96.84	3	Vertical	322	3.00	-	33.90	5.60	30.80
AV	5.5908G	95.39	Inf	-Inf	86.67	3	Vertical	322	3.00	-	33.92	5.59	30.79
PK	5.7316G	61.03	68.20	-7.17	52.49	3	Vertical	322	3.00	-	33.84	5.60	30.90

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 66
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	58.80	68.20	-9.40	50.27	3	Horizontal	340	1.61	-	33.88	5.37	30.72
PK	5.4596G	64.26	74.00	-9.74	55.52	3	Horizontal	340	1.61	-	34.00	5.46	30.72
AV	5.4596G	53.51	54.00	-0.49	44.77	3	Horizontal	340	1.61	-	34.00	5.46	30.72
PK	5.4612G	63.20	68.20	-5.00	54.46	3	Horizontal	340	1.61	-	34.00	5.46	30.72
PK	5.5412G	109.32	Inf	-Inf	100.53	3	Horizontal	340	1.61	-	34.00	5.54	30.75
AV	5.5956G	97.44	Inf	-Inf	88.72	3	Horizontal	340	1.61	-	33.91	5.60	30.79
PK	5.7316G	62.36	68.20	-5.84	53.82	3	Horizontal	340	1.61	-	33.84	5.60	30.90

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.13782G	52.90	74.00	-21.10	38.38	3	Vertical	6	2.06	-	38.74	7.76	31.98	
AV	11.13796G	42.34	54.00	-11.66	27.82	3	Vertical	6	2.06	-	38.74	7.76	31.98	
PK	16.71121G	58.83	68.20	-9.37	39.46	3	Vertical	175	1.35	-	39.69	10.36	30.68	

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 66
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14103G	53.26	74.00	-20.74	38.74	3	Horizontal	61	1.43	-	38.74	7.76	31.98
AV	11.13837G	42.30	54.00	-11.70	27.78	3	Horizontal	61	1.43	-	38.74	7.76	31.98
PK	16.70952G	58.45	68.20	-9.75	39.10	3	Horizontal	334	1.98	-	39.68	10.35	30.68




For beamforming mode:

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Vertical	66	1.62	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Y_4TX
Setting 108
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	64.06	74.00	-9.94	57.78	3	Vertical	220	1.79	-	33.99	7.17	34.88
AV	5.15G	49.58	54.00	-4.42	43.29	3	Vertical	220	1.79	-	34.00	7.17	34.88
PK	5.2666G	126.06	Inf	-Inf	119.30	3	Vertical	220	1.79	-	34.43	7.20	34.87
AV	5.2684G	114.23	Inf	-Inf	107.46	3	Vertical	220	1.79	-	34.44	7.20	34.87
PK	5.35G	65.18	74.00	-8.82	58.35	3	Vertical	220	1.79	-	34.50	7.20	34.87
AV	5.35G	49.66	54.00	-4.34	42.83	3	Vertical	220	1.79	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 108
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	59.30	74.00	-14.70	53.07	3	Horizontal	141	1.84	-	33.95	7.16	34.88
AV	5.1484G	46.97	54.00	-7.03	40.68	3	Horizontal	141	1.84	-	34.00	7.17	34.88
PK	5.2522G	119.52	Inf	-Inf	112.79	3	Horizontal	141	1.84	-	34.40	7.20	34.87
AV	5.2516G	108.36	Inf	-Inf	101.63	3	Horizontal	141	1.84	-	34.40	7.20	34.87
PK	5.359G	61.06	74.00	-12.94	54.21	3	Horizontal	141	1.84	-	34.52	7.20	34.87
AV	5.35G	47.98	54.00	-6.02	41.15	3	Horizontal	141	1.84	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52432G	55.62	68.20	-12.58	41.51	3	Vertical	287	2.29	-	39.20	7.97	33.06
PK	15.78334G	58.90	74.00	-15.10	45.11	3	Vertical	60	2.89	-	38.63	9.05	33.89
AV	15.77946G	45.73	54.00	-8.27	31.96	3	Vertical	60	2.89	-	38.62	9.04	33.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52368G	55.68	68.20	-12.52	41.57	3	Horizontal	196	1.54	-	39.20	7.97	33.06
PK	15.777G	58.42	74.00	-15.58	44.66	3	Horizontal	215	1.98	-	38.61	9.04	33.89
AV	15.77692G	45.73	54.00	-8.27	31.97	3	Horizontal	215	1.98	-	38.61	9.04	33.89

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3048G	124.12	Inf	-Inf	117.29	3	Vertical	231	1.80	-	34.50	7.20	34.87	
AV	5.306G	111.06	Inf	-Inf	104.23	3	Vertical	231	1.80	-	34.50	7.20	34.87	
PK	5.3544G	73.59	74.00	-0.41	66.75	3	Vertical	231	1.80	-	34.51	7.20	34.87	
AV	5.35G	53.08	54.00	-0.92	46.25	3	Vertical	231	1.80	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.298G	120.85	Inf	-Inf	114.02	3	Horizontal	161	1.88	-	34.50	7.20	34.87	
AV	5.296G	108.78	Inf	-Inf	101.96	3	Horizontal	161	1.88	-	34.49	7.20	34.87	
PK	5.3508G	62.49	74.00	-11.51	55.66	3	Horizontal	161	1.88	-	34.50	7.20	34.87	
AV	5.35G	48.13	54.00	-5.87	41.30	3	Horizontal	161	1.88	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 98
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59624G	56.26	68.20	-11.94	42.16	3	Vertical	111	1.17	-	39.20	8.02	33.12
PK	15.9066G	58.47	74.00	-15.53	44.46	3	Vertical	267	2.55	-	38.90	9.08	33.97
AV	15.90434G	45.51	54.00	-8.49	31.51	3	Vertical	267	2.55	-	38.89	9.08	33.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
Setting 98
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59594G	56.07	68.20	-12.13	41.97	3	Horizontal	109	2.55	-	39.20	8.02	33.12
AV	10.60342G	42.75	54.00	-11.25	28.65	3	Horizontal	109	2.55	-	39.21	8.02	33.13
PK	15.90222G	58.70	74.00	-15.30	44.69	3	Horizontal	66	2.86	-	38.90	9.08	33.97
AV	15.90492G	45.61	54.00	-8.39	31.61	3	Horizontal	66	2.86	-	38.89	9.08	33.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 86
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	121.90	Inf	-Inf	115.07	3	Vertical	66	1.62	-	34.50	7.20	34.87
AV	5.3266G	109.74	Inf	-Inf	102.91	3	Vertical	66	1.62	-	34.50	7.20	34.87
PK	5.3506G	72.38	74.00	-1.62	65.55	3	Vertical	66	1.62	-	34.50	7.20	34.87
AV	5.35G	53.84	54.00	-0.16	47.01	3	Vertical	66	1.62	-	34.50	7.20	34.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 86
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3168G	115.13	Inf	-Inf	108.30	3	Horizontal	60	1.80	-	34.50	7.20	34.87	
AV	5.3146G	102.80	Inf	-Inf	95.97	3	Horizontal	60	1.80	-	34.50	7.20	34.87	
PK	5.3536G	70.88	74.00	-3.12	64.04	3	Horizontal	60	1.80	-	34.51	7.20	34.87	
AV	5.3502G	53.52	54.00	-0.48	46.69	3	Horizontal	60	1.80	-	34.50	7.20	34.87	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Y_4TX
Setting 86
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6363G	56.37	74.00	-17.63	42.16	3	Vertical	91	1.78	-	39.31	8.05	33.15
AV	10.6377G	43.31	54.00	-10.69	29.11	3	Vertical	91	1.78	-	39.31	8.05	33.16
PK	15.95626G	58.47	74.00	-15.53	44.59	3	Vertical	178	2.83	-	38.79	9.09	34.00
AV	15.95954G	45.47	54.00	-8.53	31.60	3	Vertical	178	2.83	-	38.78	9.09	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 86
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6413G	56.85	74.00	-17.15	42.64	3	Horizontal	262	2.95	-	39.32	8.05	33.16
AV	10.64448G	43.36	54.00	-10.64	29.14	3	Horizontal	262	2.95	-	39.33	8.05	33.16
PK	15.95526G	58.43	74.00	-15.57	44.55	3	Horizontal	45	2.53	-	38.79	9.09	34.00
AV	15.956G	45.38	54.00	-8.62	31.50	3	Horizontal	45	2.53	-	38.79	9.09	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4544G	62.19	74.00	-11.81	55.67	3	Vertical	234	2.98	-	33.81	5.15	32.44	
AV	5.459G	49.63	54.00	-4.37	43.09	3	Vertical	234	2.98	-	33.82	5.16	32.44	
PK	5.469G	68.09	68.20	-0.11	61.52	3	Vertical	234	2.98	-	33.84	5.17	32.44	
PK	5.5044G	120.70	Inf	-Inf	114.01	3	Vertical	234	2.98	-	33.92	5.20	32.43	
AV	5.5054G	107.24	Inf	-Inf	100.54	3	Vertical	234	2.98	-	33.92	5.21	32.43	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4596G	63.15	74.00	-10.85	56.61	3	Horizontal	335	1.74	-	33.82	5.16	32.44	
AV	5.4598G	49.26	54.00	-4.74	42.72	3	Horizontal	335	1.74	-	33.82	5.16	32.44	
PK	5.4672G	66.12	68.20	-2.08	59.56	3	Horizontal	335	1.74	-	33.83	5.17	32.44	
PK	5.4944G	120.93	Inf	-Inf	114.28	3	Horizontal	335	1.74	-	33.89	5.19	32.43	
AV	5.495G	108.10	Inf	-Inf	101.44	3	Horizontal	335	1.74	-	33.89	5.20	32.43	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9983G	55.36	74.00	-18.64	41.02	3	Vertical	328	2.06	-	39.50	8.30	33.46
AV	10.99802G	41.96	54.00	-12.04	27.62	3	Vertical	328	2.06	-	39.50	8.30	33.46
PK	16.50078G	61.11	68.20	-7.09	45.67	3	Vertical	139	1.79	-	39.80	9.28	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00002G	55.60	74.00	-18.40	41.26	3	Horizontal	233	2.21	-	39.50	8.30	33.46
AV	11.0029G	41.85	54.00	-12.15	27.52	3	Horizontal	233	2.21	-	39.49	8.30	33.46
PK	16.50006G	60.83	68.20	-7.37	45.39	3	Horizontal	85	2.78	-	39.80	9.28	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.12	74.00	-10.88	56.58	3	Vertical	232	2.54	-	33.82	5.16	32.44
AV	5.4592G	50.78	54.00	-3.22	44.24	3	Vertical	232	2.54	-	33.82	5.16	32.44
PK	5.468G	63.01	68.20	-5.19	56.44	3	Vertical	232	2.54	-	33.84	5.17	32.44
PK	5.576G	130.35	Inf	-Inf	123.47	3	Vertical	232	2.54	-	34.05	5.28	32.45
AV	5.576G	117.48	Inf	-Inf	110.60	3	Vertical	232	2.54	-	34.05	5.28	32.45
PK	5.7344G	63.63	68.20	-4.57	56.49	3	Vertical	232	2.54	-	34.34	5.30	32.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	61.81	74.00	-12.19	55.28	3	Horizontal	258	2.18	-	33.81	5.16	32.44
PK	5.4624G	61.62	68.20	-6.58	55.08	3	Horizontal	258	2.18	-	33.82	5.16	32.44
AV	5.46G	49.71	54.00	-4.29	43.17	3	Horizontal	258	2.18	-	33.82	5.16	32.44
PK	5.5728G	129.20	Inf	-Inf	122.33	3	Horizontal	258	2.18	-	34.05	5.27	32.45
AV	5.5776G	116.48	Inf	-Inf	109.61	3	Horizontal	258	2.18	-	34.04	5.28	32.45
PK	5.7312G	63.23	68.20	-4.97	56.11	3	Horizontal	258	2.18	-	34.32	5.30	32.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15518G	56.02	74.00	-17.98	41.97	3	Vertical	173	1.97	-	39.30	8.41	33.66
AV	11.1637G	42.85	54.00	-11.15	28.81	3	Vertical	173	1.97	-	39.30	8.41	33.67
PK	16.73898G	60.72	68.20	-7.48	44.92	3	Vertical	103	1.24	-	40.04	9.36	33.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16472G	56.45	74.00	-17.55	42.40	3	Horizontal	300	1.30	-	39.30	8.42	33.67
AV	11.16336G	43.04	54.00	-10.96	29.00	3	Horizontal	300	1.30	-	39.30	8.41	33.67
PK	16.73858G	61.40	68.20	-6.80	45.60	3	Horizontal	61	1.24	-	40.04	9.36	33.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6968G	123.16	Inf	-Inf	116.14	3	Vertical	230	2.43	-	34.21	5.30	32.49	
AV	5.6936G	110.52	Inf	-Inf	103.50	3	Vertical	230	2.43	-	34.21	5.30	32.49	
PK	5.726G	67.66	68.20	-0.54	60.56	3	Vertical	230	2.43	-	34.30	5.30	32.50	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	118.85	Inf	-Inf	111.82	3	Horizontal	185	3.00	-	34.22	5.30	32.49
AV	5.7034G	106.16	Inf	-Inf	99.14	3	Horizontal	185	3.00	-	34.21	5.30	32.49
PK	5.7262G	66.87	68.20	-1.33	59.77	3	Horizontal	185	3.00	-	34.30	5.30	32.50

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.40288G	55.50	74.00	-18.50	41.49	3	Vertical	313	1.17	-	39.40	8.58	33.97	
AV	11.401G	42.37	54.00	-11.63	28.36	3	Vertical	313	1.17	-	39.40	8.58	33.97	
PK	17.10092G	62.37	68.20	-5.83	45.45	3	Vertical	241	1.35	-	41.00	9.49	33.57	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40056G	56.27	74.00	-17.73	42.25	3	Horizontal	177	2.43	-	39.40	8.58	33.96
AV	11.39776G	42.30	54.00	-11.70	28.28	3	Horizontal	177	2.43	-	39.40	8.58	33.96
PK	17.09848G	61.84	68.20	-6.36	44.94	3	Horizontal	69	1.39	-	40.99	9.48	33.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	126.47	Inf	-Inf	119.38	3	Vertical	239	2.94	-	34.29	5.30	32.50
AV	5.7232G	114.53	Inf	-Inf	107.44	3	Vertical	239	2.94	-	34.29	5.30	32.50
PK	5.8608G	62.12	68.20	-6.08	54.51	3	Vertical	239	2.94	-	34.82	5.33	32.54

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7288G	130.37	Inf	-Inf	123.25	3	Horizontal	188	1.80	-	34.32	5.30	32.50
AV	5.7288G	118.13	Inf	-Inf	111.01	3	Horizontal	188	1.80	-	34.32	5.30	32.50
PK	5.8848G	61.64	68.20	-6.56	53.98	3	Horizontal	188	1.80	-	34.87	5.34	32.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43632G	55.92	74.00	-18.08	41.96	3	Vertical	287	2.25	-	39.36	8.61	34.01
AV	11.43988G	42.09	54.00	-11.91	28.13	3	Vertical	287	2.25	-	39.36	8.61	34.01
PK	17.15786G	62.28	68.20	-5.92	45.23	3	Vertical	1	1.42	-	41.12	9.51	33.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 108
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43694G	55.67	74.00	-18.33	41.71	3	Horizontal	335	1.60	-	39.36	8.61	34.01
AV	11.4383G	42.02	54.00	-11.98	28.06	3	Horizontal	335	1.60	-	39.36	8.61	34.01
PK	17.16096G	62.32	68.20	-5.88	45.27	3	Horizontal	281	1.26	-	41.12	9.51	33.58

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	62.44	74.00	-11.56	56.18	3	Vertical	69	1.64	-	33.97	7.17	34.88
AV	5.15G	49.42	54.00	-4.58	43.13	3	Vertical	69	1.64	-	34.00	7.17	34.88
PK	5.261G	120.66	Inf	-Inf	113.91	3	Vertical	69	1.64	-	34.42	7.20	34.87
AV	5.2562G	107.75	Inf	-Inf	101.01	3	Vertical	69	1.64	-	34.41	7.20	34.87
PK	5.3552G	69.42	74.00	-4.58	62.58	3	Vertical	69	1.64	-	34.51	7.20	34.87
AV	5.35G	53.62	54.00	-0.38	46.79	3	Vertical	69	1.64	-	34.50	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.11	74.00	-13.89	53.82	3	Horizontal	163	1.85	-	34.00	7.17	34.88
AV	5.15G	46.88	54.00	-7.12	40.59	3	Horizontal	163	1.85	-	34.00	7.17	34.88
PK	5.2826G	117.17	Inf	-Inf	110.37	3	Horizontal	163	1.85	-	34.47	7.20	34.87
AV	5.2826G	103.98	Inf	-Inf	97.18	3	Horizontal	163	1.85	-	34.47	7.20	34.87
PK	5.35G	66.09	74.00	-7.91	59.26	3	Horizontal	163	1.85	-	34.50	7.20	34.87
AV	5.351G	50.06	54.00	-3.94	43.23	3	Horizontal	163	1.85	-	34.50	7.20	34.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53586G	54.76	68.20	-13.44	40.65	3	Vertical	269	1.13	-	39.20	7.98	33.07
PK	15.8104G	57.62	74.00	-16.38	43.76	3	Vertical	200	1.43	-	38.72	9.05	33.91
AV	15.8063G	44.37	54.00	-9.63	30.52	3	Vertical	200	1.43	-	38.71	9.05	33.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 91
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5425G	55.43	68.20	-12.77	41.33	3	Horizontal	132	2.70	-	39.20	7.98	33.08
PK	15.81026G	58.23	74.00	-15.77	44.37	3	Horizontal	8	1.69	-	38.72	9.05	33.91
AV	15.80626G	44.39	54.00	-9.61	30.54	3	Horizontal	8	1.69	-	38.71	9.05	33.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Y_4TX
Setting 74
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2948G	116.09	Inf	-Inf	109.27	3	Vertical	245	2.30	-	34.49	7.20	34.87	
AV	5.3144G	100.40	Inf	-Inf	93.57	3	Vertical	245	2.30	-	34.50	7.20	34.87	
PK	5.3528G	73.81	74.00	-0.19	66.97	3	Vertical	245	2.30	-	34.51	7.20	34.87	
AV	5.35G	51.28	54.00	-2.72	44.45	3	Vertical	245	2.30	-	34.50	7.20	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 74
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2968G	113.76	Inf	-Inf	106.94	3	Horizontal	160	1.88	-	34.49	7.20	34.87	
AV	5.2964G	101.04	Inf	-Inf	94.22	3	Horizontal	160	1.88	-	34.49	7.20	34.87	
PK	5.3528G	69.06	74.00	-4.94	62.22	3	Horizontal	160	1.88	-	34.51	7.20	34.87	
AV	5.3504G	48.40	54.00	-5.60	41.57	3	Horizontal	160	1.88	-	34.50	7.20	34.87	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 74
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61866G	56.50	74.00	-17.50	42.35	3	Vertical	159	2.48	-	39.26	8.03	33.14
AV	10.62438G	42.33	54.00	-11.67	28.16	3	Vertical	159	2.48	-	39.27	8.04	33.14
PK	15.93404G	59.04	74.00	-14.96	45.12	3	Vertical	166	2.14	-	38.83	9.08	33.99
AV	15.92558G	45.94	54.00	-8.06	31.99	3	Vertical	166	2.14	-	38.85	9.08	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 74
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62496G	55.92	74.00	-18.08	41.75	3	Horizontal	188	2.85	-	39.27	8.04	33.14
AV	10.62362G	42.37	54.00	-11.63	28.20	3	Horizontal	188	2.85	-	39.27	8.04	33.14
PK	15.92878G	59.30	74.00	-14.70	45.36	3	Horizontal	248	2.80	-	38.84	9.08	33.98
AV	15.92548G	46.07	54.00	-7.93	32.12	3	Horizontal	248	2.80	-	38.85	9.08	33.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 69
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.91	74.00	-7.09	60.37	3	Vertical	230	2.70	-	33.82	5.16	32.44
AV	5.4484G	49.30	54.00	-4.70	42.80	3	Vertical	230	2.70	-	33.79	5.15	32.44
PK	5.47G	67.37	68.20	-0.83	60.80	3	Vertical	230	2.70	-	33.84	5.17	32.44
PK	5.5272G	118.42	Inf	-Inf	111.62	3	Vertical	230	2.70	-	34.01	5.23	32.44
AV	5.5272G	105.74	Inf	-Inf	98.94	3	Vertical	230	2.70	-	34.01	5.23	32.44

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 69
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4576G	66.68	74.00	-7.32	60.14	3	Horizontal	336	1.86	-	33.82	5.16	32.44	
AV	5.4596G	49.27	54.00	-4.73	42.73	3	Horizontal	336	1.86	-	33.82	5.16	32.44	
PK	5.4668G	67.77	68.20	-0.43	61.21	3	Horizontal	336	1.86	-	33.83	5.17	32.44	
PK	5.4992G	117.52	Inf	-Inf	110.85	3	Horizontal	336	1.86	-	33.90	5.20	32.43	
AV	5.528G	104.38	Inf	-Inf	97.58	3	Horizontal	336	1.86	-	34.01	5.23	32.44	

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 69
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0227G	55.48	74.00	-18.52	41.20	3	Vertical	295	2.19	-	39.45	8.32	33.49
AV	11.02342G	41.96	54.00	-12.04	27.68	3	Vertical	295	2.19	-	39.45	8.32	33.49
PK	16.529G	61.91	68.20	-6.29	46.40	3	Vertical	275	2.94	-	39.86	9.29	33.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 69
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01528G	55.58	74.00	-18.42	41.28	3	Horizontal	266	1.50	-	39.47	8.31	33.48
AV	11.0237G	41.97	54.00	-12.03	27.69	3	Horizontal	266	1.50	-	39.45	8.32	33.49
PK	16.52886G	61.32	68.20	-6.88	45.81	3	Horizontal	130	2.77	-	39.86	9.29	33.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 85
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.28	74.00	-15.72	52.55	3	Vertical	232	2.99	-	33.10	5.10	32.47
AV	5.35G	45.77	54.00	-8.23	40.04	3	Vertical	232	2.99	-	33.10	5.10	32.47
PK	5.458G	62.33	74.00	-11.67	55.79	3	Vertical	232	2.99	-	33.82	5.16	32.44
AV	5.4596G	50.04	54.00	-3.96	43.50	3	Vertical	232	2.99	-	33.82	5.16	32.44
PK	5.4692G	66.05	68.20	-2.15	59.48	3	Vertical	232	2.99	-	33.84	5.17	32.44
PK	5.5332G	121.91	Inf	-Inf	115.09	3	Vertical	232	2.99	-	34.03	5.23	32.44
AV	5.5332G	108.69	Inf	-Inf	101.87	3	Vertical	232	2.99	-	34.03	5.23	32.44
PK	5.7292G	61.19	68.20	-7.01	54.07	3	Vertical	232	2.99	-	34.32	5.30	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 85
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.08	74.00	-15.92	52.35	3	Horizontal	335	1.68	-	33.10	5.10	32.47
AV	5.35G	45.80	54.00	-8.20	40.07	3	Horizontal	335	1.68	-	33.10	5.10	32.47
PK	5.4404G	64.66	74.00	-9.34	58.25	3	Horizontal	335	1.68	-	33.72	5.14	32.45
PK	5.4684G	67.55	68.20	-0.65	60.98	3	Horizontal	335	1.68	-	33.84	5.17	32.44
AV	5.4596G	49.85	54.00	-4.15	43.31	3	Horizontal	335	1.68	-	33.82	5.16	32.44
PK	5.5436G	121.05	Inf	-Inf	114.18	3	Horizontal	335	1.68	-	34.07	5.24	32.44
AV	5.5332G	108.20	Inf	-Inf	101.38	3	Horizontal	335	1.68	-	34.03	5.23	32.44
PK	5.7388G	61.59	68.20	-6.61	54.43	3	Horizontal	335	1.68	-	34.36	5.30	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 85
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1042G	55.93	74.00	-18.07	41.85	3	Vertical	292	2.22	-	39.30	8.37	33.59
AV	11.10376G	42.07	54.00	-11.93	27.99	3	Vertical	292	2.22	-	39.30	8.37	33.59
PK	16.64786G	62.10	68.20	-6.10	46.39	3	Vertical	55	1.77	-	40.00	9.33	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 85
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09756G	56.73	74.00	-17.27	42.64	3	Horizontal	98	2.42	-	39.30	8.37	33.58
AV	11.10442G	42.12	54.00	-11.88	28.04	3	Horizontal	98	2.42	-	39.30	8.37	33.59
PK	16.65394G	60.93	68.20	-7.27	45.22	3	Horizontal	307	1.96	-	40.00	9.33	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6612G	120.11	Inf	-Inf	113.01	3	Vertical	230	2.22	-	34.28	5.30	32.48
AV	5.6608G	106.81	Inf	-Inf	99.71	3	Vertical	230	2.22	-	34.28	5.30	32.48
PK	5.7264G	67.45	68.20	-0.75	60.34	3	Vertical	230	2.22	-	34.31	5.30	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6588G	119.86	Inf	-Inf	112.76	3	Horizontal	262	2.55	-	34.28	5.30	32.48
AV	5.6584G	106.49	Inf	-Inf	99.39	3	Horizontal	262	2.55	-	34.28	5.30	32.48
PK	5.7296G	66.91	68.20	-1.29	59.79	3	Horizontal	262	2.55	-	34.32	5.30	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33538G	55.21	74.00	-18.79	41.16	3	Vertical	166	2.73	-	39.40	8.53	33.88
AV	11.3437G	41.34	54.00	-12.66	27.29	3	Vertical	166	2.73	-	39.40	8.54	33.89
PK	17.00992G	61.34	68.20	-6.86	44.81	3	Vertical	244	1.89	-	40.64	9.45	33.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
Setting 73
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33542G	55.52	74.00	-18.48	41.47	3	Horizontal	156	1.19	-	39.40	8.53	33.88
AV	11.34438G	41.31	54.00	-12.69	27.26	3	Horizontal	156	1.19	-	39.40	8.54	33.89
PK	17.01386G	61.08	68.20	-7.12	44.53	3	Horizontal	237	2.61	-	40.66	9.45	33.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 104
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	125.82	Inf	-Inf	118.80	3	Vertical	233	2.32	-	34.21	5.30	32.49
AV	5.6948G	113.35	Inf	-Inf	106.33	3	Vertical	233	2.32	-	34.21	5.30	32.49
PK	5.8524G	66.99	68.20	-1.21	59.40	3	Vertical	233	2.32	-	34.80	5.33	32.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 104
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7276G	125.72	Inf	-Inf	118.61	3	Horizontal	187	1.79	-	34.31	5.30	32.50
AV	5.7276G	113.89	Inf	-Inf	106.78	3	Horizontal	187	1.79	-	34.31	5.30	32.50
PK	5.8532G	68.02	68.20	-0.18	60.42	3	Horizontal	187	1.79	-	34.81	5.33	32.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 104
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42282G	56.11	74.00	-17.89	42.12	3	Vertical	204	2.82	-	39.38	8.60	33.99
AV	11.42412G	41.73	54.00	-12.27	27.74	3	Vertical	204	2.82	-	39.38	8.60	33.99
PK	17.12866G	62.49	68.20	-5.71	45.51	3	Vertical	327	1.69	-	41.06	9.50	33.58

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 104
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41574G	55.47	74.00	-18.53	41.48	3	Horizontal	152	2.49	-	39.38	8.59	33.98
AV	11.4156G	41.79	54.00	-12.21	27.80	3	Horizontal	152	2.49	-	39.38	8.59	33.98
PK	17.13412G	62.16	68.20	-6.04	45.17	3	Horizontal	32	1.84	-	41.07	9.50	33.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 77
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.37	74.00	-10.63	57.09	3	Vertical	225.6	1.80	-	33.99	7.17	34.88
AV	5.1492G	48.79	54.00	-5.21	42.50	3	Vertical	225.6	1.80	-	34.00	7.17	34.88
PK	5.2748G	113.38	Inf	-Inf	106.60	3	Vertical	225.6	1.80	-	34.45	7.20	34.87
AV	5.2732G	100.76	Inf	-Inf	93.98	3	Vertical	225.6	1.80	-	34.45	7.20	34.87
PK	5.3636G	73.36	74.00	-0.64	66.50	3	Vertical	225.6	1.80	-	34.53	7.20	34.87
AV	5.358G	53.25	54.00	-0.75	46.40	3	Vertical	225.6	1.80	-	34.52	7.20	34.87
PK	5.4756G	58.39	68.20	-9.81	51.42	3	Vertical	225.6	1.80	-	34.55	7.28	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
Setting 77
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1276G	58.98	74.00	-15.02	52.74	3	Horizontal	107	1.80	-	33.96	7.16	34.88
AV	5.15G	46.05	54.00	-7.95	39.76	3	Horizontal	107	1.80	-	34.00	7.17	34.88
PK	5.2532G	106.25	Inf	-Inf	99.51	3	Horizontal	107	1.80	-	34.41	7.20	34.87
AV	5.2524G	95.02	Inf	-Inf	88.29	3	Horizontal	107	1.80	-	34.40	7.20	34.87
PK	5.3596G	68.82	74.00	-5.18	61.97	3	Horizontal	107	1.80	-	34.52	7.20	34.87
AV	5.3556G	48.65	54.00	-5.35	41.81	3	Horizontal	107	1.80	-	34.51	7.20	34.87
PK	5.4788G	58.51	68.20	-9.69	51.53	3	Horizontal	107	1.80	-	34.56	7.28	34.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 77
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58378G	56.50	68.20	-11.70	42.40	3	Vertical	125	1.16	-	39.20	8.01	33.11
PK	15.86804G	58.44	74.00	-15.56	44.48	3	Vertical	26	1.20	-	38.84	9.07	33.95
AV	15.86552G	44.70	54.00	-9.30	30.74	3	Vertical	26	1.20	-	38.83	9.07	33.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 77
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57968G	56.63	68.20	-11.57	42.53	3	Horizontal	93	1.19	-	39.20	8.01	33.11
PK	15.86572G	58.19	74.00	-15.81	44.23	3	Horizontal	121	1.13	-	38.83	9.07	33.94
AV	15.86616G	44.73	54.00	-9.27	30.77	3	Horizontal	121	1.13	-	38.83	9.07	33.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 70
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3372G	58.51	68.20	-9.69	52.78	3	Vertical	189	2.41	-	33.10	5.10	32.47
AV	5.35G	45.71	54.00	-8.29	39.98	3	Vertical	189	2.41	-	33.10	5.10	32.47
PK	5.4492G	66.75	74.00	-7.25	60.25	3	Vertical	189	2.41	-	33.79	5.15	32.44
PK	5.4676G	66.63	68.20	-1.57	60.06	3	Vertical	189	2.41	-	33.84	5.17	32.44
AV	5.4588G	51.11	54.00	-2.89	44.57	3	Vertical	189	2.41	-	33.82	5.16	32.44
PK	5.5188G	113.57	Inf	-Inf	106.81	3	Vertical	189	2.41	-	33.98	5.22	32.44
AV	5.522G	99.81	Inf	-Inf	93.04	3	Vertical	189	2.41	-	33.99	5.22	32.44
PK	5.726G	59.87	68.20	-8.33	52.77	3	Vertical	189	2.41	-	34.30	5.30	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 70
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	58.13	68.20	-10.07	52.40	3	Horizontal	331	1.80	-	33.10	5.10	32.47
AV	5.35G	45.72	54.00	-8.28	39.99	3	Horizontal	331	1.80	-	33.10	5.10	32.47
PK	5.4556G	65.29	74.00	-8.71	58.76	3	Horizontal	331	1.80	-	33.81	5.16	32.44
AV	5.4548G	49.70	54.00	-4.30	43.18	3	Horizontal	331	1.80	-	33.81	5.15	32.44
PK	5.4684G	67.65	68.20	-0.55	61.08	3	Horizontal	331	1.80	-	33.84	5.17	32.44
PK	5.5444G	112.97	Inf	-Inf	106.09	3	Horizontal	331	1.80	-	34.08	5.24	32.44
AV	5.5396G	100.25	Inf	-Inf	93.39	3	Horizontal	331	1.80	-	34.06	5.24	32.44
PK	5.726G	59.86	68.20	-8.34	52.76	3	Horizontal	331	1.80	-	34.30	5.30	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 70
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05996G	55.02	74.00	-18.98	40.84	3	Vertical	31	2.85	-	39.38	8.34	33.54
AV	11.05622G	41.64	54.00	-12.36	27.44	3	Vertical	31	2.85	-	39.39	8.34	33.53
PK	16.58518G	61.72	68.20	-6.48	46.08	3	Vertical	303	1.97	-	39.97	9.30	33.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 70
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05582G	55.93	74.00	-18.07	41.73	3	Horizontal	67	1.60	-	39.39	8.34	33.53
AV	11.05624G	41.50	54.00	-12.50	27.30	3	Horizontal	67	1.60	-	39.39	8.34	33.53
PK	16.58674G	61.13	68.20	-7.07	45.48	3	Horizontal	121	1.91	-	39.97	9.31	33.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 83
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.37	74.00	-9.63	57.83	3	Vertical	232	2.99	-	33.82	5.16	32.44
AV	5.46G	50.48	54.00	-3.52	43.94	3	Vertical	232	2.99	-	33.82	5.16	32.44
PK	5.462G	67.50	68.20	-0.70	60.96	3	Vertical	232	2.99	-	33.82	5.16	32.44
PK	5.574G	118.23	Inf	-Inf	111.36	3	Vertical	232	2.99	-	34.05	5.27	32.45
AV	5.581G	104.58	Inf	-Inf	97.71	3	Vertical	232	2.99	-	34.04	5.28	32.45
PK	5.73G	68.12	68.20	-0.08	61.00	3	Vertical	232	2.99	-	34.32	5.30	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 83
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	63.88	74.00	-10.12	57.36	3	Horizontal	252	1.80	-	33.81	5.15	32.44
AV	5.459G	48.88	54.00	-5.12	42.34	3	Horizontal	252	1.80	-	33.82	5.16	32.44
PK	5.468G	64.09	68.20	-4.11	57.52	3	Horizontal	252	1.80	-	33.84	5.17	32.44
PK	5.588G	117.74	Inf	-Inf	110.89	3	Horizontal	252	1.80	-	34.02	5.29	32.46
AV	5.606G	101.93	Inf	-Inf	95.05	3	Horizontal	252	1.80	-	34.04	5.30	32.46
PK	5.732G	67.13	68.20	-1.07	60.00	3	Horizontal	252	1.80	-	34.33	5.30	32.50

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 83
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21764G	55.49	74.00	-18.51	41.45	3	Vertical	96	1.76	-	39.32	8.45	33.73
AV	11.22478G	41.99	54.00	-12.01	27.95	3	Vertical	96	1.76	-	39.32	8.46	33.74
PK	16.82518G	61.60	68.20	-6.60	45.60	3	Vertical	56	1.41	-	40.20	9.39	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 83
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.2196G	55.88	74.00	-18.12	41.85	3	Horizontal	238	1.33	-	39.32	8.45	33.74	
AV	11.22494G	41.96	54.00	-12.04	27.92	3	Horizontal	238	1.33	-	39.32	8.46	33.74	
PK	16.83206G	61.38	68.20	-6.82	45.35	3	Horizontal	185	1.83	-	40.23	9.39	33.59	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 90
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	60.43	74.00	-13.57	53.90	3	Vertical	234	2.22	-	33.81	5.16	32.44
PK	5.464G	62.43	68.20	-5.77	55.88	3	Vertical	234	2.22	-	33.83	5.16	32.44
PK	5.659G	120.34	Inf	-Inf	113.24	3	Vertical	234	2.22	-	34.28	5.30	32.48
AV	5.659G	108.46	Inf	-Inf	101.36	3	Vertical	234	2.22	-	34.28	5.30	32.48
PK	5.855G	66.48	68.20	-1.72	58.88	3	Vertical	234	2.22	-	34.81	5.33	32.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 90
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	60.12	74.00	-13.88	53.67	3	Horizontal	177	1.00	-	33.75	5.14	32.44
PK	5.462G	61.09	68.20	-7.11	54.55	3	Horizontal	177	1.00	-	33.82	5.16	32.44
AV	5.46G	48.54	54.00	-5.46	42.00	3	Horizontal	177	1.00	-	33.82	5.16	32.44
PK	5.66G	120.81	Inf	-Inf	113.71	3	Horizontal	177	1.00	-	34.28	5.30	32.48
AV	5.662G	108.18	Inf	-Inf	101.08	3	Horizontal	177	1.00	-	34.28	5.30	32.48
PK	5.852G	67.91	68.20	-0.29	60.32	3	Horizontal	177	1.00	-	34.80	5.33	32.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 90
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.37992G	56.13	74.00	-17.87	42.10	3	Vertical	58	2.28	-	39.40	8.57	33.94	
AV	11.37702G	41.97	54.00	-12.03	27.95	3	Vertical	58	2.28	-	39.40	8.56	33.94	
PK	17.07304G	61.09	68.20	-7.11	44.29	3	Vertical	168	2.65	-	40.89	9.48	33.57	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 90
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3811G	55.92	74.00	-18.08	41.89	3	Horizontal	199	2.09	-	39.40	8.57	33.94
AV	11.37972G	41.95	54.00	-12.05	27.92	3	Horizontal	199	2.09	-	39.40	8.57	33.94
PK	17.0678G	62.10	68.20	-6.10	45.33	3	Horizontal	79	2.61	-	40.87	9.47	33.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 65
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	68.71	74.00	-5.29	62.44	3	Vertical	224.9	1.80	-	33.98	7.17	34.88
AV	5.1388G	53.42	54.00	-0.58	47.15	3	Vertical	224.9	1.80	-	33.98	7.17	34.88
PK	5.2724G	108.39	Inf	-Inf	101.62	3	Vertical	224.9	1.80	-	34.44	7.20	34.87
AV	5.2748G	95.87	Inf	-Inf	89.09	3	Vertical	224.9	1.80	-	34.45	7.20	34.87
PK	5.3772G	62.89	74.00	-11.11	56.01	3	Vertical	224.9	1.80	-	34.55	7.20	34.87
AV	5.3564G	50.04	54.00	-3.96	43.20	3	Vertical	224.9	1.80	-	34.51	7.20	34.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 65
03-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.094G	62.23	74.00	-11.77	56.07	3	Horizontal	76	2.61	-	33.89	7.15	34.88
AV	5.1332G	47.04	54.00	-6.96	40.78	3	Horizontal	76	2.61	-	33.97	7.17	34.88
PK	5.27G	99.35	Inf	-Inf	92.58	3	Horizontal	76	2.61	-	34.44	7.20	34.87
AV	5.2668G	87.06	Inf	-Inf	80.30	3	Horizontal	76	2.61	-	34.43	7.20	34.87
PK	5.3692G	59.54	74.00	-14.46	52.67	3	Horizontal	76	2.61	-	34.54	7.20	34.87
AV	5.3836G	46.22	54.00	-7.78	39.32	3	Horizontal	76	2.61	-	34.57	7.20	34.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 65
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50146G	55.90	68.20	-12.30	41.79	3	Vertical	12	1.18	-	39.20	7.95	33.04
PK	15.74964G	57.95	74.00	-16.05	44.28	3	Vertical	19	1.74	-	38.50	9.04	33.87
AV	15.75082G	44.72	54.00	-9.28	31.05	3	Vertical	19	1.74	-	38.50	9.04	33.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 65
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49808G	55.55	68.20	-12.65	41.44	3	Horizontal	113	2.76	-	39.20	7.95	33.04
PK	15.74922G	57.89	74.00	-16.11	44.22	3	Horizontal	261	2.08	-	38.50	9.04	33.87
AV	15.75342G	44.74	54.00	-9.26	31.06	3	Horizontal	261	2.08	-	38.51	9.04	33.87

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	59.05	68.20	-9.15	53.33	3	Vertical	179	1.80	-	33.10	5.10	32.48
PK	5.46G	66.04	74.00	-7.96	59.50	3	Vertical	179	1.80	-	33.82	5.16	32.44
PK	5.464G	67.01	68.20	-1.19	60.46	3	Vertical	179	1.80	-	33.83	5.16	32.44
AV	5.513G	92.45	Inf	-Inf	85.72	3	Vertical	179	1.80	-	33.95	5.21	32.43
PK	5.587G	105.60	Inf	-Inf	98.74	3	Vertical	179	1.80	-	34.03	5.29	32.46
PK	5.768G	62.52	68.20	-5.68	55.29	3	Vertical	179	1.80	-	34.44	5.30	32.51

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-E-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32G	58.61	68.20	-9.59	52.89	3	Horizontal	336	1.36	-	33.10	5.10	32.48
AV	5.35G	45.94	54.00	-8.06	40.21	3	Horizontal	336	1.36	-	33.10	5.10	32.47
PK	5.452G	63.73	74.00	-10.27	57.22	3	Horizontal	336	1.36	-	33.80	5.15	32.44
AV	5.46G	50.49	54.00	-3.51	43.95	3	Horizontal	336	1.36	-	33.82	5.16	32.44
PK	5.469G	67.72	68.20	-0.48	61.15	3	Horizontal	336	1.36	-	33.84	5.17	32.44
PK	5.537G	112.27	Inf	-Inf	105.42	3	Horizontal	336	1.36	-	34.05	5.24	32.44
AV	5.534G	99.70	Inf	-Inf	92.87	3	Horizontal	336	1.36	-	34.04	5.23	32.44
PK	5.736G	63.19	68.20	-5.01	56.05	3	Horizontal	336	1.36	-	34.34	5.30	32.50

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_Z_4TX
Setting 66
04-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14182G	56.22	74.00	-17.78	42.16	3	Vertical	4	1.77	-	39.30	8.40	33.64
AV	11.13506G	42.30	54.00	-11.70	28.24	3	Vertical	4	1.77	-	39.30	8.39	33.63
PK	16.71358G	60.61	68.20	-7.59	44.86	3	Vertical	243	1.16	-	40.01	9.35	33.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT_Z_4TX
Setting 66
04-E-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13824G	56.09	74.00	-17.91	42.02	3	Horizontal	45	2.67	-	39.30	8.40	33.63
AV	11.14066G	42.27	54.00	-11.73	28.21	3	Horizontal	45	2.67	-	39.30	8.40	33.64
PK	16.70928G	60.77	68.20	-7.43	45.02	3	Horizontal	168	1.58	-	40.01	9.35	33.61



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.72121G	23.95	54.00	-30.05	Horizontal

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.71932G	36.76	74.00	-37.24	-3.31	3	Vertical	5	1.50	-	40.07	26.49	2.96	32.76
AV	1.71943G	23.93	54.00	-30.07	-3.31	3	Vertical	5	1.50	"Worst"	27.24	26.49	2.96	32.76

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.72736G	37.33	74.00	-36.67	-3.22	3	Horizontal	177	1.50	-	40.55	26.57	2.96	32.75
AV	1.72121G	23.95	54.00	-30.05	-3.29	3	Horizontal	177	1.50	"Worst"	27.24	26.51	2.96	32.76