












		9																																																																																																																	
Mode		Band Edge																																																																																																																	
		2400-2483.5_Bluetooth-LE_CH37_2476MHz																																																																																																																	
Pol.	Horizontal											Fundamental																																																																																																							
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>69.14</td><td>74.00</td><td>-4.86</td><td>60.91</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>125</td><td>350</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.56	69.14	74.00	-4.86	60.91	31.93	7.26	36.96	6.00	125	350	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>117.04</td><td>-----</td><td>-----</td><td>108.85</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>125</td><td>350</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	117.04	-----	-----	108.85	31.90	7.24	36.95	6.00	125	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2483.56	69.14	74.00	-4.86	60.91	31.93	7.26	36.96	6.00	125	350	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2476.00	117.04	-----	-----	108.85	31.90	7.24	36.95	6.00	125	350	PEAK																																																																																																							
Avg																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>51.29</td><td>54.00</td><td>-2.71</td><td>43.06</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>125</td><td>350</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	51.29	54.00	-2.71	43.06	31.93	7.26	36.96	6.00	125	350	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>115.71</td><td>-----</td><td>-----</td><td>107.52</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>125</td><td>350</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2476.00	115.71	-----	-----	107.52	31.90	7.24	36.95	6.00	125	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2483.50	51.29	54.00	-2.71	43.06	31.93	7.26	36.96	6.00	125	350	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2476.00	115.71	-----	-----	107.52	31.90	7.24	36.95	6.00	125	350	AVERAGE																																																																																																							







		9																																																					
Mode		Band Edge																																																					
		2400-2483.5_Bluetooth-LE_CH37_2476MHz																																																					
Pol.	Fundamental																																																						
Peak	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.28</td><td>63.93</td><td>74.00</td><td>-10.07</td><td>55.69</td><td>31.94</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	63.93	74.00	-10.07	55.69	31.94	7.26	36.96	6.00	400	301	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.28	63.93	74.00	-10.07	55.69	31.94	7.26	36.96	6.00	400	301	PEAK																																											
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>112.77</td><td>-----</td><td>-----</td><td>104.58</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>400</td><td>301</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	112.77	-----	-----	104.58	31.90	7.24	36.95	6.00	400	301	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2476.00	112.77	-----	-----	104.58	31.90	7.24	36.95	6.00	400	301	PEAK																																											
Avg	Vertical	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>47.98</td><td>54.00</td><td>-6.02</td><td>39.75</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.98	54.00	-6.02	39.75	31.93	7.26	36.96	6.00	400	301	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	47.98	54.00	-6.02	39.75	31.93	7.26	36.96	6.00	400	301	AVERAGE																																											
Fundamental	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>111.64</td><td>-----</td><td>-----</td><td>103.45</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>400</td><td>301</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	111.64	-----	-----	103.45	31.90	7.24	36.95	6.00	400	301	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2476.00	111.64	-----	-----	103.45	31.90	7.24	36.95	6.00	400	301	AVERAGE																																											







Mode	9																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH37_2476MHz																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4952.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>72.46</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 PEAK</td></tr><tr><td>2</td><td>4952.00</td><td>48.25</td><td>54.00</td><td>-5.75</td><td>69.36</td><td>33.80</td><td>10.39</td><td>65.30</td><td>0.00</td><td>170</td><td>325 AVERAGE</td></tr><tr><td>3</td><td>7428.00</td><td>43.36</td><td>74.00</td><td>-30.64</td><td>61.77</td><td>35.60</td><td>12.77</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK	2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE	3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4952.00	51.35	74.00	-22.65	72.46	33.80	10.39	65.30	0.00	170	325 PEAK																																																																			
2	4952.00	48.25	54.00	-5.75	69.36	33.80	10.39	65.30	0.00	170	325 AVERAGE																																																																			
3	7428.00	43.36	74.00	-30.64	61.77	35.60	12.77	66.78	0.00	---	---	PEAK																																																																		
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1																																																																														





		10																																																																																													
Mode		Band Edge																																																																																													
		2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																													
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.74</td><td>70.50</td><td>74.00</td><td>-3.50</td><td>62.27</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>290</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	70.50	74.00	-3.50	62.27	31.93	7.26	36.96	6.00	290	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>114.97</td><td>-----</td><td>-----</td><td>106.77</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>290</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	114.97	-----	-----	106.77	31.91	7.25	36.96	6.00	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.74	70.50	74.00	-3.50	62.27	31.93	7.26	36.96	6.00	290	0 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2478.00	114.97	-----	-----	106.77	31.91	7.25	36.96	6.00	290	0 PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>50.50</td><td>54.00</td><td>-3.42</td><td>42.35</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>290</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.50	54.00	-3.42	42.35	31.93	7.26	36.96	6.00	290	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>114.36</td><td>-----</td><td>-----</td><td>106.16</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>290</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	114.36	-----	-----	106.16	31.91	7.25	36.96	6.00	290
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.50	50.50	54.00	-3.42	42.35	31.93	7.26	36.96	6.00	290	0 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2478.00	114.36	-----	-----	106.16	31.91	7.25	36.96	6.00	290	0 AVERAGE																																																																																				







		10																																																				
Mode		Band Edge																																																				
		2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>66.96</td><td>74.00</td><td>-7.04</td><td>58.72</td><td>31.94</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	66.96	74.00	-7.04	58.72	31.94	7.26	36.96	6.00	400	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.10	66.96	74.00	-7.04	58.72	31.94	7.26	36.96	6.00	400	301	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.82</td><td>54.00</td><td>-6.18</td><td>39.59</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.82	54.00	-6.18	39.59	31.93	7.26	36.96	6.00	400	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.50	47.82	54.00	-6.18	39.59	31.93	7.26	36.96	6.00	400	301	AVERAGE																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>111.64</td><td>-----</td><td>-----</td><td>103.44</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	111.64	-----	-----	103.44	31.91	7.25	36.96	6.00	400	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2478.00	111.64	-----	-----	103.44	31.91	7.25	36.96	6.00	400	301	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>111.10</td><td>-----</td><td>-----</td><td>102.90</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	111.10	-----	-----	102.90	31.91	7.25	36.96	6.00	400	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2478.00	111.10	-----	-----	102.90	31.91	7.25	36.96	6.00	400	301	AVERAGE																																										







Mode	10																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>45.42</td><td>74.00</td><td>-28.58</td><td>66.54</td><td>33.80</td><td>10.39</td><td>65.31</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.98</td><td>74.00</td><td>-30.02</td><td>62.39</td><td>35.60</td><td>12.78</td><td>66.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.42	74.00	-28.58	66.54	33.80	10.39	65.31	0.00	---	PEAK	2	7434.00	43.98	74.00	-30.02	62.39	35.60	12.78	66.79	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>67.64</td><td>33.80</td><td>10.39</td><td>65.31</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>41.13</td><td>74.00</td><td>-32.87</td><td>59.54</td><td>35.60</td><td>12.78</td><td>66.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	46.52	74.00	-27.48	67.64	33.80	10.39	65.31	0.00	---	PEAK	2	7434.00	41.13	74.00	-32.87	59.54	35.60	12.78	66.79	0.00	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	45.42	74.00	-28.58	66.54	33.80	10.39	65.31	0.00	---	PEAK																																																																																																															
2	7434.00	43.98	74.00	-30.02	62.39	35.60	12.78	66.79	0.00	---	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4956.00	46.52	74.00	-27.48	67.64	33.80	10.39	65.31	0.00	---	PEAK																																																																																																															
2	7434.00	41.13	74.00	-32.87	59.54	35.60	12.78	66.79	0.00	---	PEAK																																																																																																															





Mode	11																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>71.83</td><td>74.00</td><td>-2.17</td><td>63.60</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>162</td><td>161 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	71.83	74.00	-2.17	63.60	31.93	7.26	36.96	6.00	162	161 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.59</td><td>-----</td><td>-----</td><td>99.38</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>162</td><td>161 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.59	-----	-----	99.38	31.92	7.25	36.96	6.00	162
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	71.83	74.00	-2.17	63.60	31.93	7.26	36.96	6.00	162	161 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	107.59	-----	-----	99.38	31.92	7.25	36.96	6.00	162	161 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>51.38</td><td>54.00</td><td>-2.62</td><td>43.15</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>162</td><td>161 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.38	54.00	-2.62	43.15	31.93	7.26	36.96	6.00	162	161 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.31</td><td>-----</td><td>-----</td><td>98.10</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>162</td><td>161 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.31	-----	-----	98.10	31.92	7.25	36.96	6.00	162
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	51.38	54.00	-2.62	43.15	31.93	7.26	36.96	6.00	162	161 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	106.31	-----	-----	98.10	31.92	7.25	36.96	6.00	162	161 AVERAGE																																																																																								







Mode	11																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.62</td><td>66.73</td><td>74.00</td><td>-7.27</td><td>58.50</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>392 214 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	66.73	74.00	-7.27	58.50	31.93	7.26	36.96	6.00	392 214 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>105.16</td><td>-----</td><td>-----</td><td>96.95</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>392 214 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	105.16	-----	-----	96.95	31.92	7.25	36.96	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.62	66.73	74.00	-7.27	58.50	31.93	7.26	36.96	6.00	392 214 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	105.16	-----	-----	96.95	31.92	7.25	36.96	6.00	392 214 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>48.88</td><td>54.00</td><td>-5.12</td><td>40.65</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>392 214 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.88	54.00	-5.12	40.65	31.93	7.26	36.96	6.00	392 214 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.85</td><td>-----</td><td>-----</td><td>95.64</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>392 214 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.85	-----	-----	95.64	31.92	7.25	36.96	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	48.88	54.00	-5.12	40.65	31.93	7.26	36.96	6.00	392 214 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	103.85	-----	-----	95.64	31.92	7.25	36.96	6.00	392 214 AVERAGE																																																																																							







Mode	11																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.12</td><td>74.00</td><td>-32.88</td><td>62.23</td><td>33.80</td><td>10.40</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>41.28</td><td>74.00</td><td>-32.72</td><td>59.71</td><td>35.60</td><td>12.78</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.12	74.00	-32.88	62.23	33.80	10.40	65.31	0.00	---	---	PEAK	2	7440.00	41.28	74.00	-32.72	59.71	35.60	12.78	66.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.18</td><td>74.00</td><td>-32.82</td><td>62.29</td><td>33.80</td><td>10.40</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.96</td><td>74.00</td><td>-33.04</td><td>59.39</td><td>35.60</td><td>12.78</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.18	74.00	-32.82	62.29	33.80	10.40	65.31	0.00	---	---	PEAK	2	7440.00	40.96	74.00	-33.04	59.39	35.60	12.78	66.81	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.12	74.00	-32.88	62.23	33.80	10.40	65.31	0.00	---	---	PEAK																																																																																																																		
2	7440.00	41.28	74.00	-32.72	59.71	35.60	12.78	66.81	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.18	74.00	-32.82	62.29	33.80	10.40	65.31	0.00	---	---	PEAK																																																																																																																		
2	7440.00	40.96	74.00	-33.04	59.39	35.60	12.78	66.81	0.00	---	---	PEAK																																																																																																																		





Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.04</td><td>59.20</td><td>74.00</td><td>-14.80</td><td>51.31</td><td>31.71</td><td>7.10</td><td>36.92</td><td>6.00</td><td>379</td><td>284</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.04	59.20	74.00	-14.80	51.31	31.71	7.10	36.92	6.00	379	284	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>116.14</td><td>-----</td><td>-----</td><td>108.14</td><td>31.80</td><td>7.12</td><td>36.92</td><td>6.00</td><td>379</td><td>284</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	116.14	-----	-----	108.14	31.80	7.12	36.92	6.00	379	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.04	59.20	74.00	-14.80	51.31	31.71	7.10	36.92	6.00	379	284	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	116.14	-----	-----	108.14	31.80	7.12	36.92	6.00	379	284	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>40.72</td><td>31.72</td><td>7.11</td><td>36.92</td><td>6.00</td><td>379</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	48.63	54.00	-5.37	40.72	31.72	7.11	36.92	6.00	379	284	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>113.38</td><td>-----</td><td>-----</td><td>105.38</td><td>31.80</td><td>7.12</td><td>36.92</td><td>6.00</td><td>379</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	113.38	-----	-----	105.38	31.80	7.12	36.92	6.00	379	284
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.95	48.63	54.00	-5.37	40.72	31.72	7.11	36.92	6.00	379	284	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	113.38	-----	-----	105.38	31.80	7.12	36.92	6.00	379	284	AVERAGE																																																																																							





Mode	12																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>56.81</td><td>74.00</td><td>-17.19</td><td>48.92</td><td>31.71</td><td>7.10</td><td>36.92</td><td>6.00</td><td>326 191 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	56.81	74.00	-17.19	48.92	31.71	7.10	36.92	6.00	326 191 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>112.46</td><td>-----</td><td>-----</td><td>104.46</td><td>31.80</td><td>7.12</td><td>36.92</td><td>6.00</td><td>326 191 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	112.46	-----	-----	104.46	31.80	7.12	36.92	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2388.13	56.81	74.00	-17.19	48.92	31.71	7.10	36.92	6.00	326 191 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	112.46	-----	-----	104.46	31.80	7.12	36.92	6.00	326 191 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.17</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>38.41</td><td>31.71</td><td>7.10</td><td>36.92</td><td>6.00</td><td>326 191 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.17	46.30	54.00	-7.70	38.41	31.71	7.10	36.92	6.00	326 191 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>109.40</td><td>-----</td><td>-----</td><td>101.40</td><td>31.80</td><td>7.12</td><td>36.92</td><td>6.00</td><td>326 191 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	109.40	-----	-----	101.40	31.80	7.12	36.92	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.17	46.30	54.00	-7.70	38.41	31.71	7.10	36.92	6.00	326 191 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	109.40	-----	-----	101.40	31.80	7.12	36.92	6.00	326 191 AVERAGE																																																																																							







Mode	12																																																																													
	Harmonic																																																																													
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>61.60</td><td>33.00</td><td>10.20</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	4804.00	40.35	74.00	-33.65	61.60	33.00	10.20	65.25	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>60.76</td><td>33.00</td><td>10.20</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	1	4804.00	39.51	74.00	-34.49	60.76	33.00	10.20	65.25	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
1	4804.00	40.35	74.00	-33.65	61.60	33.00	10.20	65.25	0.00	---	---	PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																					
1	4804.00	39.51	74.00	-34.49	60.76	33.00	10.20	65.25	0.00	---	---	PEAK																																																																		
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>61.60</td><td>33.00</td><td>10.20</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	40.35	74.00	-33.65	61.60	33.00	10.20	65.25	0.00	---	---	PEAK	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4804.00</td><td>39.51</td><td>74.00</td><td>-34.49</td><td>60.76</td><td>33.00</td><td>10.20</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	39.51	74.00	-34.49	60.76	33.00	10.20	65.25	0.00	---	---	PEAK															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4804.00	40.35	74.00	-33.65	61.60	33.00	10.20	65.25	0.00	---	---	PEAK																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	4804.00	39.51	74.00	-34.49	60.76	33.00	10.20	65.25	0.00	---	---	PEAK																																																																		








Mode	13																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>61.42</td><td>33.80</td><td>10.30</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>59.72</td><td>35.50</td><td>12.72</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	40.24	74.00	-33.76	61.42	33.80	10.30	65.28	0.00	---	---	PEAK	2	7320.00	41.47	74.00	-32.53	59.72	35.50	12.72	66.47	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.09</td><td>74.00</td><td>-32.91</td><td>62.27</td><td>33.80</td><td>10.30</td><td>65.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>41.04</td><td>74.00</td><td>-32.96</td><td>59.29</td><td>35.50</td><td>12.72</td><td>66.47</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.09	74.00	-32.91	62.27	33.80	10.30	65.28	0.00	---	---	PEAK	2	7320.00	41.04	74.00	-32.96	59.29	35.50	12.72	66.47	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4880.00	40.24	74.00	-33.76	61.42	33.80	10.30	65.28	0.00	---	---	PEAK																																																																																																																		
2	7320.00	41.47	74.00	-32.53	59.72	35.50	12.72	66.47	0.00	---	---	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4880.00	41.09	74.00	-32.91	62.27	33.80	10.30	65.28	0.00	---	---	PEAK																																																																																																																		
2	7320.00	41.04	74.00	-32.96	59.29	35.50	12.72	66.47	0.00	---	---	PEAK																																																																																																																		



		14																																																																																						
Mode		Band Edge																																																																																						
		2400-2483.5_Bluetooth-LE_CH37_2476MHz																																																																																						
Pol.	Horizontal											Fundamental																																																																												
Peak																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	72.00	74.00	-2.00	63.77	31.93	7.26	36.96	6.00	143	350	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>118.90</td><td>74.00</td><td>44.90</td><td>110.71</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>143</td><td>350</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	118.90	74.00	44.90	110.71	31.90	7.24	36.95	6.00	143	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.50	72.00	74.00	-2.00	63.77	31.93	7.26	36.96	6.00	143	350	PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2476.00	118.90	74.00	44.90	110.71	31.90	7.24	36.95	6.00	143	350	PEAK																																																																												
Avg																																																																																								
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	52.85	54.00	-1.15	44.62	31.93	7.26	36.96	6.00	143	350	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2476.00</td><td>116.13</td><td>54.00</td><td>62.13</td><td>107.94</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>143</td><td>350</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	116.13	54.00	62.13	107.94	31.90	7.24	36.95	6.00	143	350
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2483.50	52.85	54.00	-1.15	44.62	31.93	7.26	36.96	6.00	143	350	AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	2476.00	116.13	54.00	62.13	107.94	31.90	7.24	36.95	6.00	143	350	AVERAGE																																																																												







Mode	14																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH37_2476MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>68.65</td><td>74.00</td><td>-5.35</td><td>60.42</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	68.65	74.00	-5.35	60.42	31.93	7.26	36.96	6.00	400	301	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.00</td><td>114.92</td><td>74.00</td><td>40.92</td><td>106.73</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>400</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	114.92	74.00	40.92	106.73	31.90	7.24	36.95	6.00	400	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	68.65	74.00	-5.35	60.42	31.93	7.26	36.96	6.00	400	301	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2476.00	114.92	74.00	40.92	106.73	31.90	7.24	36.95	6.00	400	301	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.30</td><td>54.00</td><td>-3.70</td><td>42.07</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.30	54.00	-3.70	42.07	31.93	7.26	36.96	6.00	400	301	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2476.00</td><td>112.09</td><td>54.00</td><td>58.09</td><td>103.90</td><td>31.90</td><td>7.24</td><td>36.95</td><td>6.00</td><td>400</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2476.00	112.09	54.00	58.09	103.90	31.90	7.24	36.95	6.00	400	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	50.30	54.00	-3.70	42.07	31.93	7.26	36.96	6.00	400	301	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2476.00	112.09	54.00	58.09	103.90	31.90	7.24	36.95	6.00	400	301	AVERAGE																																																																																							







Note: Only the worst case has assessed 18G ~25GHz to test.





		15																																																																																													
Mode		Band Edge																																																																																													
		2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																													
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>71.15</td><td>74.00</td><td>-2.85</td><td>62.92</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>143</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	71.15	74.00	-2.85	62.92	31.93	7.26	36.96	6.00	143	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>115.16</td><td>-----</td><td>-----</td><td>106.96</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>143</td><td>0 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	115.16	-----	-----	106.96	31.91	7.25	36.96	6.00	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.50	71.15	74.00	-2.85	62.92	31.93	7.26	36.96	6.00	143	0 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2478.00	115.16	-----	-----	106.96	31.91	7.25	36.96	6.00	143	0 PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>50.92</td><td>54.00</td><td>-3.08</td><td>42.69</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>143</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.92	54.00	-3.08	42.69	31.93	7.26	36.96	6.00	143	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>114.62</td><td>-----</td><td>-----</td><td>106.42</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>143</td><td>0 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	114.62	-----	-----	106.42	31.91	7.25	36.96	6.00	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2483.50	50.92	54.00	-3.08	42.69	31.93	7.26	36.96	6.00	143	0 AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2478.00	114.62	-----	-----	106.42	31.91	7.25	36.96	6.00	143	0 AVERAGE																																																																																				







		15																																																					
Mode		Band Edge																																																					
		2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																					
Pol.		Vertical						Fundamental																																															
Peak																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.68</td><td>68.71</td><td>74.00</td><td>-5.29</td><td>60.48</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>299</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	68.71	74.00	-5.29	60.48	31.93	7.26	36.96	6.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.68	68.71	74.00	-5.29	60.48	31.93	7.26	36.96	6.00	400	299	PEAK																																											
Fundamental																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>112.20</td><td>-----</td><td>-----</td><td>104.00</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>400</td><td>299</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	112.20	-----	-----	104.00	31.91	7.25	36.96	6.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2478.00	112.20	-----	-----	104.00	31.91	7.25	36.96	6.00	400	299	PEAK																																											
Avg																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>40.35</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>400</td><td>299</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.58	54.00	-5.42	40.35	31.93	7.26	36.96	6.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	48.58	54.00	-5.42	40.35	31.93	7.26	36.96	6.00	400	299	AVERAGE																																											
Avg																																																							
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>111.72</td><td>-----</td><td>-----</td><td>103.52</td><td>31.91</td><td>7.25</td><td>36.96</td><td>6.00</td><td>400</td><td>299</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	111.72	-----	-----	103.52	31.91	7.25	36.96	6.00	400
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2478.00	111.72	-----	-----	103.52	31.91	7.25	36.96	6.00	400	299	AVERAGE																																											







Mode	15																																																																																																																																					
	Harmonic																																																																																																																																					
	2400-2483.5_Bluetooth-LE_CH38_2478MHz																																																																																																																																					
Pol.	Horizontal										Vertical																																																																																																																											
Peak Avg																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>42.28</td><td>74.00</td><td>-31.72</td><td>63.40</td><td>33.80</td><td>10.39</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>61.52</td><td>35.60</td><td>12.78</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	42.28	74.00	-31.72	63.40	33.80	10.39	65.31	0.00	---	---	PEAK	2	7434.00	43.11	74.00	-30.89	61.52	35.60	12.78	66.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>66.76</td><td>33.80</td><td>10.39</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7434.00</td><td>40.33</td><td>74.00</td><td>-33.67</td><td>58.74</td><td>35.60</td><td>12.78</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	45.64	74.00	-28.36	66.76	33.80	10.39	65.31	0.00	---	---	PEAK	2	7434.00	40.33	74.00	-33.67	58.74	35.60	12.78	66.79	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4956.00	42.28	74.00	-31.72	63.40	33.80	10.39	65.31	0.00	---	---	PEAK																																																																																																																										
2	7434.00	43.11	74.00	-30.89	61.52	35.60	12.78	66.79	0.00	---	---	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	4956.00	45.64	74.00	-28.36	66.76	33.80	10.39	65.31	0.00	---	---	PEAK																																																																																																																										
2	7434.00	40.33	74.00	-33.67	58.74	35.60	12.78	66.79	0.00	---	---	PEAK																																																																																																																										





		16																																																																																															
Mode		Band Edge																																																																																															
		2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																															
Pol.		Horizontal					Fundamental																																																																																										
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>69.66</td><td>74.00</td><td>-4.34</td><td>61.43</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>167</td><td>268</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	69.66	74.00	-4.34	61.43	31.93	7.26	36.96	6.00	167	268	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.38</td><td>-----</td><td>-----</td><td>99.17</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>167</td><td>268</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.38	-----	-----	99.17	31.92	7.25	36.96	6.00	167	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	69.66	74.00	-4.34	61.43	31.93	7.26	36.96	6.00	167	268	PEAK																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	107.38	-----	-----	99.17	31.92	7.25	36.96	6.00	167	268	PEAK																																																																																					
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>51.11</td><td>54.00</td><td>-2.89</td><td>42.88</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>167</td><td>268</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	51.11	54.00	-2.89	42.88	31.93	7.26	36.96	6.00	167	268	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>104.76</td><td>-----</td><td>-----</td><td>96.55</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>167</td><td>268</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.76	-----	-----	96.55	31.92	7.25	36.96	6.00	167	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2483.50	51.11	54.00	-2.89	42.88	31.93	7.26	36.96	6.00	167	268	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	104.76	-----	-----	96.55	31.92	7.25	36.96	6.00	167	268	AVERAGE																																																																																					





Mode	16																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>63.06</td><td>74.00</td><td>-10.94</td><td>54.83</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>108</td><td>236 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	63.06	74.00	-10.94	54.83	31.93	7.26	36.96	6.00	108	236 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.07</td><td>-----</td><td>-----</td><td>92.86</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>108</td><td>236 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.07	-----	-----	92.86	31.92	7.25	36.96	6.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.62	63.06	74.00	-10.94	54.83	31.93	7.26	36.96	6.00	108	236 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	101.07	-----	-----	92.86	31.92	7.25	36.96	6.00	108	236 PEAK																																																																																								
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.52</td><td>54.00</td><td>-6.48</td><td>39.29</td><td>31.93</td><td>7.26</td><td>36.96</td><td>6.00</td><td>108</td><td>236 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.52	54.00	-6.48	39.29	31.93	7.26	36.96	6.00	108	236 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.19</td><td>-----</td><td>-----</td><td>89.98</td><td>31.92</td><td>7.25</td><td>36.96</td><td>6.00</td><td>108</td><td>236 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.19	-----	-----	89.98	31.92	7.25	36.96	6.00	108
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	47.52	54.00	-6.48	39.29	31.93	7.26	36.96	6.00	108	236 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	98.19	-----	-----	89.98	31.92	7.25	36.96	6.00	108	236 AVERAGE																																																																																								



Mode	16																																																																																																																																	
	Harmonic																																																																																																																																	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.41</td><td>74.00</td><td>-33.59</td><td>61.52</td><td>33.80</td><td>10.40</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.76</td><td>74.00</td><td>-33.24</td><td>59.19</td><td>35.60</td><td>12.78</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.41	74.00	-33.59	61.52	33.80	10.40	65.31	0.00	---	---	PEAK	2	7440.00	40.76	74.00	-33.24	59.19	35.60	12.78	66.81	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>42.13</td><td>74.00</td><td>-31.87</td><td>63.24</td><td>33.80</td><td>10.40</td><td>65.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.23</td><td>74.00</td><td>-33.77</td><td>58.66</td><td>35.60</td><td>12.78</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	42.13	74.00	-31.87	63.24	33.80	10.40	65.31	0.00	---	---	PEAK	2	7440.00	40.23	74.00	-33.77	58.66	35.60	12.78	66.81	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4960.00	40.41	74.00	-33.59	61.52	33.80	10.40	65.31	0.00	---	---	PEAK																																																																																																																						
2	7440.00	40.76	74.00	-33.24	59.19	35.60	12.78	66.81	0.00	---	---	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	4960.00	42.13	74.00	-31.87	63.24	33.80	10.40	65.31	0.00	---	---	PEAK																																																																																																																						
2	7440.00	40.23	74.00	-33.77	58.66	35.60	12.78	66.81	0.00	---	---	PEAK																																																																																																																						




Mode	34																																																																																														
	LF																																																																																														
	2400-2483.5_Bluetooth-LE_CH37_2476MHz																																																																																														
Pol.	Horizontal																																																																																														
Peak																																																																																															
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	95.96	34.97	-8.53	43.50	51.03	15.38	1.39	32.83	---	---	Peak HORIZONTAL	2	275.41	30.05	-15.95	46.00	42.03	18.63	2.33	32.94	---	---	Peak HORIZONTAL	3	408.30	28.53	-17.47	46.00	36.80	21.99	3.02	33.28	---	---	Peak HORIZONTAL	4	664.38	27.55	-18.45	46.00	30.89	26.41	3.79	33.54	---	---	Peak HORIZONTAL	5	779.81	28.10	-17.90	46.00	28.93	28.30	4.16	33.29	---	---	Peak HORIZONTAL	6	988.36	31.31	-22.69	54.00	27.69	30.39	4.66	31.43	---	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	95.96	34.97	-8.53	43.50	51.03	15.38	1.39	32.83	---	---	Peak HORIZONTAL																																																																																				
2	275.41	30.05	-15.95	46.00	42.03	18.63	2.33	32.94	---	---	Peak HORIZONTAL																																																																																				
3	408.30	28.53	-17.47	46.00	36.80	21.99	3.02	33.28	---	---	Peak HORIZONTAL																																																																																				
4	664.38	27.55	-18.45	46.00	30.89	26.41	3.79	33.54	---	---	Peak HORIZONTAL																																																																																				
5	779.81	28.10	-17.90	46.00	28.93	28.30	4.16	33.29	---	---	Peak HORIZONTAL																																																																																				
6	988.36	31.31	-22.69	54.00	27.69	30.39	4.66	31.43	---	---	Peak HORIZONTAL																																																																																				
Peak																																																																																															
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	42.61	24.52	-15.48	40.00	38.65	17.95	0.91	32.99	---	---	Peak VERTICAL	2	95.96	28.70	-14.00	43.50	44.76	15.38	1.39	32.83	---	---	Peak VERTICAL	3	298.69	21.00	-24.92	46.00	32.20	19.15	2.55	32.82	---	---	Peak VERTICAL	4	558.65	29.95	-16.05	46.00	34.14	26.10	3.27	33.56	---	---	Peak VERTICAL	5	665.35	27.11	-18.09	46.00	30.42	26.43	3.80	33.54	---	---	Peak VERTICAL	6	977.69	30.37	-23.63	54.00	26.73	30.57	4.64	31.57	---	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	42.61	24.52	-15.48	40.00	38.65	17.95	0.91	32.99	---	---	Peak VERTICAL																																																																																				
2	95.96	28.70	-14.00	43.50	44.76	15.38	1.39	32.83	---	---	Peak VERTICAL																																																																																				
3	298.69	21.00	-24.92	46.00	32.20	19.15	2.55	32.82	---	---	Peak VERTICAL																																																																																				
4	558.65	29.95	-16.05	46.00	34.14	26.10	3.27	33.56	---	---	Peak VERTICAL																																																																																				
5	665.35	27.11	-18.09	46.00	30.42	26.43	3.80	33.54	---	---	Peak VERTICAL																																																																																				
6	977.69	30.37	-23.63	54.00	26.73	30.57	4.64	31.57	---	---	Peak VERTICAL																																																																																				



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	100	-	-	10Hz
Bluetooth LE 2Mbps	100	-	-	10Hz

Bluetooth LE 1Mbps





Bluetooth LE 2Mbps

