



## Annex D Plots of Maximum SAR Test Results

### MEASUREMENT 1

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.06

Measurement duration: 15 minutes 36 seconds


#### A. Experimental conditions.

<u>Phantom File</u>	<u>surf_sam_plan.txt</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>BC0 US Cellular</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>Voice</u>

#### B. SAR Measurement Results

Middle Band SAR (Channel 384):

<b>Frequency (MHz)</b>	836.520000
<b>Relative permittivity (real part)</b>	41.185165
<b>Conductivity (S/m)</b>	0.876217
<b>Power drift (%)</b>	1.010000
<b>Ambient Temperature:</b>	22.2°C
<b>Liquid Temperature:</b>	21.4°C
<b>ConvF:</b>	6.13
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=-67.00, Y=-35.00

SAR Peak: 0.03 W/kg

SAR 10g (W/Kg)	0.010532
SAR 1g (W/Kg)	0.016639

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0212	0.0173	0.0120	0.0089	0.0067	0.0025	0.0041



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

## MEASUREMENT 2

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.30

Measurement duration: 15 minutes 6 seconds


### A. Experimental conditions.

<b>Phantom File</b>	surf_sam_plan.txt
<b>Phantom</b>	Left head
<b>Device Position</b>	Cheek
<b>Band</b>	BC1_North_American_PCS
<b>Channels</b>	Low
<b>Signal</b>	Voice

### B. SAR Measurement Results

Lower Band SAR (Channel 25):

<b>Frequency (MHz)</b>	1851.250000
<b>Relative permittivity (real part)</b>	40.102156
<b>Conductivity (S/m)</b>	1.374075
<b>Power drift (%)</b>	0.310000
<b>Ambient Temperature:</b>	22.3°C
<b>Liquid Temperature:</b>	21.5°C
<b>ConvF:</b>	5.21
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=-54.00, Y=-51.00

SAR Peak: 0.38 W/kg

SAR 10g (W/Kg)	0.024176
SAR 1g (W/Kg)	0.045172

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.3723	0.2802	0.1839	0.1277	0.0736	0.0538	0.0373



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn

### MEASUREMENT 3

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.06

Measurement duration: 15 minutes 41 seconds


#### A. Experimental conditions.

<b>Phantom File</b>	<u>surf_sam_plan.txt</u>
<b>Phantom</b>	<u>Left head</u>
<b>Device Position</b>	<u>Cheek</u>
<b>Band</b>	<u>BC10_Secondary_800MHz</u>
<b>Channels</b>	<u>Low</u>
<b>Signal</b>	<u>Voice</u>

#### B. SAR Measurement Results

Lower Band SAR (Channel 476):

<b>Frequency (MHz)</b>	817.900000
<b>Relative permittivity (real part)</b>	41.185285
<b>Conductivity (S/m)</b>	0.875717
<b>Power drift (%)</b>	1.010000
<b>Ambient Temperature:</b>	22.2°C
<b>Liquid Temperature:</b>	21.4°C
<b>ConvF:</b>	6.13
<b>Crest factor:</b>	1:1




**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Maximum location: X=-72.00, Y=9.00

SAR Peak: 0.018 W/kg

SAR 10g (W/Kg)	0.007311
SAR 1g (W/Kg)	0.016443

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0126	0.0064	0.0024	0.0024	0.0007	0.0003	0.0003



<b>3D screen shot</b>	<b>Hot spot position</b>
	

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn

## MEASUREMENT 4

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.30

Measurement duration: 15 minutes 26 seconds


### A. Experimental conditions.

<b><u>Phantom File</u></b>	<u>surf_sam_plan.txt</u>
<b><u>Phantom</u></b>	<u>Left head</u>
<b><u>Device Position</u></b>	<u>Cheek</u>
<b><u>Band</u></b>	<u>LTE band 25</u>
<b><u>Channels</u></b>	<u>High</u>
<b><u>Signal</u></b>	<u>LTE</u>

### B. SAR Measurement Results

Higher Band SAR (Channel 26590):

<b>Frequency (MHz)</b>	1905.000000
<b>Relative permittivity (real part)</b>	40.081126
<b>Conductivity (S/m)</b>	1.395027
<b>Power drift (%)</b>	0.310000
<b>Ambient Temperature:</b>	22.3°C
<b>Liquid Temperature:</b>	21.5°C
<b>ConvF:</b>	5.21
<b>Crest factor:</b>	1:1




**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Maximum location: X=-64.00, Y=-66.00

SAR Peak: 1.48 W/kg

SAR 10g (W/Kg)	0.567991
SAR 1g (W/Kg)	0.967716

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.4526	1.0250	0.6353	0.3776	0.2237	0.1533	0.1003



<b>3D screen shot</b>	<b>Hot spot position</b>
	

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn



## MEASUREMENT 5

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.06

Measurement duration: 15 minutes 31 seconds


### A. Experimental conditions.

<u>Phantom File</u>	<u>surf_sam_plan.txt</u>
<u>Phantom</u>	<u>Right head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>LTE band 26</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>LTE</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 26865):

<b>Frequency (MHz)</b>	831.500000
<b>Relative permittivity (real part)</b>	41.185285
<b>Conductivity (S/m)</b>	0.875717
<b>Power drift (%)</b>	1.010000
<b>Ambient Temperature:</b>	22.2°C
<b>Liquid Temperature:</b>	21.4°C
<b>ConvF:</b>	6.13
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=-67.00, Y=-49.00

SAR Peak: 0.89 W/kg

SAR 10g (W/Kg)	0.406566
SAR 1g (W/Kg)	0.617770

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.8614	0.6488	0.4628	0.3311	0.2457	0.1742	0.1268



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn

## MEASUREMENT 6

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.06.30

Measurement duration: 20 minutes 54 seconds


### A. Experimental conditions.

<u>Phantom File</u>	<u>surf_sam_plan.txt</u>
<u>Phantom</u>	<u>Left head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>LTE band 41</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>LTE</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 40620):

<b>Frequency (MHz)</b>	2593.000000
<b>Relative permittivity (real part)</b>	39.031537
<b>Conductivity (S/m)</b>	1.965236
<b>Power Drift (%)</b>	0.920000
<b>Ambient Temperature:</b>	22.3°C
<b>Liquid Temperature:</b>	21.5°C
<b>ConvF:</b>	4.74
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=-52.00, Y=-63.00

SAR Peak: 1.01 W/kg

SAR 10g (W/Kg)	0.356946
SAR 1g (W/Kg)	0.598208

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.9753	0.6112	0.3350	0.1828	0.1069	0.0487	0.0229



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn

## MEASUREMENT 7

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.10

Measurement duration: 20 minutes 43 seconds


### A. Experimental conditions.

<u>Phantom File</u>	<u>surf_sam_plan.txt</u>
<u>Phantom</u>	<u>Right head</u>
<u>Device Position</u>	<u>Cheek</u>
<u>Band</u>	<u>IEEE 802.11b ISM</u>
<u>Channels</u>	<u>Middle</u>
<u>Signal</u>	<u>DSSS</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 6):

<b>Frequency (MHz)</b>	2437.000000
<b>Relative permittivity (real part)</b>	39.310316
<b>Conductivity (S/m)</b>	1.831169
<b>Power Drift (%)</b>	0.980000
<b>Ambient Temperature:</b>	22.2°C
<b>Liquid Temperature:</b>	21.3°C
<b>ConvF:</b>	4.82
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=-6.00, Y=-21.00

SAR Peak: 0.34 W/kg

SAR 10g (W/Kg)	0.088875
SAR 1g (W/Kg)	0.185907

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.3487	0.1959	0.0894	0.0421	0.0213	0.0075	0.0022



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn

## MEASUREMENT 8

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.02

Measurement duration: 16 minutes 5 seconds


### A. Experimental conditions.

<b><u>Phantom File</u></b>	<u>surf_sam_plan.txt</u>
<b><u>Phantom</u></b>	<u>Flat</u>
<b><u>Device Position</u></b>	<u>Body</u>
<b><u>Band</u></b>	<u>BC0 US Cellular</u>
<b><u>Channels</u></b>	<u>Middle</u>
<b><u>Signal</u></b>	<u>Voice</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 384):

<b>Frequency (MHz)</b>	836.520000
<b>Relative permittivity (real part)</b>	55.3851801
<b>Conductivity (S/m)</b>	0.969074
<b>Power drift (%)</b>	0.970000
<b>Ambient Temperature:</b>	22.7°C
<b>Liquid Temperature:</b>	21.8°C
<b>ConvF:</b>	6.37
<b>Crest factor:</b>	1:1




**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Maximum location: X=-8.00, Y=0.00

SAR Peak: 0.47 W/kg

SAR 10g (W/Kg)	0.268450
SAR 1g (W/Kg)	0.354786

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.4470	0.3659	0.2830	0.2166	0.1687	0.1298	0.1005



3D screen shot	Hot spot position
	

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn



## MEASUREMENT 9

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.05

Measurement duration: 16 minutes 19 seconds


### A. Experimental conditions.

<b>Phantom File</b>	<u>surf_sam_plan.txt</u>
<b>Phantom</b>	<u>Flat</u>
<b>Device Position</b>	<u>Body</u>
<b>Band</b>	<u>BC1_North_American_PCS</u>
<b>Channels</b>	<u>Middle</u>
<b>Signal</b>	<u>EVDO</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 600):

<b>Frequency (MHz)</b>	1800.000000
<b>Relative permittivity (real part)</b>	53.294148
<b>Conductivity (S/m)</b>	1.517075
<b>Power drift (%)</b>	0.520000
<b>Ambient Temperature:</b>	22.6°C
<b>Liquid Temperature:</b>	21.4°C
<b>ConvF:</b>	5.38
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=7.00, Y=3.00

SAR Peak: 1.16 W/kg

SAR 10g (W/Kg)	0.402383
SAR 1g (W/Kg)	0.712238

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.2695	0.7459	0.3738	0.2658	0.1504	0.0770	0.0490



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

[Http://www.morlab.cn](http://www.morlab.cn)

Fax: 86-755-36698525

E-mail: [service@morlab.cn](mailto:service@morlab.cn)

## MEASUREMENT 10

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 6/7/2011

Measurement duration: 16 minutes 22 seconds


### A. Experimental conditions.

<b><u>Phantom File</u></b>	<u>surf_sam_plan.txt</u>
<b><u>Phantom</u></b>	<u>Flat</u>
<b><u>Device Position</u></b>	<u>Body</u>
<b><u>Band</u></b>	<u>BC10_Secondary_800MHz</u>
<b><u>Channels</u></b>	<u>Middle</u>
<b><u>Signal</u></b>	<u>EVDO</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 580):

<b>Frequency (MHz)</b>	820.500000
<b>Relative permittivity (real part)</b>	55.3851604
<b>Conductivity (S/m)</b>	0.956178
<b>Power drift (%)</b>	0.970000
<b>Ambient Temperature:</b>	22.7°C
<b>Liquid Temperature:</b>	21.8°C
<b>ConvF:</b>	6.37
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=6.00, Y=-23.00

SAR Peak: 0.56 W/kg

SAR 10g (W/Kg)	0.211722
SAR 1g (W/Kg)	0.342364

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.6147	0.3379	0.1629	0.1316	0.0670	0.0621	0.0303



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn

## MEASUREMENT 11

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.05

Measurement duration: 16 minutes 7 seconds


### A. Experimental conditions.

<b>Phantom File</b>	<u>surf_sam_plan.txt</u>
<b>Phantom</b>	<u>Flat</u>
<b>Device Position</b>	<u>Body</u>
<b>Band</b>	<u>LTE band 25</u>
<b>Channels</b>	<u>Middle</u>
<b>Signal</b>	<u>LTE</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 26365):

<b>Frequency (MHz)</b>	1882.500000
<b>Relative permittivity (real part)</b>	40.095167
<b>Conductivity (S/m)</b>	1.365073
<b>Power drift (%)</b>	0.310000
<b>Ambient Temperature:</b>	22.3°C
<b>Liquid Temperature:</b>	21.5°C
<b>ConvF:</b>	5.21
<b>Crest factor:</b>	1:1




**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Maximum location: X=20.00, Y=2.00

SAR Peak: 1.10 W/kg

SAR 10g (W/Kg)	0.349220
SAR 1g (W/Kg)	0.649117

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.0586	0.6562	0.3596	0.1853	0.1296	0.0545	0.0364



<b>3D screen shot</b>	<b>Hot spot position</b>
	

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Http://www.morlab.cn

Fax: 86-755-36698525

E-mail: service@morlab.cn

## MEASUREMENT 12

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.02

Measurement duration: 16 minutes 2 seconds


### A. Experimental conditions.

<b><u>Phantom File</u></b>	<u>surf_sam_plan.txt</u>
<b><u>Phantom</u></b>	<u>Flat</u>
<b><u>Device Position</u></b>	<u>Body</u>
<b><u>Band</u></b>	<u>LTE band 26</u>
<b><u>Channels</u></b>	<u>Middle</u>
<b><u>Signal</u></b>	<u>LTE</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 26865):

<b>Frequency (MHz)</b>	831.500000
<b>Relative permittivity (real part)</b>	55.3850803
<b>Conductivity (S/m)</b>	0.967076
<b>Power drift (%)</b>	0.970000
<b>Ambient Temperature:</b>	22.7°C
<b>Liquid Temperature:</b>	21.8°C
<b>ConvF:</b>	6.37
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=18.00, Y=-10.00

SAR Peak: 1.04 W/kg

SAR 10g (W/Kg)	0.515861
SAR 1g (W/Kg)	0.746861

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.1720	0.7785	0.4833	0.4049	0.2346	0.1969	0.1087



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn



## MEASUREMENT 13

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.05

Measurement duration: 20 minutes 11 seconds


### A. Experimental conditions.

<u>Phantom File</u>	<u>surf_sam_plan.txt</u>
<u>Phantom</u>	<u>Flat</u>
<u>Device Position</u>	<u>Body</u>
<u>Band</u>	<u>LTE band 41</u>
<u>Channels</u>	<u>Low</u>
<u>Signal</u>	<u>LTE</u>

### B. SAR Measurement Results

Lower Band SAR (Channel 40185):

<b>Frequency (MHz)</b>	2549.500000
<b>Relative permittivity (real part)</b>	52.381564
<b>Conductivity (S/m)</b>	2.100253
<b>Power Drift (%)</b>	1.380000
<b>Ambient Temperature:</b>	22.6°C
<b>Liquid Temperature:</b>	21.4°C
<b>ConvF:</b>	4.93
<b>Crest factor:</b>	1:1





**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

Maximum location: X=2.00, Y=18.00

SAR Peak: 1.82 W/kg

SAR 10g (W/Kg)	0.439984
SAR 1g (W/Kg)	1.001298

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	1.7193	1.0386	0.5166	0.2406	0.1080	0.0470	0.0174



**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

**MORLAB**

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.  
FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,  
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn

## MEASUREMENT 14

Type: Phone measurement (Complete)

Area scan resolution: dx=15mm,dy=15mm

Zoom scan resolution: dx=5mm, dy=5mm, dz=5mm

Date of measurement: 2018.07.02

Measurement duration: 20 minutes 8 seconds


### A. Experimental conditions.

<b><u>Phantom File</u></b>	<u>surf_sam_plan.txt</u>
<b><u>Phantom</u></b>	<u>Flat</u>
<b><u>Device Position</u></b>	<u>Body</u>
<b><u>Band</u></b>	<u>IEEE 802.11b ISM</u>
<b><u>Channels</u></b>	<u>Middle</u>
<b><u>Signal</u></b>	<u>DSSS</u>

### B. SAR Measurement Results

Middle Band SAR (Channel 6):

<b>Frequency (MHz)</b>	2437.000000
<b>Relative permittivity (real part)</b>	52.891243
<b>Conductivity (S/m)</b>	1.954147
<b>Power Drift (%)</b>	1.080000
<b>Ambient Temperature:</b>	22.4°C
<b>Liquid Temperature:</b>	21.5°C
<b>ConvF:</b>	4.93
<b>Crest factor:</b>	1:1




**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Maximum location: X=20.00, Y=3.00

SAR Peak: 0.045 W/kg

SAR 10g (W/Kg)	0.015167
SAR 1g (W/Kg)	0.030269

Z (mm)	0.00	4.00	9.00	14.00	19.00	24.00	29.00
SAR (W/Kg)	0.0502	0.0183	0.0012	0.0010	0.0010	0.0010	0.0010



<b>3D screen shot</b>	<b>Hot spot position</b>
	

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.