

# **TEST REPORT**

Product Name	:	Handset
Model Number	:	KDH283A
FCC ID	:	2AOTUKDH283A

Prepared for Address	:	Changzhou Kaidi Electrical Inc. JiangCun, Henglin Town, Changzhou City, Jiangsu Province, China
Prepared by Address	:	EMTEK (NINGBO) CO., LTD. No. 8, Building 8, Lane 216, Qingyi Road, Ningbo High-Tech Zone, Ningbo, Zhejiang, China
		Tel: +86-574-27907998 Fax: +86-574-27721538
Report Number Date(s) of Tests Date of Issue		ENB2412090056W00602R December 09, 2024 to January 15, 2025 March 17, 2025

**宁波市信测检测技术有限公司** 地址 浙江省宁波市高新区清逸路216弄8幢8号 网址:Http://www.emtek.com.cn 邮箱:nb@emtek.com.cn EMTEK(Ningbo) Co., Ltd. Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China Http://www.emtek.com.cn E-mail: nb@emtek.com.cn



## TABLE OF CONTENT

ΤE	SI	r RE	EPORT	.1
1.	I	FACII		5
1	L.1		Test Facility	5
			LABORATORY ACCREDITATIONS AND LISTINGS	
2.	(	GENE	ERAL PRODUCT INFORMATION	6
3.	I	IMI	Т	7
4.	٦	TEST	RESULTS	8





## **Test Report Description**

Applicant	: Changzhou Kaidi Electrical Inc.
Address	: JiangCun, Henglin Town, Changzhou City, Jiangsu Province, China
Manufacturer	<sup>:</sup> Changzhou Kaidi Electrical Inc.
Address	<sup>:</sup> JiangCun, Henglin Town, Changzhou City, Jiangsu Province, China
EUT	: Handset
Model Name	: KDH283A
Trademark	: N/A

The device described above is tested by EMTEK (NINGBO) CO., LTD. to determine the maximum emission levels emanating from the device and the severe levels of the device can endure and its performance criterion. This report shows the EUT to be technically compliant with the FCC 1.1310 and KDB 447498 D01 General RF Exposure Guidance v07 requirements. The test results are contained in this report and EMTEK (NINGBO) CO., LTD. is assumed full responsibility for the accuracy and completeness of these tests.

This report applies to above tested sample only and shall not be reproduced in part without written approval of EMTEK (NINGBO) CO., LTD.

Date of Test :	December 09, 2024 to January 15, 2025				
Prepared by :	WK Luo				
	WK Luo /Engineer				
Reviewer :	June Gao /Supervise				
Approved & Authorized Signe	r: Tony Wei/Manager				

 宁波市信测检测技术有限公司
 地址: 浙江省宁波市高新区清逸路216弄8幢8号
 网址: Http://www.emtek.com.cn
 邮箱: nb@emtek.com.cn

 EMTEK(Ningbo) Co., Ltd.
 Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China
 Http://www.emtek.com.cn
 E-mail: nb@emtek.com.cn



## **Modified Information**

Version	Report No.	Revision Date	Summary
/	ENB2412090056W00602R	1	Original Report



**宁波市信测绘测技术有限公司** 地址: 浙江省宁波市高新区清逸路216弄8幢8号 网址:Http://www.emtek.com.cn 邮箱:nb@emtek.com.cn EMTEK(Ningbo) Co., Ltd. Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China Http://www.emtek.com.cn E-mail: nb@emtek.com.cn



#### 1. Facilities And Accreditations

#### 1.1. Test Facility

All measurement facilities used to collect the measurement data are located at

EMTEK (NINGBO) CO., LTD.

No. 8, Building 8, Lane 216, Qingyi Road, Ningbo Hi-Tech Zone, Ningbo, Zhejiang, China The sites are constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4 and CISPR Publication 32.

#### **1.2. LABORATORY ACCREDITATIONS AND LISTINGS**

Site Description	
EMC Lab.	: Accredited by CNAS
	The Certificate Registration Number is L6666.
	The Laboratory has been assessed and proved to be in compliance with
	CNAS-CL01:2018 (identical to ISO/IEC 17025:2017)
	Designation by FCC
	Designation Number: CN1354
	Test Firm Registration Number: 427606
	Accredited by A2LA
	The Certificate Number is 4321.03.
	The certificate is valid until May 31, 2025
	Designation by Industry Canada
	The Conformity Assessment Body Identifier is CN0114
Name of Firm	EMTEK (NINGBO) CO., LTD.
Site Location	: No. 8, Building 8, Lane 216, Qingyi Road, Hi-Tech Zone, Ningbo,
	Zhejiang, China

**宁波市信测检测技术有限公司** 地址 浙江省宁波市高新区清逸路216弄8幢8号 网址:Http://www.emtek.com.cn 邮箱:nb@emtek.com.cn EMTEK(Ningbo) Co., Ltd. Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China Http://www.emtek.com.cn E-mail: nb@emtek.com.cn



#### 2. General Product Information

Characteristics	Description	
Product:	Handset	
Model Number:	KDH283A	
Sample Number:	ENB2412090056W006-1-1	
Modulation:	GFSK	
Operating Frequency:	2440 MHz	
Number of Channels:	1 channel	
Max Transmit Power:	92.03 dBuV/m	
Antenna Type :	PCB Antenna	
Antenna Gain:	4.07 dBi	
Power supply:	DC 4.5V for Battery	
Temperature Range:	-40°C ~ +85°C	
Date of Received:	December 09, 2024	

Note: for more details, please refer to the User's manual of the EUT.

 宁波市信测检测技术有限公司
 地址: 浙江省宁波市高新区清逸路216弄8幢8号
 网址: Http://www.emtek.com.cn
 邮箱: nb@emtek.com.cn

 EMTEK(Ningbo) Co., Ltd.
 Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China
 Http://www.emtek.com.cn
 E-mail: nb@emtek.com.cn



#### 3. Limit

According to §15.249(i) and §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

According to KDB447498 D01 General RF Exposure Guidance V07

The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances  $\leq$  50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] \*  $[\sqrt{f(GHz)}] \le 3.0$  for 1-g SAR and  $\le 7.5$  for 10-g extremity SAR, where

f(GHz) is the RF channel transmit frequency in GHz;

Power and distance are rounded to the nearest mW and mm before calculation;

The result is rounded to one decimal place for comparison:

The test exclusions are applicable only when the minimum test separation distance is  $\leq$  50 mm and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm is applied to determine SAR test exclusion.

We use 5mm as separation distance to calculate.

**宁波市信测检测技术有限公司** 地址: 浙江省宁波市高新区清逸路216弄8幢8号 网址:Http://www.emtek.com.cn 邮箱:nb@emtek.com.cn EMTEK(Ningbo) Co., Ltd. Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China Http://www.emtek.com.cn E-mail: nb@emtek.com.cn



#### 4. Test Results

Maximum measured transmitter power: EIRP=E+20log(d)-104.7=92.03+9.54-104.7=-3.13 dBm

Transmit Frequency (MHz)	Mode	EIRP Power (dBm)	tune up maximum power(dBm)	Result calculation	1-g SAR
2440	GFSK	-3.13 dBm	-3.0	0.16	3

Conclusion:

For the max result :  $0.16 \le 3.0$  for 1-g SAR extremity SAR.

\*\*\* End of Report \*\*\*





# 声 明

# Statement

#### 1. 本报告无授权批准人签字及"检验检测专用章"无效;

This report will be void without authorized signature or special seal for testing report.

2. 未经许可本报告不得部分复制;

This report shall not be copied partly without authorization.

3. 本报告的检测结果仅对送测样品有效,委托方对样品的代表性和资料的真实性负责;

The test results or observations are applicable only to tested sample. Client shall be responsible for representativeness of the sample and authenticity of the material.

 本检测报告中检测项目标注有特殊符号则该项目不在资质认定范围内,仅作为客户委托、科研、教学或内部 质量控制等目的使用;

The observations or tests with special mark fall outside the scope of accreditation, and are only used for purpose of commission, research, training, internal quality control etc.

5. 本检测报告以实测值进行符合性判定,未考虑不确定度所带来的风险,本实验室不承担相关责任,特别约定、 标准或规范中有明确规定的除外;

The test results or observations are provided in accordance with measured value, without taking risks caused by uncertainty into account. Without explicit stipulation in special agreements, standards or regulations, EMTEK shall not assume any responsibility.

6. 对本检测报告若有异议,请于收到报告之日起 20 日内提出;

Objections shall be raised within 20 days from the date receiving the report.

 守波市信測检测技术有限公司
 地址: 浙江省宁波市高新区清逸路216弄8幢8号
 网址: Http://www.emtek.com.cn
 邮箱: nb@emtek.com.cn

 EMTEK(Ningbo) Co., Ltd.
 Add: No. 8, Building 8, Lane 216, Qingyi Road, High-tech Zone, Ningbo, Zhejiang, China
 Http://www.emtek.com.cn
 E-mail: nb@emtek.com.cn