



1	2	3	4
TOLERANCE(C)	SYMBOL	REVISION NO.	CODE
~ 6 ±0.15	△ x -	-	-
6 ~ 30 ±0.20			
30 ~ 80 ±0.30			
80 ~ 250 ±0.40			
250~500 ±0.55			



(2:1)

# NOTES:


PRINTING COLOR: BLACK  
PRINTING TORELANCE:±0.5mm


MUST BE PRINTED WITH FILM.

1	B72-2321-04	TK-8180H	-K	UHF FM TRANSCEIVER	15A	K4437313210	-	23210	Y51-5030-12
NO.	PART NUMBER	A	B	C	D	E	F	G	MODEL
-	-	-	-	AL EVAPORATION PLATE ±0.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKIFIER	Y51-5030-12	-		
NO.	PART NUMBER	NOTE		MATERIAL		FINISH		MODEL	
SCALE 1:1		DESIGNED		CHECKED		APPROVED		PART NAME	
UNIT : mm								MODEL NAME PLATE	
		DATE		2005-01-31		DRAWING NUMBER		SHEET NO. REL.	
JIS Z8310-84		KENWOOD		KENWOOD CORPORATION		B72-2321-04		1/1 00	

DRWN.DATE 2004-08-24

#

MMV	SYMBOL	REVISION NO.	CORD	ISSUED	DATE
-	 XALL	42232	NEW ADDITION		2001-03-14




CAUTION:  
Device must be restricted to  
occupational use to satisfy FCC  
RF exposure. See instruction  
manual for specific operating  
requirements. 18410

(2:1)

NOTES:

MUST BE PRINTED WITH FILM.

-	-	-	-	AL EVAPORATION SHEET 10.1 FROSTED SILVER	SEAL PRINTING, STRONG TACKFIER, LAMINATE(FROSTING)	Y50-5130-12	-
NO.	PART NUMBER	NOTE	MATERIAL	FINISH	MODEL	QTY.	
SCALE	1:1	DESIGNED	CHECKED	APPROVED	PART NAME		-
UNIT	: mm				CAUTION LABEL		-
	DATE	2001-03-14			DRAWING NUMBER	MMV-	-
JIS Z8310-84	KENWOOD	KENWOOD CORPORATION			PART NO.	SHEET NO.	REL.
					B41-1841-04	1/1	00
							S

DRWN. DATE 2001-03-14

CAD PLOT #

