




Mode: LE 2 Mbps
Distance of measurement: 3 meter
Channel: 00


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 087.09	45.54	Peak	H	-9.16	-	36.38	74.00	37.62
1 102.89	44.60	Peak	V	-9.06	-	35.54	74.00	38.46

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 361.95	42.55	Peak	V	-0.99	-	41.56	74.00	32.44
2 364.31	43.17	Peak	H	-0.99	-	42.18	74.00	31.82





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : KES-RF240933

Mode: LE 2 Mbps
Distance of measurement: 3 meter
Channel: 20

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 098.89	44.77	Peak	V	-9.08	-	35.69	74.00	38.31
1 185.88	45.17	Peak	H	-8.53	-	36.64	74.00	37.36



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Report No. : KES-RF240933


Mode: LE 2 Mbps
Distance of measurement: 3 meter
Channel: 39


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 003.10	44.45	Peak	V	-9.69	-	34.76	74.00	39.24
1 062.69	45.31	Peak	H	-9.31	-	36.00	74.00	38.00

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.60	53.09	Peak	H	-0.72	-	52.37	74.00	21.63
2 483.90	52.03	Peak	H	-0.72	-	51.31	74.00	22.69
2 490.95	47.11	Peak	V	-0.70	-	46.41	74.00	27.59





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 01


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 031.70	45.77	Peak	H	-9.51	-	36.26	74.00	37.74
1 172.88	44.52	Peak	V	-8.61	-	35.91	74.00	38.09

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 381.33	44.23	Peak	H	-0.95	-	43.28	74.00	30.72
2 383.26	43.84	Peak	V	-0.95	-	42.89	74.00	31.11





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : KES-RF240933

Mode: 802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 06

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 092.49	44.70	Peak	V	-9.12	-	35.58	74.00	38.42
1 094.09	45.85	Peak	H	-9.11	-	36.74	74.00	37.26



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Report No. : KES-RF240933


Mode: 802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 053.69	45.89	Peak	H	-9.37	-	36.52	74.00	37.48
1 059.89	44.15	Peak	V	-9.33	-	34.82	74.00	39.18

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 486.06	47.81	Peak	H	-0.71	-	47.10	74.00	26.90
2 493.89	43.75	Peak	V	-0.69	-	43.06	74.00	30.94





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 01


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 040.70	45.15	Peak	V	-9.45	-	35.70	74.00	38.30
1 044.50	46.91	Peak	H	-9.42	-	37.49	74.00	36.51

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 377.51	45.05	Peak	H	-0.96	-	44.09	74.00	29.91
2 378.85	44.27	Peak	V	-0.96	-	43.31	74.00	30.69
2 483.91	43.09	Peak	V	-0.72	-	42.37	74.00	31.63
2 484.16	50.80	Peak	H	-0.72	-	50.08	74.00	23.92





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : KES-RF240933

Mode: 802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 06

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 004.70	46.22	Peak	H	-9.68	-	36.54	74.00	37.46
1 014.70	45.42	Peak	V	-9.61	-	35.81	74.00	38.19



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Report No. : KES-RF240933


Mode: 802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 102.29	45.26	Peak	H	-9.06	-	36.20	74.00	37.80
1 105.89	45.60	Peak	V	-9.04	-	36.56	74.00	37.44

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 484.14	53.26	Peak	H	-0.72	-	52.54	74.00	21.46
2 484.90	44.51	Peak	V	-0.72	-	43.79	74.00	30.21
2 485.35	53.79	Peak	H	-0.71	-	53.08	74.00	20.92





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 01


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 013.30	45.25	Peak	H	-9.62	-	35.63	74.00	38.37
1 087.29	45.38	Peak	V	-9.15	-	36.23	74.00	37.77

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 327.78	43.64	Peak	V	-1.07	-	42.57	74.00	31.43
2 385.40	43.32	Peak	H	-0.94	-	42.38	74.00	31.62
2 483.94	50.21	Peak	H	-0.72	-	49.49	74.00	24.51





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : KES-RF240933

Mode: 802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 06

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 006.70	46.49	Peak	H	-9.66	-	36.83	74.00	37.17
1 169.88	44.72	Peak	V	-8.63	-	36.09	74.00	37.91



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Report No. : KES-RF240933


Mode: 802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 014.70	45.37	Peak	H	-9.61	-	35.76	74.00	38.24
1 017.90	44.73	Peak	V	-9.59	-	35.14	74.00	38.86

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 484.57	53.93	Peak	H	-0.72	-	53.21	74.00	20.79
2 485.47	54.38	Peak	H	-0.71	-	53.67	74.00	20.33
2 489.10	46.29	Peak	H	-0.71	-	45.58	74.00	28.42





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: 802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 03


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 002.70	45.18	Peak	H	-9.69	-	35.49	74.00	38.51
1 268.47	43.77	Peak	V	-8.04	-	35.73	74.00	38.27

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 365.78	42.26	Peak	V	-0.99	-	41.27	74.00	32.73
2 389.94	43.99	Peak	H	-0.93	-	43.06	74.00	30.94





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.