



Page 165 of 822

Mode:	802.11 ac(HT20) Transmitting	Channel:	5180
Remark:	215	785	




Susp	Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark	
1	5150.00 00	34.65	15.08	-40.54	35.26	44.45	54.00	9.55	Pass	Horizontal	Average	
2	5180.25 03	34.68	15.38	-40.55	80.83	90.34	54.00	-36.34	Pass	Horizontal	Average	






Page 166 of 822

Mode:	802.11 ac(HT20) Transmitting	Channel:	5180
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	34.70	43.89	54.00	10.11	Pass	Vertical	Average
2	5180.72 59	34.68	15.38	-40.55	75.42	84.93	54.00	-30.93	Pass	Vertical	Average






Page 167 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5190
Remark:			




	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
Z	1	5150.00 00	34.65	15.08	-40.54	53.63	62.82	74.00	11.18	Pass	Horizontal	Peak
2	2	5195.80 73	34.70	15.53	-40.56	88.58	98.25	74.00	-24.25	Pass	Horizontal	Peak






Page 168 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5190
Remark:			




S	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
2	1	5150.00 00	34.65	15.08	-40.54	49.60	58.79	74.00	15.21	Pass	Vertical	Peak
2	2	5186.08 26	34.69	15.43	-40.55	82.39	91.96	74.00	-17.96	Pass	Vertical	Peak






Page 169 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5190
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	39.33	48.52	54.00	5.48	Pass	Horizontal	Average
2	5193.17 90	34.69	15.50	-40.55	79.76	89.40	54.00	-35.40	Pass	Horizontal	Average





Page 170 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5190
Remark:			




S	uspe	ected List										
N	10	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5150.0 000	34.65	15.08	-40.54	35.80	44.99	54.00	9.01	Pass	Vertical	Average
	2	5193.4 418	34.69	15.51	-40.55	72.44	82.09	54.00	-28.09	Pass	Vertical	Average





Page 171 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5210
Remark:			




	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5147.37 17	34.65	15.11	-40.55	58.29	67.50	74.00	6.50	Pass	Horizontal	Peak
	2	5150.00 00	34.65	15.08	-40.54	55.64	64.83	74.00	9.17	Pass	Horizontal	Peak
	3	5212.45 31	34.71	15.52	-40.56	87.76	97.43	74.00	-23.43	Pass	Horizontal	Peak
•												






Page 172 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5210
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	50.24	59.43	74.00	14.57	Pass	Vertical	Peak
2	5204.00 50	34.70	15.55	-40.55	81.32	91.02	74.00	-17.02	Pass	Vertical	Peak






Page 173 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5210
Remark:			




	Suspe	Suspected List										
3	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5147.05 88	34.65	15.11	-40.55	41.07	50.28	54.00	3.72	Pass	Horizontal	Average
	2	5150.00 00	34.65	15.08	-40.54	39.82	49.01	54.00	4.99	Pass	Horizontal	Average
	3	5208.07 26	34.71	15.53	-40.56	77.85	87.53	54.00	-33.53	Pass	Horizontal	Average
		14747			1000		16	-7.7		1650		





Page 174 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5210
Remark:			



Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	35.90	45.09	54.00	8.91	Pass	Vertical	Average
2	5208.07 26	34.71	15.53	-40.56	71.50	81.18	54.00	-27.18	Pass	Vertical	Average







Report No. : EED32L00167704 Page 175 of 822

#### For U-NII-2a band Ant1

Mode:	802.11 a(HT20) Transmitting	Channel:	5320
Remark:	75	12	




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5320.65 08	34.82	15.66	-40.59	93.64	103.53	74.00	-29.53	Pass	Horizontal	Peak
2	5350.00 00	34.85	15.92	-40.60	48.75	58.92	74.00	15.08	Pass	Horizontal	Peak
				/ 200		1/	AN		1.36		






Page 176 of 822

Mode:	802.11 a(HT20) Transmitting	Channel:	5320
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5319.14 89	34.82	15.64	-40.59	89.80	99.67	74.00	-25.67	Pass	Vertical	Peak
2	5350.00 00	34.85	15.92	-40.60	46.37	56.54	74.00	17.46	Pass	Vertical	Peak





Page 177 of 822

Mode:	802.11 a(HT20) Transmitting	Channel:	5320
Remark:			



Su	spected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5320.90 11	34.82	15.66	-40.59	85.41	95.30	54.00	-41.30	Pass	Horizontal	Average
2	5350.00 00	34.85	15.92	-40.60	36.95	47.12	54.00	6.88	Pass	Horizontal	Average







Page 178 of 822

Mode:	802.11 a(HT20) Transmitting	Channel:	5320
Remark:			

#### **Test Graph**



Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5321.02 63	34.82	15.66	-40.59	81.21	91.10	54.00	-37.10	Pass	Vertical	Average
2	5350.00 00	34.85	15.92	-40.60	35.80	45.97	54.00	8.03	Pass	Vertical	Average




Hotline: 400-6788-333 www.cti-cert.com E-mail: info@cti-cert.com Complaint call: 0755-33681700 Complaint E-mail: complaint@cti-cert.com



Page 179 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5320
Remark:			




	Suspe	ected List										
3	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
2	1	5318.27 28	34.82	15.63	-40.59	93.19	103.05	74.00	-29.05	Pass	Horizontal	Peak
	2	5350.00 00	34.85	15.92	-40.60	47.38	57.55	74.00	16.45	Pass	Horizontal	Peak
					275			126		217		





Page 180 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5320
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5322.27 78	34.82	15.67	-40.59	88.84	98.74	74.00	-24.74	Pass	Vertical	Peak
2	5350.00 00	34.85	15.92	-40.60	46.07	56.24	74.00	17.76	Pass	Vertical	Peak





Page 181 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5320
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5319.02 38	34.82	15.64	-40.59	83.81	93.68	54.00	-39.68	Pass	Horizontal	Average
2	5350.00 00	34.85	15.92	-40.60	36.51	46.68	54.00	7.32	Pass	Horizontal	Average





Page 182 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5320
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5321.40 18	34.82	15.66	-40.59	79.62	89.51	54.00	-35.51	Pass	Vertical	Average
2	5350.00 00	34.85	15.92	-40.60	35.58	45.75	54.00	8.25	Pass	Vertical	Average





Page 183 of 822

Mode:	802.11 n(HT40) Transmitting	Channel:	5310
Remark:			




	Suspe	Suspected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
5	1	5307.63 45	34.81	15.54	-40.59	89.93	99.69	74.00	-25.69	Pass	Horizontal	Peak
	2	5350.00 00	34.85	15.92	-40.60	56.15	66.32	74.00	7.68	Pass	Horizontal	Peak
	3	5351.00 13	34.85	15.91	-40.59	60.31	70.48	74.00	3.52	Pass	Horizontal	Peak
					1 100		1/	A3.		1111	\	





Page 184 of 822

Mode:	802.11 n(HT40) Transmitting	Channel:	5310
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5314.39 30	34.81	15.60	-40.58	85.35	95.18	74.00	-21.18	Pass	Vertical	Peak
2	5350.00 00	34.85	15.92	-40.60	52.00	62.17	74.00	11.83	Pass	Vertical	Peak
3	5351.56 45	34.85	15.91	-40.60	56.41	66.57	74.00	7.43	Pass	Vertical	Peak
		\		1.00		Y-	A11		1/2/5	/	





Page 185 of 822

Mode:	802.11 n(HT40) Transmitting	Channel:	5310
Remark:			




5	Suspe	ected List										
1	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5313.26 66	34.81	15.59	-40.59	79.72	89.53	54.00	-35.53	Pass	Horizontal	Average
	2	5350.00 00	34.85	15.92	-40.60	40.41	50.58	54.00	3.42	Pass	Horizontal	Average





Page 186 of 822

Mode:	802.11 n(HT40) Transmitting	Channel:	5310
Remark:	215	700	




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5313.45 43	34.81	15.59	-40.58	75.93	85.75	54.00	-31.75	Pass	Vertical	Average
2	5350.00 00	34.85	15.92	-40.60	37.46	47.63	54.00	6.37	Pass	Vertical	Average





Page 187 of 822

Mode:	802.11 ac(HT20) Transmitting	Channel:	5320
Remark:			




	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBμV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
-	1	5321.90 24	34.82	15.67	-40.59	94.34	104.24	74.00	-30.24	Pass	Horizontal	Peak
	2	5350.00 00	34.85	15.92	-40.60	48.27	58.44	74.00	15.56	Pass	Horizontal	Peak






Page 188 of 822

Mode:	802.11 ac(HT20) Transmitting	Channel:	5320
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5321.02 63	34.82	15.66	-40.59	88.67	98.56	74.00	-24.56	Pass	Vertical	Peak
2	5350.00 00	34.85	15.92	-40.60	45.89	56.06	74.00	17.94	Pass	Vertical	Peak






Page 189 of 822

Mode:	802.11 ac(HT20) Transmitting	Channel:	5320
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5320.77 60	34.82	15.66	-40.59	85.51	95.40	54.00	-41.40	Pass	Horizontal	Average
2	5350.00 00	34.85	15.92	-40.60	37.02	47.19	54.00	6.81	Pass	Horizontal	Average





Page 190 of 822

Mode:	802.11 ac(HT20) Transmitting	Channel:	5320
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5320.52 57	34.82	15.65	-40.58	79.68	89.57	54.00	-35.57	Pass	Vertical	Average
2	5350.00 00	34.85	15.92	-40.60	35.47	45.64	54.00	8.36	Pass	Vertical	Average





Page 191 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5310
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5314.20 53	34.81	15.60	-40.59	91.40	101.22	74.00	-27.22	Pass	Horizontal	Peak
2	5350.00 00	34.85	15.92	-40.60	59.24	69.41	74.00	4.59	Pass	Horizontal	Peak
3	5352.31 54	34.85	15.90	-40.59	59.73	69.89	74.00	4.11	Pass	Horizontal	Peak
				/ ///		- V	A//		1/1/5	\	





Page 192 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5310
Remark:			




Su	spected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5313.26 66	34.81	15.59	-40.59	85.51	95.32	74.00	-21.32	Pass	Vertical	Peak
2	5350.00 00	34.85	15.92	-40.60	53.56	63.73	74.00	10.27	Pass	Vertical	Peak
3	5351.56 45	34.85	15.91	-40.60	55.23	65.39	74.00	8.61	Pass	Vertical	Peak
-	14747			1600		1.67	-7.7		1600		





Page 193 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5310
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5312.89 11	34.81	15.59	-40.59	79.49	89.30	54.00	-35.30	Pass	Horizontal	Average
2	5350.00 00	34.85	15.92	-40.60	40.73	50.90	54.00	3.10	Pass	Horizontal	Average
				1			175		245		





Page 194 of 822

Mode:	802.11 ac(HT40) Transmitting	Channel:	5310
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5307.63 45	34.81	15.54	-40.59	75.66	85.42	54.00	-31.42	Pass	Vertical	Average
2	5350.00 00	34.85	15.92	-40.60	37.70	47.87	54.00	6.13	Pass	Vertical	Average





Page 195 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5290
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5283.22 90	34.78	15.43	-40.58	87.80	97.43	74.00	-23.43	Pass	Horizontal	Peak
2	5350.00 00	34.85	15.92	-40.60	56.46	66.63	74.00	7.37	Pass	Horizontal	Peak
3	5365.08 14	34.87	15.81	-40.61	58.89	68.96	74.00	5.04	Pass	Horizontal	Peak
				100		1	A) .		1/2/5	\	





Page 196 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5290
Remark:			




	Suspe	ected List										
8	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
2	1	5282.29 04	34.78	15.43	-40.58	82.08	91.71	74.00	-17.71	Pass	Vertical	Peak
	2	5350.00 00	34.85	15.92	-40.60	52.02	62.19	74.00	11.81	Pass	Vertical	Peak





Page 197 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5290
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5288.11 01	34.79	15.44	-40.58	78.10	87.75	54.00	-33.75	Pass	Horizontal	Average
2	5350.00 00	34.85	15.92	-40.60	40.16	50.33	54.00	3.67	Pass	Horizontal	Average





Page 198 of 822

Mode:	802.11 ac(VHT80) Transmitting	Channel:	5290
Remark:			



Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5288.11 01	34.79	15.44	-40.58	72.89	82.54	54.00	-28.54	Pass	Vertical	Average
2	5350.00 00	34.85	15.92	-40.60	36.62	46.79	54.00	7.21	Pass	Vertical	Average






Page 199 of 822

For U-NII-2c band Ant1

Mode:	802.11 a(HT20) Transmitting	Channel:	5500
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	49.12	59.47	74.00	14.53	Pass	Horizontal	Peak
2	5498.67 33	35.00	15.92	-40.64	94.61	104.89	74.00	-30.89	Pass	Horizontal	Peak






Page 200 of 822

Mode:	802.11 a(HT20) Transmitting	Channel:	5500
Remark:	(1)	(2)	(




	Suspe	ected List										
-	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
è	1	5460.00 00	34.96	16.02	-40.63	46.56	56.91	74.00	17.09	Pass	Vertical	Peak
	2	5498.22 28	35.00	15.92	-40.64	92.07	102.35	74.00	-28.35	Pass	Vertical	Peak





Page 201 of 822

Mode:	802.11 a(HT20) Transmitting	Channel:	5500
Remark:		(3)	) (




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	37.13	47.48	54.00	6.52	Pass	Horizontal	Average
2	5500.25 03	35.00	15.92	-40.64	86.47	96.75	54.00	-42.75	Pass	Horizontal	Average






Page 202 of 822

Mode:	802.11 a(HT20) Transmitting	Channel:	5500
Remark:			1




	Suspe	ected List										
-	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	36.20	46.55	54.00	7.45	Pass	Vertical	Average
	2	5500.25 03	35.00	15.92	-40.64	83.40	93.68	54.00	-39.68	Pass	Vertical	Average
-												





Page 203 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5500	
Remark:		65	) (	




Sus	pected List										
NC	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	46.68	57.03	74.00	16.97	Pass	Horizontal	Peak
2	5501.82 73	35.00	15.89	-40.64	92.86	103.11	74.00	-29.11	Pass	Horizontal	Peak





Page 204 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5500
Remark:			1




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	45.78	56.13	74.00	17.87	Pass	Vertical	Peak
2	5497.77 22	35.00	15.93	-40.65	90.27	100.55	74.00	-26.55	Pass	Vertical	Peak






Page 205 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5500
Remark:		65	) (




S	uspe	ected List										
٨	10	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	35.96	46.31	54.00	7.69	Pass	Horizontal	Average
	2	5500.25 03	35.00	15.92	-40.64	83.62	93.90	54.00	-39.90	Pass	Horizontal	Average






Page 206 of 822

Mode:	802.11 n(HT20) Transmitting	Channel:	5500
Remark:			(




	Suspe	ected List										
1	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	35.31	45.66	54.00	8.34	Pass	Vertical	Average
	2	5500.02 50	35.00	15.92	-40.64	79.88	90.16	54.00	-36.16	Pass	Vertical	Average





Page 207 of 822

Mode:	802.11n(HT40Mbps) Transmitting	Channel:	5510
Remark:		0	




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5458.34 79	34.96	16.03	-40.63	53.06	63.42	74.00	10.58	Pass	Horizontal	Peak
2	5460.00 00	34.96	16.02	-40.63	50.98	61.33	74.00	12.67	Pass	Horizontal	Peak
3	5512.19 02	35.02	15.74	-40.65	91.06	101.17	74.00	-27.17	Pass	Horizontal	Peak





Page 208 of 822

Mode:	802.11n(HT40Mbps) Transmitting	Channel:	5510
Remark:		0,	) (




Su	specte	ted List										
N		Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5.	5458.79 85	34.96	16.03	-40.63	50.14	60.50	74.00	13.50	Pass	Vertical	Peak
2	<u>,</u> 5	5460.00 00	34.96	16.02	-40.63	48.50	58.85	74.00	15.15	Pass	Vertical	Peak
3		5507.45 93	35.01	15.81	-40.65	86.69	96.86	74.00	-22.86	Pass	Vertical	Peak






Page 209 of 822

Mode:	802.11n(HT40Mbps) Transmitting	Channel:	5510
Remark:		0,	(




Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	37.68	48.03	54.00	5.97	Pass	Horizontal	Average
2	5513.09 14	35.02	15.72	-40.65	81.00	91.09	54.00	-37.09	Pass	Horizontal	Average





Page 210 of 822

Mode:	802.11n(HT40Mbps) Transmitting	Channel:	5510
Remark:		0	




Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	36.47	46.82	54.00	7.18	Pass	Vertical	Average
2	5507.45 93	35.01	15.81	-40.65	77.03	87.20	54.00	-33.20	Pass	Vertical	Average
	93										





Page 211 of 822

Mode:	802.11ac(HT20Mbps) Transmitting	Channel:	5500	
Remark:		0	/	




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	47.45	57.80	74.00	16.20	Pass	Horizontal	Peak
2	5502.50 31	35.00	15.88	-40.64	95.03	105.27	74.00	-31.27	Pass	Horizontal	Peak






Page 212 of 822

Mode:	802.11ac(HT20Mbps) Transmitting	Channel:	5500
Remark:		0,	




											sult Polarity Remark	
	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	46.13	56.48	74.00	17.52	Pass	Vertical	Peak
	2	5497.77 22	35.00	15.93	-40.65	89.93	100.21	74.00	-26.21	Pass	Vertical	Peak
-												





Page 213 of 822

Mode:	802.11ac(HT20Mbps) Transmitting	Channel:	5500
Remark:		0,	




Suspected List												
5	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	36.00	46.35	54.00	7.65	Pass	Horizontal	Average
	2	5500.70 09	35.00	15.91	-40.64	85.64	95.91	54.00	-41.91	Pass	Horizontal	Average





Page 214 of 822

Mode:	802.11ac(HT20Mbps) Transmitting	Channel:	5500
Remark:		0,	




-												
•	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	35.37	45.72	54.00	8.28	Pass	Vertical	Average
	2	5500.02 50	35.00	15.92	-40.64	81.04	91.32	54.00	-37.32	Pass	Vertical	Average





Page 215 of 822

Mode:	802.11ac(HT40Mbps) Transmitting	Channel:	5510
Remark:		0,	) (




•	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	51.76	62.11	74.00	11.89	Pass	Horizontal	Peak
	2	5506.78 35	35.01	15.82	-40.65	90.17	100.35	74.00	-26.35	Pass	Horizontal	Peak






Page 216 of 822

Mode:	802.11ac(HT40Mbps) Transmitting	Channel:	5510
Remark:		0,	) (4




1	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5460.00 00	34.96	16.02	-40.63	48.09	58.44	74.00	15.56	Pass	Vertical	Peak
	2	5508.13 52	35.01	15.80	-40.65	85.64	95.80	74.00	-21.80	Pass	Vertical	Peak





Page 217 of 822

Mode:	802.11ac(HT40Mbps) Transmitting	Channel:	5510	
Remark:		0		




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	37.20	47.55	54.00	6.45	Pass	Horizontal	Average
2	5512.86 61	35.02	15.73	-40.65	80.63	90.73	54.00	-36.73	Pass	Horizontal	Average





Page 218 of 822

Mode:	802.11ac(HT40Mbps) Transmitting	Channel:	5510	
Remark:		0		




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-40.63	35.82	46.17	54.00	7.83	Pass	Vertical	Average
2	5507.45 93	35.01	15.81	-40.65	76.56	86.73	54.00	-32.73	Pass	Vertical	Average





Page 219 of 822

Mode:	802.11ac(HT80Mbps) Transmitting	Channel:	5530	
Remark:		0	/	




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5456.99 62	34.96	16.03	-40.63	56.95	67.31	74.00	6.69	Pass	Horizontal	Peak
2	5460.00 00	34.96	16.02	-40.63	55.25	65.60	74.00	8.40	Pass	Horizontal	Peak
3	5521.20 15	35.03	15.60	-40.65	88.44	98.42	74.00	-24.42	Pass	Horizontal	Peak



Page 220 of 822

Mode:	802.11ac(HT80Mbps) Transmitting	Channel:	5530
Remark:		0,	




Suspe	ected List															
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark					
1	5460.00 00	34.96	16.02	-40.63	50.51	60.86	74.00	13.14	Pass	Vertical	Peak					
2	5523.00 38	35.04	15.57	-40.66	84.14	94.09	74.00	-20.09	Pass	Vertical	Peak					





Page 221 of 822

Mode:	802.11 Transmitting	ac(HT80Mbps)	Channel:	5530	
Remark:	/	(0)	0		




Cuan	4 - d     - 4										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-36.15	35.99	50.82	54.00	3.18	Pass	Horizontal	Average
2	5527.28 41	35.04	15.51	-36.09	74.47	88.93	54.00	-34.93	Pass	Horizontal	Average






Page 222 of 822

Mode:	802.11ac(HT80Mbps) Transmitting	Channel:	5530	
Remark:		0	/	



Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460.00 00	34.96	16.02	-36.15	35.35	50.18	54.00	3.82	Pass	Vertical	Average
2	5527.28 41	35.04	15.51	-36.09	72.01	86.47	54.00	-32.47	Pass	Vertical	Average






Page 223 of 822


## Ant 2:

# 5150-5250MHz:

Mode:	802.11 Transmitting	a(HT20Mbps)	Channel:	5180
Remark:		(41)	(cr)	) (




Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.0 000	34.65	15.08	-40.54	46.30	55.49	74.00	18.51	Pass	Horizontal	Peak
2	5179.0 613	34.68	15.36	-40.55	87.82	97.31	74.00	-23.31	Pass	Horizontal	Peak





Page 224 of 822

Mode:	802.11 Transmitting	a(HT20Mbps)	Channel:	5180
Remark:	)	(0)	C.	) (4




Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.0 000	34.65	15.08	-40.54	47.90	57.09	74.00	16.91	Pass	Vertical	Peak
2	5181.4 393	34.68	15.39	-40.55	89.47	98.99	74.00	-24.99	Pass	Vertical	Peak






Page 225 of 822

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5180
Remark:		705	




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	35.10	44.29	54.00	9.71	Pass	Horizontal	Peak
2	5180.48 81	34.68	15.38	-40.55	79.89	89.40	54.00	-35.40	Pass	Horizontal	Peak





Page 226 of 822

Mode:	802.11 a(HT20Mbps) Transmitting	Channel:	5180
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.0 000	34.65	15.08	-40.54	35.18	44.37	54.00	9.63	Pass	Vertical	Peak
2	5180.4 881	34.68	15.38	-40.55	80.91	90.42	54.00	-36.42	Pass	Vertical	Peak





Page 227 of 822

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:		705	




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5147.19 65	34.65	15.11	-40.55	52.41	61.62	74.00	12.38	Pass	Horizontal	Peak
2	5150.00 00	34.65	15.08	-40.54	47.72	56.91	74.00	17.09	Pass	Horizontal	Peak
3	5178.34 79	34.68	15.36	-40.55	89.09	98.58	74.00	-24.58	Pass	Horizontal	Peak
				7 700		- Y	77.7		7 20	A	






Page 228 of 822

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	45.74	54.93	74.00	19.07	Pass	Vertical	Peak
2	5177.87 23	34.68	15.35	-40.55	87.22	96.70	74.00	-22.70	Pass	Vertical	Peak





Page 229 of 822

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	35.28	44.47	54.00	9.53	Pass	Horizontal	Peak
2	5180.48 81	34.68	15.38	-40.55	80.07	89.58	54.00	-35.58	Pass	Horizontal	Peak






Page 230 of 822

Mode:	802.11 n(HT20Mbps) Transmitting	Channel:	5180
Remark:			




	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5150.00 00	34.65	15.08	-40.54	34.91	44.10	54.00	9.90	Pass	Vertical	Peak
_	2	5180.72 59	34.68	15.38	-40.55	77.98	87.49	54.00	-33.49	Pass	Vertical	Peak






Page 231 of 822

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	53.93	63.12	74.00	10.88	Pass	Horizontal	Peak
2	5187.13 39	34.69	15.44	-40.55	88.93	98.51	74.00	-24.51	Pass	Horizontal	Peak





Page 232 of 822

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	50.12	59.31	74.00	14.69	Pass	Vertical	Peak
2	5187.65 96	34.69	15.45	-40.56	87.50	97.08	74.00	-23.08	Pass	Vertical	Peak





Page 233 of 822

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	36.84	46.03	54.00	7.97	Pass	Horizontal	Peak
2	5192.12 77	34.69	15.49	-40.55	77.78	87.41	54.00	-33.41	Pass	Horizontal	Peak






Page 234 of 822

Mode:	802.11 n(HT40Mbps) Transmitting	Channel:	5190
Remark:			




Susp	ected List				Suspected List								
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark		
1	5150.00 00	34.65	15.08	-40.54	36.05	45.24	54.00	8.76	Pass	Vertical	Peak		
2	5192.39 05	34.69	15.50	-40.56	77.07	86.70	54.00	-32.70	Pass	Vertical	Peak		






Page 235 of 822

Mode:	802.11 ac(VHT20Mbps) Transmitting	Channel:	5180
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	50.99	60.18	74.00	13.82	Pass	Horizontal	Peak
2	5180.96 37	34.68	15.38	-40.55	88.30	97.81	74.00	-23.81	Pass	Horizontal	Peak





Page 236 of 822

Mode:	802.11 ac(VHT20Mbps) Transmitting	Channel:	5180
Remark:			




Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	48.73	57.92	74.00	16.08	Pass	Vertical	Peak
2	5182.39 05	34.68	15.40	-40.55	87.26	96.79	74.00	-22.79	Pass	Vertical	Peak






Page 237 of 822

Mode:	802.11 ac(VHT20Mbps) Transmitting	Channel:	5180
Remark:			




	Suspe	ected List										
	NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
Ì	1	5150.00 00	34.65	15.08	-40.54	35.52	44.71	54.00	9.29	Pass	Horizontal	Average
	2	5180.48 81	34.68	15.38	-40.55	79.24	88.75	54.00	-34.75	Pass	Horizontal	Average





Page 238 of 822

Mode:	802.11 ac(VHT20Mbps) Transmitting	Channel:	5180
Remark:			




Susp	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	35.56	44.75	54.00	9.25	Pass	Vertical	Average
2	5180.72 59	34.68	15.38	-40.55	80.09	89.60	54.00	-35.60	Pass	Vertical	Average






Page 239 of 822

Mode:	802.11 ac(VHT40Mbps) Transmitting	Channel:	5190
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	52.64	61.83	74.00	12.17	Pass	Horizontal	Peak
2	5196.85 86	34.70	15.54	-40.56	86.38	96.06	74.00	-22.06	Pass	Horizontal	Peak






Page 240 of 822

Mode:	802.11 ac(VHT40Mbps) Transmitting	Channel:	5190
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	49.97	59.16	74.00	14.84	Pass	Vertical	Peak
2	5192.65 33	34.69	15.50	-40.55	85.05	94.69	74.00	-20.69	Pass	Vertical	Peak





Page 241 of 822

Mode:	802.11 ac(VHT40Mbps) Transmitting	Channel:	5190
Remark:			




Suspe	ected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dΒμV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	35.28	44.47	54.00	9.53	Pass	Horizontal	Average
2	5191.33 92	34.69	15.49	-40.56	75.98	85.60	54.00	-31.60	Pass	Horizontal	Average





Page 242 of 822

Mode:	802.11 ac(VHT40Mbps) Transmitting	Channel:	5190
Remark:			




Sus	pected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	34.36	43.55	54.00	10.45	Pass	Vertical	Average
2	5191.07 63	34.69	15.48	-40.55	76.02	85.64	54.00	-31.64	Pass	Vertical	Average





Page 243 of 822

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:			




Sı	Suspected List											
N	0	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
	1	5147.05 88	34.65	15.11	-40.55	60.46	69.67	74.00	4.33	Pass	Horizontal	Peak
2	2	5150.00 00	34.65	15.08	-40.54	59.42	68.61	74.00	5.39	Pass	Horizontal	Peak
(	3	5204.31 79	34.70	15.55	-40.55	87.20	96.90	74.00	-22.90	Pass	Horizontal	Peak
								La constitución de la constituci				





Page 244 of 822

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:			




Suspe	uspected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	55.05	64.24	74.00	9.76	Pass	Vertical	Peak
2	5204.31 79	34.70	15.55	-40.55	86.93	96.63	74.00	-22.63	Pass	Vertical	Peak





Page 245 of 822

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:			




Suspected List											
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	36.97	46.16	54.00	7.84	Pass	Horizontal	Average
2	5208.07 26	34.71	15.53	-40.56	76.38	86.06	54.00	-32.06	Pass	Horizontal	Average





Page 246 of 822

Mode:	802.11 ac(VHT80Mbps) Transmitting	Channel:	5210
Remark:			



Suspe	Suspected List										
NO	Freq. [MHz]	Ant Factor [dB]	Cable loss [dB]	Pream gain [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5150.00 00	34.65	15.08	-40.54	36.01	45.20	54.00	8.80	Pass	Vertical	Average
2	5208.07 26	34.71	15.53	-40.56	76.36	86.04	54.00	-32.04	Pass	Vertical	Average

