EXHIBIT 3

Transmit Label Photo

Applicant: Northern Telecom Ltd.

For Certification on:

AB6S12000

This document contains Proprietary Information of Northern Telecom Limited. This information is considered to be **CONFIDENTIAL** and should be treated appropriately.



NOTES:

1. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE EXPRESSED IN MILLIMETERS. TOLERANCES SHALL BE:
   2 DECIMAL PLACES = ±.25
   3 DECIMAL PLACES = ±.125
   ALL LABEL CORNERS SHALL HAVE A .75 RADIUS.

2. TO CONVERT MILLIMETERS TO INCHES:
   25.40 MILLIMETERS = 1 INCH.

3. THIS DESIGN FILE WAS CREATED IN ACCORDANCE WITH NT STD 1517.20. LABEL/ARTWORKS MUST BE MANUFACTURED IN ACCORDANCE WITH NPS90942.

4. THE ARTWORK (SEE SHEET 2) SHALL BE PLOTTED AT A MINIMUM OF 1200 DPI. THE TEXT FONT(S) SHALL BE: UNIVERS 67 CONDENSED BOLD PER NPS90942. TEXT ABOVE AND BELOW UL SYMBOLS SHALL BE UNIVERS 57 CONDENSED PER NPS90942.

5. MATERIAL: .25 CLEAR POLYCARBONATE PER R0115902
   FINISH: VELVET/MATTE
   ADHESIVE: .05 PRESSURE SENSITIVE WITH PEEL OFF LINER PER R0113138

6. COLOURS SHALL CONFORM TO NORTHERN TELECOM OBSERVATIONAL STANDARD 2701.01.
   BACKGROUND: BTS LIGHT GREY PER NORTHERN TELECOM STANDARD S-33470
   TEXT AND GRAPHICS: NORTEL DARK GRAY PER NORTHERN TELECOM STANDARD S-33310
   BACKGROUND AT TOP OF LABEL: NORTEL LIGHT GRAY PER NORTHERN TELECOM STANDARD S-33310

7. LABEL TO BE REVERSE SCREEN PRINTED PER NPS90942-2.

EC			
DRAWN	APPD	STREAM	ISSUE
PHE	ADE	01	01

PROPRIETARY INFORMATION:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF NORTHERN TELECOM LIMITED. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY NORTHERN TELECOM LIMITED, THE HOLDER OF THIS DOCUMENT: (1) SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES AND (2) SHALL USE SAME FOR OPERATING AND MAINTENANCE PURPOSES ONLY.

INITIAL APPLICATION

TITLE

LABEL : FCC Class B CSA

DRAWING NUMBER		SCALE
		1/1
NORTEL NETWORKS	SIZE B	SHEET 1 of 2

(V2 -FRAMEBUILDER 9511)



NOTES:

1. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE EXPRESSED IN MILLIMETERS. TOLERANCES SHALL BE:
   2 DECIMAL PLACES = ±.25
   3 DECIMAL PLACES = ±.125
   ALL LABEL CORNERS SHALL HAVE A .75 RADIUS.

2. TO CONVERT MILLIMETERS TO INCHES:
   25.40 MILLIMETERS = 1 INCH.

3. THIS DESIGN FILE WAS CREATED IN ACCORDANCE WITH NT STD 1517.20. LABEL/ARTWORKS MUST BE MANUFACTURED IN ACCORDANCE WITH NPS90942.

4. THE ARTWORK (SEE SHEET 2) SHALL BE PLOTTED AT A MINIMUM OF 1200 DPI. THE TEXT FONT(S) SHALL BE: UNIVERS 67 CONDENSED BOLD PER NPS90942. TEXT ABOVE AND BELOW UL SYMBOLS SHALL BE UNIVERS 57 CONDENSED PER NPS90942.

5. MATERIAL: .25 CLEAR POLYCARBONATE PER R0115902
   FINISH: VELVET/MATTE
   ADHESIVE: .05 PRESSURE SENSITIVE WITH PEEL OFF LINER PER R0113138

6. COLOURS SHALL CONFORM TO NORTHERN TELECOM OBSERVATIONAL STANDARD 2701.01.
   BACKGROUND: BTS LIGHT GREY PER NORTHERN TELECOM STANDARD S-33470
   TEXT AND GRAPHICS: NORTEL DARK GRAY PER NORTHERN TELECOM STANDARD S-33310
   BACKGROUND AT TOP OF LABEL: NORTEL LIGHT GRAY PER NORTHERN TELECOM STANDARD S-33310

7. LABEL TO BE REVERSE SCREEN PRINTED PER NPS90942-2.

EC			
DRAWN	APPD	STREAM	ISSUE
PHE	ADE	01	01

PROPRIETARY INFORMATION:
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF NORTHERN TELECOM LIMITED. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY NORTHERN TELECOM LIMITED, THE HOLDER OF THIS DOCUMENT: (1) SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES AND (2) SHALL USE SAME FOR OPERATING AND MAINTENANCE PURPOSES ONLY.

INITIAL APPLICATION

TITLE

LABEL : FCC Class B CSA

DRAWING NUMBER		SCALE
		1/1
NORTEL NETWORKS	SIZE B	SHEET 1 of 2

(V2 -FRAMEBUILDER 9511)