










2DH3 Burst number	 The spectrum plot shows a dense signal across the frequency range from 2.441 GHz to 3.165 GHz. The y-axis represents power in dBm, ranging from -60 to 10. A red line indicates a reference level at -6.800 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Att 30 dB, RBW 500 Hz, SWT 31.6 s, and VBW 3 MHz. The date is 1 AUG 2022 11:59:29.
2DH5 Burst width	 The spectrum plot shows a signal burst between 2.441 GHz and 2.876 GHz. The y-axis represents power in dBm, ranging from -60 to 10. A red line indicates a reference level at -6.700 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Att 30 dB, RBW 1 MHz, SWT 10 ms, and VBW 3 MHz. The date is 1 AUG 2022 11:40:12.
2DH5 Burst number	 The spectrum plot shows a dense signal across the frequency range from 2.441 GHz to 3.165 GHz. The y-axis represents power in dBm, ranging from -60 to 10. A red line indicates a reference level at -6.700 dBm. The plot is titled 'Spectrum' and includes parameters: Ref Level 20.00 dBm, Att 30 dB, RBW 500 Hz, SWT 31.6 s, and VBW 3 MHz. The date is 1 AUG 2022 11:40:50.

Modulation Type:	8DPSK
3DH1 Burst width	 The spectrum plot shows a single burst of signal at 2.441 GHz. The y-axis represents power in dBm, ranging from -90 to 10. The x-axis represents time in ms, ranging from 0 to 1.0. A red trigger level is set at -6.400 dBm. The plot shows a sharp peak at the start of the burst, followed by a rapid decay. The signal is centered around 2.441 GHz. Ref Level 20.00 dBm Att 30 dB RBW 1 MHz SWT 10 ms VBW 3 MHz TRG VID SGL 1 Zero Span M1[1] -11.50 dBm D1[1] 7.03 dB 377.50 µs CF 2.441 GHz 8001 pts 1.0 ms/ Date:1 AUG 2022 11:41:16
3DH1 Burst number	 The spectrum plot shows a continuous burst of signal at 2.441 GHz. The y-axis represents power in dBm, ranging from -90 to 10. The x-axis represents time in s, ranging from 0 to 3.16. A red trigger level is set at -6.400 dBm. The plot shows a dense, continuous signal throughout the entire duration. Ref Level 20.00 dBm Att 30 dB RBW 500 Hz SWT 31.6 s VBW 3 MHz TRG VID SGL 1 Zero Span CF 2.441 GHz 30001 pts 3.16 s/ Date:1 AUG 2022 11:41:50
3DH3 Burst width	 The spectrum plot shows a single burst of signal at 2.441 GHz. The y-axis represents power in dBm, ranging from -90 to 10. The x-axis represents time in ms, ranging from 0 to 1.0. A red trigger level is set at -6.400 dBm. The plot shows a sharp peak at the start of the burst, followed by a rapid decay. The signal is centered around 2.441 GHz. Ref Level 20.00 dBm Att 30 dB RBW 1 MHz SWT 10 ms VBW 3 MHz TRG VID SGL 1 Zero Span M1[1] -24.56 dBm D1[1] 19.26 dB 1.62875 ms CF 2.441 GHz 8001 pts 1.0 ms/ Date:1 AUG 2022 11:42:13


3DH3 Burst number	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 30001 pts. The y-axis represents power in dBm, ranging from -60 to 10. A red horizontal line indicates a threshold at -6.400 dBm. The signal is characterized by a dense, noisy burst. Date: 1 AUG 2022 11:42:47
3DH5 Burst width	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 8001 pts. The y-axis represents power in dBm, ranging from -60 to 10. A red horizontal line indicates a threshold at -6.400 dBm. The signal is characterized by a dense, noisy burst. Date: 1 AUG 2022 11:43:05
3DH5 Burst number	 The spectrum plot shows a signal at 2.441 GHz with a bandwidth of 30001 pts. The y-axis represents power in dBm, ranging from -60 to 10. A red horizontal line indicates a threshold at -6.400 dBm. The signal is characterized by a dense, noisy burst. Date: 1 AUG 2022 11:43:41

Appendix G: Duty Cycle Correction Factor (DCCF)**DCCF Calculate Formula**


$$\text{DCCF} = 20 * \text{Log}(\text{duty cycle}) = 20 * \text{Log}(T_{\text{on time}} / T_{\text{period}})$$

Modulation type	Test Frequency (MHz)	T _{on time} for single burst [ms]	T _{period} [ms]	Burst Quantity	DCCF [dB]
GFSK	2441	2.86	100	1	-30.87
$\pi/4$ DQPSK	2441	2.87	100	2	-24.82
8DPSK	2441	2.87	100	1	-30.84


GFSK




Ton time for single burst



Burst Quantity


 $\pi/4$ DQPSK

Ton time for single burst




Burst Quantity

8DPSK



Ton time for single burst




Burst Quantity

Appendix H: Band edge and Spurious Emissions (conducted)


Test Item:	Band edge	Modulation type:	GFSK																																										
CH00 No hopping mode	MultiView Spectrum Ref Level 20.00 dBm Offset 7.00 dB RBW 100 kHz Att 30 dB SWT 1.05 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1001 pts 9.5 MHz/ 2.405 GHz Frequency Sweep M1 [1] 4.36 dBm M2 [1] -51.96 dBm M3 [1] -58.50 dBm M4 [1] -58.48 dBm M5 [1] -51.82 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.402105 GHz</td><td>4.36 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-51.96 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.50 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.48 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-51.82 dBm</td><td></td><td></td></tr></table> Date:1 AUG 2022 11:00:48			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	4.36 dBm			M2	1		2.4 GHz	-51.96 dBm			M3	1		2.39 GHz	-58.50 dBm			M4	1		2.31 GHz	-58.48 dBm			M5	1		2.399965 GHz	-51.82 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	4.36 dBm																																									
M2	1		2.4 GHz	-51.96 dBm																																									
M3	1		2.39 GHz	-58.50 dBm																																									
M4	1		2.31 GHz	-58.48 dBm																																									
M5	1		2.399965 GHz	-51.82 dBm																																									
CH00 Hopping mode	MultiView Spectrum Ref Level 20.00 dBm Offset 7.00 dB RBW 100 kHz Att 30 dB SWT 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1001 pts 9.5 MHz/ 2.405 GHz Frequency Sweep M1 [1] 1.33 dBm M2 [1] -58.03 dBm M3 [1] -56.67 dBm M4 [1] -59.54 dBm M5 [1] -56.06 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.401916 GHz</td><td>1.33 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-58.03 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-56.67 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-59.54 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.390085 GHz</td><td>-56.06 dBm</td><td></td><td></td></tr></table> Date:1 AUG 2022 13:55:24			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.401916 GHz	1.33 dBm			M2	1		2.4 GHz	-58.03 dBm			M3	1		2.39 GHz	-56.67 dBm			M4	1		2.31 GHz	-59.54 dBm			M5	1		2.390085 GHz	-56.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.401916 GHz	1.33 dBm																																									
M2	1		2.4 GHz	-58.03 dBm																																									
M3	1		2.39 GHz	-56.67 dBm																																									
M4	1		2.31 GHz	-59.54 dBm																																									
M5	1		2.390085 GHz	-56.06 dBm																																									
CH78 No hopping mode	MultiView Spectrum Ref Level 20.00 dBm Offset 7.00 dB RBW 100 kHz Att 30 dB SWT 1.02 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1001 pts 2.2 MHz/ 2.5 GHz Frequency Sweep M1 [1] 3.09 dBm M2 [1] -57.36 dBm M3 [1] -58.38 dBm M4 [1] -55.91 dBm 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.480143 GHz</td><td>3.09 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-57.36 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.38 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.488494 GHz</td><td>-55.91 dBm</td><td></td><td></td></tr></table> Date:1 AUG 2022 11:04:53			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480143 GHz	3.09 dBm			M2	1		2.4835 GHz	-57.36 dBm			M3	1		2.5 GHz	-58.38 dBm			M4	1		2.488494 GHz	-55.91 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480143 GHz	3.09 dBm																																									
M2	1		2.4835 GHz	-57.36 dBm																																									
M3	1		2.5 GHz	-58.38 dBm																																									
M4	1		2.488494 GHz	-55.91 dBm																																									

CH78
Hopping mode



Test Item:	Band edge	Modulation type:	$\pi/4$ DQPSK																																										
CH00 No hopping mode	MultViewSpectrum Ref Level 20.00 dBm Offset 7.00 dB BW 100 kHz Att 30 dB SWI 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] 9.43 dBm 2.401821 GHz M2[1] -51.50 dBm 2.400000 GHz M1 -16.570 dBm M3 M4 M5 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.401821 GHz</td><td>3.43 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-51.50 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-57.88 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.96 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.399965 GHz</td><td>-51.76 dBm</td><td></td><td></td></tr></table> Date: 1 AUG 2022 11:08:13			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.401821 GHz	3.43 dBm			M2	1		2.4 GHz	-51.50 dBm			M3	1		2.39 GHz	-57.88 dBm			M4	1		2.31 GHz	-58.96 dBm			M5	1		2.399965 GHz	-51.76 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.401821 GHz	3.43 dBm																																									
M2	1		2.4 GHz	-51.50 dBm																																									
M3	1		2.39 GHz	-57.88 dBm																																									
M4	1		2.31 GHz	-58.96 dBm																																									
M5	1		2.399965 GHz	-51.76 dBm																																									
CH00 Hopping mode	MultViewSpectrum Ref Level 20.00 dBm Offset 7.00 dB BW 100 kHz Att 30 dB SWI 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] 1.35 dBm 2.4031490 GHz M2[1] -58.00 dBm 2.4000000 GHz M1 -18.650 dBm M3 M4 M5 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.403149 GHz</td><td>1.35 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-58.00 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-57.98 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-58.98 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.39303 GHz</td><td>-56.06 dBm</td><td></td><td></td></tr></table> Date: 1 AUG 2022 13:57:08			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.403149 GHz	1.35 dBm			M2	1		2.4 GHz	-58.00 dBm			M3	1		2.39 GHz	-57.98 dBm			M4	1		2.31 GHz	-58.98 dBm			M5	1		2.39303 GHz	-56.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.403149 GHz	1.35 dBm																																									
M2	1		2.4 GHz	-58.00 dBm																																									
M3	1		2.39 GHz	-57.98 dBm																																									
M4	1		2.31 GHz	-58.98 dBm																																									
M5	1		2.39303 GHz	-56.06 dBm																																									
CH78 No hopping mode	MultViewSpectrum Ref Level 20.00 dBm Offset 7.00 dB BW 100 kHz Att 30 dB SWI 1.02 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] 2.77 dBm 2.4801430 GHz M2[1] -56.97 dBm 2.4835000 GHz M1 -17.230 dBm M3 M4 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.480143 GHz</td><td>2.77 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-56.97 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-58.67 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.48383 GHz</td><td>-55.30 dBm</td><td></td><td></td></tr></table> Date: 1 AUG 2022 11:47:58			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480143 GHz	2.77 dBm			M2	1		2.4835 GHz	-56.97 dBm			M3	1		2.5 GHz	-58.67 dBm			M4	1		2.48383 GHz	-55.30 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480143 GHz	2.77 dBm																																									
M2	1		2.4835 GHz	-56.97 dBm																																									
M3	1		2.5 GHz	-58.67 dBm																																									
M4	1		2.48383 GHz	-55.30 dBm																																									


CH78
Hopping mode






Date: 1 AUG 2022 13:57:23

Test Item:	Band edge	Modulation type:	8DPSK																																										
CH00 No hopping mode	MultViewSpectrum Ref Level 20.00 dBm Offset 7.00 dB BW 100 kHz Att 30 dB SW 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] 3.56 dBm 2.4021050 GHz M2[1] -51.74 dBm 2.4000000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.402105 GHz</td><td>3.56 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-51.74 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-58.41 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-59.49 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.39987 GHz</td><td>-52.00 dBm</td><td></td><td></td></tr></tbody></table> Date:1 AUG 2022 11:21:41			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.402105 GHz	3.56 dBm			M2	1		2.4 GHz	-51.74 dBm			M3	1		2.39 GHz	-58.41 dBm			M4	1		2.31 GHz	-59.49 dBm			M5	1		2.39987 GHz	-52.00 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.402105 GHz	3.56 dBm																																									
M2	1		2.4 GHz	-51.74 dBm																																									
M3	1		2.39 GHz	-58.41 dBm																																									
M4	1		2.31 GHz	-59.49 dBm																																									
M5	1		2.39987 GHz	-52.00 dBm																																									
CH00 Hopping mode	MultViewSpectrum Ref Level 20.00 dBm Offset 7.00 dB BW 100 kHz Att 30 dB SW 1.05 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] -2.11 dBm 2.4039090 GHz M2[1] -57.83 dBm 2.4000000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 9.5 MHz/ 2.405 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.403909 GHz</td><td>-2.11 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-57.83 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-59.20 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-59.21 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.37289 GHz</td><td>-56.15 dBm</td><td></td><td></td></tr></tbody></table> Date:1 AUG 2022 13:58:43			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.403909 GHz	-2.11 dBm			M2	1		2.4 GHz	-57.83 dBm			M3	1		2.39 GHz	-59.20 dBm			M4	1		2.31 GHz	-59.21 dBm			M5	1		2.37289 GHz	-56.15 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.403909 GHz	-2.11 dBm																																									
M2	1		2.4 GHz	-57.83 dBm																																									
M3	1		2.39 GHz	-59.20 dBm																																									
M4	1		2.31 GHz	-59.21 dBm																																									
M5	1		2.37289 GHz	-56.15 dBm																																									
CH78 No hopping mode	MultViewSpectrum Ref Level 20.00 dBm Offset 7.00 dB BW 100 kHz Att 30 dB SW 1.02 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep M1[1] 2.78 dBm 2.4801430 GHz M2[1] -56.04 dBm 2.4835000 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.478 GHz 1001 pts 2.2 MHz/ 2.5 GHz 2 Marker Table <table><thead><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr></thead><tbody><tr><td>M1</td><td>1</td><td></td><td>2.480143 GHz</td><td>2.78 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-56.04 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-57.44 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.483808 GHz</td><td>-55.73 dBm</td><td></td><td></td></tr></tbody></table> Date:1 AUG 2022 11:29:43			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.480143 GHz	2.78 dBm			M2	1		2.4835 GHz	-56.04 dBm			M3	1		2.5 GHz	-57.44 dBm			M4	1		2.483808 GHz	-55.73 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.480143 GHz	2.78 dBm																																									
M2	1		2.4835 GHz	-56.04 dBm																																									
M3	1		2.5 GHz	-57.44 dBm																																									
M4	1		2.483808 GHz	-55.73 dBm																																									


CH78
Hoppig mode




Date: 1 AUG 2022 13:58:57

Test Item:	Spurious Emission	Modulation type:	GFSK
CH00 Reference level			
CH00 30MHz~1000MHz			
CH00 1GHz~26GHz			


CH39
Reference level




CH39
30MHz~1000MHz




CH39
1GHz~26GHz




CH78
Reference level






CH78
30MHz~1000MHz




CH78
1GHz~26GHz




Test Item:	Spurious Emission	Modulation type:	$\pi/4$ DQPSK
CH00 Reference level			
CH00 30MHz~1000MHz			
CH00 1GHz~26GHz			

CH39
Reference level



CH39
30MHz~1000MHz



CH39
1GHz~26GHz

