

产品规格书



规格编号	202408024001
生效日期	2024/8/24

客户名称	艾小电
产品类型	线圈
顶智料号	TX-DZ43.505.3006-K6.5-L40开双槽
客户料号	

【☒新版发行, ☐版本修订】 【本规范含目录共 7 页】 【RoHS Compliant Parts】

编制	审核	批准
钟建立	/	马湘平

广东顶智电子科技有限公司

工厂地址: 广东省惠州市龙门县迎宾大道1231号一楼
电话: 13147097490

本承认书在客户收到30天内, 请务必签章返回, 逾期视为生产时按此承认书的标准执行。

【客户核准】


日期:

承认状态: ☐完全承认 ☐条件承认 ☐拒绝承认

批准	审核	复检	检查

说明:

产品规格书

客户名称		艾小电		客户料号														
顶智料号		TX-DZ43.505.3006-K6.5-L40开双槽		规格编号		202408024001		版本		01								
◆、外形尺寸 							(单位: mm)											
							A		5.3 ±1.5									
							B		20.5 ±1.5									
							C		38.5 ±1.5									
							D		43.5 ±1.5									
							E		43.0 ±1.5									
							F		40.0 ±2.0									
							H		1.7 ±0.3									
							I		0.60 ±0.1(磁片厚度)									
							(1)线径: 0.08* (24*2P) 漆包线											
							(2)绕线圈数:10TS											
							(3)起尾线是否交叉: 是											
							(4)线圈包4mm宽高温胶带											
							(5)线圈与磁片需粘贴居中											
							(6)磁片背42圆白胶											
							◆、电气特性:											
														参数		规格		测试条件
L0		6.5 ±10% μH		100KHz/1V		■TH1816B												
Q		>30 min		100KHz/1V		■TH1816B												
DCR		<95 mΩ		@ 25℃		■CH-502BC												
◆、温度等级:																		
							操作温度		-40℃~ 125℃									
◆、材料清单:																		
							序号		品名	材料规格		供应商	备注					
							1		磁片	43.5*5.3*0.6T 开双槽		PC40猛锌						
							2		铜线	0.08* (24*2P)				漆包线				
							3		高温胶带	4MM		环保胶带						
							4		胶	42圆白胶		环保胶纸						
							5		锡	107H		千岛环保锡						
							6		胶	黄胶		环保胶水						
编制			审核				批准											
钟建立			/				马湘平											