




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 1ss



Antenna A



Antenna B




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 1ss



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 1ss



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 2ss



Antenna A



Antenna B




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 2ss



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 2ss



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 3ss



Antenna A




Antenna B



Antenna C



Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 3ss



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5690 MHz, VHT80, M0 to M9 4ss



Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 1ss




Antenna A



Antenna B



Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 1ss



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 1ss



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 2ss




Antenna A



Antenna B



Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 2ss



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 2ss



Antenna A



Antenna B



Antenna C



Antenna D




Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 3ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 3ss



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5690 MHz, VHT80 Beam Forming, M0 to M9 4ss



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5690 MHz, VHT80 STBC, M0 to M9 2ss



Antenna A



Antenna B



Peak Output Power / PSD, 5690 MHz, VHT80 STBC, M0 to M9 2ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5690 MHz, VHT80 STBC, M0 to M9 2ss




Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5710 MHz, Non HT40 Duplicate, 6 to 54 Mbps



Antenna A



Peak Output Power / PSD, 5710 MHz, Non HT40 Duplicate, 6 to 54 Mbps



Antenna A



Antenna B




Peak Output Power / PSD, 5710 MHz, Non HT40 Duplicate, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C



Peak Output Power / PSD, 5710 MHz, Non HT40 Duplicate, 6 to 54 Mbps



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss



Antenna A



Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss



Antenna A



Antenna B




Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss



Antenna A




Antenna B



Antenna C



Peak Output Power / PSD, 5710 MHz, HT/VHT40, M0 to M7, M0 to M9 1ss




Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss



Antenna A



Antenna B




Peak Output Power / PSD, 5710 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5710 MHz, HT/VHT40, M8 to M15, M0 to M9 2ss



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5710 MHz, HT/VHT40, M16 to M23, M0 to M9 3ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5710 MHz, HT/VHT40, M16 to M23, M0 to M9 3ss



Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5710 MHz, VHT40, M0 to M9 4ss



Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss




Antenna A



Antenna B




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss



Antenna A




Antenna B



Antenna C



Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss



Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss




Antenna A



Antenna B




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss




Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5710 MHz, HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss



Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5710 MHz, VHT40 Beam Forming, M0 to M9 4ss



Antenna A



Antenna B




Antenna C




Antenna D



Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7




Antenna A




Antenna B



Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5710 MHz, HT/VHT40 STBC, M0 to M7




Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps




Antenna A



Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps




Antenna A




Antenna B




Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps Beam Forming




Antenna A



Antenna B




Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps Beam Forming



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, 6 to 54 Mbps Beam Forming




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss



Antenna A



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss




Antenna A



Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss



Antenna A



Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss



Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0 to M9 2ss




Antenna A



Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0 to M9 2ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M8 to M15, M0 to M9 2ss




Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M16 to M23, M0 to M9 3ss



Antenna A




Antenna B




Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20, M16 to M23, M0 to M9 3ss



Antenna A



Antenna B



Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, VHT20, M0 to M9 4ss




Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss




Antenna A



Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss




Antenna A



Antenna B



Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss




Antenna A



Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss




Antenna A



Antenna B




Antenna C



Antenna D




Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss



Antenna A




Antenna B



Antenna C



Peak Output Power / PSD, 5720 MHz, HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss



Antenna A



Antenna B




Antenna C




Antenna D




Peak Output Power / PSD, 5720 MHz, VHT20 Beam Forming, M0 to M9 4ss




Antenna A



Antenna B




Antenna C



Antenna D



Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7




Antenna A




Antenna B




Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7



Antenna A




Antenna B



Antenna C




Peak Output Power / PSD, 5720 MHz, HT/VHT20 STBC, M0 to M7




Antenna A



Antenna B



Antenna C



Antenna D



Conducted Spurious Emissions

15.407: For transmitters operating in the 5.25-5.35 and 5.47-5.725 GHz band: all emissions outside of the 5.25-5.35 and 5.47-5.725 GHz bands shall not exceed an EIRP of -27dBm/MHz.

As specified in § 15.407(b), emissions above 1000 MHz that are outside of the restricted bands are subject to a maximum emission limit of -27 dBm/MHz (or -17 dBm/MHz as specified in § 15.407(b)(4)). However, an out-of-band emission that complies with both the peak and average limits of § 15.209 is not required to satisfy the -27 dBm/MHz or -17 dBm/MHz maximum emission limit.

Use the procedures in 789033 D02 General UNII Test Procedures New Rules v01 to substitute conducted measurements in place of radiated measurements.

- 1) Average Plot (Vertical and Horizontal), Limit= -41.25 dBm eirp (54dBuV @3m)
- 2) Peak plot (Vertical and Horizontal), Limit = -21.25 dBm eirp (74dBuV @3m)

Connect the antenna port(s) to the spectrum analyzer input. Place the radio in continuous transmit mode. Configure the spectrum analyzer as shown below (be sure to enter all losses between the transmitter output and the spectrum analyzer).

Span:	18 GHz-40 GHz/ 30 MHz-18 GHz
Reference Level:	20 dBm
Attenuation:	10 dB
Sweep Time:	Auto
Resolution Bandwidth:	1 MHz
Video Bandwidth:	1 kHz for Average, 3MHz for Peak
Detector:	Peak
Trace:	Max Hold
Marker:	Peak

Record the marker waveform peak to spur difference



Conducted Spurious Emissions-Average

Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	6 to 54 Mbps	1	6	-69.2				-63.2	-41.25	22.0
	6 to 54 Mbps	2	6	-69.2	-70.2			-60.7	-41.25	19.4
	6 to 54 Mbps	3	6	-70.2	-67.1	-70.8		-58.3	-41.25	17.0
	6 to 54 Mbps	4	6	-70.5	-70.7	-66.8	-67.1	-56.4	-41.25	15.1
	6 to 54 Mbps Beam Forming	2	9	-69.2	-70.2			-57.7	-41.25	16.4
	6 to 54 Mbps Beam Forming	3	11	-70.2	-67.1	-70.8		-53.5	-41.25	12.2
	6 to 54 Mbps Beam Forming	4	12	-70.5	-70.7	-66.8	-67.1	-50.4	-41.25	9.1
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-69.1				-63.1	-41.25	21.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-69.1	-70.1			-60.6	-41.25	19.3
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-70.3	-66.9	-70.5		-58.1	-41.25	16.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-70.5	-66.7	-67.1	-66.9	-55.5	-41.25	14.3
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-69.1	-70.1			-60.6	-41.25	19.3
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-69.7	-70.5	-70.6		-59.5	-41.25	18.2
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-70.3	-66.7	-70.6	-65.0	-55.5	-41.25	14.2
	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-69.1	-70.1	-70.6		-59.1	-41.25	17.9
	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-69.7	-70.5	-70.6	-60.8	-53.5	-41.25	12.3
	VHT20, M0 to M9 4ss	4	6	-69.1	-70.1	-70.6	-60.5	-53.2	-41.25	12.0
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.1	-70.1			-57.6	-41.25	16.3
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-70.3	-66.9	-70.5		-53.3	-41.25	12.1
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-70.5	-66.7	-67.1	-66.9	-49.5	-41.25	8.3
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.1	-70.1			-60.6	-41.25	19.3
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-69.7	-70.5	-70.6		-57.7	-41.25	16.4
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-70.3	-66.7	-70.6	-65.0	-52.5	-41.25	11.2
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.1	-70.1	-70.6		-59.1	-41.25	17.9
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-69.7	-70.5	-70.6	-60.8	-52.3	-41.25	11.1
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-69.1	-70.1	-70.6	-60.5	-53.2	-41.25	12.0
	HT/VHT20 STBC, M0 to M7	2	6	-69.1	-70.1			-60.6	-41.25	19.3
	HT/VHT20 STBC, M0 to M7	3	6	-69.7	-70.5	-70.6		-59.5	-41.25	18.2
	HT/VHT20 STBC, M0 to M7	4	6	-70.3	-66.7	-70.6	-65.0	-55.5	-41.25	14.2



5510	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-70.6				-64.6	-41.25	23.4
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-70.6	-70.6			-61.6	-41.25	20.3
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-70.5	-67.0	-65.6		-56.5	-41.25	15.2
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-70.8	-66.8	-65.5	-64.8	-54.4	-41.25	13.2
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-70.3				-64.3	-41.25	23.1
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-70.4	-70.6			-61.5	-41.25	20.2
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-70.7	-66.9	-65.9		-56.6	-41.25	15.4
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-70.6	-67.4	-65.7	-65.1	-54.7	-41.25	13.5
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-70.4	-70.6			-61.5	-41.25	20.2
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-70.7	-66.9	-65.9		-56.6	-41.25	15.4
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-70.6	-67.4	-65.7	-65.1	-54.7	-41.25	13.5
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-70.7	-66.9	-65.9		-56.6	-41.25	15.4
	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-70.6	-67.4	-65.7	-65.1	-54.7	-41.25	13.5
	VHT40, M0 to M9 4ss	4	6	-70.6	-67.4	-65.7	-65.1	-54.7	-41.25	13.5
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-70.6	-67.4			-56.7	-41.25	15.5
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-67.7	-70.8	-67.0		-52.6	-41.25	11.4
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-70.7	-70.6	-66.9	-65.9	-50.0	-41.25	8.7
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-70.4	-70.6			-61.5	-41.25	20.2
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-70.6	-66.7	-70.4		-56.3	-41.25	15.0
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-67.7	-70.8	-67.0	-66.1	-52.6	-41.25	11.3
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-70.7	-66.9	-65.9		-56.6	-41.25	15.4
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-70.5	-67.3	-67.3	-66.5	-54.4	-41.25	13.2	
VHT40 Beam Forming, M0 to M9 4ss	4	6	-70.6	-67.4	-65.7	-65.1	-54.7	-41.25	13.5	
HT/VHT40 STBC, M0 to M7	2	6	-70.4	-70.6			-61.5	-41.25	20.2	
HT/VHT40 STBC, M0 to M7	3	6	-70.7	-66.9	-65.9		-56.6	-41.25	15.4	
HT/VHT40 STBC, M0 to M7	4	6	-70.6	-67.4	-65.7	-65.1	-54.7	-41.25	13.5	
5530	Non HT80 Duplicate, 6 to 54 Mbps	1	6	-70.5				-64.5	-41.25	23.3
	Non HT80 Duplicate, 6 to 54 Mbps	2	6	-70.6	-66.7			-59.2	-41.25	18.0
	Non HT80 Duplicate, 6 to 54 Mbps	3	6	-70.8	-70.7	-66.7		-58.2	-41.25	16.9
	Non HT80 Duplicate, 6 to 54 Mbps	4	6	-70.7	-70.6	-66.6	-66.6	-56.1	-41.25	14.9
	VHT80, M0 to M9 1ss	1	6	-70.6				-64.6	-41.25	23.4
	VHT80, M0 to M9 1ss	2	6	-70.7	-70.7			-61.7	-41.25	20.4
	VHT80, M0 to M9 1ss	3	6	-70.5	-70.8	-67.0		-58.3	-41.25	17.0
	VHT80, M0 to M9 1ss	4	6	-68.3	-68.2	-66.9	-67.3	-55.6	-41.25	14.4
	VHT80, M0 to M9 2ss	2	6	-70.7	-70.7			-61.7	-41.25	20.4
	VHT80, M0 to M9 2ss	3	6	-70.5	-70.8	-67.0		-58.3	-41.25	17.0
	VHT80, M0 to M9 2ss	4	6	-68.3	-68.2	-66.9	-67.3	-55.6	-41.25	14.4
	VHT80, M0 to M9 3ss	3	6	-70.5	-70.8	-67.0		-58.3	-41.25	17.0
	VHT80, M0 to M9 3ss	4	6	-68.3	-68.2	-66.9	-67.3	-55.6	-41.25	14.4



	VHT80, M0 to M9 4ss	4	6	-68.3	-68.2	-66.9	-67.3	-55.6	-41.25	14.4
	VHT80 Beam Forming, M0 to M9 1ss	2	9	-68.3	-68.2			-56.2	-41.25	15.0
	VHT80 Beam Forming, M0 to M9 1ss	3	11	-70.6	-68.5	-66.3		-52.5	-41.25	11.3
	VHT80 Beam Forming, M0 to M9 1ss	4	12	-70.6	-67.8	-68.1	-66.8	-50.1	-41.25	8.8
	VHT80 Beam Forming, M0 to M9 2ss	2	6	-70.7	-70.7			-61.7	-41.25	20.4
	VHT80 Beam Forming, M0 to M9 2ss	3	8	-68.3	-68.2	-66.9		-55.2	-41.25	13.9
	VHT80 Beam Forming, M0 to M9 2ss	4	9	-70.6	-68.5	-66.3	-68.0	-53.1	-41.25	11.8
	VHT80 Beam Forming, M0 to M9 3ss	3	6	-70.5	-70.8	-67.0		-58.3	-41.25	17.0
	VHT80 Beam Forming, M0 to M9 3ss	4	7	-68.3	-68.2	-66.9	-67.3	-54.4	-41.25	13.2
	VHT80 Beam Forming, M0 to M9 4ss	4	6	-68.3	-68.2	-66.9	-67.3	-55.6	-41.25	14.4
	VHT80 STBC, M0 to M9 2ss	2	6	-70.7	-70.7			-61.7	-41.25	20.4
	VHT80 STBC, M0 to M9 2ss	3	6	-70.5	-70.8	-67.0		-58.3	-41.25	17.0
	VHT80 STBC, M0 to M9 2ss	4	6	-68.3	-68.2	-66.9	-67.3	-55.6	-41.25	14.4
580	6 to 54 Mbps	1	6	-69.8				-63.8	-41.25	22.6
	6 to 54 Mbps	2	6	-69.8	-63.5			-56.6	-41.25	15.3
	6 to 54 Mbps	3	6	-66.3	-66.0	-70.1		-56.3	-41.25	15.1
	6 to 54 Mbps	4	6	-70.2	-65.9	-66.3	-66.5	-54.9	-41.25	13.7
	6 to 54 Mbps Beam Forming	2	9	-69.8	-63.5			-53.6	-41.25	12.3
	6 to 54 Mbps Beam Forming	3	11	-66.3	-66.0	-70.1		-51.5	-41.25	10.3
	6 to 54 Mbps Beam Forming	4	12	-70.2	-65.9	-66.3	-66.5	-48.9	-41.25	7.7
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-69.9				-63.9	-41.25	22.7
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-69.9	-63.1			-56.3	-41.25	15.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-66.1	-65.7	-66.0		-55.2	-41.25	13.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-70.1	-65.3	-66.2	-65.8	-54.5	-41.25	13.2
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-69.9	-63.1			-56.3	-41.25	15.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-66.1	-63.0	-69.9		-54.7	-41.25	13.5
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-70.1	-65.8	-70.1	-63.7	-54.5	-41.25	13.3
	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-69.9	-63.1	-69.9		-55.6	-41.25	14.3
	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-66.1	-63.0	-69.9	-61.6	-52.1	-41.25	10.9
	VHT20, M0 to M9 4ss	4	6	-69.9	-63.1	-69.9	-60.9	-52.2	-41.25	11.0
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.9	-63.1			-53.3	-41.25	12.0
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-66.1	-65.7	-66.0		-50.4	-41.25	9.1
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-70.1	-65.3	-66.2	-65.8	-48.5	-41.25	7.2
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.9	-63.1			-56.3	-41.25	15.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-66.1	-63.0	-69.9		-52.9	-41.25	11.7
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-70.1	-65.8	-70.1	-63.7	-51.5	-41.25	10.3
HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.9	-63.1	-69.9		-55.6	-41.25	14.3	
HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-66.1	-63.0	-69.9	-61.6	-50.9	-41.25	9.7	
VHT20 Beam Forming, M0 to M9 4ss	4	6	-69.9	-63.1	-69.9	-60.9	-52.2	-41.25	11.0	
HT/VHT20 STBC, M0 to M7	2	6	-69.9	-63.1			-56.3	-41.25	15.0	



	HT/VHT20 STBC, M0 to M7	3	6	-66.1	-63.0	-69.9		-54.7	-41.25	13.5
	HT/VHT20 STBC, M0 to M7	4	6	-70.1	-65.8	-70.1	-63.7	-54.5	-41.25	13.3
5550	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-69.1				-63.1	-41.25	21.9
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-69.1	-62.4			-55.6	-41.25	14.3
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-65.6	-62.7	-69.7		-54.4	-41.25	13.1
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-65.6	-66.7	-64.6	-64.1	-53.1	-41.25	11.9
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-69.0				-63.0	-41.25	21.8
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-69.0	-62.4			-55.5	-41.25	14.3
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-69.1	-62.7	-63.0		-53.4	-41.25	12.1
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-65.8	-66.8	-64.6	-64.1	-53.2	-41.25	11.9
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-69.0	-62.4			-55.5	-41.25	14.3
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-69.0	-62.4	-62.8		-53.1	-41.25	11.9
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-69.0	-62.4	-62.8	-61.6	-51.2	-41.25	9.9
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-69.0	-62.4	-62.8		-53.1	-41.25	11.9
	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-69.0	-62.4	-62.8	-61.6	-51.2	-41.25	9.9
	VHT40, M0 to M9 4ss	4	6	-69.0	-62.4	-62.8	-61.6	-51.2	-41.25	9.9
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.0	-62.4			-52.5	-41.25	11.3
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-65.8	-66.8	-64.6		-50.1	-41.25	8.8
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-69.8	-65.9	-65.2	-64.6	-48.0	-41.25	6.7
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.0	-62.4			-55.5	-41.25	14.3
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-69.0	-62.4	-62.8		-51.3	-41.25	10.1
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-69.3	-65.5	-64.9	-64.2	-50.6	-41.25	9.3
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.0	-62.4	-62.8		-53.1	-41.25	11.9
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-69.0	-62.4	-62.8	-61.6	-50.0	-41.25	8.7
	VHT40 Beam Forming, M0 to M9 4ss	4	6	-69.0	-62.4	-62.8	-61.6	-51.2	-41.25	9.9
HT/VHT40 STBC, M0 to M7	2	6	-69.0	-62.4			-55.5	-41.25	14.3	
HT/VHT40 STBC, M0 to M7	3	6	-69.0	-62.4	-62.8		-53.1	-41.25	11.9	
HT/VHT40 STBC, M0 to M7	4	6	-69.0	-62.4	-62.8	-61.6	-51.2	-41.25	9.9	
5690	Non HT80 Duplicate, 6 to 54 Mbps	1	6	-66.3				-60.3	-41.25	19.1
	Non HT80 Duplicate, 6 to 54 Mbps	2	6	-66.3	-67.1			-57.7	-41.25	16.4
	Non HT80 Duplicate, 6 to 54 Mbps	3	6	-66.3	-67.1	-65.1		-55.3	-41.25	14.1
	Non HT80 Duplicate, 6 to 54 Mbps	4	6	-66.3	-67.1	-65.1	-64.9	-53.7	-41.25	12.5
	VHT80, M0 to M9 1ss	1	6	-70.7				-64.7	-41.25	23.5
	VHT80, M0 to M9 1ss	2	6	-70.7	-67.8			-60.0	-41.25	18.8
	VHT80, M0 to M9 1ss	3	6	-70.7	-67.8	-63.0		-55.2	-41.25	14.0
	VHT80, M0 to M9 1ss	4	6	-70.7	-67.8	-63.0	-61.5	-52.4	-41.25	11.1
	VHT80, M0 to M9 2ss	2	6	-70.7	-67.8			-60.0	-41.25	18.8
	VHT80, M0 to M9 2ss	3	6	-70.7	-67.8	-63.0		-55.2	-41.25	14.0
	VHT80, M0 to M9 2ss	4	6	-70.7	-67.8	-63.0	-61.5	-52.4	-41.25	11.1



	VHT80, M0 to M9 3ss	3	6	-70.7	-67.8	-63.0		-55.2	-41.25	14.0
	VHT80, M0 to M9 3ss	4	6	-70.7	-67.8	-63.0	-61.5	-52.4	-41.25	11.1
	VHT80, M0 to M9 4ss	4	6	-70.7	-67.8	-63.0	-61.5	-52.4	-41.25	11.1
	VHT80 Beam Forming, M0 to M9 1ss	2	9	-70.7	-67.8			-57.0	-41.25	15.8
	VHT80 Beam Forming, M0 to M9 1ss	3	11	-66.3	-67.4	-65.5		-50.8	-41.25	9.5
	VHT80 Beam Forming, M0 to M9 1ss	4	12	-71.0	-67.5	-66.3	-66.4	-49.4	-41.25	8.2
	VHT80 Beam Forming, M0 to M9 2ss	2	6	-70.7	-67.8			-60.0	-41.25	18.8
	VHT80 Beam Forming, M0 to M9 2ss	3	8	-70.7	-67.8	-63.0		-53.4	-41.25	12.2
	VHT80 Beam Forming, M0 to M9 2ss	4	9	-66.9	-67.0	-65.2	-65.3	-51.0	-41.25	9.7
	VHT80 Beam Forming, M0 to M9 3ss	3	6	-70.7	-67.8	-63.0		-55.2	-41.25	14.0
	VHT80 Beam Forming, M0 to M9 3ss	4	7	-70.7	-67.8	-63.0	-61.5	-51.2	-41.25	9.9
	VHT80 Beam Forming, M0 to M9 4ss	4	6	-70.7	-67.8	-63.0	-61.5	-52.4	-41.25	11.1
	VHT80 STBC, M0 to M9 2ss	2	6	-70.7	-67.8			-60.0	-41.25	18.8
	VHT80 STBC, M0 to M9 2ss	3	6	-70.7	-67.8	-63.0		-55.2	-41.25	14.0
	VHT80 STBC, M0 to M9 2ss	4	6	-70.7	-67.8	-63.0	-61.5	-52.4	-41.25	11.1
5710	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-66.4				-60.4	-41.25	19.2
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-66.4	-66.1			-57.2	-41.25	16.0
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-66.4	-67.2	-65.8		-55.7	-41.25	14.4
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-66.4	-67.8	-66.2	-64.3	-54.0	-41.25	12.7
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-64.1				-58.1	-41.25	16.9
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-64.1	-66.8			-56.2	-41.25	15.0
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-66.4	-65.7	-65.4		-55.0	-41.25	13.8
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-66.5	-67.8	-66.0	-64.7	-54.1	-41.25	12.8
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-64.1	-66.8			-56.2	-41.25	15.0
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-64.1	-66.8	-65.7		-54.6	-41.25	13.4
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-64.1	-66.8	-65.7	-61.7	-52.1	-41.25	10.9
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-64.1	-66.8	-65.7		-54.6	-41.25	13.4
	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-64.1	-66.8	-65.7	-61.7	-52.1	-41.25	10.9
	VHT40, M0 to M9 4ss	4	6	-64.1	-66.8	-65.7	-61.7	-52.1	-41.25	10.9
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-64.1	-66.8			-53.2	-41.25	12.0
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-66.5	-67.8	-66.0		-51.1	-41.25	9.9
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-68.0	-67.9	-66.3	-64.3	-48.3	-41.25	7.1
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-64.1	-66.8			-56.2	-41.25	15.0
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-64.1	-66.8	-65.7		-52.8	-41.25	11.6
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-66.1	-67.2	-66.2	-64.4	-50.8	-41.25	9.6
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-64.1	-66.8	-65.7		-54.6	-41.25	13.4
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-64.1	-66.8	-65.7	-61.7	-50.9	-41.25	9.7
VHT40 Beam Forming, M0 to M9 4ss	4	6	-64.1	-66.8	-65.7	-61.7	-52.1	-41.25	10.9	
HT/VHT40 STBC, M0 to M7	2	6	-64.1	-66.8			-56.2	-41.25	15.0	
HT/VHT40 STBC, M0 to M7	3	6	-64.1	-66.8	-65.7		-54.6	-41.25	13.4	



	HT/VHT40 STBC, M0 to M7	4	6	-64.1	-66.8	-65.7	-61.7	-52.1	-41.25	10.9
5720	6 to 54 Mbps	1	6	-69.7				-63.7	-41.25	22.5
	6 to 54 Mbps	2	6	-69.7	-66.3			-58.7	-41.25	17.4
	6 to 54 Mbps	3	6	-70.0	-68.1	-66.5		-57.2	-41.25	15.9
	6 to 54 Mbps	4	6	-70.2	-68.0	-66.3	-67.2	-55.7	-41.25	14.4
	6 to 54 Mbps Beam Forming	2	9	-69.7	-66.3			-55.7	-41.25	14.4
	6 to 54 Mbps Beam Forming	3	11	-70.0	-68.1	-66.5		-52.4	-41.25	11.1
	6 to 54 Mbps Beam Forming	4	12	-70.2	-68.0	-66.3	-67.2	-49.7	-41.25	8.4
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-69.7				-63.7	-41.25	22.5
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-69.7	-66.3			-58.7	-41.25	17.4
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-67.0	-68.2	-66.5		-56.4	-41.25	15.2
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-67.6	-68.2	-66.7	-66.6	-55.2	-41.25	14.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-69.7	-66.3			-58.7	-41.25	17.4
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-66.7	-66.8	-66.5		-55.9	-41.25	14.6
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-66.9	-67.8	-66.4	-64.9	-54.3	-41.25	13.1
	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-69.7	-66.3	-66.2		-56.4	-41.25	15.1
	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-66.7	-66.8	-66.5	-62.1	-53.0	-41.25	11.7
	VHT20, M0 to M9 4ss	4	6	-69.7	-66.3	-66.2	-62.5	-53.4	-41.25	12.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-69.7	-66.3			-55.7	-41.25	14.4
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-67.0	-68.2	-66.5		-51.6	-41.25	10.4
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-67.6	-68.2	-66.7	-66.6	-49.2	-41.25	8.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-69.7	-66.3			-58.7	-41.25	17.4
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-66.7	-66.8	-66.5		-54.1	-41.25	12.8
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-66.9	-67.8	-66.4	-64.9	-51.3	-41.25	10.1
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-69.7	-66.3	-66.2		-56.4	-41.25	15.1
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-66.7	-66.8	-66.5	-62.1	-51.8	-41.25	10.5
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-69.7	-66.3	-66.2	-62.5	-53.4	-41.25	12.2
	HT/VHT20 STBC, M0 to M7	2	6	-69.7	-66.3			-58.7	-41.25	17.4
	HT/VHT20 STBC, M0 to M7	3	6	-66.7	-66.8	-66.5		-55.9	-41.25	14.6
HT/VHT20 STBC, M0 to M7	4	6	-66.9	-67.8	-66.4	-64.9	-54.3	-41.25	13.1	



Conducted Spurious Emissions-Peak

Frequency (MHz)	Mode	Tx Paths	Correlated Antenna Gain (dBi)	Tx 1 Spur Power (dBm)	Tx 2 Spur Power (dBm)	Tx 3 Spur Power (dBm)	Tx 4 Spur Power (dBm)	Total Conducted Spur (dBm)	Limit (dBm)	Margin (dB)
5500	6 to 54 Mbps	1	6	-62.7				-56.7	-21.25	35.5
	6 to 54 Mbps	2	6	-62.7	-61.0			-52.8	-21.25	31.5
	6 to 54 Mbps	3	6	-60.9	-62.1	-61.4		-50.7	-21.25	29.4
	6 to 54 Mbps	4	6	-59.4	-60.6	-61.7	-61.5	-48.7	-21.25	27.4
	6 to 54 Mbps Beam Forming	2	9	-62.7	-61.0			-49.8	-21.25	28.5
	6 to 54 Mbps Beam Forming	3	11	-60.9	-62.1	-61.4		-45.9	-21.25	24.6
	6 to 54 Mbps Beam Forming	4	12	-59.4	-60.6	-61.7	-61.5	-42.7	-21.25	21.4
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-61.2				-55.2	-21.25	34.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-61.2	-60.3			-51.7	-21.25	30.5
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-62.2	-60.6	-60.4		-50.2	-21.25	29.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-62.1	-62.6	-61.4	-60.5	-49.6	-21.25	28.3
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-61.2	-60.3			-51.7	-21.25	30.5
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-60.1	-61.2	-61.7		-50.2	-21.25	28.9
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-60.3	-62.4	-61.1	-61.4	-49.2	-21.25	28.0
	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-61.2	-60.3	-61.0		-50.0	-21.25	28.8
	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-60.1	-61.2	-61.7	-61.3	-49.0	-21.25	27.8
	VHT20, M0 to M9 4ss	4	6	-61.2	-60.3	-61.0	-61.6	-49.0	-21.25	27.7
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-61.2	-60.3			-48.7	-21.25	27.5
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-62.2	-60.6	-60.4		-45.4	-21.25	24.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-62.1	-62.6	-61.4	-60.5	-43.6	-21.25	22.3
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-61.2	-60.3			-51.7	-21.25	30.5
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-60.1	-61.2	-61.7		-48.4	-21.25	27.1
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-60.3	-62.4	-61.1	-61.4	-46.2	-21.25	25.0
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-61.2	-60.3	-61.0		-50.0	-21.25	28.8
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-60.1	-61.2	-61.7	-61.3	-47.8	-21.25	26.6
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-61.2	-60.3	-61.0	-61.6	-49.0	-21.25	27.7
	HT/VHT20 STBC, M0 to M7	2	6	-61.2	-60.3			-51.7	-21.25	30.5
	HT/VHT20 STBC, M0 to M7	3	6	-60.1	-61.2	-61.7		-50.2	-21.25	28.9
	HT/VHT20 STBC, M0 to M7	4	6	-60.3	-62.4	-61.1	-61.4	-49.2	-21.25	28.0



5510	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-61.2				-55.2	-21.25	34.0
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-61.2	-61.9			-52.5	-21.25	31.3
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-61.4	-59.6	-61.5		-50.0	-21.25	28.7
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-61.3	-59.2	-61.5	-58.4	-47.9	-21.25	26.6
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-60.3				-54.3	-21.25	33.1
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-61.1	-58.9			-50.9	-21.25	29.6
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-61.0	-62.3	-61.2		-50.7	-21.25	29.4
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-61.3	-60.4	-60.5	-61.2	-48.8	-21.25	27.6
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-61.1	-58.9			-50.9	-21.25	29.6
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-61.0	-62.3	-61.2		-50.7	-21.25	29.4
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-61.3	-60.4	-60.5	-61.2	-48.8	-21.25	27.6
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-61.0	-62.3	-61.2		-50.7	-21.25	29.4
	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-61.3	-60.4	-60.5	-61.2	-48.8	-21.25	27.6
	VHT40, M0 to M9 4ss	4	6	-61.3	-60.4	-60.5	-61.2	-48.8	-21.25	27.6
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-61.3	-60.4			-48.8	-21.25	27.6
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-62.1	-61.8	-62.4		-46.5	-21.25	25.3
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-59.8	-61.4	-61.4	-61.7	-43.0	-21.25	21.7
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-61.1	-58.9			-50.9	-21.25	29.6
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-60.5	-62.7	-60.9		-48.7	-21.25	27.4
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-62.1	-61.8	-62.4	-62.1	-47.1	-21.25	25.8
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-61.0	-62.3	-61.2		-50.7	-21.25	29.4
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-61.3	-60.8	-62.2	-61.9	-48.3	-21.25	27.0	
VHT40 Beam Forming, M0 to M9 4ss	4	6	-61.3	-60.4	-60.5	-61.2	-48.8	-21.25	27.6	
HT/VHT40 STBC, M0 to M7	2	6	-61.1	-58.9			-50.9	-21.25	29.6	
HT/VHT40 STBC, M0 to M7	3	6	-61.0	-62.3	-61.2		-50.7	-21.25	29.4	
HT/VHT40 STBC, M0 to M7	4	6	-61.3	-60.4	-60.5	-61.2	-48.8	-21.25	27.6	
5530	Non HT80 Duplicate, 6 to 54 Mbps	1	6	-62.1				-56.1	-21.25	34.9
	Non HT80 Duplicate, 6 to 54 Mbps	2	6	-62.9	-62.6			-53.7	-21.25	32.5
	Non HT80 Duplicate, 6 to 54 Mbps	3	6	-62.0	-61.8	-60.7		-50.7	-21.25	29.4
	Non HT80 Duplicate, 6 to 54 Mbps	4	6	-60.7	-62.0	-60.5	-59.5	-48.6	-21.25	27.3
	VHT80, M0 to M9 1ss	1	6	-61.8				-55.8	-21.25	34.6
	VHT80, M0 to M9 1ss	2	6	-60.4	-61.2			-51.8	-21.25	30.5
	VHT80, M0 to M9 1ss	3	6	-61.5	-63.2	-61.4		-51.2	-21.25	29.9
	VHT80, M0 to M9 1ss	4	6	-61.1	-61.1	-60.6	-60.7	-48.8	-21.25	27.6
	VHT80, M0 to M9 2ss	2	6	-60.4	-61.2			-51.8	-21.25	30.5
	VHT80, M0 to M9 2ss	3	6	-61.5	-63.2	-61.4		-51.2	-21.25	29.9
	VHT80, M0 to M9 2ss	4	6	-61.1	-61.1	-60.6	-60.7	-48.8	-21.25	27.6
	VHT80, M0 to M9 3ss	3	6	-61.5	-63.2	-61.4		-51.2	-21.25	29.9
	VHT80, M0 to M9 3ss	4	6	-61.1	-61.1	-60.6	-60.7	-48.8	-21.25	27.6



	VHT80, M0 to M9 4ss	4	6	-61.1	-61.1	-60.6	-60.7	-48.8	-21.25	27.6
	VHT80 Beam Forming, M0 to M9 1ss	2	9	-61.1	-61.1			-49.1	-21.25	27.8
	VHT80 Beam Forming, M0 to M9 1ss	3	11	-60.8	-61.0	-59.9		-45.0	-21.25	23.7
	VHT80 Beam Forming, M0 to M9 1ss	4	12	-60.7	-61.1	-61.3	-61.0	-43.0	-21.25	21.7
	VHT80 Beam Forming, M0 to M9 2ss	2	6	-60.4	-61.2			-51.8	-21.25	30.5
	VHT80 Beam Forming, M0 to M9 2ss	3	8	-61.1	-61.1	-60.6		-48.4	-21.25	27.1
	VHT80 Beam Forming, M0 to M9 2ss	4	9	-60.8	-61.0	-59.9	-61.4	-45.7	-21.25	24.5
	VHT80 Beam Forming, M0 to M9 3ss	3	6	-61.5	-63.2	-61.4		-51.2	-21.25	29.9
	VHT80 Beam Forming, M0 to M9 3ss	4	7	-61.1	-61.1	-60.6	-60.7	-47.6	-21.25	26.4
	VHT80 Beam Forming, M0 to M9 4ss	4	6	-61.1	-61.1	-60.6	-60.7	-48.8	-21.25	27.6
	VHT80 STBC, M0 to M9 2ss	2	6	-60.4	-61.2			-51.8	-21.25	30.5
	VHT80 STBC, M0 to M9 2ss	3	6	-61.5	-63.2	-61.4		-51.2	-21.25	29.9
	VHT80 STBC, M0 to M9 2ss	4	6	-61.1	-61.1	-60.6	-60.7	-48.8	-21.25	27.6
580	6 to 54 Mbps	1	6	-60.9				-54.9	-21.25	33.7
	6 to 54 Mbps	2	6	-60.9	-60.1			-51.5	-21.25	30.2
	6 to 54 Mbps	3	6	-60.4	-62.0	-61.7		-50.5	-21.25	29.3
	6 to 54 Mbps	4	6	-62.2	-61.8	-61.4	-60.0	-49.2	-21.25	28.0
	6 to 54 Mbps Beam Forming	2	9	-60.9	-60.1			-48.5	-21.25	27.2
	6 to 54 Mbps Beam Forming	3	11	-60.4	-62.0	-61.7		-45.7	-21.25	24.5
	6 to 54 Mbps Beam Forming	4	12	-62.2	-61.8	-61.4	-60.0	-43.2	-21.25	22.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-61.2				-55.2	-21.25	34.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-61.2	-57.8			-50.2	-21.25	28.9
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-61.9	-61.0	-60.3		-50.2	-21.25	29.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-60.9	-62.1	-60.4	-61.7	-49.2	-21.25	28.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-61.2	-57.8			-50.2	-21.25	28.9
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-63.0	-60.4	-60.1		-50.2	-21.25	29.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-62.1	-61.5	-60.6	-61.8	-49.4	-21.25	28.2
	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-61.2	-57.8	-60.4		-48.8	-21.25	27.5
	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-63.0	-60.4	-60.1	-61.1	-49.0	-21.25	27.7
	VHT20, M0 to M9 4ss	4	6	-61.2	-57.8	-60.4	-59.3	-47.5	-21.25	26.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-61.2	-57.8			-47.2	-21.25	25.9
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-61.9	-61.0	-60.3		-45.4	-21.25	24.2
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-60.9	-62.1	-60.4	-61.7	-43.2	-21.25	22.0
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-61.2	-57.8			-50.2	-21.25	28.9
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-63.0	-60.4	-60.1		-48.4	-21.25	27.2
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-62.1	-61.5	-60.6	-61.8	-46.4	-21.25	25.2
HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-61.2	-57.8	-60.4		-48.8	-21.25	27.5	
HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-63.0	-60.4	-60.1	-61.1	-47.8	-21.25	26.5	
VHT20 Beam Forming, M0 to M9 4ss	4	6	-61.2	-57.8	-60.4	-59.3	-47.5	-21.25	26.2	
HT/VHT20 STBC, M0 to M7	2	6	-61.2	-57.8			-50.2	-21.25	28.9	



	HT/VHT20 STBC, M0 to M7	3	6	-63.0	-60.4	-60.1		-50.2	-21.25	29.0
	HT/VHT20 STBC, M0 to M7	4	6	-62.1	-61.5	-60.6	-61.8	-49.4	-21.25	28.2
5550	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-59.9				-53.9	-21.25	32.7
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-59.9	-61.1			-51.4	-21.25	30.2
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-59.5	-59.2	-59.8		-48.7	-21.25	27.5
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-61.1	-61.4	-60.5	-61.1	-49.0	-21.25	27.7
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-60.1				-54.1	-21.25	32.9
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-60.1	-61.1			-51.6	-21.25	30.3
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-60.0	-62.0	-62.5		-50.6	-21.25	29.3
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-61.3	-60.0	-62.4	-61.5	-49.2	-21.25	27.9
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-60.1	-61.1			-51.6	-21.25	30.3
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-60.1	-61.1	-61.0		-49.9	-21.25	28.7
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-60.1	-61.1	-61.0	-60.6	-48.7	-21.25	27.4
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-60.1	-61.1	-61.0		-49.9	-21.25	28.7
	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-60.1	-61.1	-61.0	-60.6	-48.7	-21.25	27.4
	VHT40, M0 to M9 4ss	4	6	-60.1	-61.1	-61.0	-60.6	-48.7	-21.25	27.4
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-60.1	-61.1			-48.6	-21.25	27.3
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-61.3	-60.0	-62.4		-45.6	-21.25	24.3
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-61.4	-59.8	-58.6	-60.6	-42.0	-21.25	20.7
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-60.1	-61.1			-51.6	-21.25	30.3
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-60.1	-61.1	-61.0		-48.1	-21.25	26.9
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-61.1	-60.5	-61.5	-59.3	-45.5	-21.25	24.2
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-60.1	-61.1	-61.0		-49.9	-21.25	28.7
	HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-60.1	-61.1	-61.0	-60.6	-47.5	-21.25	26.2
	VHT40 Beam Forming, M0 to M9 4ss	4	6	-60.1	-61.1	-61.0	-60.6	-48.7	-21.25	27.4
HT/VHT40 STBC, M0 to M7	2	6	-60.1	-61.1			-51.6	-21.25	30.3	
HT/VHT40 STBC, M0 to M7	3	6	-60.1	-61.1	-61.0		-49.9	-21.25	28.7	
HT/VHT40 STBC, M0 to M7	4	6	-60.1	-61.1	-61.0	-60.6	-48.7	-21.25	27.4	
5690	Non HT80 Duplicate, 6 to 54 Mbps	1	6	-61.6				-55.6	-21.25	34.4
	Non HT80 Duplicate, 6 to 54 Mbps	2	6	-61.6	-60.6			-52.1	-21.25	30.8
	Non HT80 Duplicate, 6 to 54 Mbps	3	6	-61.6	-60.6	-62.4		-50.7	-21.25	29.4
	Non HT80 Duplicate, 6 to 54 Mbps	4	6	-61.6	-60.6	-62.4	-60.3	-49.1	-21.25	27.9
	VHT80, M0 to M9 1ss	1	6	-62.1				-56.1	-21.25	34.9
	VHT80, M0 to M9 1ss	2	6	-62.1	-60.4			-52.2	-21.25	30.9
	VHT80, M0 to M9 1ss	3	6	-62.1	-60.4	-61.7		-50.6	-21.25	29.3
	VHT80, M0 to M9 1ss	4	6	-62.1	-60.4	-61.7	-60.2	-49.0	-21.25	27.8
	VHT80, M0 to M9 2ss	2	6	-62.1	-60.4			-52.2	-21.25	30.9
	VHT80, M0 to M9 2ss	3	6	-62.1	-60.4	-61.7		-50.6	-21.25	29.3
	VHT80, M0 to M9 2ss	4	6	-62.1	-60.4	-61.7	-60.2	-49.0	-21.25	27.8




	VHT80, M0 to M9 3ss	3	6	-62.1	-60.4	-61.7		-50.6	-21.25	29.3
	VHT80, M0 to M9 3ss	4	6	-62.1	-60.4	-61.7	-60.2	-49.0	-21.25	27.8
	VHT80, M0 to M9 4ss	4	6	-62.1	-60.4	-61.7	-60.2	-49.0	-21.25	27.8
	VHT80 Beam Forming, M0 to M9 1ss	2	9	-62.1	-60.4			-49.2	-21.25	27.9
	VHT80 Beam Forming, M0 to M9 1ss	3	11	-61.5	-60.3	-62.9		-45.9	-21.25	24.6
	VHT80 Beam Forming, M0 to M9 1ss	4	12	-62.9	-62.3	-62.0	-59.4	-43.4	-21.25	22.2
	VHT80 Beam Forming, M0 to M9 2ss	2	6	-62.1	-60.4			-52.2	-21.25	30.9
	VHT80 Beam Forming, M0 to M9 2ss	3	8	-62.1	-60.4	-61.7		-48.8	-21.25	27.5
	VHT80 Beam Forming, M0 to M9 2ss	4	9	-61.9	-62.5	-62.0	-61.1	-46.8	-21.25	25.6
	VHT80 Beam Forming, M0 to M9 3ss	3	6	-62.1	-60.4	-61.7		-50.6	-21.25	29.3
	VHT80 Beam Forming, M0 to M9 3ss	4	7	-62.1	-60.4	-61.7	-60.2	-47.8	-21.25	26.6
	VHT80 Beam Forming, M0 to M9 4ss	4	6	-62.1	-60.4	-61.7	-60.2	-49.0	-21.25	27.8
	VHT80 STBC, M0 to M9 2ss	2	6	-62.1	-60.4			-52.2	-21.25	30.9
	VHT80 STBC, M0 to M9 2ss	3	6	-62.1	-60.4	-61.7		-50.6	-21.25	29.3
	VHT80 STBC, M0 to M9 2ss	4	6	-62.1	-60.4	-61.7	-60.2	-49.0	-21.25	27.8
5710	Non HT40 Duplicate, 6 to 54 Mbps	1	6	-58.9				-52.9	-21.25	31.7
	Non HT40 Duplicate, 6 to 54 Mbps	2	6	-58.9	-61.5			-51.0	-21.25	29.7
	Non HT40 Duplicate, 6 to 54 Mbps	3	6	-59.8	-60.9	-60.9		-49.7	-21.25	28.5
	Non HT40 Duplicate, 6 to 54 Mbps	4	6	-61.2	-61.8	-59.5	-58.9	-48.2	-21.25	26.9
	HT/VHT40, M0 to M7, M0 to M9 1ss	1	6	-59.6				-53.6	-21.25	32.4
	HT/VHT40, M0 to M7, M0 to M9 1ss	2	6	-59.6	-58.7			-50.1	-21.25	28.9
	HT/VHT40, M0 to M7, M0 to M9 1ss	3	6	-59.9	-60.5	-59.6		-49.2	-21.25	28.0
	HT/VHT40, M0 to M7, M0 to M9 1ss	4	6	-61.6	-61.3	-58.3	-61.2	-48.4	-21.25	27.1
	HT/VHT40, M8 to M15, M0 to M9 2ss	2	6	-59.6	-58.7			-50.1	-21.25	28.9
	HT/VHT40, M8 to M15, M0 to M9 2ss	3	6	-59.6	-58.7	-58.1		-48.0	-21.25	26.7
	HT/VHT40, M8 to M15, M0 to M9 2ss	4	6	-59.6	-58.7	-58.1	-61.2	-47.2	-21.25	26.0
	HT/VHT40, M16 to M23, M0 to M9 3ss	3	6	-59.6	-58.7	-58.1		-48.0	-21.25	26.7
	HT/VHT40, M16 to M23, M0 to M9 3ss	4	6	-59.6	-58.7	-58.1	-61.2	-47.2	-21.25	26.0
	VHT40, M0 to M9 4ss	4	6	-59.6	-58.7	-58.1	-61.2	-47.2	-21.25	26.0
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-59.6	-58.7			-47.1	-21.25	25.9
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-61.6	-61.3	-58.3		-44.6	-21.25	23.3
	HT/VHT40 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-62.2	-58.9	-60.5	-57.9	-41.6	-21.25	20.3
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-59.6	-58.7			-50.1	-21.25	28.9
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-59.6	-58.7	-58.1		-46.2	-21.25	24.9
	HT/VHT40 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-60.0	-61.0	-60.8	-61.1	-45.7	-21.25	24.4
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-59.6	-58.7	-58.1		-48.0	-21.25	26.7	
HT/VHT40 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-59.6	-58.7	-58.1	-61.2	-46.0	-21.25	24.8	
VHT40 Beam Forming, M0 to M9 4ss	4	6	-59.6	-58.7	-58.1	-61.2	-47.2	-21.25	26.0	
HT/VHT40 STBC, M0 to M7	2	6	-59.6	-58.7			-50.1	-21.25	28.9	
HT/VHT40 STBC, M0 to M7	3	6	-59.6	-58.7	-58.1		-48.0	-21.25	26.7	



	HT/VHT40 STBC, M0 to M7	4	6	-59.6	-58.7	-58.1	-61.2	-47.2	-21.25	26.0
5720	6 to 54 Mbps	1	6	-58.6				-52.6	-21.25	31.4
	6 to 54 Mbps	2	6	-58.6	-60.5			-50.4	-21.25	29.2
	6 to 54 Mbps	3	6	-60.3	-61.5	-61.2		-50.2	-21.25	28.9
	6 to 54 Mbps	4	6	-60.4	-60.9	-60.3	-59.7	-48.3	-21.25	27.0
	6 to 54 Mbps Beam Forming	2	9	-58.6	-60.5			-47.4	-21.25	26.2
	6 to 54 Mbps Beam Forming	3	11	-60.3	-61.5	-61.2		-45.4	-21.25	24.1
	6 to 54 Mbps Beam Forming	4	12	-60.4	-60.9	-60.3	-59.7	-42.3	-21.25	21.0
	HT/VHT20, M0 to M7, M0 to M9 1ss	1	6	-57.8				-51.8	-21.25	30.6
	HT/VHT20, M0 to M7, M0 to M9 1ss	2	6	-57.8	-57.0			-48.4	-21.25	27.1
	HT/VHT20, M0 to M7, M0 to M9 1ss	3	6	-60.4	-61.3	-59.9		-49.7	-21.25	28.5
	HT/VHT20, M0 to M7, M0 to M9 1ss	4	6	-59.9	-60.0	-56.1	-59.8	-46.6	-21.25	25.3
	HT/VHT20, M8 to M15, M0 to M9 2ss	2	6	-57.8	-57.0			-48.4	-21.25	27.1
	HT/VHT20, M8 to M15, M0 to M9 2ss	3	6	-60.0	-61.1	-59.1		-49.2	-21.25	28.0
	HT/VHT20, M8 to M15, M0 to M9 2ss	4	6	-57.7	-58.7	-61.5	-59.4	-47.1	-21.25	25.8
	HT/VHT20, M16 to M23, M0 to M9 3ss	3	6	-57.8	-57.0	-61.4		-47.6	-21.25	26.3
	HT/VHT20, M16 to M23, M0 to M9 3ss	4	6	-60.0	-61.1	-59.1	-59.9	-47.9	-21.25	26.7
	VHT20, M0 to M9 4ss	4	6	-57.8	-57.0	-61.4	-60.3	-46.7	-21.25	25.5
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	2	9	-57.8	-57.0			-45.4	-21.25	24.1
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	3	11	-60.4	-61.3	-59.9		-44.9	-21.25	23.7
	HT/VHT20 Beam Forming, M0 to M7, M0 to M9 1ss	4	12	-59.9	-60.0	-56.1	-59.8	-40.6	-21.25	19.3
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	2	6	-57.8	-57.0			-48.4	-21.25	27.1
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	3	8	-60.0	-61.1	-59.1		-47.4	-21.25	26.2
	HT/VHT20 Beam Forming, M8 to M15, M0 to M9 2ss	4	9	-57.7	-58.7	-61.5	-59.4	-44.1	-21.25	22.8
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	3	6	-57.8	-57.0	-61.4		-47.6	-21.25	26.3
	HT/VHT20 Beam Forming, M16 to M23, M0 to M9 3ss	4	7	-60.0	-61.1	-59.1	-59.9	-46.7	-21.25	25.5
	VHT20 Beam Forming, M0 to M9 4ss	4	6	-57.8	-57.0	-61.4	-60.3	-46.7	-21.25	25.5
	HT/VHT20 STBC, M0 to M7	2	6	-57.8	-57.0			-48.4	-21.25	27.1
HT/VHT20 STBC, M0 to M7	3	6	-60.0	-61.1	-59.1		-49.2	-21.25	28.0	
HT/VHT20 STBC, M0 to M7	4	6	-57.7	-58.7	-61.5	-59.4	-47.1	-21.25	25.8	



Conducted Spurs, All Antennas






Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps




Antenna A



Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps



Antenna A




Antenna B




Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps



Antenna A



Antenna B



Antenna C




Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps




Antenna A



Antenna B




Antenna C



Antenna D



Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps Beam Forming



Antenna A



Antenna B




Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps Beam Forming



Antenna A




Antenna B




Antenna C



Conducted Spurs Average, 5500 MHz, 6 to 54 Mbps Beam Forming




Antenna A



Antenna B



Antenna C



Antenna D




Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss




Antenna A



Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss



Antenna A



Antenna B




Conducted Spurs Average, 5500 MHz, HT/VHT20, M0 to M7, M0 to M9 1ss



Antenna A



Antenna B



Antenna C