

ANNEX G TEST DATA

For

Project No.:	8232EU010503W
Client:	SHENZHEN ELECTRON TECHNOLOGY CO.,LTD.
Product Description:	Android Tablet
Model No.:	WF1585T
FCC ID:	2ABC5-E0072
Technology:	WiFi 5G
Test Engineer:	<i>Mikoy zhu</i>
Test Date:	2024-08-15

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Maximum Power Spectral Density	Pass
Frequency Stability	Pass



1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1									
Mode	Tx Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	/	/	1.398	1.494	93.57	0.29	0.03
		5200	/	/	1.398	1.495	93.51	0.29	0.03
		5240	/	/	1.396	1.495	93.38	0.30	0.00
		5745	/	/	1.398	1.494	93.57	0.29	0.03
		5785	/	/	1.396	1.495	93.38	0.30	0.03
		5825	/	/	1.399	1.495	93.58	0.29	0.03
802.11n (HT20)	SISO	5180	/	/	1.310	1.407	93.11	0.31	0.03
		5200	/	/	1.308	1.407	92.96	0.32	0.03
		5240	/	/	1.308	1.407	92.96	0.32	0.03
		5745	/	/	1.308	1.407	92.96	0.32	0.03
		5785	/	/	1.308	1.407	92.96	0.32	0.03
		5825	/	/	1.308	1.407	92.96	0.32	0.03
802.11n (HT40)	SISO	5190	/	/	0.648	0.747	86.75	0.62	0.04
		5230	/	/	0.650	0.746	87.13	0.60	0.04
		5755	/	/	0.648	0.747	86.75	0.62	0.04
		5795	/	/	0.648	0.747	86.75	0.62	0.04
802.11ac (VHT20)	SISO	5180	/	/	1.318	1.415	93.14	0.31	0.03
		5200	/	/	1.318	1.415	93.14	0.31	0.03
		5240	/	/	1.318	1.415	93.14	0.31	0.03
		5745	/	/	1.316	1.415	93.00	0.32	0.03
		5785	/	/	1.318	1.415	93.14	0.31	0.03
		5825	/	/	1.318	1.414	93.21	0.31	0.00
802.11ac (VHT40)	SISO	5190	/	/	0.659	0.755	87.28	0.59	0.04
		5230	/	/	0.659	0.755	87.28	0.59	0.04
		5755	/	/	0.659	0.755	87.28	0.59	0.03
		5795	/	/	0.656	0.755	86.89	0.61	0.04
802.11ac (VHT80)	SISO	5210	/	/	0.327	0.423	77.30	1.12	0.23
		5775	/	/	0.327	0.424	77.12	1.13	0.08
802.11ax (HEW20)	SISO	5180	SU	/	1.023	1.119	91.42	0.39	0.00
		5200	SU	/	1.024	1.120	91.43	0.39	0.03
		5240	SU	/	1.020	1.119	91.15	0.40	0.00
		5745	SU	/	1.023	1.120	91.34	0.39	0.03
		5785	SU	/	1.023	1.120	91.34	0.39	0.03
		5825	SU	/	1.023	1.120	91.34	0.39	0.03
802.11ax (HEW40)	SISO	5190	SU	/	0.543	0.640	84.84	0.71	0.00
		5230	SU	/	0.544	0.640	85.00	0.71	0.03
		5755	SU	/	0.543	0.639	84.98	0.71	0.03
		5795	SU	/	0.544	0.640	85.00	0.71	0.03
802.11ax (HEW80)	SISO	5210	SU	/	0.293	0.390	75.13	1.24	0.03
		5775	SU	/	0.294	0.390	75.38	1.23	0.04

1.2 Test Graph


1.2.1 Ant1




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV








802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV









802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV







802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV





802.11ax(HEW20)_LCH_5180MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_5200MHz_SU_Ant1_NTNV









802.11ax(HEW40)_LCH_5190MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_5230MHz_SU_Ant1_NTNV




802.11ax(HEW40)_LCH_5755MHz_SU_Ant1_NTNV




802.11ax(HEW40)_HCH_5795MHz_SU_Ant1_NTNV



802.11ax(HEW80)_MCH_5210MHz_SU_Ant1_NTNV



802.11ax(HEW80)_MCH_5775MHz_SU_Ant1_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW

Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	99% Occupied Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	17.563	/	Pass
		5200	/	/	1	17.639	/	Pass
		5240	/	/	1	17.515	/	Pass
		5745	/	/	1	17.662	/	Pass
		5785	/	/	1	17.519	/	Pass
		5825	/	/	1	17.469	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	18.553	/	Pass
		5200	/	/	1	18.612	/	Pass
		5240	/	/	1	18.526	/	Pass
		5745	/	/	1	18.955	/	Pass
		5785	/	/	1	18.905	/	Pass
		5825	/	/	1	18.885	/	Pass
802.11n (HT40)	SISO	5190	/	/	1	36.437	/	Pass
		5230	/	/	1	36.338	/	Pass
		5755	/	/	1	36.382	/	Pass
		5795	/	/	1	36.113	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	18.614	/	Pass
		5200	/	/	1	18.654	/	Pass
		5240	/	/	1	18.565	/	Pass
		5745	/	/	1	18.465	/	Pass
		5785	/	/	1	18.401	/	Pass
		5825	/	/	1	18.456	/	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	36.448	/	Pass
		5230	/	/	1	36.481	/	Pass
		5755	/	/	1	36.367	/	Pass
		5795	/	/	1	36.120	/	Pass
802.11ac (VHT80)	SISO	5210	/	/	1	76.172	/	Pass
		5775	/	/	1	76.219	/	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	19.140	/	Pass
		5200	SU	/	1	19.191	/	Pass
		5240	SU	/	1	19.194	/	Pass
		5745	SU	/	1	19.203	/	Pass
		5785	SU	/	1	19.146	/	Pass
		5825	SU	/	1	19.175	/	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	38.226	/	Pass
		5230	SU	/	1	38.107	/	Pass
		5755	SU	/	1	38.350	/	Pass
		5795	SU	/	1	38.349	/	Pass
802.11ax (HEW80)	SISO	5210	SU	/	1	78.516	/	Pass
		5775	SU	/	1	79.049	/	Pass

2.1.2 6dB BW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	6dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5745	/	/	1	15.230	>=0.5	Pass
		5785	/	/	1	15.226	>=0.5	Pass
		5825	/	/	1	15.228	>=0.5	Pass
802.11n (HT20)	SISO	5745	/	/	1	15.227	>=0.5	Pass
		5785	/	/	1	15.232	>=0.5	Pass
		5825	/	/	1	15.217	>=0.5	Pass
802.11n (HT40)	SISO	5755	/	/	1	35.231	>=0.5	Pass
		5795	/	/	1	35.217	>=0.5	Pass
802.11ac (VHT20)	SISO	5745	/	/	1	15.240	>=0.5	Pass
		5785	/	/	1	15.222	>=0.5	Pass
		5825	/	/	1	15.232	>=0.5	Pass
802.11ac (VHT40)	SISO	5755	/	/	1	35.234	>=0.5	Pass
		5795	/	/	1	35.217	>=0.5	Pass
802.11ac (VHT80)	SISO	5775	/	/	1	75.229	>=0.5	Pass
802.11ax (HEW20)	SISO	5745	SU	/	1	18.764	>=0.5	Pass
		5785	SU	/	1	18.558	>=0.5	Pass
		5825	SU	/	1	17.539	>=0.5	Pass
802.11ax (HEW40)	SISO	5755	SU	/	1	37.815	>=0.5	Pass
		5795	SU	/	1	37.629	>=0.5	Pass
802.11ax (HEW80)	SISO	5775	SU	/	1	77.303	>=0.5	Pass


2.1.3 26dB BW


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	26dB Bandwidth (MHz)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	20.809	/	Pass
		5200	/	/	1	20.775	/	Pass
		5240	/	/	1	20.725	/	Pass
802.11n (HT20)	SISO	5180	/	/	1	21.127	/	Pass
		5200	/	/	1	21.185	/	Pass
		5240	/	/	1	20.941	/	Pass
802.11n (HT40)	SISO	5190	/	/	1	39.429	/	Pass
		5230	/	/	1	39.181	/	Pass
802.11ac (VHT20)	SISO	5180	/	/	1	21.055	/	Pass
		5200	/	/	1	20.964	/	Pass
		5240	/	/	1	21.174	/	Pass
802.11ac (VHT40)	SISO	5190	/	/	1	39.436	/	Pass
		5230	/	/	1	39.221	/	Pass
802.11ac (VHT80)	SISO	5210	/	/	1	82.348	/	Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	21.272	/	Pass
		5200	SU	/	1	21.335	/	Pass
		5240	SU	/	1	21.383	/	Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	51.672	/	Pass
		5230	SU	/	1	40.555	/	Pass
802.11ax (HEW80)	SISO	5210	SU	/	1	105.782	/	Pass

2.2 Test Graph


2.2.1 OBW









802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV







802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV





802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV





802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV























2.2.2 6dB BW







802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV





802.11ax(HEW20)_LCH_5745MHz_SU_Ant1_NTNV




802.11ax(HEW20)_MCH_5785MHz_SU_Ant1_NTNV









2.2.3 26dB BW







802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV





802.11ax(HEW20)_LCH_5180MHz_SU_Ant1_NTNV



802.11ax(HEW20)_MCH_5200MHz_SU_Ant1_NTNV







3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)			Verdict
					ANT1	ANT2	Limit	
802.11a	SISO	5180	/	/	7.35	8.21	<=23.98	Pass
		5200	/	/	6.70	7.16	<=23.98	Pass
		5240	/	/	6.77	7.54	<=23.98	Pass
		5745	/	/	10.92	10.81	<=30	Pass
		5785	/	/	11.23	10.97	<=30	Pass
		5825	/	/	11.02	10.63	<=30	Pass
802.11n (HT20)	SISO	5180	/	/	7.19	8.17	<=23.98	Pass
		5200	/	/	6.53	12.03	<=23.98	Pass
		5240	/	/	6.58	12.08	<=23.98	Pass
		5745	/	/	16.02	15.28	<=30	Pass
		5785	/	/	16.45	15.64	<=30	Pass
		5825	/	/	16.06	15.52	<=30	Pass
802.11n (HT40)	SISO	5190	/	/	7.25	7.86	<=23.98	Pass
		5230	/	/	6.74	7.59	<=23.98	Pass
		5755	/	/	11.50	11.27	<=30	Pass
		5795	/	/	11.85	11.49	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	9.49	9.95	<=23.98	Pass
		5200	/	/	8.53	8.96	<=23.98	Pass
		5240	/	/	8.70	9.13	<=23.98	Pass
		5745	/	/	9.67	9.52	<=30	Pass
		5785	/	/	9.84	9.76	<=30	Pass
		5825	/	/	9.74	9.53	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	10.61	11.01	<=23.98	Pass
		5230	/	/	10.42	10.92	<=23.98	Pass
		5755	/	/	11.20	11.04	<=30	Pass
		5795	/	/	11.36	11.20	<=30	Pass
802.11ac (VHT80)	SISO	5210	/	/	10.09	10.72	<=23.98	Pass
		5775	/	/	14.07	13.88	<=30	Pass
802.11ax (HEW20)	SISO	5180	SU	/	9.46	10.19	<=23.98	Pass
		5200	SU	/	8.45	9.43	<=23.98	Pass
		5240	SU	/	8.72	9.77	<=23.98	Pass
		5745	SU	/	12.69	12.57	<=30	Pass
		5785	SU	/	13.08	12.77	<=30	Pass
		5825	SU	/	12.89	12.57	<=30	Pass
802.11ax (HEW40)	SISO	5190	SU	/	10.55	11.43	<=23.98	Pass
		5230	SU	/	10.44	11.47	<=23.98	Pass
		5755	SU	/	14.52	14.15	<=30	Pass
		5795	SU	/	14.70	14.34	<=30	Pass
802.11ax (HEW80)	SISO	5210	SU	/	12.70	13.21	<=23.98	Pass
		5775	SU	/	16.25	15.84	<=30	Pass

3.2 MIMO Power

3.2.1 Test Result


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					MIMO	Limit	
802.11n (HT20)	MIMO	5180	/	/	10.72	<=23.98	Pass
		5200	/	/	13.11	<=23.98	Pass
		5240	/	/	13.16	<=23.98	Pass
		5745	/	/	18.68	<=30	Pass
		5785	/	/	19.07	<=30	Pass
		5825	/	/	18.81	<=30	Pass
802.11n (HT40)	MIMO	5190	/	/	10.58	<=23.98	Pass
		5230	/	/	10.20	<=23.98	Pass
		5755	/	/	14.40	<=30	Pass
		5795	/	/	14.68	<=30	Pass
802.11ac (VHT20)	MIMO	5180	/	/	12.74	<=23.98	Pass
		5200	/	/	11.76	<=23.98	Pass
		5240	/	/	11.93	<=23.98	Pass
		5745	/	/	12.61	<=30	Pass
		5785	/	/	12.81	<=30	Pass
		5825	/	/	12.65	<=30	Pass
802.11ac (VHT40)	MIMO	5190	/	/	13.82	<=23.98	Pass
		5230	/	/	13.69	<=23.98	Pass
		5755	/	/	14.13	<=30	Pass
		5795	/	/	14.29	<=30	Pass
802.11ac (VHT80)	MIMO	5210	/	/	13.43	<=23.98	Pass
		5775	/	/	16.99	<=30	Pass
802.11ax (HEW20)	MIMO	5180	SU	/	12.85	<=23.98	Pass
		5200	SU	/	11.98	<=23.98	Pass
		5240	SU	/	12.29	<=23.98	Pass
		5745	SU	/	15.64	<=30	Pass
		5785	SU	/	15.94	<=30	Pass
		5825	SU	/	15.74	<=30	Pass
802.11ax (HEW40)	MIMO	5190	SU	/	14.02	<=23.98	Pass
		5230	SU	/	14.00	<=23.98	Pass
		5755	SU	/	17.35	<=30	Pass
		5795	SU	/	17.53	<=30	Pass
802.11ax (HEW80)	MIMO	5210	SU	/	15.97	<=23.98	Pass
		5775	SU	/	19.06	<=30	Pass


Note1: U-NII-1 Antenna Gain: Ant1: 2.94dBi; Ant2: 2.86dBi, Correlated antenna gain=5.87dBi.


Note2: U-NII-3 Antenna Gain: Ant1: 2.77dBi; Ant2: 2.95dBi, Correlated antenna gain=5.92dBi.


3.2 Test Graph


3.2.1 Power























802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant2_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant2_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant2_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant2_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant2_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant2_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant2_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV



802.11n(HT40)_HCH_5795MHz_Ant2_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV



802.11ac(VHT20)_LCH_5180MHz_Ant2_NTNV

